

PROJECT DEVELOPMENT PHASE

SPRINT 4

Date	15 November 2022
Team ID	PNT2022TMID53370
Project Name	Inventory Management System for Retailers

BILLING :

Billing.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title> Inventory Managment System - Billing </title>
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <!-- custom css file link -->
  <link rel="stylesheet" href="{{ url_for('static',filename='bill.css')
}}">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" />
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css" />
  <link rel="stylesheet" href="{{ url_for('static',filename='dash.css')
}}" />
</head>
<body>

  <div class="d-flex" id="wrapper">
    <!-- Sidebar -->
    <div class="bg-white" id="sidebar-wrapper">
      <div class="sidebar-heading text-center py-4 primary-text fs-4
fw-bold text-uppercase border-bottom"><i
class="fas fa-shopping-bag"></i> &nbsp; Fruit
Shop</div>
      <div class="list-group list-group-flush my-3">
        <div>
          <a href="{{ url_for('dashboard') }}" class="list-
group-item list-group-item-action bg-transparent second-text "><i
class="fas fa-tachometer-alt me-
2"></i>Dashboard</a>
```

```

        <a href="{{ url_for('addproduct') }}"
            class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
                class="fas fa-project-diagram me-2"></i>Add
Product</a>
        <a href="{{ url_for('searchproduct') }}" class="list-
group-item list-group-item-action bg-transparent second-text fw-bold"><i
            class="fas fa-chart-line me-2"></i>Search
Product</a>
        <a href="{{ url_for('minimum') }}" class="list-group-
item list-group-item-action bg-transparent second-text fw-bold"><i
            class="fas fa-paperclip me-2"></i>Minimun
Quantity</a>
        <a href="{{ url_for('billing') }}"
            class="list-group-item list-group-item-action bg-
transparent second-text fw-bold active"><i
                class="fas fa-gift me-2"></i>Generate Bill</a>
        <a href="{{ url_for('viewbill') }}"
            class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
                class="fas fa-gift me-2"></i>View Bill</a>
        </div>
        <div>
            <a href="{{ url_for('register') }}"
                class="list-group-item list-group-item-action
bg-transparent text-danger fw-bold "><i
                    class="fas fa-power-off me-
2"></i>Logout</a>
        </div>
    </div>
</div>
<!-- /#sidebar-wrapper -->

<!-- Page Content -->
<div id="page-content-wrapper">
    <nav class="navbar navbar-expand-lg navbar-light bg-transparent
py-4 px-4">
        <div class="d-flex align-items-center">
            <i class="fas fa-align-left primary-text fs-4 me-3"
id="menu-toggle"></i>
        </div>

        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
            data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
            aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>

        <div class="collapse navbar-collapse"
id="navbarSupportedContent">

            </div>
        </nav>

        <div class="container">
            <div class="mx-4 mt-2 text-danger" style="color: red;">{{
msg }}</div>
            <form method="POST" action="">

```

```

        <div class="row">

            <div class="col">

                <h3 class="title">Billing</h3>

                <div class="row gx-3">
                    <div class="col inputBox">
                        <span>Invoice no :</span>
                        <input type="text" name="invoice"
value="{{invoice}}" readonly>
                    </div>
                    <div class="col inputBox">
                        <span>Bill Date:</span>
                        <input type="text" name="date"
value="{{date}}" readonly>
                    </div>
                </div>
                <div class="inputBox">
                    <span>Product Name :</span>
                    <input type="text" name="product"
placeholder="Enter Product" required>
                </div>
                <div class="inputBox">
                    <span>Product Quantity:</span>
                    <input type="number" name="quantity"
placeholder="Enter Quantity" required>
                </div>

                <div class="inputBox">
                    <span>Price/Quantity:</span>
                    <input type="number" name="price"
placeholder="Enter Price" required>
                </div>

            </div>

        </div>

        <div class="buttonrow">
            <input type="submit" value="Save" class="submit-
btn">
            <input type="reset" value="Cancel" class="submit-
btn1 ">
        </div>

    </form>

</div>
</div>
</div>
<!-- /#page-content-wrapper -->

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.bundle.min.js"></script>
<script>
    var el = document.getElementById("wrapper");

```

```
        var toggleButton = document.getElementById("menu-toggle");

        toggleButton.onclick = function () {
            el.classList.toggle("toggled");
        };
    </script>
```

```
</body>
</html>
```

Billing.css

```
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;
600;700&display=swap');

*{
    font-family: 'Poppins', sans-serif;
    margin:0; padding:0;
    box-sizing: border-box;
    outline: none; border:none;
    text-transform: capitalize;
    transition: all .2s linear;
}

.container{
    display: flex;
    justify-content: center;
    align-items: center;
    padding:25px;
    min-height:calc( 100vh - 88px) ;
}

.container form{
    padding:20px;
    width:700px;
    background: #fff;
    box-shadow: 0 5px 10px rgba(0,0,0,.1);
}

.container form .row{
    display: flex;
    flex-wrap: wrap;
    gap:15px;
}
```

```
.container form .row .col{
  flex:1 1 250px;
}

.container form .row .col .title{
  font-size: 20px;
  color:#333;
  padding-bottom: 5px;
  text-transform: uppercase;
  text-align: center;
}

.container form .row .col .inputBox{
  margin:15px 0;
}

.container form .row .col .inputBox span{
  margin-bottom: 10px;
  display: block;
}

.container form .row .col .inputBox input{
  width: 100%;
  border:1px solid #ccc;
  padding:10px 15px;
  font-size: 15px;
  text-transform: none;
}

.container form .row .col .inputBox input:focus{
  border:1px solid #000;
}

.container form .row .col .flex{
  display: flex;
  gap:15px;
}

.container form .row .col .flex .inputBox{
  margin-top: 5px;
}

.container form .row .col .inputBox img{
  height: 34px;
  margin-top: 5px;
  filter: drop-shadow(0 0 1px #000);
}

.container form .submit-btn{
  width: 100%;
  padding:12px;
  font-size: 17px;
  background: #27ae60;
  color:#fff;
  margin-top: 5px;
  cursor: pointer;
  border-radius: 10px;
}

.container form .submit-btn1{
```

```

width: 100%;
padding:12px;
font-size: 17px;
background: #ff3300;
color:#fff;
margin-top: 5px;
cursor: pointer;
border-radius: 10px;
}

.container form .submit-btn:hover{
  background: #2ecc71;
}


.container form .submit-btn1:hover{
  background: #ff6741;
}

.buttonrow {
  margin : 20px auto;
  display: flex;
  flex-direction: row;
  justify-content: space-between;
  gap:20px;
}

input .danger{
  background-color: red;
  color: red;
}

```

OUTPUT SCREENSHOT:



VIEW BILL

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title> Inventory Managment System - View Bill </title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" />
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/all.min.css" />
  <link rel="stylesheet" href="{{ url_for('static',filename='dash.css')
}}" />
</head>
<body >

  <div class="d-flex" id="wrapper">
    <!-- Sidebar -->
    <div class="bg-white" id="sidebar-wrapper">
      <div class="sidebar-heading text-center py-4 primary-text fs-4
fw-bold text-uppercase border-bottom"><i
class="fas fa-shopping-bag"></i> &nbsp;   Fruit
Shop</div>
      <div class="list-group list-group-flush my-3">
        <div>
          <a href="{{ url_for('dashboard') }}" class="list-group-item
list-group-item-action bg-transparent second-text "><i
class="fas fa-tachometer-alt me-2"></i>Dashboard</a>
          <a href="{{ url_for('addproduct') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-project-diagram me-2"></i>Add Product</a>
          <a href="{{ url_for('searchproduct') }}"class="list-group-item
list-group-item-action bg-transparent second-text fw-bold"><i
class="fas fa-chart-line me-2"></i>Search Product</a>
          <a href="{{ url_for('minimum') }}" class="list-group-item list-
group-item-action bg-transparent second-text fw-bold"><i
class="fas fa-paperclip me-2"></i>Minimun Quantity</a>
          <a href="{{ url_for('billing') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold"><i
class="fas fa-gift me-2"></i>Generate Bill</a>
          <a href="{{ url_for('viewbill') }}"
class="list-group-item list-group-item-action bg-
transparent second-text fw-bold active"><i
class="fas fa-gift me-2"></i>View Bill</a>
        </div>
        <div>
          <a href="{{ url_for('home') }}"
class="list-group-item list-group-item-action bg-
transparent text-danger fw-bold "><i
class="fas fa-power-off me-2"></i>Logout</a>

```

```

        </div>
    </div>
</div>
<!-- /#sidebar-wrapper -->

<!-- Page Content -->
<div id="page-content-wrapper">
    <nav class="navbar navbar-expand-lg navbar-light bg-transparent
py-4 px-4">
        <div class="d-flex align-items-center">
            <i class="fas fa-align-left primary-text fs-4 me-3"
id="menu-toggle"></i>

            </div>

            <button class="navbar-toggler" type="button" data-bs-
toggle="collapse"
                data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
                aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>

            <div class="collapse navbar-collapse"
id="navbarSupportedContent">

                </div>
            </nav>

    <div class="container">
        <div class="card p-3 row my-5">
            <h3 class="fs-4 mb-3 text-center"> Bills </h3>
            <div class="col">
                <table class="table bg-white rounded shadow-sm table-hover
table-bordered text-center">
                    <thead>
                        <tr>

                            <th scope="col">invoice No</th>
                            <th scope="col">Product</th>
                            <th scope="col">Quantity<small> &nbsp;
(kg)</small></th>
                            <th scope="col">Price &nbsp;/ (kg)</small></th>
                            <th scope="col">Total Price</th>

                        </tr>
                    </thead>
                    <tbody>
                        {% for i in datas %}
                        <tr>

                            <td>{{i['invoice']}}</td>
                            <td>{{i['product']}}</td>
                            <td>{{i['price']}}</td>
                            <td>{{i['quantity']}}</td>
                            <td>{{i['total']}}</td>

                        </tr>
                        {% endfor %}
                    </tbody>
                </table>
            </div>
        </div>
    </div>

```



```
        </tbody>
      </table>
    </div>
  </div>
</div>
  </div>
</div>
<!-- /#page-content-wrapper -->

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/js/bootstrap.bundle.min.js"></script>
  <script>
    var el = document.getElementById("wrapper");
    var toggleButton = document.getElementById("menu-toggle");

    toggleButton.onclick = function () {
      el.classList.toggle("toggled");
    };
  </script>

</body>
</html>
```