ProjectDevelopment-DeliveryOf Sprint-1

Date	14-11-2022
TeamID	PNT2022TMID36635
ProjectName	Project-IoTBasedSafetyGadgetFor ChildSafetyMonitoring&Notification
MaximumMarks	

```
INDEXHTM
LCODE:
  <!DOCTYPEhtml>
<a href="height:100%;margin:0;">
     <head>
          <metacharset="UTF-8"/>
           <meta name="description" content="The Home Page</pre>
afterLoggedIn"/>
           <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0"/>
           <title>IOT Based Safety Gadget for Child Safety
Monitoring and Notification </title>
     <scriptsrc="./LOCALFORAGE.js"></script>
           <script>
                if (window.location.hostname !==
                      "localhost") {if(location.protocol!==
                      "https:"){
                           location.replace(
```

```
`https:${location.href.substring(locatio
                                        n.protocol.length
                                  )}`
                            )
                      }
                 }
                 asyncfunctioncheck(){
        let data =
        localforage.getItem("userData")if(data
        ==null){
         window.location.href="/login"
       }
      }
      check()
     </script>
     </head>
     <body
           style="
                 height:100%;
                 margin:0;
                 font-weight:300;
                 font-family:-apple-system,BlinkMacSystemFont,'Segoe
Uľ,
                       Oxygen, Ubuntu, Cantarell, 'Open Sans',
Roboto, Ne
                      'Helveticasans-serif;
ue',
```

"

```
<div
     class="wrappe
     r"style="
           height:
           90%;displa
           y:flex;
           flex-direction:
           column;align-items:
           center;justify-
           content:center;
                 text-align:center;
>
     <di
     ٧
           class="detail
           s"style="
                 display:flex;
                 flex-direction:
                 column;align-items:
                 center;gap:20px;
                 padding:
                 1rem;border-
                 radius:5px;
                 box-shadow:00 8px0px#4444444;
                 max-width:80%;
     >
           <h1class="name"style="margin:0"></h1>
```

```
<div
                           class="imageContainer"
                            style="padding:10px;height:10rem;width:
10rem"
                      >
                           <imgclass="image"alt="profilepicture"/>
                      </div>
                      <h2class="email"style="margin:0"></h2>
       <a style="text-decoration: none;text-align: center;font-</p>
                          #0070f3;font-weight:
                                                        400:"
size:1.2rem;color:
href="./dashboard">Go toDashboard > </a>
                </div>
           </div>
           <script>
                asyncfunctionmain(){
       let name =
       document.querySelector(".name")let image
       document.querySelector(".image")letemail
       =document.querySelector(".email")
       let userData = await
       localforage.getItem("userData")if(userData==nul
       I){
         window.location.href="/login"
       }
       name.innerHTML=`Welcome${userData.firstName}
${userData.lastName}!`
       image.src=userData.profilePic
```

OUTPUT:



LOCALFORAGE:

```
!function(a)
{if("object"==typeof
exports&&"undefined"!=typeofmodule)module.e
xports=a():
else if("function"==typeof
define&define.amd)define(∏,a);else{var b;
   b="undefined"!=typeof
window?window:"undefined"!=typeofglobal?global:"undefine
d"!=typeofself?self:this,b.localforage=a()}}(function(){
 returnfunctiona(b,c,d){
  functione(g,h){if(!c[g]){if(!b[g]){
   var i="function"==typeof
  require&&require;if(!h&&i)returni(g,!0);if(f)
  returnf(g,!0);
  varj=newError("Cannotfindmodule"+g+"");
  throw i.code="MODULE_NOT_FOUND",i}var
               k=c[g]={exports:{}};b[g][0].call(k.exports,functio
               n(a){
                var c=b[q][1][a];return
          e(c||a)},k,k.exports,a,b,c,d)}returnc[g].exports}
  for(var
f="function"==typeofrequire&erequire,g=0;g<d.length;g++)e(d[g]);
  returne}({1:[function(a,b,c){(function(a){"usestrict";
                       functionc(){k=!0;for(vara,b,c=l.length;c;){
                        for(b=I.I=\Pi.a=-
                       1;++a<c;)b[a]();c=l.length}k=!1}functiond(a){
                       1!==I.push(a)||k||e()}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                       if(f){var
g=0,h=newf(c),i=a.document.createTextNode("");h.observe(i,{characte
rData:!0}),e=function(){i.data=g=++g%2}}
if(a.setImmediate||void0===a.MessageChannel)e="document"in
a&&"onreadystatechange"ina.document.createElement("script")?fun
ction(){varb=a.document.createElement("script");b.onreadystatecha
nge=function(){c(),b.onreadystatechange=null,b.parentNode.remov
eChild(b),b=null},a.document.documentElement.appendChild(b)}:fu
nction(){setTimeout(c,0)};else{var
j=newa.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.
postMessage(0)}}var
k,l=[];b.exports=d}).call(this,"undefined"!=typeofglobal?global:"undef
ined"!=typeof
self?self:"undefined"!=typeofwindow?window:{})},{}],2:[function(a,b,
c){"use strict";functiond(){}function e(a){if("function"!=typeof
a)throw new
```

 $\label{thm:condition} Type Error ("resolver must be a function"); this. state = s, this. queue = [], this. outcome = void$

```
0,a!==d&&i(this,a)}function
f(a,b,c){this.promise=a,"function"==typeofb&&(this.onFulfilled=b,this.c
allFulfilled=this.otherCallFulfilled),"function"
==typeofc&&(this.onRejected=c,this.callRejected=this.otherCallReje
cted))functiong(a,b,c){o(function(){var
d;try{d=b(c)}catch(b){returnp.reject(a,b)}d===a?p.reject(a,new
TypeError("Cannot resolve promisewith
itself")):p.resolve(a,d)})}function
h(a){varb=a&&a.then;if(a&&("object"==typeof
a||"function"==typeofa)&&"function"==typeof
b)returnfunction(){b.apply(a,arguments)}}function
i(a,b){functionc(b){f||(f=!0,p.reject(a,b))}function
d(b){f||(f=!0,p.resolve(a,b))}functione(){b(d,c)}var
f=!1,g=j(e);"error"===g.status&&c(g.value)}functionj(a,b){varc={};try{
c.value=a(b),c.status="success"}catch(a){c.status="error",c.value
=a}return c}function k(a){return a instanceof
this?a:p.resolve(newthis(d),a)}function I(a){var b=new this(d);return
p.reject(b,a)}functionm(a){function
b(a,b)\{functiond(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).
then(d,function(
       {f||(f=!0,p.reject(j,a))})}var
a)
c=this;if("[objectArray]"!==Object.prototype.toString.call(a))return
this.reject(newTypeError("must be an array"));var
e=a.length,f=!1;if(!e)returnthis.resolve([]);for(var g=new
Array(e),h=0,i=-1,j=newthis(d);++i<e;)b(a[i],i);return j}function
n(a){functionb(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))
},function(a){f||(f=!0,p.reject(h,a))})}var
c=this;if("[objectArray]"!==Object.prototype.toString.call(a))return
this.reject(newTypeError("must be an array"));var
e=a.length,f=!1;if(!e)returnthis.resolve([]);for(var g=-1,h=new
this(d);++g<e;)b(a[g]);return
h}varo=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.e
xports=e,
e.prototype.catch=function(a){returnthis.then(null,a)},e.prototype.th
en=function(a,b){if("function"!=typeofa&&this.state===r||"function"!
=typeof b&&this.state===q)returnthis;var
c=newthis.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,thi
s.outcome)}else this.queue.push(new
f(c,a,b));returnc},f.prototype.callFulfilled=function(a){p.resolve(this.
promise,a)},f.prototype.otherCallFulfilled=function(a){g(this.promis
e,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(th
is.promise,a)},f.prototype.otherCallRejected=function(a){g(this.pro
mise,this.onRejected,a)},p.resolve=function(a,b){varc=j(h,b);if("error
"===c.status)return
```

```
b;for(var e=-
1,f=a.gueue.length;++e<f;)a.gueue[e].callFulfilled(b)}returna},p.rejec
t=function(a,b){a.state=q,a.outcome=b:for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);returna},e.res
olve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(
b){"use
strict";"function"!=typeofb.Promise&&(b.Promise=a(2))}).call(this,"u
ndefined"!=typeofglobal?global:"undefined"!=typeof
self?self:"undefined"!=typeofwindow?window:{})}.{2:2}].4:[function(a.
b,c){"use strict";functiond(a,b){if(!(a instanceof b))throw new
TypeError("Cannot call a class as afunction")}function
e(){try{if("undefined"!=typeof
indexedDB)returnindexedDB;if("undefined"!=typeof
webkitIndexedDB)returnwebkitIndexedDB;if("undefined"!=typeof
mozIndexedDB)returnmozIndexedDB;if("undefined"!=typeof
OIndexedDB)returnOIndexedDB;if("undefined"!=typeof
msIndexedDB)returnmsIndexedDB}catch(a){return}}functionf(){try{i
f(!ua||!ua.open)return!1;var
a="undefined"!=typeofopenDatabase&&/(SafariliPhoneliPadliPod)/.t
est(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent)&&!
/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&
1!==fetch.toString().indexOf("[nativecode");return(!a||b)&&"undefine
d"!=typeofindexedDB&&"undefined"!=typeofIDBKeyRange}catch(a){r
eturn!1}}functiong(a,b){a=a||[],b=b||{};try{return
newBlob(a,b)}catch(f){if("TypeError"!==f.name)throw
f;for(varc="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeofMSBlobBuilder?MSBlo
bBuilder: "undefined"!=typeofMozBlobBuilder? MozBlobBuilder: WebK
itBlobBuilder,d=newc,e=0;e<a.length;e+=1)d.append(a[e]);return
d.getBlob(b.type)}}functionh(a,b){b&&a.then(function(a){b(null,a)},f
unction(a){b(a)})}functioni(a,b,c){"function"==typeof
b&&a.then(b), "function" == typeofc&&a.catch(c) \ function i(a) \ freturn s
tring"!=typeofa&&(console.warn(a+" used as a key, but it is not
astring."),a=String(a)),a}functionk(){if(arguments.length&&"function
"==typeofarguments[arguments.length-1])return
arguments[arguments.length-1]}function I(a){for(var
b=a.length.c=new
ArrayBuffer(b),d=newUint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(
e);returnc}function
```

p.reject(a,c.value);vard=c.value;if(d)i(a,d);else{a.state=r,a.outcome=

```
m(a){return new
va(function(b){varc=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).
put(d,"key"),c.onabort=function(a){a.preventDefault(),a.stopPropagati
on(),b(!1)},c.oncomplete
=function(){vara=navigator.userAgent.match(/Chrome\/(\d+)/),c=nav
igator.userAgent.match(/Edge\//);b(c||!a||parseInt(a[1],10)>=43)}}).cat
ch(function(){return!1})}function
n(a){return"boolean"==typeofxa?va.resolve(xa):m(a).then(function(a){
return xa=a})}function
o(a){varb=ya[a.name],c={};c.promise=newva(function(a,b){c.resolve=a,
c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.dbReady=b.db
Ready.then(function(){returnc.promise}):b.dbReady=c.promise}functi
on
p(a){varb=ya[a.name],c=b.deferredOperations.pop();if(c)returnc.resol
ve(),c.promise}function
q(a,b){varc=ya[a.name],d=c.deferredOperations.pop();if(d)returnd.reje
ct(b),d.promise}function r(a,b){return
newva(function(c,d){if(ya[a.name]=ya[a.name]||B(),a.db){if(!b)return
c(a.db);o(a),a.db.close()}var
e=[a.name];b&&e.push(a.version);varf=ua.open.apply(ua,e);b&&(f.on
upgradeneeded=function(b){varc=f.result;try{c.createObjectStore(a.
storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if(
"ConstraintError"!==c.name)throwc;console.warn('The database
"'+a.name+'" has been upgraded fromversion '+b.oldVersion+" to
version "+b.newVersion+', but the storage"+a.storeName+"
alreadyexists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)}
,f.onsuccess=function(){varb=f.result;b.onversionchange=function(a)
{a.target.close()},c(b),p(a)}})}function s(a){return r(a,!1)}function
t(a){return
r(a,!0)}functionu(a,b){if(!a.db)return!0;varc=!a.db.objectStoreNames.
contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.v
ersion;if(d&&(a.version!==b&&console.warn('Thedatabase
"'+a.name+"\" can't be downgraded from version"+a.db.version+" to
version"+a.version+"."),a.version=a.db.version),e||c){if(c){varf=a.db.
version+1;f>a.version&&(a.version=f)}return!0}return!1}functionv(a){
return new va(function(b,c){var
d=newFileReader;d.onerror=c,d.onloadend=function(c){vard=btoa(c.
target.result||"");b({_
local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryS
tring(a)})}function
```

w(a){returng([l(atob(a.data))],{type:a.type}))}functionx(a){return

```
a&&a. local_forage_encoded_blob}function
y(a){varb=this,c=b._initReady().then(function(){vara=ya[b._dbInfo.na
me];if(a&&a.dbReady)return a.dbReady});returni(c,a,a),c}function
z(a){o(a);for(varb=ya[a.name],c=b.forages,d=0;d<c.length;d++){vare
=c[d];e._dbInfo.db&&(e._dbInfo.db.close(),e._dbInfo.db=null)}returna.
db=null,s(a).then(function(b){returna.db=b,u(a)?t(a):b}).then(functio
n(d){a.db=b.db=d;for(vare=0;e<c.length;e++)c[e]._dbInfo.db=d}).catc
h(function(b){throwg(a,b),b})}function A(a,b,c,d){void
0===d&&(d=1);try{vare=a.db.transaction(a.storeName,b);c(null,e)}c
atch(e){if(d>0&&(!a.db||"InvalidStateError"===e.name||"NotFoundErr
or"===e.name))returnva.resolve().then(function(){if(!a.db||"NotFoun
dError"===e.name&&!a.db.objectStoreNames.contains(a.storeNam
e)&&a.version<=a.db.version)return
a.db&&(a.version=a.db.version+1),t(a)}).then(function(){returnz(a).t
hen(function(){A(a,b,c,d-
1)})}).catch(c);c(e)}}functionB(){return{forages:[],db:null,dbReady:nu
II,deferredOperations:[]}}function C(a){function b(){return
va.resolve())var c=this,d={db:null};if(a)for(var ein
a)d[e]=a[e];varf=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),
c._initReady||(c._initReady=c.ready,c.ready=y);for(var
g=[],h=0;h<f.forages.length;h++){vari=f.forages[h];i!==c&&g.push(i._i
nitReady().catch(b))}varj=f.forages.slice(0);return
va.all(g).then(function(){returnd.db=f.db,s(d)}).then(function(a){retu
rnd.db=a,u(d,c._defaultConfig.version)?t(d):a}).then(function(a){d.d
b=f.db=a,c._dbInfo=d;for(var
b=0;b<j.length;b++){vare=i[b];e!==c&&(e._dbInfo.db=d.db,e._dbInfo.v
ersion=d.version)}})}function D(a,b){var c=this;a=j(a);var
d=newva(function(b,d){c.ready().then(function(){A(c._dbInfo,Aa,fun
ction(e,f){if(e)return
d(e);try{varg=f.objectStore(c._dbInfo.storeName),h=g.get(a);h.onsu
ccess=function(){var
a=h.result;void0===a&&(a=null),x(a)&&(a=w(a)),b(a)},h.onerror=func
tion(){d(h.error)}}c
atch(a){d(a)}}))).catch(d)});return h(d,b),d}function
E(a,b){varc=this,d=newva(function(b,d){c.ready().then(function(){A(
c._dbInfo,Aa,function(e,f){if(e)return
d(e);try{varg=f.objectStore(c._dbInfo.storeName),h=g.openCursor(),i
=1;h.onsuccess=function(){var c=h.result;if(c){var
d=c.value;x(d)&&(d=w(d));vare=a(d,c.key,i++);void0!==e?b(e):c.conti
nue()}else
```

```
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}}))).catch(d)});ret
urnh(d,b),d}function F(a,b,c){var d=this;a=i(a);var e=new
va(function(c,e){varf;d.ready().then(function(){return
f=d._dbInfo,"[objectBlob]"===za.call(b)?n(f.db).then(function(a){retu
rna?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)ret
urne(f);try{var
h=g.objectStore(d._dbInfo.storeName);null===b&&(b=void0);var
i=h.put(b,a);q.oncomplete=function(){void0===b&&(b=null),c(b)},q.o
nabort=g.onerror=function(){vara=i.error?i.error:i.transaction.error;e
(a)}}catch(a){e(a)}})}).catch(e)});return h(e,c),e}function G(a,b){var
c=this;a=j(a);var
d=newva(function(b,d){c.ready().then(function(){A(c._dbInfo,Ba,fun
ction(e,f){if(e)return
d(e);try{varg=f.objectStore(c._dbInfo.storeName),h=g.delete(a);f.on
complete=function(){b()},f.onerror=function(){d(h.error)},f.onabort=f
unction(){vara=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)
}}))).catch(d)});return h(d,b),d}function H(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){A(b._dbInfo,
Ba,function(d,e){if(d)return
c(d);try{varf=e.objectStore(b._dbInfo.storeName),g=f.clear();e.onco
mplete=function(
){a()},e.onabort=e.onerror=function(){vara=q.error?q.error:q.transac
tion.error;c(a)}}catch(a){c(a)}})}).catch(c)});return h(c,a),c}function
I(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){A(b._dbInfo,
Aa,function(d,e){if(d)return
c(d);try{varf=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsu
ccess=function()
{a(g.result)},g.onerror=function(){c(g.error)}}catch(a){c(a)}})}).catch
(c)});return h(c,a),c}function J(a,b){var
c=this,d=newva(function(b,d){if(a<0)return
voidb(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(
e)returnd(e);try{varg=f.objectStore(c._dblnfo.storeName),h=!1,i=g.o
penKeyCursor();i.onsuccess=function(){var c=i.result;if(!c)return
voidb(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))},i.onerror=
function(
){d(i.error)}}catch(a){d(a)}})}).catch(d)});return h(d,b),d}function
K(a){varb=this,c=newva(function(a,c){b.ready().then(function(){A(b.
_dbInfo,Aa,function(d,e){if(d)return
c(d);try{varf=e.objectStore(b._dbInfo.storeName),g=f.openKeyCurso
r(),h=[];g.onsuccess=function(){var b=g.result;if(!b)return
voida(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}
catch(a){
```

```
c(a)}}))).catch(c)});return
h(c,a),c}functionL(a,b){b=k.apply(this,arguments);var
c=this.config();a="function"!=typeofa&&a||{},a.name||(a.name=a.name
llc.name.a.storeName=a.storeNamellc.storeName);var
d,e=this;if(a.name){varf=a.name===c.name&&e._dbInfo.db,g=f?va.res
olve(e._dbInfo.db):s(a).then(function(b){var
c=ya[a.name],d=c.forages;c.db=b;for(vare=0;e<d.length;e++)d[e]._dbIn
fo.db=b;returnb});d=a.storeName?q.then(function(b){if(b.objectStore
Names.contains(a.storeName)){var
c=b.version+1;o(a);vard=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){varg=e[f];g._dbInfo.db=null,g._dbInfo.version=c}ret
newva(function(b,d){vare=ua.open(a.name,c);e.onerror=function(a){e.
result.close(),d(a)},e.onupgradeneeded=function(){e.result.deleteObje
ctStore(a.storeName)},e.onsuccess=function(){vara=e.result;a.close(),
b(a)}}).then(function(a){d.db=a;for(varb=0;b<e.length;b++){varc=e[b];c.
_dbInfo.db=a,p(c._dbInfo)}}).catch(function(b){throw(q(a,b)||va.
resolve()).catch(function(){}),b})}});g.then(function(b){o(a);varc=ya[a.
name],d=c.forages;b.close();for(vare=0;e<d.length;e++){d[e]._dbInfo.
db=null}return new
va(function(b,c){vard=ua.deleteDatabase(a.name);d.onerror=functio
n(){vara=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){co
nsole.warn('dropInstance blocked for database "'+a.name+'" until all
openconnections are
closed')},d.onsuccess=function(){vara=d.result;a&&a.close(),b(a)}}).
then(function(a){c.db=a;for(varb=0;b<d.length;b++)p(d[b]._dbInfo)}).
catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})
}else d=va.reject("Invalidarguments");return h(d,b),d}function
M(){return"function"==typeofopenDatabase}function
N(a){varb,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-
11&&(a--
,"="==a[a.length-2]&&g--);var j=new
ArrayBuffer(g), k=newUint8Array(j); for(b=0;b<h;b+=4)c=Da.indexOf(a)
[b]),d=Da.indexOf(a[b+1]),e=Da.indexOf(a[b+2]),f=Da.indexOf(a[b+3])
|k[i++]=c<<2|d>>4,k[i++]=(15&d)<<4|e>>2,k[i++]=(3&e)<<6|63&f;retur|
n i}function O(a){var
b,c=newUint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d
+=Da[(3&c[b])<<4|c[b+1]>>4],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],
a[63&c[b+2]];r
eturn c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length%3==1&&(d=d.substring(0,d.length-
2)+"=="),d}functionP(a,b){varc="";if(a&&(c=Ua.call(a)),a&&("[objec
```

```
ArrayBuffer]"===c||a.buffer&&"[objectArrayBuffer]"===Ua.call(a.buff
er))){var d,e=Ga;a
instanceofArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[objectInt8Array]"==
=c?e+=Ka:"[object
Uint8Array]"===c?e+=La:"[objectUint8ClampedArray]"===c?e+=Ma:"[
objectInt16Array]"===c?e+=Na:"[object
Uint16Array]"===c?e+=Pa:"[objectInt32Array]"===c?e+=Oa:"[object
Uint32Array]"===c?e+=Qa:"[objectFloat32Array]"===c?e+=Ra:"[objec
t Float64Array]"===c?e+=Sa:b(newError("Failed to get type for
BinaryArray"))),b(e+O(d))}else if("[objectBlob]"===c){var f=new
FileReader;f.onload=function(){varc=Ea+a.type+"~"+O(this.result);b(
Ga+Ja+c)},f.readAsArrayBuffer(a)}elsetry{b(JSON.stringify(a))}catc
h(c){console.error("Couldn't convert valueinto a JSON string:
",a),b(null,c)}}functionQ(a){if(a.substring(0,Ha)!==Ga)return
JSON.parse(a);varb,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===
Ja&&Fa.test(c)){vare=c.match(Fa);b=e[1],c=c.substring(e[0].length)}
var f=N(c);switch(d){casela:return f;case Ja:return
g([f],{type:b});case Ka:return newInt8Array(f);case La:return new
Uint8Array(f);case Ma:return newUint8ClampedArray(f);case
Na:return new Int16Array(f);case Pa:returnnew Uint16Array(f);case
Oa:return new Int32Array(f);case Qa:return newUint32Array(f);case
Ra:return new Float32Array(f);case Sa:return
newFloat64Array(f);default:throw new Error("Unkown type:
"+d)}}functionR(a,b,c,d){a.executeSql("CREATE TABLE IF NOT
EXISTS "+b.storeName+"(id INTEGER PRIMARY KEY, key unique,
value)",[],c,d)}function S(a){varb=this,c={db:null};if(a)for(var d in
a)c[d]="string"!=typeofa[d]?a[d].toString():a[d];var
e=newva(function(a,d){try{c.db=openDatabase(c.name,String(c.vers
ion),c.description,c.size)}catch(a){returnd(a)}c.db.transaction(functi
on(e){R(e,c,function(){b._dbInfo=c,a()},function(a,b){d(b)})},d)});retur
c.serializer=Va,e}functionT(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,
g){g.code===g.SYNTAX_ERR?a.executeSql("SELECT name FROM
sqlite_master WHERE type='table' ANDname
=?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.
xecuteSql(c,d,e,f)},f)},f):f(a,g)},f)}function U(a,b){var
c=this;a=j(a);vard=new
va(function(b,d){c.ready().then(function(){vare=c._dbInfo;e.db.trans
action(function(c){T(c,e,"SELECT * FROM"+e.storeName+" WHERE
key = ? LIMIT
1",[a],function(a,c){vard=c.rows.length?c.rows.item(0).value:null;d&&
(d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)})}).catch(d)});
returnh(d,b),d}function
```

```
V(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){vare=c._dbInfo;e.db.trans
action(function(c){T(c,e,"SELECT *
FROM"+e.storeName, [], function(c,d) {for(varf=d.rows, g=f.length, h=0;
h<g;h++){vari=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),v
oid0!==(i=a(i,i.kev,h+1)))return
voidb(j)}b()},function(a,b){d(b)})})).catch(d)});return
h(d,b),d}functionW(a,b,c,d){var e=this;a=j(a);var
f=newva(function(f,g){e.ready().then(function(){void
0===b&&(b=null);varh=b,i=e._dbInfo;i.serializer.serialize(b,function(b,
j){j?g(j):i.db.transaction(function(c){T(c,i,"INSERT OR REPLACE
INTO "+i.storeName+" (key, value)VALUES
(?,?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b.code==
=b.QUOTA_ERR){if(d>0)return void f(W.apply(e,[a,h,c,d-
1]));g(b)}})})).catch(g)});return h(f,c),f}function
X(a,b,c){returnW.apply(this,[a,b,c,1])}function Y(a,b){var
c=this;a=j(a);var
d=newva(function(b,d){c.ready().then(function(){vare=c._dbInfo;e.db.t
ransaction(function(c){T(c,e,"DELETE
FROM"+e.storeName+"WHEREkey
?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});returnh(d,b),d}
function Z(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){vard=b._dbln
fo;d.db.transaction(function(b){T(b,d,"DELETE
FROM"+d.storeName,[],function(){a()},function(a,b){c(b)})}).catch(
c)});returnh(c,a),c}function $(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){vard=b._dbln
fo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as
cFROM
"+d.storeName,[],function(b,c){vard=c.rows.item(0).c;a(d)},function(
a,b){c(b)})}).catch(c)});returnh(c,a),c}function _(a,b){var
c=this,d=newva(function(b,d){c.ready().then(function(){vare=c._dbln
fo;e.db.transaction(function(c){T(c,e,"SELECT key
FROM"+e.storeName+" WHERE id = ? LIMIT
1",[a+1],function(a,c){vard=c.rows.length?c.rows.item(0).key:null;b(
d)},function(a,b){d(b)})})).catch(d)});return h(d,b),d}function
aa(a){var
b=this,c=newva(function(a,c){b.ready().then(function(){vard=b._dbln
fo;d.db.transaction(function(b){T(b,d,"SELECT key
FROM"+d.storeName,[],function(b,c){for(vard=[],e=0;e<c.rows.length;
e++)d.push(c.rows.item(e).key);a(d)},function(a,
b){c(b)})})).catch(c)});returnh(c,a),c}functionba(a){returnnew
```

```
va(function(b,c){a.transaction(function(d){d.executeSql("SELECTn
ameFROMsglite_master WHEREtype='table' ANDname<>
  WebKitDatabaseInfoTable
",[],function(c,d){for(vare=[],f=0;f<d.rows.length;f++)e.push(d.rows.i
tem(f).name);b({db:a,storeNames:e})},function(a,b){c(b)})},function(
a){c(a)})})functionca(a,b){b=k.apply(this,arguments);varc=this.conf
ig();a="function"!=typeofa&&a||{},a.name||(a.name=a.name||c.name,
a.storeName=a.storeName||c.storeName|;var d,e=this;return
d=a.name?new
va(function(b){vard:d=a.name===c.name?e._dbInfo.db:openDataba
se(a.name,"","",0),b(a.storeName?{db:d,storeNames:[a.storeName]}:
ba(d))}).then(function(a){return new
va(function(b,c){a.db.transaction(function(d){functione(a){return
new va(function(b,c){d.executeSql("DROP TABLE IF
EXISTS"+a,[],function()\{b()\},function(a,b)\{c(b)\})\})for(varf=[],g=0,h=a.
storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).the
n(function(){b()}).catch(function(a){c(a)})},function(a){c(a)})})):va.r
eject("Invalid
arguments"),h(d,b),d}functionda(){try{return"undefined"!=typeof
localStorage&&"setItem"inlocalStorage&&!!localStorage.setItem}cat
ch(a){return!1}}functionea(a,b){var
c=a.name+"/";returna.storeName!==b.storeName&&(c+=a.storeNam
e+"/"),c}functionfa(){vara="_localforage_support_test";try{returnlocal
IStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){retur
!0}}function ga(){return!fa()||localStorage.length>0}function
ha(a){varb=this,c={};if(a)for(var d in
a)c[d]=a[d];returnc.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo
=c,c.serializer=Va,va.resolve()):va.reject()}function
ia(a){varb=this,c=b.ready().then(function(){for(vara=b._dbInfo.keyPr
efix,c=localStorage.length-1;c>=0;c-
-){vard=localStorage.key(c);0===d.indexOf(a)&&localStorage.remov
eltem(d)}})
;return h(c,a),c}function ja(a,b){var
c=this;a=j(a);vard=c.ready().then(function(){varb=c._dbInfo,d=localSto
rage.getItem(b.keyPrefix+a);returnd&&(d=b.serializer.deserialize(d)),d}
);return h(d,b),d}function
ka(a,b){varc=this,d=c.ready().then(function(){for(varb=c._dbInfo,d=b.k
eyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h
++){var
i=localStorage.key(h);if(0===i.indexOf(d)){varj=localStorage.
getItem(i);if(i&&(i=b.serializer.deserialize(j)),void0!==(j=a(j,i.
substring(e),g++)))return j}}});return
h(d,b),d}functionla(a,b){varc=this,d=c.ready().then(function()
```

{var

```
b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}returnb&&(
b=b.substring(d.keyPrefix.length)),b});return
h(d,b),d}functionma(a){var
b=this,c=b.ready().then(function(){for(vara=b._dbInfo,c=localStorag
e.length,d=[],e=0;e<c;e++){varf=localStorage.key(e);0===f.indexOf(a.
keyPrefix)&&d.push(f.substring(a.keyPrefix.length))}return d});return
h(c,a),c}function na(a){varb=this,c=b.keys().then(function(a){return
a.length});returnh(c,a),c}function oa(a,b){var
c=this;a=j(a);vard=c.ready().then(function(){varb=c._dbInfo;localSto
rage.removeItem(b.keyPrefix+a)});returnh(d,b),d}function
pa(a,b,c){var d=this;a=i(a);vare=d.ready().then(function(){void
0===b&&(b=null);var c=b;return
newva(function(e,f){varg=d._dblnfo;g.serializer.serialize(b,function(
b,d){if(d)f(d);elsetry{localStorage.setItem(g.keyPrefix+a,b),e(c)}catc
h(a){"QuotaExceededError"!==a.name&&"NS_ERROR_DOM_QUOTA_
REACHED"!==a.namellf(a
),f(a)}})});return
h(e,c),e}functionga(a,b){if(b=k.apply(this,arguments),a="function"!=t
ypeofa&&a||{},!a.name){varc=this.config();a.name=a.name||c.name,a.
storeName=a.storeName||c.storeName|var d,e=this;return
d=a.name?newva(function(b){b(a.storeName?ea(a,e._defaultConfig)
:a.name+"/")}).then(function(a){for(var b=localStorage.length-
1:b>=0:b-
-){varc=localStorage.key(b);0===c.indexOf(a)&&localStorage.remov
eltem(c)}}):va.reject("Invalid
arguments"),h(d,b),d}functionra(a,b){a[b]=function(){var
c=arguments;returna.ready().then(function(){return
a[b].apply(a,c)})}}function
sa(){for(vara=1;a<arguments.length;a++){var
b=arguments[a];if(b)for(var c
inb)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():ar
guments[0][c]=b[c])}return arguments[0]}var
ta="function"==typeofSymbol&&"symbol"==typeof
Symbol.iterator?function(a){return typeofa}:function(a){return
a&&"function"==typeofSymbol&&a.constructor===Symbol&&a!==Sy
mbol.prototype?"symbol":typeof a},ua=e();"undefined"==typeof
Promise&&a(3);varva=Promise,wa="local-forage-detect-blob-
support",xa=void0,ya={},za=Object.prototype.toString,Aa="readonly",
Ba="readwrite",Ca={
_driver:"asyncStorage",_initStorage:C,_support:f(),iterate:E,getItem:D,
setItem:F,removeItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L}
,Da="ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopgrstuv
wxyz0123456789+/",Ea="~~local_forage_type~",Fa=/^~~local_fora
qe_type\sim([^{\sim}]+)\sim/_{Ga}
```

```
=" Ifsc
   _;",Ha=Ga.length,Ia="arbf",Ja="blob",Ka="si08",La="ui08",Ma="uic
8",Na="si16",Oa="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=
Ha+la.length,Ua=Object.prototype.toString,Va={serialize:P,deserializ
e:Q,stringToBuffer:N,bufferToString:O},Wa={_driver:"webSQLStorag
e",_initStorage:S,_support:M(),iterate:V,getItem:U,setItem:X,removeIt
em:Y,clear:Z
,length:$,key:_,keys:aa,dropInstance:ca},Xa={_driver:"localStorageWra
pper",_initStorage:ha,_support:da(),iterate:ka,getItem:ja,setItem:pa,re
moveItem:oa,clear:ia,length:na,key:la,keys:ma,dropInstance:qa},Ya=fu
nction(a,b){return a===b||"number"==typeof
a&&"number"==typeofb&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(
varc=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.is
Array||function(a){return"[objectArray]"===Object.prototype.toString.c
all(a)},_a={},ab={},bb={INDEXEDDB:Ca,WEBSQL:Wa,LOCALSTORAGE:X
a},cb=[bb.INDEXEDDB._driver,bb.WEBS
QL._driver,bb.LOCALSTORAGE._driver],db=["dropInstance"],eb=["clea
r","getItem","iterate","key","keys","length","removeItem","setItem"].co
ncat(db),fb={description:"",driver:cb.slice(),name:"localforage",size:
4980736
,storeName:"keyvaluepairs",version:1},gb=function(){functiona(b){d(
this,a);for(var c in
bb)if(bb.hasOwnProperty(c)){vare=bb[c],f=e._driver;this[c]=f,_a[f]||thi
s.defineDriver(e)}this._defaultConfig=sa({},fb),this._config=sa({},this.
_defaultConfig,b),this._driverSet=null,this._initDriver=null,this._ready
=!1,this._dbInfo=null,this._wrapLibraryMethodsWithReady(),this.set
Driver(this._config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void0===a?"undefined
":ta(a))){if(this._ready)return new Error("Can't callconfig() after
localforage has been used.");for(var b
ina){if("storeName"===b&&(a[b]=a[b].replace(/\W/g,"_")),"version"==
=b&&"number"!=typeof a[b])return new Error("Database version
must be
anumber.");this._config[b]=a[b]}return!("driver"ina&&a.driver)||this.se
tDriver(this._config.driver)}return"string"==typeofa?this._config[a]:th
is._config},a.prototype.defineDriver=function(a,b,c){vard=newva(fun
ction(b,c){try{vard=a._driver,e=newError("Customdriver not
compliant:
seehttps://mozilla.github.io/localForage/#definedriver");if(!a._driver)
returnvoid c(e);for(var
f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){varj=f[g];if((!Za(d
b,i)||a[i])&&"function"!=typeof a[i])return voidc(e)}(function(){for(var
b=function(a){return function(){var b=newError("Method "+a+" is not
implemented by the currentdriver"),c=va.reject(b);return
h(c,arguments[arguments.length-
```

1]),c}},c=0,d=db.length;c<d;c++){vare=db[c];a[e]||(a[e]=b(e))}})();var

```
\label{lem:k-function} $$k=function(c)_a[d]&&console.info("Redefining LocalForage driver:"+d),_a[d]=a,ab[d]=c,b()};"_support"ina?a._support&&"function "==typeofa._support?a._support().then(k,c):k(!!a._support):k(!0)}catc h(a)_{c(a)});return
```

i(d,b,c),d},a.prototype.driver=function(){returnthis._driver||null},a.pro totype.getDriver=function(a,b,c){vard=_a[a]?va.resolve(_a[a]):va.reje ct(new Error("Driver notfound."));return

i(d,b,c),d},a.prototype.getSerializer=function(a){varb=va.resolve(Va); return

i(b,a),b,a.prototype.ready=function(a){varb=this,c=b._driverSet.the n(function(){returnnull===b._ready&&(b._ready=b._initDriver()),b._ready});returni(c,a,a),c},a.prototype.setDriver=function(a,b,c){function d(){g._config.driver=g.driver()}function

e(a){returng._extend(a),d(),g._ready=g._initStorage(g._config),g._re ady}functionf(a){return function(){function b(){for(;c<a.length;){var f=a[c];returnc++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).c atch(b)}d();varh=new Error("No available storage method found.");returng._driverSet=va.reject(h),g._driverSet}var c=0;return b()}}varg=this;\$a(a)||(a=[a]);varh=this._getSupportedDrivers(a),j=nul l!==this._driverSet?this._driverSet.catch(function(){return va.resolve()}):va.resolve();returnthis._driverSet=j.then(function(){var a=h[0];returng._dbInfo=null,g._ready=null,g.getDriver(a).then(function(){g._driver=a.

_driver,d(),g._wrapLibraryMethodsWithReady(),g._initDriver=f(h)}))).cat ch(function(){d();var a=new Error("No available storage methodfound.");returng._driverSet=va.reject(a),g._driverSet}),i(this._driverSet,b,c),this._driverSet},a.prototype.supports=function(a){return!!a b[a]},a.prototype._extend

=function(a){sa(this,a)},a.prototype._getSupportedDrivers=function(a) {for(var

 $b=[],c=0,d=a.length;c<d;c++)\\ \{vare=a[c];this.supports(e)\&\&b.push(e)\}returnb\},a.prototype._wrapLibraryMethodsWithReady=function()\\ \{for(vara=0,b=eb.length;a<b;a++)ra(this,eb[a])\},a.prototype.createInstance=function(b)\\ \{returnnewa(b)\},a\}(),hb=newgb;b.exports=hb\},\{3:3\}]\},\{\},[4])(4)\});$