

SPRINT 1

Date	08 October 2022
Team ID	PNT2022TMID32929
Project Name	Project - Personal Expense Tracker Application

Login.html

```
<!DOCTYPE html>
<!-- Coding By CodingNepal - youtube.com/codingnepal -->
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Login Form</title>
    <link rel="stylesheet" href="login.css">
  </head>
  <body>
    <div class="center">
      <h1>Login</h1>
      <form method="post">
        <div class="txt_field">
          <input type="text" required>
          <span></span>
          <label>Username</label>
        </div>
        <div class="txt_field">
          <input type="password" required>
          <span></span>
          <label>Password</label>
        </div>
        <div class="pass"><a href="#">Forgot password</a></div>
        <input type="submit" value="Login">
        <div class="signup_link">
          Not a member? <a href="registration.html">Signup</a>
        </div>
      </form>
    </div>

  </body>
</html>
```

Login.css

```
@import
url('https://fonts.googleapis.com/css2?family=Noto+Sans:wght@700&family=Poppins:wght@400;500;600&
display=swap');
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: "Poppins", sans-serif;
```

```

}
body{
  margin: 0;
  padding: 0;
  background: linear-gradient(120deg,#2980b9, #8e44ad);
  height: 100vh;
  overflow: hidden;
}
.center{
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  width: 400px;
  background: white;
  border-radius: 10px;
  box-shadow: 10px 10px 15px rgba(0,0,0,0.05);
}
.center h1{
  text-align: center;
  padding: 20px 0;
  border-bottom: 1px solid silver;
}
.center form{
  padding: 0 40px;
  box-sizing: border-box;
}
form .txt_field{
  position: relative;
  border-bottom: 2px solid #adadad;
  margin: 30px 0;
}
.txt_field input{
  width: 100%;
  padding: 0 5px;
  height: 40px;
  font-size: 16px;
  border: none;
  background: none;
  outline: none;
}
.txt_field label{
  position: absolute;
  top: 50%;
  left: 5px;
  color: #adadad;
  transform: translateY(-50%);
  font-size: 16px;
  pointer-events: none;
  transition: .5s;
}
.txt_field span::before{

```

```
content: "";
position: absolute;
top: 40px;
left: 0;
width: 0%;
height: 2px;
background: #2691d9;
transition: .5s;
}
.txt_field input:focus ~ label,
.txt_field input:valid ~ label{
top: -5px;
color: #2691d9;
}
.txt_field input:focus ~ span::before,
.txt_field input:valid ~ span::before{
width: 100%;
}
}
.pass{
margin: -5px 0 20px 5px;
color: #a6a6a6;
cursor: pointer;
}
.pass:hover{
text-decoration: underline;
}
input[type="submit"]{
width: 100%;
height: 50px;
border: 1px solid;
background: #2691d9;
border-radius: 25px;
font-size: 18px;
color: #e9f4fb;
font-weight: 700;
cursor: pointer;
outline: none;
}
input[type="submit"]:hover{
border-color: #2691d9;
transition: .5s;
}
.signup_link{
margin: 30px 0;
text-align: center;
font-size: 16px;
color: #666666;
}
.signup_link a{
color: #2691d9;
text-decoration: none;
}
```

```
.signup_link a:hover{
  text-decoration: underline;
}
```

Registration.html

```
<!DOCTYPE html>
<!-- Coding By CodingNepal - youtube.com/codingnepal -->
<html lang="en" dir="ltr">
  <head>
    <meta charset="utf-8">
    <title>Registration Form</title>
    <link rel="stylesheet" href="registration.css">
  </head>
  <body>
    <div class="center">
      <h1>Registration</h1>
      <form method="post">
        <div class="txt_field">
          <input type="text" required>
          <span></span>
          <label>Username</label>
        </div>
        <div class="txt_field">
          <input type="password" required>
          <span></span>
          <label>Password</label>
        </div>
        <div class="txt_field">
          <input type="password" required>
          <span></span>
          <label>Confirm Password</label>
        </div>
        <input type="submit" value="Register">
        <div class="login_link">
          Already a member? <a href="login.html">Login</a>
        </div>
      </form>
    </div>
  </body>
</html>
```

Registration.css

```
@import
url('https://fonts.googleapis.com/css2?family=Noto+Sans:wght@700&family=Poppins:wght@400;500;600&
display=swap');
*{
  margin: 0;
  padding: 0;
```

```
    box-sizing: border-box;
    font-family: "Poppins", sans-serif;
}
body{
    margin: 0;
    padding: 0;
    background: linear-gradient(120deg,#2980b9, #8e44ad);
    height: 100vh;
    overflow: hidden;
}
.center{
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    width: 400px;
    background: white;
    border-radius: 10px;
    box-shadow: 10px 10px 15px rgba(0,0,0,0.05);
}
.center h1{
    text-align: center;
    padding: 20px 0;
    border-bottom: 1px solid silver;
}
.center form{
    padding: 0 40px;
    box-sizing: border-box;
}
form .txt_field{
    position: relative;
    border-bottom: 2px solid #adadad;
    margin: 30px 0;
}
.txt_field input{
    width: 100%;
    padding: 0 5px;
    height: 40px;
    font-size: 16px;
    border: none;
    background: none;
    outline: none;
}
.txt_field label{
    position: absolute;
    top: 50%;
    left: 5px;
    color: #adadad;
    transform: translateY(-50%);
    font-size: 16px;
    pointer-events: none;
    transition: .5s;
```

```



}
.txt_field span::before{
  content: "";
  position: absolute;
  top: 40px;
  left: 0;
  width: 0%;
  height: 2px;
  background: #2691d9;
  transition: .5s;
}
.txt_field input:focus ~ label,
.txt_field input:valid ~ label{
  top: -5px;
  color: #2691d9;
}
.txt_field input:focus ~ span::before,
.txt_field input:valid ~ span::before{
  width: 100%;
}
.pass{
  margin: -5px 0 20px 5px;
  color: #a6a6a6;
  cursor: pointer;
}
.pass:hover{
  text-decoration: underline;
}
input[type="submit"]{
  width: 100%;
  height: 50px;
  border: 1px solid;
  background: #2691d9;
  border-radius: 25px;
  font-size: 18px;
  color: #e9f4fb;
  font-weight: 700;
  cursor: pointer;
  outline: none;
}
input[type="submit"]:hover{
  border-color: #2691d9;
  transition: .5s;
}
.login_link{
  margin: 30px 0;
  text-align: center;
  font-size: 16px;
  color: #666666;
}
.login_link a{
  color: #2691d9;

```


```
text-decoration: none;
}
.login_link a:hover{
text-decoration: underline;
}
```

OUTPUT

Login



Registration



A screenshot of a web browser displaying a registration form. The browser's address bar shows the file path "D:/IBM%20documents/registration.html". The form is centered on a blue-to-purple gradient background. It features three input fields for "Username", "Password", and "Confirm Password", followed by a blue "Register" button and a "Login" link for existing users.

Registration Form

File | D:/IBM%20documents/registration.html

Registration


Username

Password

Confirm Password

Register

Already a member? [Login](#)



A second screenshot of the same registration form, now with data entered into the fields. The "Username" field contains "selvi", the "Password" field contains seven dots, and the "Confirm Password" field contains seven dots followed by a cursor. The "Register" button and "Login" link remain visible below the fields.

Registration Form

File | D:/IBM%20documents/registration.html

Registration

Username
selvi

Password
.....

Confirm Password
.....|

Register

Already a member? [Login](#)