NALAYATHIRAN			
CLOUD APPLICATION	ON DEVELOPMENT		
PLASMA DONOR APPLICATION			
TEAM ID PNT2022TMID44218			
TEAM LEADER	SARAN B		
TEAM MEMBER 1	RANJITHA S		
TEAM MEMBER 2	SHALINI N		
TEAM MEMBER 3 TAMIZHARASAN C			
TEAM MEMBER 4	TINUPRIYAA S		

Project Report Format

1. INTRODUCTION

- 1.1 Project Overview
- 1.2 Purpose

2. LITERATURE SURVEY

- 2.1 Existing problem
- 2.2 References
- 2.3 Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 3.1 Empathy Map Canvas
- 3.2 Ideation & Brainstorming
- 3.3 Proposed Solution
- 3.4 Problem Solution fit

4. REQUIREMENT ANALYSIS

- 4.1 Functional requirement
- 4.2 Non-Functional requirements

5. PROJECT DESIGN

- 5.1 Data Flow Diagrams
- 5.2 Solution & Technical Architecture
- 5.3 User Stories

6. PROJECT PLANNING & SCHEDULING

- 6.1 Sprint Planning & Estimation
- 6.2 Sprint Delivery Schedule
- 6.3 Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

- 7.1 Feature 1
- 7.2 Feature 2
- 7.3 Database Schema (if Applicable)

8. TESTING

- 8.1 Test Cases
- 8.2 User Acceptance Testing

9. RESULTS

9.1 Performance Metrics

10. ADVANTAGES & DISADVANTAGES

- 11. CONCLUSION
- 12. FUTURE SCOPE

13. APPENDIX

Source Code

GitHub & Project Demo Link

INTRODUCTION

Project Overview

A plasma is a liquid portion of the blood, over 55% of human blood is plasma. Plasma is used to treat various infectious diseases and it is one of the oldest methods known as plasma therapy. Plasma therapy is a process where blood is donated by recovered patients in order to establish antibodies that fights the infection. In this project plasma donor application is being developed by using IBM cloud . For instance, during COVID 19 crisis the requirement for plasma increased drastically as there were no vaccination found in order to treat the infected patients, with plasma therapy the recovery rates where high but the donor count was very low and in such situations it was very important to get the information about the plasma donors. Saving the donor information and notifying about the current donors would be a helping hand as it can save time and help the users to track down the necessary information about the donors.

Purpose

This app will help patients to get plasma and find the donors who are nearby.

Donors data stored in cloud storage so users can access the data from anywhere and anytime. registration is very simple process in this app.

LITERATURE SURVEY

Applying optimization methods to healthcare management and logistics is a developing research area with numerous studies. Specifically, facility location, staff rostering, patient allocation, and medical supply transportation are the main themes analyzed. Optimization approaches have been developed for several healthcare related problems, ranging from the resource management in hospitals to the delivery of care services in a territory. However, optimization approaches can also improve other services in the health system that have been only marginally addressed, yet. One of them is the Blood Donation (BD) system, aiming at providing an adequate supply of blood to Transfusion Centres (TCs) and hospitals. Blood is necessary for several treatments and surgeries, and still a limited resource. The need for blood is about ten million units per year in the USA, 2.1 in Italy and 2 in Turkey; moreover, people still die in some countries because of inadequate supply of blood products (World Health Organization 2014). Hence, BD plays a fundamental role in healthcare systems, aiming at guaranteeing an adequate blood availability to meet the demand and save lives. In Western countries, blood is usually collected from donors, i.e., unpaid individuals who give blood voluntarily. Blood is classified into groups (A and subgroups, B, 0 or AB) and based on the Rhesus factor (Rh+ or Rh-), and each donor should be correctly matched with the patient who receives his/her blood. Moreover, as it may transmit diseases, blood must be screened before utilization.

References

S.NO	TITLE	Authors	Abstract	Drawbacks
1	Optimization of Blood Donor Information and Management System	K. Yamini, M. E(CSC), SVCET, Thirupachur, India R. Devi, Asst. Professor, SVCET, Thirupachur, India	Emergency situations, such as accidents, create an immediate, critical need for specific blood type. In addition to emergency requirements, advances in medicine have increased the need for blood in many ongoing treatments and elective surgeries. Despite increasing requirements for blood, only about 5% of the Indian population donates blood. In this paper we propose a new and the Blood donor App. efficient way to overcome such scenarios with our project. We have to create a new idea, just touch the button. Donor will be prompted to enter an individual's details, like name, phone number, and blood type. After that your contact details will appear in	The accuracy of the location displayed on the map was beyond the scope of this Project. Only Android was used as a mobile operating system to test the application

			alphabetical order on the screen; the urgent time of a blood requirement, you can quickly check for contacts matching a particular or related blood group and reach out to them via Phone Call/SMS through	
2	Blood Bank Management Information System in India	Vikas Kulshreshtha Research Scholar, Dr.Sharad Maheshwari, Associate Professor	A blood bank is a bank of blood or blood components, gathered as a result of blood donation, stored and preserved for later use in blood transfusionTo provide web based communication there are numbers of online web based blood bank management system exists for communicating between department of blood centers and hospitals, to satisfy blood necessity, to buy, sale and stock the blood, to give information about this blood. Manual systems as compared to Computer Based Information Systems are time consuming, laborious, and costly. This paper introduces the review of the main features, merits and	Do not provide the better inventory solution to the end use It requires an active internet connection.

			demerits provided by the existing Web -Based Information System for Blood Banks. This study shows the comparison of various existing system and provide some more idea for improve the existing system. First I will give some basic introduction about blood banks then I will try to provide comparative study of some existing web based blood bank system. After that I will introduce some new idea for improving the existing techniques used in web based blood bank system and at end I will conclude this paper	
3	A Research Paper on Blood Donation Management System	Devanjan K. Srivastava Utkarsh Tanwar M.G.Krishna Rao Priya Manohar Balraj Singh	Blood donation and transfusion has been an ever - serious issue and the shortage of blood throughout the world has caused many people to lose their life. The lack of a centralized system for blood donation is majorly responsible for those losses. Now in the era of online and digital processes, the	Internet Connection is mandatory There is no proper centralized database for registered donors

conventional methods of collecting blood are absolute. An automated system is required to manage the centers and to showcase the information to the interested parties. We have developed a website that single handedly solves all these issues related to blood donation and reception. We have designed a SQLite database as an integral part of the integrated framework to store historical blood donation data in a centralized database for analytical processing. The proposed system would enable people to register as a donor to make themselves available whenever in need of their blood type. We have introduced a search tab to search available people ready to donate. In our proposed system in the donor registration, health related details would be updated in the blood management system database for all

			to see	
4	A Study on Blood Bank Management	A. Clemen Teena, K Sankar S. Kannan	'Blood Bank Information System' will be an information management system which helps to manage the records of donors and patients at a blood bank. The system will allow the authorized blood bank officer to login using a secret password and easily manage the records of the blood donors and the patients in need of blood	No search filter available UI improvement in Login page

Problem Statement Definition

Plasma plays the critical role of maintaining a healthy blood pressure, blood volume and a proper pH balance. Which being the most important element for humans to survive, developing an application to interconnect plasma requesters and donors might help save lives during emergency. Making such an application which is user friendly as well as has more features for serving the people better, we are proposing a model in which we are going to connect the plasma donor and requester together in a unique way

Empathy Map Canvas


Edit this template
Right-click to unlock

Empathy Map Canvas


Gain insight and understanding on solving customer problems.

1

Build empathy and keep your focus on the user by putting yourself in their shoes.



Ideation & Brainstorming



Proposed Solution

Problem Statement:

Plasma plays the critical role of maintaining a healthy blood pressure, blood volume and a proper pH balance. Which being the most important element for humans to survive, developing an application to interconnect plasma requesters and donors might help save lives during emergency. Making such an application which is user friendly as well as has more features for serving the people better, we are proposing a model in which we are going to connect the plasma donor and requester together in a unique way.

Novelty:

Cloud communicating is an emerging technology that can be integrated with traditional health management used to provide better health services. Traditional healthcare systems

mainly include personal and public healthcare services, teaching and research activities. Personal healthcare services are offered at hospitals, homes and different organizations. Public healthcare services involve guidelines for drugs, food and safety policies to maintain a healthy environment. Teaching and research activities are essential for prevention, detection, tracking and treatment of diseases. Healthcare information systems are designed today for the convenience of the user who obtains its bene fits. In many emergency situations there is an immediate, critical need for specific plasma. In addition to emergency requirements, advances in medicine have increased the need for plasma in many ongoing treatments and medical surgeries. To motivate people for plasma donation and to help patients receive plasma in emergency situations, we have designed an application to overcome all the problems which the current offline as well as online systems face. If in emergency a patient requires plasma, using this application we'll not just be able to contact Blood/Plasma Bank and Hospitals but can also seek help from individual registered Donors. In developing countries, especially like India, the plasma resource

Feasibility Of Ideas:

Admin:

Admin can manage both donors & acceptors. He can add or remove any user from the system. Each member in a donor & acceptor is given a user id and password, which identifies him uniquely. From admin module use can change donor details, delete donor or change the password.

- Register
- Change Password
- Modify donor details
- Delete donor details
- Logout


Login:

To login in the system user has first register himself/herself. After successful Registration user can login into the system Plasma Donor. Acceptors: This module helps user to find plasma group. When user click on find a plasma group system ask him to enter plasma group he wants to search. After entering the plasma group, system search for the availability of the plasma group and give him the list of the donors who has the same plasma group. Whenever a user wants to change password, he can select the change

password option. Then system ask the user to enter old username and password then system check the credentials and change the password. Clicking on logout button user can log out from the system.

Business Model:


The people who are in need of plasma can search in our site for getting the details of donors having the same plasma group and within the same city or his current location. They can directly search a donor and can select a city name as well as the plasma group which he needs. He then gets the details of the donors who exist within the city and the same plasma that he has selected. If no match was are found for the city and group selected by him, he gets a message 'SORRY DONORS ARE NOT AVAILABLE WITH THE FOLLOWING PLASMA GROUP AND AREA'.



Scalability:

The aim is to build a Lifesaver E-Plasma Donation App using Cloud with advanced features that will help to overcome the barrier between plasma bank, plasma donor and patient. To build an android application that will help people to get plasma in emergency situations like natural disasters using features like geo-tagging, SMS Gateway and payment gateway. To motivate people for plasma donation and to help patients receive plasma in emergency situations, we have designed an application to overcome all the problems which the current offline as well as online systems face. If in emergency a patient requires plasma, using this application we'll not just be able to contact plasma Bank and Hospitals but can also seek help from individual registered Donors

Problem Solution fit



REQUIREMENT ANALYSIS

FR No	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Gmail
FR-2	User Confirmation	Confirmation via Email
FR-3	User Login	Login using Registered email Id
FR-4	Sent Request	If plasma is required, the receiver will contact the donor
FR-5	Contact Donor	Contact the donor directly if a phone number is given
FR-6	View donation camps	View the list of donation camps happening nearby


Non-functional Requirements


FR No	Non-Functional Requirement	Description
FR-1	Usability	The user interface of the plasma donor system must be well-designed and welcoming.
FR-2	Security	Data storage is required by

		security systems, just like it is by many other applications. Databases are able to keep all the donor information that is viewed by applications. It must be secured with email Id and password.
FR-3	Reliability	The system has the ability to work all the times without failures apart from network failure. A donor can have the faith on the system. The authorities will keep the privacy of all donors in a proper manner.
FR-4	Performance	The Plasma donor System must perform well in different scenarios. The system is interactive and delays involved are less.
FR-5	Availability	The system, including the online components, should be available 24/7.
FR-6	Scalability	The system offers the proper resources for issue solutions and is designed to protect sensitive information during all phases of operation.

PROJECT DESIGN

Data Flow Diagrams






Solution & Technical Architecture

Technical Architecture:

The Deliverable shall include the architectural diagram as below and the information as per the table 1 & table 2



User Stories

User Type	Function al Requirem ent (Epic)	User Story Numbe r	User Story / Task	Acceptan ce criteria	Priority	Release
Customer (Mobile user)	Registrati	USN-1	As a user, I can register for the applicatio n by entering my email, password, and	I can access my account / dashboard	High	Sprint-1

		confirmin g my password.			
	USN-2	As a user, I will receive confirmati on email once I have registered for the application	I can receive confirmati on email & click confirm	High	Sprint-1
	USN-3	As a user, I can register for the applicatio n through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-1
	USN-4	As a user, I can register for the applicatio n through Gmail	I can receive confirmati on email &click confirm	Medium	Sprint-1
Login	USN-5	As a user, I can log into the applicatio n by entering email & password	I can enter into my account	High	Sprint-1
Dashboar d	USN-6	As a user ,Display	I can donate/get	High	Sprint-2

			all details about plasma applicatio n	details about the plasma		
Customer (Web user)	Applicatio n	USN-7	As a user ,I can register, login and see details about plasma	I can access the donor details and availabilit y of plasma	High	Sprint-3
Customer Care Executive	Update Plasma storage	USN-8	Keep track the availabilit y of the Plasma	I can provide application for customer needs	High	Sprint-4
Administr ato r	Verify donor details	USN-9	To add the donor plasma details in application	I can Control the all details in this applicatio n	Medium	Sprint-3
Customer Care Executive	Verify Customer Feedback	USN-10	To design the applicatio n that meets user's desires	I can satisfy the customer expectatio ns	Medium	Sprint-4
Customer Care Executive	Control all Plasma details	USN-11	Make sure to check the availabilit y of	I can alert notificatio n through email and SMS	High	Sprint-2

			plasma in applicatio n			
Administr ato r	Performan c e of applicatio n	USN-12	To make the process more efficient	I can save time, cost by improving the Plasma managem ent applicatio n	High	Sprint - 4

PROJECT PLANNING & SCHEDULING Sprint Planning & Estimation

Sprint	Functional Requireme nt (Epic)	User Story Numbe r	User Story / Task	Story Points	Priority
Sprint 1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	20	High

Sprint 2	Login	USN-2	As a user, I can login into my account through the registered mail ID.	20	High
Sprint 3	Donor Information	USN-3	As a user, I can fill the information like blood pressure, blood group, address, mobile number and other information.	20	Low
Sprint 4	Finding the Donor	USN-4	The patient can find the donor by their blood groups, location.	20	Medium

Sprint Delivery Schedule

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Complete d (as on Planned End Date)	Sprint Release Date (Actual)
Sprint 1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint 2	20	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint 3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022

Sprint 4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022
----------	----	--------	-------------	-------------	----	-------------

ADVANTAGES:

- User can find plasma donor information
- User can get immediate help from donors

DISADVANTAGES:

• Internet connection required

APPENDIX

login.html

```
<div>Plasma Donor App</div>
      <u1>
            <a href="register.html">Register</a>
            <a class="active" href="register.html">Request</a>
      </div>
<div class="login" >
            <div>
            </div>
  <!-- Main Input For Receiving Query to our ML -->
  <form action="{{ url for('loginpage')}}}"method="post">
                type="text"
                                                placeholder="Enter
                                name="user"
      <input
                                                                       UserName"
required="required" style="color:black" />
            <input type="password" name="passw" placeholder="Enter Password"
required="required" style="color:black" />
    <button type="submit" class="btn btn-primary btn-block btn-large">Login</button>
  </form>
<br/>br><br/>><
<div style="color:black"></div>
</div>
</body>
</html>
register.html
<!DOCTYPE html>
<html >
```

```
<!--From https://codepen.io/frytyler/pen/EGdtg-->
<head>
 <meta charset="UTF-8">
 <title>Plasma Donor App</title>
               href='https://fonts.googleapis.com/css?family=Pacifico'
                                                                        rel='stylesheet'
      link
type='text/css'>
               href='https://fonts.googleapis.com/css?family=Arimo'
      link
                                                                        rel='stylesheet'
type='text/css'>
              href='https://fonts.googleapis.com/css?family=Hind:300'
                                                                        rel='stylesheet'
type='text/css'>
      href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'
rel='stylesheet' type='text/css'>
      link rel="stylesheet" href="{{ url for('static', filename='style1.css') }}">
      <link rel="stylesheet" href="style.css">
<style>
.login{
top: 20%;
}
</style>
</head>
<body>
<div class="header">
<div>Plasma Donor App</div>
```

```
<a class="active" href="login.html">Home</a>
      </div>
<div class="login">
  <!-- Main Input For Receiving Query to our ML -->
  <form action="/adddonor",method="post">
      <input
               type="text"
                             name="name"
                                            placeholder="Enter
                                                                 Your
                                                                         Name"
required="required" style="color:black"/>
     <input type="email" name="email" placeholder="Enter Email" required="required"</pre>
style="color:black"/>
            <input type="text" name="phone" placeholder="Enter 10-digit mobile
number" required="required" style="color:black"/>
            <input type="city" name="city" placeholder="Enter Your City Name"
required="required" style="color:black"/>
            <select name="infect">
                                  <option value="select" selected>Select COVID
infection status
                               <option value="infected">Infected</option>
                               <option value="uninfected">Uninfected</option>
            </select>
    <select name="blood">
                                <option value="select" selected>Choose your blood
group</option>
                               <option value="O Positive">O Positive
                               <option value="A Positive">A Positive
                               <option value="B Positive">B Positive
                               <option value="AB Positive">AB Positive
```

```
<option value="O Negative">O Negative
                               <option value="A Negative">A Negative
                               <option value="B Negative">B Negative
                                                   value="AB
                                        <option
                                                                 Negative">AB
Negative</option>
            </select>
            <input type="password" name="passw" placeholder="Enter Password"</pre>
required="required" style="color:black"/>
                              type="submit"
                                                        btn-primary
                     <button
                                             class="btn
                                                                      btn-block
btn-large">Register</button>
  </form>
<br/>br><br/>><
<div style="color:black"></div>
</div>
</body>
</html>
stats.html
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Plasma Donar App</title>
 <meta charset="utf-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
                                                                        rel="stylesheet"
                                             link
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
                                                                                  <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.16.0/umd/popper.min.js"></script
>
                                                                                  <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js"></script>
 <link rel="stylesheet" href="{{ url for('static', filename='style1.css') }}">
 <link rel="stylesheet" href="style.css">
</head>
<style>
             .big{
             top:70;
             background-color:white;
             margin-top:80px;
             margin-left:550px;
             margin-right:550px;
             height:200px;
             border-radius: 25px;
             border: 3px solid #4a77d4;
             box-shadow: 6px 8px 4px grey;
             text-align:center;
             }
             .row{
             height:150px;
```

```
}
            .col{
                   margin:10px;
                   margin-left:50px;
                   margin-right:50px;
                   border-radius: 25px;
                   border: 1px solid #4a77d4;
                   box-shadow: 0px 8px 4px grey;
                   text-align:center;
             }
            .ext{
            margin-top:25px;
            line-height:40px;
            .ext1 {
            margin-top:40px;
            line-height:50px;
            font-size:25px;
            color:#f95450;
</style>
<body>
<div class="container-fluid">
<div class="header">
<div><b>Plasma Donar App</b></div>
<a href="/requester">Request</a>
```

```
<a class="active" href="/login">Home</a>
      </div>
 <br/>br>
 <div class="big">
  <div class="box">
            <div
                                                                class="ext1"><font
size="20px">{\{b\}}</font><br>Onors</b></div>
      </div>
 </div>
 <hr>>
 <div class="row">
  <div class="col" >
            <div class="ext">{{b1}}<br><b>O Positive</b></div>
      </div>
  <div class="col" >
            <div class="ext">{{b2}}<br><b>A Positive</b></div>
      </div>
  <div class="col" >
            <div class="ext">{{b3}}<br><b>B Positive</b></div>
      </div>
  <div class="col" >
            <div class="ext">{{b4}}<br><b>AB Positive</b></div>
      </div>
 </div>
 <br/>br>
 <div class="row">
  <div class="col" >
            <div class="ext">{{b5}}<br><b>O Negative</b></div>
```

```
</div>
  <div class="col" >
             <div class="ext">{{b6}}<br><b>A Negative</b></div>
      </div>
  <div class="col" >
             <div class="ext">{{b7}}<br>>b>B Negative</b></div>
      </div>
  <div class="col" >
             <div class="ext">{{b8}}<br><b>AB Negative</b></div>
      </div>
 </div>
</div>
</body>
</html>
request.html
<!DOCTYPE html>
<html >
<!--From https://codepen.io/frytyler/pen/EGdtg-->
<head>
 <meta charset="UTF-8">
 <title>Plasma Donor App</title>
              href='https://fonts.googleapis.com/css?family=Pacifico'
                                                                       rel='stylesheet'
      link
type='text/css'>
               href='https://fonts.googleapis.com/css?family=Arimo'
                                                                       rel='stylesheet'
      link
type='text/css'>
              href='https://fonts.googleapis.com/css?family=Hind:300'
                                                                       rel='stylesheet'
      link
type='text/css'>
```

```
href='https://fonts.googleapis.com/css?family=Open+Sans+Condensed:300'
rel='stylesheet' type='text/css'>
      link rel="stylesheet" href="{{ url_for('static', filename='style1.css') }}">
      <link rel="stylesheet" href="style.css">
<style>
.login{
top: 20%;
}
</style>
</head>
<body>
<div class="header">
<div>Plasma Donor App</div>
      <ul>
            <a href="request.html">Request</a>
            <a href="register.html">Register</a>
            <a class="active" href="login.html">Home</a>
      </div>
<div class="login">
            <div>
            </div>
  <!-- Main Input For Receiving Query to our ML -->
  <form action="{{ url for('requested')}}\"method="post">
```

```
<select name="bloodgrp">
                               <option value="select" selected>Choose your blood
group</option>
                               <option value="O Positive">O Positive
                               <option value="A Positive">A Positive
                               <option value="B Positive">B Positive
                               <option value="AB Positive">AB Positive
                               <option value="O Negative">O Negative
                               <option value="A Negative">A Negative
                               <option value="B Negative">B Negative
                                       <option
                                                  value="AB
                                                                Negative">AB
Negative</option>
            </select>
           <textarea rows="4" placeholder="Enter the address" required="required"
style="color:black" name="address"></textarea>
           <!input type="textarea" name="address" rows="4" placeholder="Enter the
address" required="required" style="color:black" />
       <button type="submit" class="btn btn-primary btn-block btn-large">Submit the
request</button>
  </form>
<br>><br>>
<div style="color:black"></div>
</div>
```

```
</body>
```

app.py

```
from flask import Flask, render template, request, redirect, url for, session
import ibm db
import json
app = Flask( name__, template_folder="template")
conn
                                                                                   =
ibm db.connect("DATABASE=bludb;HOSTNAME=ba99a9e6-d59e-4883-8fc0-d6a8c9f
7a08f.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=31321;SECURITY=SSL
;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=dtk76198;PWD=bQXyzjFDuph
111UN",",")
@app.route('/register')
def register():
  return render template('register.html')
@app.route("/adddonor",methods = ['POST','GET'])
def adddonor():
  if request.method == 'POST':
    name = request.form['name']
    email = request.form['email']
    phone = request.form['phone']
    city = request.form['city']
    infect = request.form['infect']
    blood = request.form['blood']
    password = request.form['passw']
```

```
sql = "SELECT * FROM DONOR2 WHERE name =?"
    stmt = ibm db.prepare(conn, sql)
    ibm db.bind param(stmt,1,name)
    ibm db.execute(stmt)
    account = ibm db.fetch assoc(stmt)
    if account:
          return render template('donor.html', msg="You are already a member, please
login using your details")
    else:
       #mailtest donor(email)
      insert sql = "INSERT INTO DONOR2 VALUES (?,?,?,?,?,?)"
       prep stmt = ibm db.prepare(conn, insert sql)
       ibm db.bind param(prep stmt, 1, name)
       ibm db.bind param(prep stmt, 2, email)
       ibm db.bind param(prep stmt, 3, phone)
       ibm db.bind param(prep stmt, 4, city)
       ibm db.bind param(prep stmt, 5, infect)
      ibm db.bind param(prep stmt, 6, blood)
       ibm db.bind param(prep stmt, 7, password)
       ibm db.execute(prep stmt)
    return render template('success.html', msg="Registered successfuly..")
@app.route('/')
@app.route('/login')
def login():
```

```
return render template('login.html')
@app.route('/loginpage',methods=['GET','POST'])
def loginpage():
  user = request.form['user']
  passw = request.form['passw']
  sql = "SELECT * FROM user WHERE email =? AND password=?"
  stmt = ibm db.prepare(conn, sql)
  ibm db.bind param(stmt,1,user)
  ibm db.bind param(stmt,2,passw)
  ibm db.execute(stmt)
  account = ibm db.fetch assoc(stmt)
  print (account)
  print(user,passw)
  if account:
       return redirect(url for('stats'))
  else:
     return render template('login.html', pred="Login unsuccessful. Incorrect username /
password!")
@app.route('/stats')
def stats():
  "sql = "SELECT blood FROM user group by blood"
  stmt = ibm db.prepare(conn, sql)
  ibm db.execute(stmt)
  count = ibm_db.fetch_assoc(stmt)
  print(count)"
  return render_template('stats.html',b=0,b1=0,b2=0,b3=0,b4=0,b5=0,b6=0,b7=0,b8=0)
```

```
@app.route('/requester')
def requester():
  return render template('request.html')
(a)app.route('/requested',methods=['GET','POST'])
def requested():
  bloodgrp = request.form['bloodgrp']
  address = request.form['address']
  print(address)
  sql = "SELECT * FROM user WHERE blood=?"
  stmt = ibm db.prepare(conn, sql)
  ibm db.bind param(stmt,1,bloodgrp)
  ibm db.execute(stmt)
  data = ibm db.fetch assoc(stmt)
  msg = "Need Plasma of your blood group for: "+address
  while data != False:
    print ("The Phone is: ", data["PHONE"])
url="https://www.fast2sms.com/dev/bulk?authorization=xCXuwWTzyjOD2ARd1EngbH
3a7tKIq5PklJ8YSf0Lh4FQZecs9iNI1dSvuqprxFwCKYJXA5amQkBE36Rl&sender id=
FSTSMS&message="+msg+"&language=english&route=p&numbers="+str(data["PHO
NE"])
    result=requests.request("GET",url)
    print(result)
    data = ibm db.fetch_assoc(stmt)
    return render template('request.html', pred="Your request is sent to the concerned
people.")
```

```
if name == " main ":
  app.run(host='0.0.0.0', port=8080,debug=True)
style.css
@import url(https://fonts.googleapis.com/css?family=Open+Sans);
.btn {
      display: inline-block;
      *display: inline;
      *zoom: 1; padding:
      4px 10px 4px;
      margin-bottom: 0;
      font-size: 13px;
      line-height: 18px;
      color: #333333;
      text-align: center;
      text-shadow: 0 1px 1px rgba(255, 255, 255, 0.75);
      vertical-align: middle;
      background-color: #f5f5f5;
      background-image: -moz-linear-gradient(top, #ffffff, #e6e6e6);
      background-image: -ms-linear-gradient(top, #ffffff, #e6e6e6);
      background-image: -webkit-gradient(linear, 0 0, 0 100%,
                                                                          from(#ffffff),
to(#e6e6e6));
      background-image: -webkit-linear-gradient(top, #ffffff, #e6e6e6);
      background-image: -o-linear-gradient(top, #ffffff, #e6e6e6);
      background-image: linear-gradient(top, #ffffff, #e6e6e6);
```

background-repeat: repeat-x;

```
progid:dximagetransform.microsoft.gradient(startColorstr=#ffffff,
       filter:
endColorstr=#e6e6e6, GradientType=0);
       border-color: #e6e6e6 #e6e6e6 #e6e6e6;
       border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
       border: 1px solid #e6e6e6;
       -webkit-border-radius: 4px;
       -moz-border-radius: 4px;
       border-radius: 4px;
       -webkit-box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0,
0, 0.05);
      -moz-box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0,
0.05);
       box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0, 0.05);
       cursor: pointer; *margin-left: .3em;
       }
.btn:hover, .btn:active, .btn.active, .btn.disabled, .btn[disabled] { background-color:
#e6e6e6; }
.btn-large {
       padding: 9px 14px;
      font-size: 15px;
      line-height: normal;
       -webkit-border-radius: 5px;
       -moz-border-radius: 5px;
       border-radius: 5px;
       }
.btn:hover {
```

```
color: #333333;
      text-decoration: none;
      background-color: #e6e6e6;
      background-position: 0 -15px;
      -webkit-transition: background-position 0.1s linear;
      -moz-transition: background-position 0.1s linear;
      -ms-transition: background-position 0.1s linear;
      -o-transition: background-position 0.1s linear;
      transition: background-position 0.1s linear;
      }
.btn-primary, .btn-primary:hover {
      text-shadow: 0 -1px 0 rgba(0, 0, 0, 0.25);
      color: #ffffff;
.btn-primary.active { color: rgba(255, 255, 255, 0.75); }
.btn-primary {
      background-color: #4a77d4;
      background-image: -moz-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: -ms-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#6eb6de),
to(\#4a77d4));
      background-image: -webkit-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: -o-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: linear-gradient(top, #6eb6de, #4a77d4);
      background-repeat: repeat-x;
```

```
filter:
                     progid:dximagetransform.microsoft.gradient(startColorstr=#6eb6de,
endColorstr=#4a77d4, GradientType=0);
      border: 1px solid #3762bc;
      text-shadow: 1px 1px 1px rgba(0,0,0,0.4);
      box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0, 0.5);
       }
.btn-primary:hover,
                      .btn-primary:active,
                                            .btn-primary.active,
                                                                  .btn-primary.disabled,
.btn-primary[disabled] {
      filter: none;
      background-color: #4a77d4;
       }
.btn-block { width: 100%; display:block; }
                    -webkit-box-sizing:border-box;
                                                            -moz-box-sizing:border-box;
-ms-box-sizing:border-box; -o-box-sizing:border-box; box-sizing:border-box; }
html { width: 100%; height:100%; overflow:hidden; }
body {
      width: 100%;
      height:100%;
      font-family: 'Open Sans', sans-serif;
      background: #ffffff;
      color: #000000;
      font-size: 18px;
      text-align:center;
```

```
letter-spacing:1.2px;
```

```
.header {
                    top:0;
                    margin:0px;
                    left: 0px;
                    right: 0px;
                    position: fixed;
                    background: #4a77d4;
                    color: white;
                    box-shadow: 0px 8px 4px grey;
                    overflow: hidden;
                    padding: 15px;
                    font-size: 1.5vw;
                    width: 100%;
                    text-align: center;
             }
.login {
      position: absolute;
      top: 70%;
      left: 50%;
      margin: -25px 0 0 -150px;
      width:400px;
      height:400px;
}
```

```
.header div { color: #fff; text-shadow: 0 0 10px rgba(0,0,0,0.3); letter-spacing:1px;
text-align:center; float:left; padding-left:150px;}
ul {
 list-style-type: none;
 margin: 0;
 padding: 0;
 padding-right:150px;
 overflow: hidden;
}
li {
 float: right;
}
li a {
 display: block;
 color: white;
 text-align: center;
 padding: 0px 15px;
 text-decoration: none;
}
input {
      width: 100%;
      margin-bottom: 10px;
       background: rgba(255,255,255,255);
```

```
border: none;
      outline: none;
      padding: 10px;
      font-size: 13px;
      color: black;
      text-shadow: black;
      border: 1px solid rgba(0,0,0,0.3);
      border-radius: 4px;
      box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px
                                                                                  1px
rgba(255,255,255,0.2);
      -webkit-transition: box-shadow .5s ease;
      -moz-transition: box-shadow .5s ease;
      -o-transition: box-shadow .5s ease;
      -ms-transition: box-shadow .5s ease;
      transition: box-shadow .5s ease;
input:focus { box-shadow: inset 0 -5px 45px rgba(100,100,100,0.4), 0 1px 1px
rgba(255,255,255,0.2); }
select {
      width: 100%;
      margin-bottom: 10px;
      background: rgba(255,255,255,255);
      border: none;
      outline: none;
      padding: 10px;
      font-size: 13px;
      color: #000000;
```

```
text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
      border: 1px solid rgba(0,0,0,0.3);
      border-radius: 4px;
      box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px
                                                                                    1px
rgba(255,255,255,0.2);
      -webkit-transition: box-shadow .5s ease;
      -moz-transition: box-shadow .5s ease;
      -o-transition: box-shadow .5s ease;
      -ms-transition: box-shadow .5s ease;
      transition: box-shadow .5s ease;
}
style1.css
@import url(https://fonts.googleapis.com/css?family=Open+Sans);
.btn {
      display: inline-block;
      *display: inline;
      *zoom: 1; padding:
      4px 10px 4px;
      margin-bottom: 0;
      font-size: 13px;
      line-height: 18px;
      color: #333333;
      text-align: center;
      text-shadow: 0 1px 1px rgba(255, 255, 255, 0.75);
      vertical-align: middle;
      background-color: #f5f5f5;
      background-image: -moz-linear-gradient(top, #ffffff, #e6e6e6);
      background-image: -ms-linear-gradient(top, #ffffff, #e6e6e6);
```

```
background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#ffffff),
to(#e6e6e6));
      background-image: -webkit-linear-gradient(top, #ffffff, #e6e6e6);
       background-image: -o-linear-gradient(top, #ffffff, #e6e6e6);
       background-image: linear-gradient(top, #ffffff, #e6e6e6);
      background-repeat: repeat-x;
       filter:
                       progid:dximagetransform.microsoft.gradient(startColorstr=#ffffff,
endColorstr=#e6e6e6, GradientType=0);
       border-color: #e6e6e6 #e6e6e6 #e6e6e6;
      border-color: rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.1) rgba(0, 0, 0, 0.25);
      border: 1px solid #e6e6e6;
      -webkit-border-radius: 4px;
      -moz-border-radius: 4px;
      border-radius: 4px;
      -webkit-box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0,
0, 0.05);
      -moz-box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0,
0.05);
      box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0, 0.05);
      cursor: pointer; *margin-left: .3em;
       }
.btn:hover, .btn:active, .btn.active, .btn.disabled, .btn[disabled] { background-color:
#e6e6e6; }
.btn-large {
      padding: 9px 14px;
      font-size: 15px;
      line-height: normal;
```

```
-webkit-border-radius: 5px;
       -moz-border-radius: 5px;
       border-radius: 5px;
.btn:hover {
       color: #333333;
       text-decoration: none;
       background-color: #e6e6e6;
       background-position: 0 -15px;
       -webkit-transition: background-position 0.1s linear;
       -moz-transition: background-position 0.1s linear;
       -ms-transition: background-position 0.1s linear;
       -o-transition: background-position 0.1s linear;
       transition: background-position 0.1s linear;
.btn-primary, .btn-primary:hover {
       text-shadow: 0 -1px 0 rgba(0, 0, 0, 0.25);
       color: #ffffff;
       }
.btn-primary.active { color: rgba(255, 255, 255, 0.75); }
.btn-primary {
       background-color: #4a77d4;
       background-image: -moz-linear-gradient(top, #6eb6de, #4a77d4);
       background-image: -ms-linear-gradient(top, #6eb6de, #4a77d4);
```

```
background-image: -webkit-gradient(linear, 0 0, 0 100%, from(#6eb6de),
to(\#4a77d4));
      background-image: -webkit-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: -o-linear-gradient(top, #6eb6de, #4a77d4);
      background-image: linear-gradient(top, #6eb6de, #4a77d4);
      background-repeat: repeat-x;
                    progid:dximagetransform.microsoft.gradient(startColorstr=#6eb6de,
      filter:
endColorstr=#4a77d4, GradientType=0);
      border: 1px solid #3762bc;
      text-shadow: 1px 1px 1px rgba(0,0,0,0.4);
      box-shadow: inset 0 1px 0 rgba(255, 255, 255, 0.2), 0 1px 2px rgba(0, 0, 0, 0.5);
      }
.btn-primary:hover,
                     .btn-primary:active,
                                           .btn-primary.active,
                                                                 .btn-primary.disabled,
.btn-primary[disabled] {
      filter: none;
      background-color: #4a77d4;
      }
.btn-block { width: 100%; display:block; }
                   -webkit-box-sizing:border-box;
                                                          -moz-box-sizing:border-box;
-ms-box-sizing:border-box; -o-box-sizing:border-box; box-sizing:border-box; }
html { width: 100%; height:100%; overflow:hidden; }
body {
      width: 100%;
      height:100%;
```

```
font-family: 'Open Sans', sans-serif;
       background: #ffffff;
      color: #000000;
       font-size: 18px;
      text-align:center;
      letter-spacing:1.2px;
}
.header {
                    top:0;
                    margin:0px;
                    left: 0px;
                    right: 0px;
                    position: fixed;
                    background: #4a77d4;
                    color: white;
                    box-shadow: 0px 8px 4px grey;
                    overflow: hidden;
                    padding: 15px;
                    font-size: 1.5vw;
                    width: 100%;
                    text-align: center;
              }
.login {
      position: absolute;
      top: 70%;
      left: 50%;
```

```
margin: -25px 0 0 -150px;
      width:400px;
      height:400px;
}
.header div { color: #fff; text-shadow: 0 0 10px rgba(0,0,0,0.3); letter-spacing:1px;
text-align:center; float:left; padding-left:150px;}
ul {
 list-style-type: none;
 margin: 0;
 padding: 0;
 padding-right:150px;
 overflow: hidden;
li {
 float: right;
}
li a {
 display: block;
 color: white;
 text-align: center;
 padding: 0px 15px;
 text-decoration: none;
```

```
input {
      width: 100%;
      margin-bottom: 10px;
      background: rgba(255,255,255,255);
      border: none;
      outline: none;
      padding: 10px;
      font-size: 13px;
      color: black;
      text-shadow: black;
      border: 1px solid rgba(0,0,0,0.3);
      border-radius: 4px;
                                       45px rgba(100,100,100,0.2), 0
      box-shadow: inset 0 -5px
                                                                           1px
                                                                                 1px
rgba(255,255,255,0.2);
      -webkit-transition: box-shadow .5s ease;
      -moz-transition: box-shadow .5s ease;
      -o-transition: box-shadow .5s ease;
      -ms-transition: box-shadow .5s ease;
      transition: box-shadow .5s ease;
}
input:focus { box-shadow: inset 0 -5px 45px rgba(100,100,100,0.4), 0 1px 1px
rgba(255,255,255,0.2); }
textarea {
      width: 100%;
      margin-bottom: 10px;
      background: rgba(255,255,255,255);
```

```
border: none;
      outline: none;
      padding: 10px;
      font-size: 13px;
      color: black;
      text-shadow: black;
      border: 1px solid rgba(0,0,0,0.3);
      border-radius: 4px;
      box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px
                                                                                  1px
rgba(255,255,255,0.2);
      -webkit-transition: box-shadow .5s ease;
      -moz-transition: box-shadow .5s ease;
      -o-transition: box-shadow .5s ease;
      -ms-transition: box-shadow .5s ease;
      transition: box-shadow .5s ease;
textarea: focus { box-shadow: inset 0 -5px 45px rgba(100,100,100,0.4), 0 1px 1px
rgba(255,255,255,0.2); }
select {
      width: 100%;
      margin-bottom: 10px;
      background: rgba(255,255,255,255);
      border: none;
      outline: none;
      padding: 10px;
      font-size: 13px;
      color: #000000;
      text-shadow: 1px 1px 1px rgba(0,0,0,0.3);
```

```
border: 1px solid rgba(0,0,0,0.3);
border-radius: 4px;
box-shadow: inset 0 -5px 45px rgba(100,100,100,0.2), 0 1px 1px rgba(255,255,255,0.2);
-webkit-transition: box-shadow .5s ease;
-moz-transition: box-shadow .5s ease;
-o-transition: box-shadow .5s ease;
transition: box-shadow .5s ease;
```