```
{% extends 'base.html' %}

{% block content %}

<script src="/static/newstracker.js"></script>

<script>

  homeAdd(arg);

</script>

<div id="home" class="container">

  <div id="row" class="row">


    <div class="col-md-7 col-12">

      <h3 class="form display-5 text-center">What can I do with NewsTracker?</h3>

      <div id="info-container" class="container">


        <div class="row">

          <div class="heading">

            <h4 class="form display-5 text-center">Non-Users</h4>

            <p>You can click the "Login as Demo User" button on the right-hand column check out
NewsTracker's features

            with

            a dummy account,

            but you already have access to several features. Here are some things you can do

            instantly, without even creating an account.</p>

          </div>

          <div class="announce col-lg">

            <div class="card">

              <div class="card-body">

                <h5 class="card-title">Get Headlines</h5>

                <p class="card-text">Simply click "Headlines" to browse the latest news of the day featuring all

                  categories.</p>
```

```html
        </div>
      </div>
    </div>
    <div class="announce col-md col-lg">
      <div class="card" id="card2">
        <div class="card-body">
          <h5 class="card-title">Search by Keyword</h5>
          <p class="card-text">Use the nav-bar to search by keyword to get up-to-date results based off
of
          whatever you're looking for.</p>
        </div>
      </div>
    </div>
    <div class="announce col-lg">
      <div class="card">
        <div class="card-body">
          <h5 class="card-title">Browse by Category</h5>
          <p class="card-text">Click the category title of any category on the right to view headlines from
each
          category, or click on the story headline as it slides through to view each story directly.</p>
        </div>
      </div>
    </div>
  </div>

  <div class="row">
    <div class="heading">
      <h4>Users</h4>
      <p>Through NewsTracker, Registered Users have access to a wide variety of tools that may assist
them search
```

```html
      for and organize various information. </p>

    </div>

    <div class="announce col-lg">

      <div class="card">

        <div class="card-body">

          <h5 class="card-title">Detailed Search</h5>

          <p class="card-text">Use our Detailed Search feature to further customize your search query by
source,

          date-range, language, and more! You can save this search query to be your default news feed
each time

          you log in. </p>

        </div>

      </div>

    </div>

    <div class="announce col-md col-lg">

      <div class="card">

        <div class="card-body" id="card2">

          <h5 class="card-title">Sentiment Analysis Tools</h5>

          <p class="card-text">NewsTracker uses Python's NLTK Library and Web-Scraping techniques to
perform

          Sentimental Analysis on each article that we receive from out news-api at your request!
Polarity and

          Subjectivity scores may be extracted from each article, or used to filter search results.</p>

        </div>

      </div>

    </div>

    <div class="announce col-lg">

      <div class="card">

        <div class="card-body">

          <h5 class="card-title">Saved Stories</h5>
```

```html
        <p class="card-text">Never lose track of the information you read by using our "Saved Stories" feature
          to keep all of your most important stories in one place.</p>
      </div>
    </div>
   </div>
  </div>


  <div class="row">
   <div class="heading">
    <h4>Upcoming Features</h4>
      <p>NewsTracker is an ongoing project that we will continuously be updating in order to give myself and other
       users ability to access and organize our world's latest trends, insights, and information. Here are some
       upcoming features from our roadmap.</p>
    </div>
    <div class="announce col">
     <div class="card">
      <div class="card-body">
       <h5 class="card-title">Amplified User Features</h5>
       <p class="card-text">Users will be able to better organize their saved content by being able to
        categorize them into separate folders named by their choosing, and will be able to write notes for
        each individual saved story.</p>
      </div>
     </div>
    </div>
    <div class="announce col">
     <div class="card">
```

```html
        <div class="card-body">

         <h5 class="card-title">Integration of Twitter API</h5>

         <p class="card-text">Not only will the integration of the Twitter API be useful for those who
wish to

          digest their information in more bite-sized pieces, it will also allow users to receive more
precise

          and recent Sentiment Analysis Data. Automatic, visual representations of such insights should
be

          useful to investors, marketers, etc.</p>

        </div>

       </div>

      </div>

    </div>

   </div>


   <div id="slideshows" class="col-md-5 col-sm">

    <div class="container" id="slide-counter">

     <div class="row" style="justify-content: center;">

      {% if no_user%}

      <div class="demo-user">

       <label for="demo">

        <h5 class="card-title">Try NewsTracker with our dummy account:</h5>

       </label>

       <form id="save" class="sa-button col-sm my-auto col-6" action='/login/demo' , method="POST">

        <input type="submit" value="Login as Demo User" id="demo" class="btn btn-dark btn-md
badge-pill">

       </form>

      </div>

      {% endif %}
```

```
{%for obj in data%}

<div class="container">

  <h3 class="form display-5 text-center"><a href="/headlines/{{obj.name}}"
class="category">{{obj.name}}</a>

  </h3>

  <div class="row">

    <div class="col-10" id="slideshow">

      <div class="carousel slide" data-ride="carousel">

        <!-- <ol class="carousel-indicators">

          <li data-target="#carouselExampleIndicators" data-slide-to="0" class="active"></li>

          <li data-target="#carouselExampleIndicators" data-slide-to="1"></li>

          <li data-target="#carouselExampleIndicators" data-slide-to="2"></li>

        </ol> -->

        <!-- https://getbootstrap.com/docs/4.0/components/carousel/ -->

        <div class="carousel-inner">

          <a href="{{obj.top_story.url}}">

            <div class="carousel-item active" data-interval="3500">

              <img class="slide d-block w-100" src="{{obj.top_story.image}}" alt="First slide" ;>

              <div class="carousel-caption d-md-block">

                <span class="caption">{{obj.top_story.headline}}</span>

              </div>

          </a>

        </div>

        {%for story in obj.results%}

        <div class="carousel-item" data-interval="4000">

          <a href="{{story.url}}">

            <img class="d-block w-100" src="{{story.image}}" alt="Third slide">

            <div class="carousel-caption d-md-block">

              <span class="caption">{{story.headline}}</span>
```

```
        </div>

       </a>

      </div>

     {%endfor%}

    </div>

    <!-- <a class="carousel-control-prev" role="button" data-slide="prev">

      <span class="carousel-control-prev-icon" aria-hidden="true"></span>

      <span class="sr-only">Previous</span>

     </a>

     <a class="carousel-control-next" role="button" data-slide="next">

      <span class="carousel-control-next-icon" aria-hidden="true"></span>

      <span class="sr-only">Next</span>

     </a> -->

    </div>

   </div>

  </div>

 </div>

 {%endfor%}

</div>

</div>

</div>

</div>

</div>

{% endblock %}
```