Nutrition assistant Application

A NALAIYA THIRAN PROJECT REPORT

SUBMITTED BY

| TEAM ID | PNT2022TMID47773 |
|-------------|------------------------------|
| BATCH NO | B2- 2M4E |
| TEAM LEADER | V.AKASH (911719104005) |
| TEAM MEMBER | AM.ARIHARAN (911719104007) |
| TEAM MEMBER | V.JAYA SUNDAR (911719104016) |
| TEAM MEMBER | A.KARUPPAIAH (911719104022) |

of

BACHELOR OF ENGINEERING

In

COMPUTER SCIENCE AND ENGINEERING

MOUNT ZION COLLEGE OF ENGINEERING AND TECHNOLOGY

1. INTRODUCTION

Diet and nutrition app is a type of nutrition tracking app that helps users lose weight, be healthy, and get stronger. There are different nutrition apps, including a calorie counter, diet trackers, nutrition planner apps, and marketplace platforms that connect users and nutrition coaches. The nutrition and diet planner app is becoming popular among users because of its great usability and amazing convenience

1.1 Project Overview:

Nutrition Assistant Application aims at building a web App that automatically estimates food attributes such as ingredients and nutritional value by classifying the input image of food. It helps to plan and prepare nutritious meals for people who need them. It may also be responsible for educating patients about healthy eating habits. Our method employs Clarifai's Al-Driven Food Detection Model for accurate food identification and Food API's to give the nutritional value of the identified food. User interacts with the Web App to Load an image. The image is passed to the server application, which uses Clarifai's Al-Driven Food Detection Model Service to analyze the images and Nutrition API to provide nutritional information about the analyzed Image. Nutritional information of the analyzed image is returned to the app for display

A web based tool is being planned for therapeutic nutrition prescriptions in clinical settings. The cloud based system would have

the ability to calculate the nutritional requirements and to guide first line nutritional management to patients and clients automatically. Also, it serves as an electronic medical and dietetic record, and personalized nutrition consultation approach can be client can converse to his/ her personal dietitian at their own convenient setting.

1.2 Purpose:

- Providing dieticians with the facility's meal and menu planning.
- Obtaining dietary information and assessing the nutritional habits of patients.
- Recording individual risk factors or dietary restrictions that might impact meal planning.
- Coordinating meal plans with nutritionists and healthcare professionals.
- Performing ongoing nutrition assessments, including the measurement of caloric intake and activity levels.
- Facilitating immediate interventions for signs of malnutrition,
 allergic reactions, or refusal to eat.
- Assisting in meal distribution, ensuring correctly delivered, and timely served meals.
- Maintaining proper sterilization protocols in the clearing away and cleaning of plates and utensils.
- Safely discarding leftover portions to prevent the spread of disease.

 Instructing patients and families on nutrition plans and healthy eating habits.

2.LITERATURE SURVEY

Nutrition and clinical dietetic services provide evidence-based support which has become essential for maintaining healthy lifestyle and avoiding malnutrition among population. National health with digital technology integration is gaining importance in the current COVID-19 pandemic scenario. Digital health technologies offer valuable means for community to create and share information about healthcare. This research intended to study the effects of utilizing games in health elearning network on teaching third graders in elementary schools about nutrition. The studied groups of this research were 2 classes of 33 third graders; the two classes were separated into experimental and control group. The experiment was implemented in a four-week duration. The experimental group learned the knowledge of nutrition based on game playing on a national health e-learning network, whereas the control group was lectured with multi-media slide shows.

2.1 Existing problem:

The *Nutrilize* application has constraints regarding usability and feature availability. First, our aim at high precision nutritional content has led to using the BLS as a food item database. This has led to issues with non-layman terms and thus low searchability for certain food items. Furthermore, the restriction to open source data has led to the integration of recipes from the KochWiki database, which covers many basic recipes, but not as many "currently popular" ones. We also see in the effect analysis that the underestimation in daily tracking is

propagating errors to the feedback users are receiving. We try to correct for this in our models by including the daily calorie count. Additionally, the study we conducted only had a limited number of participants which does not allow us to conclude or generalize any results with certainty. Finally, while the duration of the study is uniquely long for mobile applications, it is still relatively short compared to traditional interventions. Despite these limitations, our study reveals some systematic challenges in the long-term usage of food recommender systems that are common to other similar applications.

2.2 References:

- Achananuparp, P., Weber, I.: Extracting food substitutes from food diary via distributional similarity (2016). arXiv preprint arXiv:1607.08807
- Alrige, M., Chatterjee, S.: Easy nutrition: a customized dietary app to highlight the food nutritional value. In: Chatterjee, S., Dutta, K., Sundarraj, R.P. (eds.) Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in

Bioinformatics). LNCS, vol. 10844, pp. 132–145. Springer, Berlin (2018). https://doi.org/10.1007/978-3-319-91800-6 9

Aune, D., Giovannucci, E., Boffetta, P., Fadnes, L.T., Keum, N.,

Norat, T., Greenwood, D.C., Riboli, E., Vatten, L.J., Tonstad, S.: Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality—a systematic review and doseresponse

meta-analysis of prospective studies. Int. J. Epidemiol. **46**(3), 1029–1056 (2017)

 Baecke, J.A., Burema, J., Frijters, J.E.: A short questionnaire for the measurement of habitual physical activity in epidemiological studies.
 Am. J. Clin. Nutr. 36(5), 936–942 (1982)

 Brooke, J.: SUS-A Quick and Dirty Usability Scale. Usability Evaluation in Industry, pp. 189–194. CRC Press, Boca Raton (1996).
 https://doi.org/10.1002/hbm.20701

Celis-Morales, C., Livingstone, K.M., Marsaux, C.F., Forster, H.,
 O'Donovan, C.B., Woolhead, C., Macready, A.L., Fallaize, R., Navas Carretero, S., San-Cristobal, R., et al.: Design and baseline characteristics of
 the Food4Me study: a web-based randomised controlled trial of personalised
 nutrition in seven European countries.

Genes Nutr **10**(1), 265494 (2015)

 Celis-Morales, C., Livingstone, K., Marsaux, C., et al.: Effect of personalized nutrition on health-related behaviour change: evidence from the food4me european randomized controlled trial. Int. J.

Epidemiol. **46**(2), 578–588 (2016)

 Chen, J., Lieffers, J., Bauman, A., Hanning, R., Allman-Farinelli, M.: The use of smartphone health apps and other mobile health (mhealth) technologies in dietetic practice: a three country study. J. Hum. Nutr.

Diet. **30**(4), 439–452 (2017). https://doi.org/10.1111/jhn.12446

- Creative Commons: Cc by-sa 3.0.
 https://creativecommons.org/licenses/by-sa/3.0/ (2020). Accessed 2020-04-01
- D-A-CH (Deutsche Gesellschaft für Ernährung Österreichische Gesellschaft für Ernährung -Schweizerische Gesellschaft für Ernährungsforschung - Schweizerische Vereinigung für Ernährung).
 In: Referenzwerte für die Nährstoffzufuhr. Umschau Braus Verlag (2008)
- Davis, C., Bryan, J., Hodgson, J., Murphy, K.: Definition of the

(2015)

2.3 Problem Statement Definition:

Due to the ignorance of healthy food habits, obesity rates are increasing at an alarming speed, and this is reflective of the risks to people's health. People need to control their daily calorie intake by eating healthier foods, which is the most basic method to avoid obesity. However, although food packaging comes with nutrition (and calorie) labels, it's still not very convenient for people to refer to App-based nutrient dashboard systems which can analyse real-time images of a meal and analyse it for nutritional content which can be very handy and improves the dietary habits, and therefore, helps in maintaining a healthy lifestyle. The main objective of this project is to building a web App that automatically estimates food attributes such as ingredients and nutritional value by classifying the input image of food.

| Problem Statement (PS) | I am (Customer) | mer) I am trying to But | | Because | Which makes me feel |
|---------------------------|-----------------|---|--|--|--|
| PS-1 | Fitness freak | Finding a perfect pre workout plan for maintaining fitness | I can't choose a correct plan | It is Confusing | A perfect daily pre workout plan suggestion |
| PS-2 | Student | Find a balanced nutrition diet to loss weight | There is no balanced diet available without workout | I have no time to do workout | A best nutritional based diet plan with less workout |
| PS-3 | Body Builder | Choose a best plan for whole body workout. | It is hard to select a best workout plan | A wrong workout plan will lead to a change in the shape of my body | Perfect diet and workout plan for bodybuilding |

3.IDEATION & PROPOSED SOLUTION

3.1Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes.

It is a useful tool to helps teams better understand their users.

Creating an effective solution requires understanding the true problem and the person who is experiencing it.

The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.



3.2 Ideation & Brainstorming:

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-thebox ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich amount of creative solutions.

Step 1 - Brainstrom & Idea Prioritization



Before you collaborate

A little bit of preparation goes a long way with this session. Here's what you need to do to get going.

① 10 minutes

Define your problem statement

What problem are you trying to solve? Frame your problem as a How Might We statement. This will be the focus of your brainstorm.

PROBLEM

A variety of medical problems can affect appetite. Your illness medicines or surgery can cause these problem to suggest healthy foods and identify the increditents and nutritions in their food.



Step 2 -

Brainstorm

Group Ideas

Step 3 -



Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and breek it up into smaller sub-groups.

(f) 20 minute

Healthy nutrition contributes to preventing diet related diseases Healthy nutrition contributes to preventing non-communicable diseases.

There will be a dashboard for sharing health tips The food item to receive some more detail information on a foods nutrition and choose a custom portion size to add to the diary.

Prioritize

Step 4 -



Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.



3.3 Proposed Solution:

| SI. No. | Parameter | Description |
|---------|--|---|
| 1. | Problem Statement (Problem to be solved) | Now a days peoples are not eating healthy foods with respect to their health condition. If it happens continuously means, it will lead to obesity and any other health problems. To avoid that the system will detect and recognize the food and evaluating the nutrient values present in the food. |
| 2. | Idea / Solution description | To store the food and details of the nutrients present in it. Then scan the real time food and retrieve the corresponding food's nutrient values. |
| 3. | Novelty / Uniqueness | Clustering the peoples based on their BMI value. |
| 4. | Social Impact / Customer Satisfaction | The application which gives awareness among the people about the obesity and various health problems. |
| 5. | Business Model (Revenue Model) | In market, this application gives a benefit across the people by health wise and economical wise. |
| 6. | Scalability of the Solution | The application which creates an impact among the healthy lifestyle |

3.4 Problem Solution fit:

The Problem-Solution Fit simply means that you have found a problem with your customer and that the solution you have realized for it actually solves the

customer's problem. It helps entrepreneurs, marketers and corporate innovators identify behavioral patterns and recognize what would work and why



4. REQUIREMENT ANALYSIS

4.1 Functional requirement:

| FR No. | Functional Requirement (Epic) | Sub Requirement (Story / Sub-Task) |
|------------------------|-------------------------------|--|
| FR-1 User Registration | | Registration through E-mail and Phone number |
| FR-2 | User Confirmation | Confirmation via Email |
| | | Confirmation via OTP |
| FR-3 | User Profile Completion | Get personal details like height, weight, etc. |
| FR-4 | Gather meal image | Upload photo |
| | 5507 | Take live photo of the meal |
| FR-5 | Display calorie information | Integrate Clarifai API to get name of the food Integrate |
| | | Nutrition API (rapid API) to collect calorie information |

4.2 Non-Functional requirements:


Following are the non-functional requirements of the proposed solution.

| FR No. | Non-Functional Requirement | Description |
|--------|----------------------------|---|
| NFR-1 | Usability | Provide user friendly UI |
| | | Simple and intuitive design |
| NFR-2 | Security | Comprehensive authorization and authentication |
| | | scheme for each system actor |
| NFR-3 | Reliability | The system must perform without failure in |
| | | 95 percent of use cases |
| NFR-4 | Performance | The landing page supporting several users must |
| | | provide 5 seconds or less response time |
| NFR-5 | Availability | Uninterrupted services must be available all time |
| | | except the time of server updation. |
| NFR-6 | Scalability | Provide horizontal or vertical scaling for higher |
| | | workloads |

5. PROJECT DESIGN

5.1 Data Flow Diagrams:

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 Solution & Technical Architecture:




Table-1 : Components & Technologies:

| S.No | Component | Description | Technology | | |
|------|---------------------------------|---|---|--|--|
| 1. | User Interface | How user interacts with application e.g. Web UI, Mobile App, Chatbot etc. | HTML, CSS, JavaScript / Angular Js / React Js etc. | | |
| 2. | Application Logic-1 | Logic for a process in the application | Java / Python | | |
| 3. | Application Logic-2 | Logic for a process in the application | IBM Watson STT service | | |
| 4. | Application Logic-3 | Logic for a process in the application | IBM Watson Assistant | | |
| 5. | Database | Data Type, Configurations etc. | MySQL, NoSQL, etc. | | |
| 6. | Cloud Database | Database Service on Cloud | IBM DB2, IBM Cloudant etc. | | |
| 7. | File Storage | File storage requirements | IBM Block Storage or Other Storage Service or Local Filesystem | | |
| 8. | External API-1 | Purpose of External API used in the application | IBM Weather API, etc. | | |
| 9. | External API-2 | Purpose of External API used in the application | Aadhar API, etc. | | |
| 10. | Machine Learning Model | Purpose of Machine Learning Model | Object Recognition Model, etc. | | |
| 11. | Infrastructure (Server / Cloud) | frastructure (Server / Cloud) Application Deployment on Local System / Cloud Local Server Configuration: Cloud Server Configuration: | | | |

Table-2: Application Characteristics:

| S.No | Characteristics | Description | Technology | | |
|------|--------------------------|---|--|--|--|
| 1. | Open-Source Frameworks | List the open-source frameworks used | Technology of Opensource framework | | |
| 2. | Security Implementations | List all the security / access controls implemented, use of firewalls etc. | e.g. SHA-256, Encryptions, IAM Controls, OWASP etc. | | |
| 3. | Scalable Architecture | Justify the scalability of architecture (3 – tier, Micro-services) | Technology used | | |
| 4. | Availability | Justify the availability of application (e.g. use of load balancers, distributed servers etc.) | Technology used | | |
| 5. | Performance | Design consideration for the performance of the application (number of requests per sec, use of Cache, use of CDN's) etc. | Technology used | | |


Solution Architecture:

Solution architecture is a complex process – with many sub-processes -that bridges the gap between business problems and technology solutions. Its goals are to:

- To establish a smart fashion recommender application to recommend users product based on the user requirements.
- this architecture includes cloud service and collection of data, from which user can decide their desirable product.

- The bot will assist users in receiving product recommendation.
- The user will be able to view the product in their 3D model and decide accordingly.

Solution Architecture Diagram for Nutrition Assistant Application:



5.3 User Stories:

| User Type | Functional Requirement (Epic) | User Story Number | User Story / Task | Acceptance criteria | Priority | Release |
|-----------------------|-------------------------------------|----------------------|---|--|----------|----------|
| Customer Registration | | USN-1 | As a user, I can register for the application by entering my Name, Age, Gender, E-mail, password, and confirming my password. | I can access my account / dashboard. | High | Sprint-1 |
| | | USN-2 | As a user, I will receive confirmation email once I have registered for the application. | I can receive confirmation email & click confirm. | High | Sprint-1 |
| | Profile updation | USN-3 | As a user, I have to enter my height, weight and daily activity details. | I can update these information on Dashboard. | High | Sprint-1 |
| | Login | USN-4 | As a user, I can login to the application by entering E-mail and password. | I can access my account/ dashboard. | High | Sprint-1 |
| | Dashboard | USN-5 | As a user, I can upload or capture live image of the meal | I can get the nutritional value of that particular meal. | High | Sprint-2 |
| Ŷ | | USN-6 | As a user, I can track my daily calorie intake. | I can access my account/ Dashboard. | Medium | Sprint-2 |
| Administrator | Maintain the Application | USN-7 | Maintaining details for users. | I can access database. | High | Sprint-3 |

6 PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation:

Sprint Schedule, and Estimation:


| Sprint | Functional Requirement (Epic) | User Story Number | User Story / Task | Story Points | Priority | Team Members |
|----------|----------------------------------|----------------------|---|--------------|----------|--|
| Sprint-1 | User Panel | USN-1 | The user will login into the website and go through the products available on the website. | 20 | High | Lubna Fathima N Farhat Jabeen A Ganga M Sugaiel Fathima A |
| Sprint-2 | Admin Panel | USN-2 | The role of the admin is to check out the database about the stock and have a truck of all the things that the users are purchasing. | 20 | High | Lubna Fathima N Farhat Jabeen A Ganga M Sugaiel Fathima A |
| Sprint-3 | Chat Bot | USN-3 | The user can directly talk to Chatbot regarding the products. Get the recommendations based on information provided by the user | 20 | High | Lubna Fathima N Farhat Jabeen A Ganga M Sugaiel Fathima A |
| Sprint-4 | Final Delivery | USN-4 | Container of applications using docker Kubernetes and development the application. Create the documentation and final submit the application | 20 | High | Lubna Fathima N Farhat Jabeen A Ganga M Sugaiel Fathima A |

6.2 Sprint Delivery Schedule:


| Sprint | Total Story Points | Duration | Sprint Start Date | Sprint End Date (Planned) | Story Points Completed (as on Planned End Date) | Sprint Release Date (Actual) | |
|----------|--|----------|-------------------|------------------------------|---|---------------------------------|--|
| Sprint-1 | 20 | 6 Days | 24 Oct 2022 | 29 Oct 2022 | 20 | 29 Oct 2022 | |
| Sprint-2 | 20 | 6 Days | 31 Oct 2022 | 05 Nov 2022 | 20 | 05 NOV 2022 | |
| Sprint-3 | 20 | 6 Days | 07 Nov 2022 | 12 Nov 2022 | 20 | 12 NOV 2022 | |
| Sprint-4 | 4 20 6 Days 14 Nov 2022 19 Nov 2022 20 | | 20 | 19 NOV 2022 | | | |

6.3 Reports from JIRA:

JIRA Roadmap




JIRA Backlog



Burndown Chart

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.



7. CODING & SOLUTIONING


7.1 Feature 1:

```
from flask import Flask, render_template, request, redirect, url_for, session
from markupsafe import escape
import ibm db
conn = ibm db.pconnect("DATABASE=bludb;HOSTNAME=764264db-9824-4b7c-82df-40d1b13897c2.bs2io90108kqb1od8lcg.databa
app = Flask(_name_)
@app.route("/")
@app.route("/sign_in.html")
def index():
    return render_template("sign_in.html")
@app.route('/home.html')
def home():
    return render_template("home.html")
@app.route('/reg_page.html')
def reg_page():
    return render_template("reg_page.html")
@app.route('/bmicalc.html')
def bmicalc():
    return render_template("bmicalc.html")
@app.route('/register',methods=['GET','POST'])
def register():
 if request.method == 'POST':
    name = request.form['name']
   address = request.form['date']
    city = request.form['phone']
    pin = request.form['email']
    password = request.form['password']
```

```
avail = bool(Register.query.filter by(email = email).first())
    avail1 = bool(Register.query.filter_by(password=password).first())
    if avail:
            return render template('reg_page.html', result = "email already exist")
    elif avail1:
            return render_template('reg_page.html', result = "password already exist")
            query = Register(name = name, dob = dob, phone = phone, email = email, password = password)
            ibm db.session.add(query)
            ibm db.session.commit()
            return redirect("/sign_in.html")
  else:
        return redirect("/")
@app.route('/signin',methods=['GET','POST'])
def signin():
    if request.method == 'POST':
        name v = request.form.get('name')
        password v = request.form.get('password')
        login = Register.query.filter by(name = name v, password = password v).first()
        # query = Admin(name='ESHWIN',password= "Jeffick")
        # ibm db.session.add(query)
        # ibm db.session.commit()
        if login is not None:
           return render template('home.html', login_data= name_v)
        else:
           return render template('sign in.html', login data="make sure entered the correct password")
if name == ' main ':
    app.run(debug = True)
```

7.2 Database Schema:

IBM Db2 ON CLOUD:



8. TESTING

8.1 Test Cases:

| Test case ID | Feature Type | Compone | Test Scenario | Pre-Requisite | Steps To Execute | Test Data | Expected Result | Actual Result | Statu | Commets | TC for Automation(Y/N) | BUG | Esecuted By |
|----------------------|--------------|------------|--|--|--|--|--|----------------------------|-------|-------------------------------|---------------------------|-------|-------------|
| LoginPage_TC_001 | Functional | Home Page | Yerily user is able to see the Login/Signup popup when user olicked on Mg account button | Meed to open the website and should have an basic knowledge about that website | LEnter URL and click go 2 Click on My Account dropdown button 3, Yerily login/Singup popup displayed or not | Executed local host | LoginSignup pagup should display | Working as expected | Pass | | Yes | | Vijaja R |
| LoginPage_TC_0 02 | u | Home Page | Yeily the Ulelmers in Loghi Signup popup | Need to register your self with basic details such as email address | Enter UPL and risk go 2 Click on My Account dropdown button 3 Yerily logn Singap popup with below UI elements: a amail lere bord by psovord her bor c Login button elekt password Perovers elekt password Perovers | Execute/local host | Application should show below III elements: a email text box b password text box c.l.ogin button with orange colour of blew oustment? Create account link e.L.ast password? Recovery password link | Not Vorking as expected | Fail | Steps are not clear to follow | NO | BUG-1 | ManuP |
| | - | | | in order to check for the valid | 1.Enter UPL(https://shopenzer.com/) | Lievarenova nos: | User should navigate to user account | | 100 | | | 1 | reason |
| LoginPage_TC_O CO | Functional | Ноте раде | Yerilguser is able to loginto application with Yalid credentials | credentials in login page. The user must sign in to the account | and click go 2 Click on My Account dropdown button 3 Enter Valid usernamelemail in Email text box 4 Enter valid password in | | homepage | Working as expected | pass | | yes | | Shermiya X |
| LoginPage_TC_O O4 | Functional | Login page | Verify user is able to log into application with InValid credentials | wrify the login details with signin details. | LEnter UFL[https://shopercer.com/] and click. go 2 Click on My Account dropdown button 3 Enter In/Yalidusemamelemail in Email text box | Username: shermi@gmail password: shermi@f23 | Application should show Incorrect email or password "validation message. | vorking as expected | pass | | Yes | | Retna M |
| LoginPage_TC_0 04 | Functional | Login page | Verify user is able to log into application with InV and credentials | | A Extensión consection Liberal PIE (https://fishcpences.com/) and diskt go 2 Click on My Account dropdown button 3 Enter Valid usemanelemai in Email text box 4 Enter Invalid password in password | Username-retha@gmal.com password-retha@f23 | Application should show incorrect email or password "validation message-HIBHIII | | pass | | Yes | | Fletna M |
| LoginPage_TC_0 05 | Functional | Login page | Verify user is able to log into application with InV alid credentials | | TEnter UFL(https://fshopencer.com/) and click go 2 Click on My Account dropdown button 3 Enter In/Yalid username/email in Email test box | Username: Vijaya password: viji@123 | Application should show Incomect email or password "validation message. | Working as expected | pass | | Yes | | Vieya R |

8.2 User Acceptance Testing:

UAT Execution & Report Submission

Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Smart Fashion Recommender Application project at the time of the release to User Acceptance Testing (UAT).

Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

| Resolution | Severity 1 | Severity 2 | Severity 3 | Severity 4 | Subtotal |
|-------------------|------------|------------|------------|------------|----------|
| By Model | 1 | 2 | 1 | 0 | 3 |
| Duplicate | 1 | 0 | 0 | 0 | 1 |
| External | 2 | 0 | 0 | 1 | 3 |
| Fixed | 7 | 2 | 3 | 0 | 12 |
| Not Reproduced | 0 | 0 | 1 | 0 | 1 |
| Skipped | 0 | 0 | 1 | 1 | 2 |
| Won't Fix | 0 | 1 | 0 | 0 | 1 |
| Totals | 11 | 5 | 6 | 2 | 23 |

Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested


| Section | Total Cases | Not Tested | Fail | Pass |
|--------------------------------|-------------|------------|------|------|
| Hypothesis Condition | 2 | 0 | 0 | 2 |
| Train Test Split | 5 | 2 | 0 | 3 |
| Hyper Tuning Parameter Test | 4 | 0 | 0 | 4 |
| Confusion Matrix | 1 | 0 | 0 | 1 |
| Logistic Regression | 1 | 0 | | 1 |
| Final Report Output | 6 | 2 | 0 | 4 |
| SVM Model | 1 | 0 | 0 | 1 |

9. RESULTS

9.1 Performance Metrics:







10. ADVANTAGES & DISADVANTAGES

Advantages:

The major advantage of this tool is that they can help us to eat healthier.

- It is also easy to track our progress.
- It provides general awareness of nutrients in food.
- Keep you motivated.

All in one health tool.

Disadvantages:

The tool can be quite expensive as it requires cameras and other expensive devices to capture images and process it.

- These tool may not always be 100% accurate.
- We might avoid cetain healthy foods that are difficult to add into the food tracker.

11. CONCLUSION

In this project we developed a tool which recognises our health and calorific value. It helps us to eat nutritional food. The diet chart will be provided to individual users based on user's calorific value. It allows the users to upload their food images and give suggestion to that food. It also does not require the user to have any device on them to use it. Further this technology can be extended to other industries like it can be used by presenters, by teachers for show images in the classroom, etc.

12. FUTURE SCOPE


The tool can be made quicker by increasing the recognition speed.


 They can work with a licensed healthcare provider to help individuals with previously diagnosed disease recognize biochemical imbalances and toxicity which lead to poor health. ● Voice commands can also be added to further increase the functionality.

In summary, our study shows different challenges that healthfocused nutritional assistance systems face when being used in the long term. Our findings can be used to improve future system regarding their impact in the long-term and to postulate more long-term evaluation of recommender approaches.


13. APPENDIX


Source Code:





OUTPUT:





GitHub & Project Demo Link:

GitHub Link:

https://github.com/IBM-EPBL/IBM-Project-42863-1660710507

DEMO VIDEO LINK:

https://youtu.be/WpIA0AYK8bM