

**IOT BASED SMART CROP PROTECTION SYSTEM FOR
AGRICULTURE .**

TEAM ID: PNT2022TMID39683

**NALAIYA THIRAN PROJECT BASED LEARNING ON
PROFESSIONAL READINESS FOR INNOVATION
EMPLOYMENT AND ENTERPRENEURSHIP .**

A PROJECT REPORT BY

Swetha S (510619205043)

Rashika V (510619205028)

Sangavi K (510619205031)

Sneha B R (510619205039)

Pooja Lakshmi S(510619205023)

BACHELOR OF TECHNOLOGY

IN

INFORMATION TECHNOLOGY

**C.ABDUL HAKEEM COLLEGE OF ENGINEERING AND
TECHNOLOGY , MELVISHARAM , RANIPET-632509**

ANNA UNIVERSITY CHENNAI 600025

INDEX

1. INTRODUCTION

1. Project Overview
2. Purpose

2. LITERATURE SURVEY

1. Existing problem
2. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

1. Empathy Map Canvas
2. Ideation & Brainstorming
3. Proposed Solution
4. Problem Solution fit

4. REQUIREMENT ANALYSIS

1. Functional requirement
- 2 Non-Functional requirements

5. PROJECT DESIGN

1. Data Flow Diagrams
2. Solution & Technical Architecture

6. PROJECT PLANNING & SCHEDULING

1. Sprint Planning & Estimation
2. Sprint Delivery Schedule

7.CODING & SOLUTIONING (Explain the features added in the project along with code)

1. Features
2. Codes

8. TESTING

- 1.User Acceptance Testing

9. RESULT

1. Performance Metrics

10. ADVANTAGES & DISADVANTAGES

11.CONCLUSION

12.FUTURE SCOPE

13.APPENDIX

Source code
GitHub Link

1. INTRODUCTION

1.1 Project overview

- The device will detect the animals and birds using the Clarifai service.
- If any animal or bird is detected the image will be captured and stored in the IBM Cloud object storage.
- It also generates an alarm and avoid animals from destroying the crop .
- The image URL will be stored in the IBM Cloudant DB service.
- The device will also monitor the soil moisture levels, temperature, and humidity values and send them to the IBM IoT Platform.
- The image will be retrieved from Object storage and displayed in the web application.
- A web application is developed to visualize the soil moisture, temperature, and humidity values .
- Users can also control the motors through web application.

1.2 PURPOSE

An intelligent crop protection system helps the farmers in protecting the crop from the animals and birds which destroy the crop. This system also helps farmers to monitor the soil moisture levels in the field and also the temperature and humidity values near the field. The motors and sprinklers in the field can be controlled using the mobile application.

2. LITERATURE SURVEY

2.1 Existing Problem


Most of the farmers are facing many problems nowadays due to many reasons. Our problem to solve is the invasion of various species such as birds and animals that harm the crops that are being cultivated. Various types of species such as birds and animals come to the cultivation field according to the crop that is being cultivated and also according to the season of cultivation. Some wild animals enter the field during night times when the field is near a forest region or when the farm cultivates some fruits and other crops that attract animals. Some animals cross the field in search of food and water and also the birds enter the field for food and they damage all the crops. When the animals enter the field they not only eat food but they also damage the entire field by walking upon the crops and also by spoiling the food crops. The birds, by entering the field they come to eat seeds of the crops and also they tend to drag the crops and ruin the entire field. Some birds enter the field to eat the insects and pests in the field.

2.2 Problem Statement Definition

Most of the farmers are facing many problems nowadays due to many reasons. Our problem to solve is the invasion of various species such as birds and animals that harm the crops that are being cultivated. Various types of species such as birds and animals come to the cultivation field according to the crop that is being cultivated and also according to the season of cultivation. Some wild animals enter the field during night times when the field is near a forest region or when the farm cultivates some fruits and other crops that attract animals.

3.IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.2 Ideation and Brainstorming

4

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

⌚ 20 minutes



3.3 Proposed Solution

S.No	Parameter	Description
1.	<ul style="list-style-type: none">Problem Statement (Problem to be solved)	<ul style="list-style-type: none">Crops are not irrigated properly due to insufficient labour forces.Improper maintenance of crops against various environmental factors such as temperature climate, topography and soil quality which results in crop destruction.Requires protecting crops from Wild animals attacks, birds and pests.
2.	<ul style="list-style-type: none">Idea / Solution description	<ul style="list-style-type: none">Moisture sensor is interfaced with Arduino Microcontroller to measure the moisture level in soil and relay is used to turn ON and OFF the motor pump for managing the excess water level. It will be updated to authorities through IOT.Temperature sensor connected to microcontroller is used to monitor the temperature in the field.Image processing techniques with IOT is followed for crop protection against animal attacks.
3.	Novelty / Uniqueness	<ul style="list-style-type: none">Automatic crop maintenance and protection using embedded and IOT technology.
4.	Social Impact / Customer Satisfaction	<ul style="list-style-type: none">This proposed system provides many facilities which helps the farmers to maintain the crop field without much loss.
5.	Business Model (Revenue Model)	<ul style="list-style-type: none">This prototype can be developed as product with minimum cost with high performance .
6.	Scalability of the Solution	<ul style="list-style-type: none">This can be developed to a scalable product by using sensors and transmitting the data through Wireless Sensor Network and Analysing the data in cloud and operations is performed using robots .

3.4 Problem Solution Fit

Project Title: IOT Based Smart Crop Protection System for Agriculture		Project Design Phase-I: Solution Fit		Team ID: PNT2022TMD39683	
Define CS, fit into CL	<div>1. CUSTOMER SEGMENT(S)<div>CS</div><ul style="list-style-type: none">Farmers who trying to protect crops from various problems</div>	<div>6. CUSTOMER LIMITATIONS<div>CL</div><div>EG. BUDGET, DEVICES</div><ul style="list-style-type: none">Limited supervision.Limited financial constraints.Lack of manpower.</div>	<div>5. AVAILABLE SOLUTIONS<div>AS</div><div>PLUSES & MINUSES</div><ul style="list-style-type: none">Automation in irrigation.CCTV camera to monitor and supervise the crops.Alarm system to give alert while animals attacks the crops.</div>	Explore AS, differentiate	
	<div>2. PROBLEMS / PAINS<div>PR</div><div>+ ITS FREQUENCY</div><ul style="list-style-type: none">Crops are not irrigated properly.Improper maintenance of crops.Lack of knowledge among farmers in usage of fertilizers and hence crops are affected.Requires protecting crops from Wild animals attacks, birds and pests.</div>				
Focus on PR, tap into BE, understand RC		<div>9. PROBLEM ROOT / CAUSE<div>RC</div><ul style="list-style-type: none">Due to insufficient labour forces.<div>Due to various environmental factors such as temperature climate, topography and soil quality which results in crop destruction.</div>Due to high ammonia, urea, potassium and high PH level fertilizers.</div>	<div>7. BEHAVIOR<div>BE</div><div>+ ITS INTENSITY</div><ul style="list-style-type: none">Asks suggestions from surrounding peoples and implement there cent technologies.Consumes more time in cropland.Searching for an alternative solution for an existing solution.</div>	Focus on PR, tap into BE, understand RC	
Identify strong TR & EM	<div>3. TRIGGERS TO ACT<div>TR</div><ul style="list-style-type: none">By seeing surrounding cropland with installing machineries.Hearing about innovative technologies and effective solutions.</div>	<div>10. YOUR SOLUTION<div>SL</div><ul style="list-style-type: none">Moisture sensor interfaced with Arduino Microcontroller to measure the moisture level in soil and relay issued to turn ON and OFF the motor pump for managing the excess water level.<div>It will be updated to authorities through IOT.</div>Temperature sensor connected to microcontroller issued to monitor the temperature in the field. The optimum temperature required for crop cultivation is maintained using IOT based fertilizing methods are followed to minimize the negative effects on growth of crops while using fertilizers.Image processing techniques with IOT is followed for crop protection against animal attacks.</div>	<div>8. CHANNELS of BEHAVIOR<div>CH</div><div>ONLINE</div><div>Using different platforms/social media to describe the working and uses of smart crop protection device.</div><div>OFFLINE</div><div>Giving awareness among farmers about the application of the device.</div></div>	Extract online & offline CH of BE	
	<div>4. EMOTIONS<div>EM</div><div>BEFORE / AFTER</div><ul style="list-style-type: none">Mental frustrations due to insufficient production of crops.Felt smart enough to follow the available technologies with minimum cost.</div>				

4. REQUIREMENT ANALYSIS

4.1 Functional Requirement

Following are the functional requirements of the proposed solution.

- FR-1 User Registration,Registration through Form Registration through Gmail Registration through LinkedIN
- FR-2 User Confirmation ,Confirmation via Email Confirmation via OTP
- FR-3 Tracking Expense Helpful insights about money management
- FR-4 Alert Message Give alert mail if the amount exceeds the budget limit
- FR-5 Category This application shall allow users to add categories of their expenses

4.2 Non Functional requirement


Following are the non-functional requirements of the proposed solution.

- NFR-1 Usability You will able to allocate money to different priorities and also help you to cut down on unnecessary spending
- NFR-2 Security More security of the customer data and bank account details.
- NFR-3 Reliability Used to manage his/her expense so that the user is the path of financial stability. It is categorized by week, month, and year and also helps to see more expenses made. Helps to define their own categories.
- NFR-4 Performance The types of expense are categories along with an option .Throughput of the system is increased due to light weight database support.
- NFR-5 Availability Able to track business expense and monitor important for maintaining healthy cash flow. NFR-6 Scalability The ability to appropriately handle increasing demands.

5. PROJECT DESIGN

5.1 Data Flow Diagrams

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is store.




5.2 Solution Architecture:

Solution architecture is a complex process – with many sub-processes – that bridges the gap between business problems and technology solutions. Its goals are to :

- Find the best tech solution to solve existing business problems.
- Describe the structure, characteristics, behaviour, and other aspects of the software to project stakeholders.
- Define features, development phases, and solution requirements.
- Provide specifications according to which the solution is defined, managed, and delivered.

5.3 Solution Architecture Diagram:



6.1 Sprint Planning & Estimation

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint1	Sensor Data(python script)	USN-1	The Data of sensor which are feed to the Raspberry pi .Here we are using python script to generate a random sensor data.	3	High	SWETHA S (Team leader)
Sprint1	Automation (python script)	USN-2	Some activities are made to automation to overcome insufficient of labour force in the field. Hence that also included in python script to implement automation	5	High	SWETHA S (Team leader)
Sprint2	IBM IOT platform	USN-3	To Send the raspberry pi data to IOT platform, we create an IBM IOT platform and connect the raspberry pi to the device created in IBM IOT.	5	High	RASHIKA V (Team Member)
Sprint3	Node RED service	USN-4	To access the IBM IOT platform from external application or from external UI Node red service is established.	5	High	RASHIKA V SNEHA B R (Team Member)
Sprint3	API Key	USN-5	To protect the IBM IOT platform creating an API Key .		High	SANGAVI K (Team Member)
Sprint4	User Application	USN-6	To monitor and control the field sensors the User is provided with an User application created by MIT app inventor	8	High	RASHIKA V SNEHA B R SANGAVI K (Team Member)

Project Tracker, Velocity & Burndown Chart :

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned Date) End	Sprint Release Date (Actual)
Sprint-1	8	6 Days	24 Oct 2022	29 Oct 2022	8	29 Oct 2022
Sprint-2	5	6 Days	31 Oct 2022	05 Nov 2022	5	05 Nov 2022
Sprint-3	8	6 Days	07 Nov 2022	12 Nov 2022	8	12 Nov 2022
Sprint-4	8	6 Days	14 Nov 2022	19 Nov 2022	8	19 Nov 2022

7. Coding And Solutioning :

7.1 Features

Feature 1: Detect the Temperature

Feature 2: Detect the Humidity

Feature 3: Detect the Moisture

Feature 4: Detect the Animals

Codes:

PYTHON CODE TO IBM:

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random

#Provide your IBM Watson Device Credentials
organization = "iritj7"
deviceType = "abcd"
```

```
deviceId      =      "12345"
authMethod = "token"
authToken = "12345678"
```

```
# Initialize GPIO
```

```
def myCommandCallback(cmd):
    print("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status=="lighton":
        print ("led is on")
    elif status == "lightoff":
        print ("led is off")
    else :
        print ("please send proper command")
```

```
try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId,
    "auth-method": authMethod, "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
    #.....
```

```
except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()
```

```
# Connect and send a datapoint "hello" with value "world" into the cloud as an
event of type "greeting" 10 times
deviceCli.connect()
```

```
while True:
    #Get Sensor Data from DHT11
```

```
temp=random.randint(90,110)
Humid=random.randint(60,100)
Moist=random.randint(20,100)
Animal_dect=random.randint(1,20)
```

```
data = { 'temp' : temp, 'Humid': Humid, 'Moist' : Moist, 'Animal_dect' :
Animal_dect }
#print data
def myOnPublishCallback():
```

```
print ("Published Temperature = %s C" % temp, "Humidity = %s %% "
% Humid, "to IBM Watson", "Published Moisture= %s" % Moist, "Published
Animal detection = " , Animal_dect)
```

```
success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0,
on_publish=myOnPublishCallback)
if not success:
print("Not connected to IoT")
time.sleep(10)
```

```
deviceCli.commandCallback = myCommandCallback
```

```
# Disconnect the device and application from the cloud
deviceCli.disconnect()
```

NODE RED CODE:

TEMPERATURE:

```
msg.payload=msg.payload."temp"
return msg;
```

HUMIDITY:

```
msg.payload=msg.payload."Humid"
return msg;
```

MOISTURE:

```
msg.payload=msg.payload."Moist"
return msg;
```

ANIMAL DETECTION:

```
msg.payload=msg.payload."Animal_dect"
return msg;
```

8. TESTING:

8.1 TESTING :

- PYTHON CODE TO IBM
- IoT SENSOR OUTPUT
- IBM CLOUD TO NODE RED OUTPUT

8.2 User Acceptance Testing:

8.1 Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the [ProductName] project at the time of the release to User Acceptance Testing (UAT).

8.2 Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	10	4	2	3	20
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	77


8.3 Test Case Analysis


This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Print Engine	7	0	0	7
Client Application	51	0	0	51
Security	2	0	0	2
Outsource Shipping	3	0	0	3
Exception Reporting	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2


9 RESULT

MIT APP INVENTOR- TO DESIGN THE APP





MIT AI2 COMPANION APP – TO DISPLAY THE OUTPUT VIA QR CODE



ADVANTAGES :

- Farmers can monitor the health of farm animals closely, even if they are physically distant.
- Smart farming systems reduce waste, improve productivity and enable management of a greater number of resources through remote sensing.
- High reliance.
- Enhanced Security.

DISADVANTAGES:

- Farms are located in remote areas and are far from access to the internet.
- A farmer needs to have access to crop data reliably at any time from any location, so connection issues would cause an advanced monitoring system to be useless.
- High Cost
- Equipment needed to implement IoT in agriculture is expensive.

APPLICATIONS:

- Monitoring the crop field with the help of sensors (light , humidity, temperature, soil moisture, etc.)
- Automating the irrigation system
- Soil Moisture Monitoring (including conductivity)

CONCLUSION:

The problem of crop vandalization by wild animals and fire has become a major social problem in current time. It requires urgent attention as no effective solution exists till date for this problem. Thus, this project carries a great social relevance as it aims to address this problem. This project will help farmers in protecting their orchards and fields and save them from significant financial losses and will save them from the unproductive efforts that they endure for the protection their fields. This will also help them in achieving better crop yields thus leading to their economic well being.

FUTURE SCOPE:

Study and analysis of the developed Crop protection systems for its cost effectiveness with the development of Arduino based variable frequency Ultrasonic bird deterrent circuit. outline of the crop damage caused by a particular Wild animal if the behavioural features of the With the reduced cost in the smart phones.

APPENDIX:

SOURCE CODE

The source code has been uploaded in git hub.

[GITHUB LINK](#) –