

# **IOT Based Smart Crop Protection System for Agriculture .**

**Team ID - PNT2022TMID47161 .**

## **DEVELOPING PYTHON SCRIPT**

### **LOCATION DATA:**

```
import wiotp.sdk.device
import time
import random
myConfig={
    "identity": (
        "orgId": "gagtey",
        "typeId": "GPS",
        "deviceId":"12345"},
    "auth": {
        "token": "12345678"
    }
}

def myCommandCallback (cmd):
    print ("Message received from IBM IoT Platform: %s" %
        cmd.data['command'])
    m=cmd.data['command']
    client=
    wiotp.sdk.device.DeviceClient (config=myConfig,
    logHandlers=None)
    client.connect()
    def pub (data):
```

```
client.publishEvent (eventId="status", msgFormat="json",
data=myData, qos=0, print("Published data Successfully:
%s", myData) while True:
```

```
myData={'name': 'Train1', 'lat': 17.6387448, 'lon':
78.4754336) pub
```

```
(myData)
```

```
time.sleep (3)
```

```
#myData({'name': 'Train2', 'lat': 17.6387448, 'lon':
78.4754336)
```

```
#pub (myData) #time.sleep (3) myData={'name':
```

```
'Train1', 'lat': 17.6341908, 'lon':
```

```
78.4744722) pub
```

```
(myData)
```

```
time.sleep(3)
```

```
myData={'name': 'Train1', 'lat': 17.6340889, lon': 78.4745052)
```

```
pub (myData) time.sleep(3)
```

```
myData={'name': 'Train1', 'lat': 17.6248626, 'lon': 78.4720259)
```

```
pub (myData) time.sleep (3)
```

```
myData={'name': 'Train1', 'lat': 17.6188577, 'lon': 78.4698726)
```

```
pub (myData) time.sleep (3) myData={'name': 'Train1', 'lat':
17.6132382, 'lon':
```

```
78.4707318) pub
```

```
(myData)
```

```
time.sleep (3)
```

```
client.commandCallback = myCommandCallback
```

```
client.disconnect()
```

### **QR SCANNER CODE:**

```
Import cv2 import
```

```
numpy as np import
```

```
time
```

```
Import pyzbar.pyzbar as pyzbar
```

```
from ibmcloudant.cloudant_v1 import CloudantV1 from
```

```
ibmcloudant import CouchDbSessionAuthenticator
```

```
from ibm_cloud_sdk_core.authenticators import
```

```
BasicAuthenticator
```

```
authenticator= BasicAuthenticator ('apikey-v2-
```

```
16u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz',
```

```
'b0ab119f45d3e6255eabb978
```

```
service Cloudant V1 (authenticator-authenticator)
```

```
service.set_service_url('https://apikey-
```

```
v216u3crmdpkghhxefdikvpssoh5fwezrmuup5fv5g3ubz:b0ab
```

```
119 f45d3e6255eabb978e7e2f0 cap= cv2.VideoCapture (0)
```

```
font cv2.FONT_HERSHEY_PLAIN while True:
```

```
frame cap.read()
```

```
decodedobjects pyzbar.decode (frame)
for obj in decodedObjects: #print
("Data", obj.data) a-
obj.data.decode('UTF-8')
cv2.putText (frame, "Ticket", (50, 50), font, 2,
(255, 0, 0), 3) #print
(a)
try: response = service.get_document ( db='booking,
doc_id = a
).get_result()
print (response) time.sleep(5) except
Exception as e:
print ("Not a Valid Ticket")
time.sleep (5) cv2.imshow("Frame",
frame) if cv2.waitKey(1) &
0xFF==ord('q'):
break cap.release()
cv2.destroyAllWindows ()
client.disconnect()
```