## **SMART SOLUTION FOR RAILWAYS**

## **Project Development Phase**

## **Sprint-4**

Date	16 November 2022
Team ID	PNT2022TMID48351
Project Name	Project-Smart Solution For
	Railways
Maximum Marks	20 Marks

## **Ticket booking**

Settings.py

0.00

Django settings for ticketbooking project.

Generated by 'django-admin startproject' using Django 4.1.3.

For more information on this file, see

https://docs.djangoproject.com/en/4.1/topics/settings/

For the full list of settings and their values, see

https://docs.djangoproject.com/en/4.1/ref/settings/

0.00

```
import os
from pathlib import Path
# Build paths inside the project like this: BASE_DIR / 'subdir'.
BASE_DIR = Path(__file__).resolve().parent.parent
# Quick-start development settings - unsuitable for production
# See https://docs.djangoproject.com/en/4.1/howto/deployment/checklist/
# SECURITY WARNING: keep the secret key used in production secret!
SECRET_KEY = 'django-insecure-lds4g=vfy1&#xjur4uzwexv2=ksqs3p(td!eko$sdcv$sfp64m'
# SECURITY WARNING: don't run with debug turned on in production!
DEBUG = True
ALLOWED_HOSTS = []
STATIC URL = 'static/'
STATIC_ROOT = os.path.join(BASE_DIR, "static")
# STATICFILES_DIRS = [str(BASE_DIR )+ '\users\\static']
AUTH_USER_MODEL = 'users.CustomUser'
```

```
INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'users',
    'crispy forms',
    'allauth',
    'allauth.account',
    'allauth.socialaccount',
    'allauth.socialaccount.providers.google',
MIDDLEWARE = [
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
    'django.contrib.auth.middleware.AuthenticationMiddleware',
    'django.contrib.messages.middleware.MessageMiddleware',
    'django.middleware.clickjacking.XFrameOptionsMiddleware',
```

```
ROOT_URLCONF = 'ticketbooking.urls'
TEMPLATES = [
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
        # 'DIRS': [],
        'DIRS': [str(BASE_DIR) + '\\users\\templates'],
        'APP_DIRS': True,
        'OPTIONS': {
            'context processors': [
                'django.template.context_processors.debug',
                'django.template.context_processors.request',
                'django.contrib.auth.context_processors.auth',
                'django.contrib.messages.context_processors.messages',
WSGI_APPLICATION = 'ticketbooking.wsgi.application'
# Database
# https://docs.djangoproject.com/en/4.1/ref/settings/#databases
```

```
# Password validation
```

# https://docs.djangoproject.com/en/4.1/ref/settings/#auth-password-validators

- # Internationalization
- # https://docs.djangoproject.com/en/4.1/topics/i18n/

```
LANGUAGE_CODE = 'en-us'
TIME ZONE = 'UTC'
USE_I18N = True
USE_TZ = True
# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/4.1/howto/static-files/
STATIC_URL = 'static/'
# Default primary key field type
# https://docs.djangoproject.com/en/4.1/ref/settings/#default-auto-field
DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'
# mysql Database configuration
DATABASES = {
    'default': {
        'ENGINE': 'django.db.backends.mysql',
        'NAME': 'ticketbooking',
```

```
'USER': 'root',
        'PASSWORD': 'dhanushavj',
        'HOST': 'localhost',
        'PORT': '3306',
AUTHENTICATION_BACKENDS = [
    'django.contrib.auth.backends.ModelBackend',
    'allauth.account.auth_backends.AuthenticationBackend'
SOCIALACCOUNT_PROVIDERS = {
    'google': {
        'SCOPE': [
           'profile',
            'email',
        'AUTH_PARAMS': {
           'access_type': 'online',
```

```
SITE_ID = 2
LOGIN_REDIRECT_URL = '/'
LOGOUT_REDIRECT_URL = '/'
import environ
# Initialise environment variables
env = environ.Env()
environ.Env.read_env()
# DEFAULT FROM EMAIL = '<paste your gmail account here>'
EMAIL_BACKEND = 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST = 'smtp.gmail.com'
EMAIL_HOST_USER = 'kumaresan2773@gmail.com'
EMAIL_HOST_PASSWORD = 'nmwrjglmrmdrghjr'
EMAIL_PORT = 587
EMAIL_USE_TLS = True
# EMAIL_HOST = 'smtp.sendgrid.net'
# EMAIL PORT = 587
# EMAIL_USE_TLS = True
# EMAIL_HOST_USER = 'apikey' # Name for all the SenGrid accounts
# EMAIL_HOST_PASSWORD = env('SENDGRID_API_KEY')
```

```
# # The email you'll be sending emails from
# DEFAULT FROM EMAIL = env('SENDER EMAIL')
CRISPY_ALLOWED_TEMPLATE_PACKS = "bootstrap4"
CRISPY_TEMPLATE_PACK = "bootstrap4"
Urls.py
"""ticketbooking URL Configuration
The `urlpatterns` list routes URLs to views. For more information please see:
   https://docs.djangoproject.com/en/4.1/topics/http/urls/
Examples:
Function views
    1. Add an import: from my_app import views
    2. Add a URL to urlpatterns: path('', views.home, name='home')
Class-based views
    1. Add an import: from other_app.views import Home
    2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
Including another URLconf
    1. Import the include() function: from django.urls import include, path
   2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
0.00
from django.contrib import admin
from django.urls import include, path
from django.contrib.auth.views import LogoutView
```

```
urlpatterns = [
    path('admin/', admin.site.urls),
    path('', include('users.urls')),
    path('accounts/', include('allauth.urls')),
    path('logout', LogoutView.as_view()),
Wsgi.py
WSGI config for ticketbooking project.
It exposes the WSGI callable as a module-level variable named ``application``.
For more information on this file, see
https://docs.djangoproject.com/en/4.1/howto/deployment/wsgi/
0.00
import os
from django.core.wsgi import get_wsgi_application
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'ticketbooking.settings')
```

```
application = get_wsgi_application()
Users
Migration
0003_remove_customuser_otp.py
# Generated by Django 4.1.3 on 2022-11-16 03:34
from django.db import migrations
class Migration(migrations.Migration):
   dependencies = [
       ('users', '0002_customuser_otp'),
   operations = [
       migrations.RemoveField(
           model_name='customuser',
           name='otp',
Static
Css
#dashboard
```

:root {

```
--font: 'Montserrat', system-ui, sans-serif;
  --max-width: 1400px;
  --i-padding: 0.6rem;
  --o-padding: 1.6rem;
  --radius: 10px;
  --max-radius: 40px;
  --c-lighter: #b1d0e050;
  --c-light: #b1d0e050;
  --c-medium: #6998ab60;
  --c-dark: #40688290;
  --c-darker: #40688260;
  --c-elements: #b1d0e0;
  --c-bg-elements: #0004;
  --c-card-main: #b1d0e090;
  --c-card-side: #b1d0e040;
html {
  scroll-behavior: smooth;
  -webkit-tap-highlight-color: transparent;
html::-webkit-scrollbar {
 width: 6px;
 background: #555555;
html::-webkit-scrollbar-thumb {
 background: #151515;
```

```
-webkit-box-sizing: border-box;
 box-sizing: border-box;
.active {
 background: var(--c-bg-elements);
body {
 margin: 0;
  font-family: var(--font);
 color: #fefefe;
 background-color: #ffffff;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
 align-items: center;
 min-height: 100vh;
 position: relative;
/* body .video {
 margin-top: 120px;
 position: fixed;
```

```
left: 0;
  top: 0;
  width: 100%;
 height: 100vh;
  overflow: hidden;
  z-index: -1;
} */
/* body .video video {
 height: 100%;
 width: 100%;
 -o-object-fit: cover;
 object-fit: cover;
} */
body .video {
 display: none;
 background-color: #fff;
.container {
 max-width: var(--max-width);
 width: 100%;
 margin: 0 auto;
main {
 max-height: 100vh;
  width: 100%;
```

```
display: -ms-grid;
  display: grid;
  padding-left: 62px;
  position: relative;
main .menu {
  position: fixed;
  top: 0;
  left: 0;
  background-color: var(--c-darker);
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  width: 62px;
  height: 100%;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
  padding: var(--i-padding);
  -webkit-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  transition: all 0.3s ease;
  overflow: hidden;
  z-index: 2;
```

```
-webkit-backdrop-filter: blur(1rem);
  backdrop-filter: blur(1rem);
  border-right: solid 1px var(--c-lighter);
main .menu:hover,
main .menu:active {
 width: 200px;
  border-radius: 0 var(--radius) var(--radius) 0;
main .menu .avatar {
  display: -webkit-box;
  display: -ms-flexbox;
 display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 10px;
main .menu .avatar .thumb {
 border-radius: 50%;
 width: 100%;
 max-width: 40px;
  background-color: #ffffff;
main .menu .avatar .name {
  color: var(--c-elements);
  font-weight: 500;
  white-space: nowrap;
  opacity: 0;
```

```
visibility: hidden;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
main .menu:hover .avatar .name,
main .menu:active .avatar .name {
 opacity: 1;
 visibility: visible;
main .menu .primary {
 display: -webkit-box;
 display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  gap: 4px;
  overflow: hidden;
main .menu .primary .menu-item {
  font-weight: 400;
  text-decoration: none;
  color: var(--c-elements);
```

```
display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  gap: 8px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  padding-left: 10px;
  border-radius: 50%;
 width: 40px;
 height: 40px;
main .menu:hover .primary .menu-item,
main .menu:active .primary .menu-item {
 width: 100%;
 border-radius: var(--max-radius);
main .menu .primary .menu-item:hover {
 background: var(--c-bg-elements);
main .menu .primary .menu-item span:first-child {
  font-size: 21px;
main .menu .primary .menu-item .desc {
 opacity: 0;
  visibility: hidden;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
```

```
main .menu:hover .primary .menu-item .desc,
main .menu:active .primary .menu-item .desc {
 opacity: 1;
  visibility: visible;
main .menu .expander {
  color: var(--c-elements);
  font-size: 24px;
  border-radius: 50%;
  height: 40px;
  width: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .menu:hover .expander,
main .menu:active .expander {
  -webkit-transform: rotate(-180deg);
  -ms-transform: rotate(-180deg);
```

```
transform: rotate(-180deg);
main .topbar {
  position: fixed;
  left: 0;
  top: 0;
  width: calc(100% - 62px);
  margin-left: 62px;
  height: 60px;
  z-index: 1;
  background: var(--c-dark);
  border-bottom: solid 1px var(--c-lighter);
  -webkit-backdrop-filter: blur(1rem);
  backdrop-filter: blur(1rem);
  padding: 0 var(--o-padding);
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
  gap: 10px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
main .topbar .current {
  color: var(--c-elements);
```

```
font-size: 24px;
  font-weight: 700;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
main .topbar .search {
  cursor: pointer;
  color: var(--c-elements);
  border-radius: 50%;
  max-width: 40px;
  width: 100%;
  height: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  margin-right: auto;
  overflow: hidden;
  position: relative;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .topbar .search:hover,
main.search .topbar .search {
```

```
background: var(--c-bg-elements);
main.search .topbar .search {
  border-radius: var(--max-radius);
 max-width: 200px;
  cursor: default;
main .topbar .search label {
  position: absolute;
  left: 0;
  top: 0;
  width: 40px;
  height: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  z-index: 1;
  font-size: 24px;
  cursor: inherit;
main .topbar .search .bar {
  color: var(--c-elements);
  background: unset;
```

```
width: 100%;
  padding: 1px 10px 0 34px;
  font-size: 16px;
  border: unset;
  outline: none;
  opacity: 0;
  visibility: hidden;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main.search .topbar .search .bar {
 opacity: 1;
  visibility: visible;
  touch-action: none;
main .topbar .search .bar::-webkit-input-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar::-moz-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar:-ms-input-placeholder {
  font-family: var(--font);
 color: var(--c-elements);
main .topbar .search .bar::-ms-input-placeholder {
```

```
font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar::placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar nav {
  overflow: overlay;
 white-space: nowrap;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  height: 40px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 4px;
main .topbar nav::-webkit-scrollbar {
 height: 2px;
main .topbar nav::-webkit-scrollbar-thumb {
 background: var(--c-bg-elements);
main .topbar nav .menu-item {
 display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
```

```
-webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  height: 30px;
  padding: 0 10px;
  text-decoration: none;
  font-weight: 600;
  font-size: 14px;
  color: var(--c-elements);
  border-radius: var(--max-radius);
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .topbar nav .menu-item:hover {
 background: var(--c-bg-elements);
 main .dashboard {
  border-top: solid 1px var(--c-lighter);
  background-color: var(--c-light);
  width: 100% !important;
  -webkit-backdrop-filter: blur(6px);
  backdrop-filter: blur(6px);
  display: -ms-grid;
```

```
display: flex;
  grid-gap: var(--o-padding);
  position: relative;
  overflow: overlay;
main .dashboard::-webkit-scrollbar,
main .side::-webkit-scrollbar {
 width: 2px;
 background: var(--c-darker);
main .dashboard::-webkit-scrollbar-thumb,
main .side::-webkit-scrollbar-thumb {
  background: var(--c-bg-elements);
main .dashboard .cardcolumn {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  -ms-flex-item-align: baseline;
  align-self: baseline;
  width: 700px;
  margin-left: 3rem;
main .dashboard .cardcolumn .card .content {
```

```
font-size: 14px;
main .dashboard .cardcolumn .card span {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
 height: 24px;
 min-width: 24px;
  max-width: 24px;
  border-radius: 50%;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  cursor: pointer;
main .dashboard .cardcolumn .card span:hover {
  color: var(--c-elements);
  background: var(--c-bg-elements);
main .dashboard .cardcolumn .card header {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
```

```
gap: 4px;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
main .dashboard .cardcolumn .card header a {
  color: inherit;
  text-decoration: none;
 margin: 0;
  font-size: 14px;
  font-weight: 600;
  -webkit-line-clamp: 1;
  overflow: hidden;
  display: -webkit-box;
  -webkit-box-orient: vertical;
/* main .dashboard .cardcolumn .card .meta {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: end;
  -ms-flex-pack: end;
  justify-content: flex-end;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
 gap: 4px;
} */
```

```
main .side {
  /* margin-top: 60px; */
  background-color: var(--c-medium);
  -webkit-backdrop-filter: blur(6px);
  backdrop-filter: blur(6px);
  display: -ms-grid;
  display: grid;
  -ms-flex-line-pack: start;
  align-content: flex-start;
  overflow: overlay;
  -webkit-box-ordinal-group: 0;
  -ms-flex-order: -1;
  order: -1;
main .dashboard .card,
main .side .card {
  position: relative;
  color: var(--c-elements);
  padding: var(--i-padding);
  background: var(--c-bg-elements);
  -webkit-box-shadow: 0 4px 8px #0003;
  box-shadow: 0 4px 8px #0003;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
```

```
-webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
 /* gap: 10px; */
  border-bottom: solid 2px #0003;
main .side .card ul {
 margin: 0;
 padding: 0;
 list-style: none;
main .side .card ul li {
 padding: 6px 0;
 border-bottom: solid 1px var(--c-bg-elements);
main .side .card ul li:last-child {
 border-bottom: none;
main .side .weather .condition {
 opacity: 0.65;
  position: absolute;
  right: 10px;
  pointer-events: none;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
  max-width: 200px;
  width: 100%;
```

```
float: right;
main .side .weather .content {
  position: relative;
  font-size: 3rem;
  font-weight: 600;
  min-height: 180px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  text-shadow: 1px 3px 0px #0008;
main .side .weather .content .celsius {
 position: relative;
  top: -10px;
  right: -4px;
  font-size: 1.3rem;
main .side .weather .meta {
  border-top: solid 1px var(--c-bg-elements);
  padding-top: 10px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
```

```
-ms-flex-direction: column;
  flex-direction: column;
  gap: 6px;
main .side .weather .meta .datetime,
main .side .weather .meta .location {
  display: -webkit-box;
 display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 6px;
main .side .weather .meta .datetime .time {
  font-weight: 600;
@media (min-width: 1024px) {
  :root {
    --i-padding: 1rem;
    --o-padding: 2rem;
  .container {
    margin: var(--o-padding);
    -webkit-box-shadow: 0 0px 1rem #0003;
    box-shadow: 0 0px 1rem #0003;
    overflow: hidden;
```

```
main {
  min-height: 500px;
  max-height: calc(100vh - (2 * var(--o-padding)));
  border-radius: var(--radius);
  -ms-grid-columns: auto 380px;
  grid-template-columns: 2fr 1fr;
  padding-left: 74px;
main .menu {
  width: 74px;
  position: absolute;
  top: unset;
  border-radius: var(--radius) 0 0 var(--radius);
main .menu:hover {
  border-radius: var(--radius);
main .menu .avatar {
  -ms-flex-wrap: wrap;
  flex-wrap: wrap;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  margin-bottom: 10px;
  padding-bottom: 10px;
main .menu .avatar .thumb {
  max-width: 70px;
```

```
main .topbar {
  position: absolute;
  width: calc(100% - 74px);
  margin-left: 74px;
  border-radius: 0 var(--radius) 0 0;
main .topbar .search {
  margin-right: unset;
  -webkit-box-ordinal-group: 0;
  -ms-flex-order: -1;
  order: -1;
  max-width: 200px;
  border-radius: var(--max-radius);
  cursor: default;
  background: var(--c-bg-elements);
main .topbar .search .bar {
  opacity: 1;
  visibility: visible;
main .dashboard {
 margin-top: 60px;
  border-top: unset;
 /* height: calc(100vh - (2 * var(--o-padding)) - 60px); */
  -ms-grid-columns: 1fr var(--o-padding) 1fr var(--o-padding) 1fr;
  grid-template-columns: repeat(3, 1fr);
main .side {
  -webkit-box-ordinal-group: 1;
```

```
-ms-flex-order: 0;
      order: 0;
      height: calc(100vh - (2 * var(--o-padding)) - 60px);
      border-top: unset;
      margin-top: 60px;
      border-radius: 0 0 var(--radius) 0;
 /* train ticket booking tables */
 @import url("https://fonts.googleapis.com/css?family=Roboto");
 margin: 0;
 padding: 0;
 box-sizing: border-box;
.container {
 min-height: 100%;
 min-height: 100vh;
 display: flex;
 align-items: center;
html,
body {
```

```
min-height: 100%;
 min-width: 100%;
body {
 font: 16px 'Roboto', sans-serif;
 width: 100%;
 text-align: center;
 color: #555;
 background: rgb(250, 249, 249);
.form {
 padding: 35px 0;
 border: 1px solid #aaa;
 background: #eee;
 min-width: 100%;
 margin: 0 auto;
button,
input,
select,
textarea {
 font-family: inherit;
 font-size: 100%;
 vertical-align: baseline;
```

```
border: 0;
 outline: 0;
button::-moz-focus-inner,
input::-moz-focus-inner {
 border: 0;
 padding:0;
input[type=text] {
 /* width: 80%; */
 padding: 10px 10px 12px 110px;
 font-size: 12px;
 color: #555;
 border: 1px solid #aaa;
 background-color: #fff;
.field {
 display: inline-block;
 position: relative;
 margin: 10px auto;
.col-centered {
```

```
float: none;
.field input {
 transition: .1s all linear;
  font-size: 20px;
 font-family: Monospace;
.field label {
  color: #999;
  font-size: 14px;
  font-weight: normal;
  position: absolute;
 pointer-events: none;
 left: 18%;
 top: 18px;
h1 {
  font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
  font-size: 2em;
  padding: 10px 10px;
  text-align: center;
  text-transform: uppercase;
  text-rendering: optimizeLegibility;
```

```
color: #131313;
  /* background-color: #e7e5e4; */
 letter-spacing: .07em;
  text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
caption {
  font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
  font-size: 25px;
  padding: 20px 5px;
  text-align: center;
  text-transform: uppercase;
  color: #e0dfdc;
 background-color: #333;
  letter-spacing: .2em;
  text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
  position: relative;
 top: 0;
#trainClass {
 margin: 4px;
 float: center;
 gap: 45px;
 display: flex;
```

```
align-items: center;
 justify-content: center;
#trainClass label {
 /* width: 60px;
 margin: 4px;
 background-color: #EFEFEF;
 border-radius: 4px;
 border: 1px solid #D0D0D0;
 overflow: auto;
  cursor: pointer; */
 display: flex;
  gap: 15px;
 background: blue;
 text-align: center;
 align-items: center;
 justify-content: center;
 border-radius: 7px;
/* #trainClass label span {
 text-align: center;
 font-size: 25px;
  padding: 13px 0px;
```

```
display: inline-block;
 width: 100%;
}
#trainClass label input {
  position: absolute;
 top: -20px;
 opacity: 0;
} */
#trainClass input:checked + span {
 background-color: #404040;
 color: #F7F7F7;
#trainClass .yellow {
 background-color: #FFCC00;
 color: #333;
#trainClass .blue {
 background-color: #00BFFF;
 color: #333;
```

```
#trainClass .pink {
 background-color: #FF99FF;
 color: #333;
#trainClass .green {
 background-color: #A3D900;
 color: #333;
#trainClass .purple {
 background-color: #B399FF;
 color: #333;
#bfoot {
 position: relative;
 top: 30px;
.member tr:hover {
 color: black;
 cursor: pointer;
.selected {
```

```
background-color: rgba(41, 103, 182, 0.89);
 color: #FFF;
.table th {
 text-align: center;
#selectclass {
 position: absolute;
 left: 20%;
 width: 60%;
 height: 60%;
 top: 20%;
 z-index: 10;
 color: brown;
 background-color: white;
.invis {
 width: 100%;
 height: 100%;
 position: absolute;
 top: 0;
```

```
left: 0;
 z-index: 0.5;
 background-color: rgba(0, 0, 0, 0.2);
 min-width: 370px;
#selectclass > h2 {
  font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
 font-size: 25px;
  padding: 20px 5px;
 text-align: center;
  text-transform: uppercase;
 /* text-rendering: optimizeLegibility;*/
 color: #e0dfdc;
 background-color: #333;
 letter-spacing: .2em;
 text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
/********** ticket *******/
#ticket {
 display: flex;
 flex-direction: column;
  /* width: 500px;
```

```
height: 250px;
 border: 1px solid black;
 text-transform: uppercase;
 margin: 50px auto;
 font-family: "Times New Roman", Times, serif; */
#ticket .row{
 width: 100%;
.pull-right {
 padding: 15px;
 text-align: right;
 right: 10px;
 font-size: 15px;
.pull-left {
 text-align: left;
 /* left: 10px; */
 font-size: 15px;
 padding: 15px;
.trainno {
 font-size: 50px;
```

```
padding: 15px;
 font-family: monospace;
.trainname {
 font-size: 22px;
 font-family: Verdana, Geneva, sans-serif;
 padding: 10px 8px;
 text-align: center;
 text-transform: uppercase;
 display: flex;
 align-items: center;
 justify-content: center;
.from {
 font-family: Verdana, Geneva, sans-serif;
 padding: 10px 10px;
 text-align: center;
 text-transform: uppercase;
.to {
 font-family: Verdana, Geneva, sans-serif;
 padding: 10px 0px;
 text-align: center;
 text-transform: uppercase;
```

```
#qrcode {
 width: 80%;
 font-size: 25px;
table {
 border-collapse: collapse;
 margin: 10px auto;
td {
 width: 4px;
 height: 30px;
.compartment {
 font-size: 25px;
 padding: 10px;
.seatno {
 font-size: 25px;
 padding: 10px;
```

```
.final > h2 {
 font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
 font-size: 25px;
 padding: 20px 5px;
 text-align: center;
 text-transform: uppercase;
 color: #e0dfdc;
 background-color: #333;
 letter-spacing: .2em;
 text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
.qr-code-container{
 display: flex;
 align-items: center;
 justify-content: center;
.amex {
```

## background:

url("

5Amb9Bmr9Dm8BFnMBHncFIncFJnsJKnsJLn8JMn8NNoMNOocRPocRQosRRosVUpMZVpMZWpcZXpcdYpsd Zp8dap8dbqMheqclgqslhq8pjrMpkrMtnrsxpr8xqr81tsc5vss5wss9xs89ztNB0tdB1ttF6uNJ8udN9 utN+utR/u9SAu9SBvNWCvNWDvdWEvdWGvtaHv9aIv9eKwNeMwdiPw9mQw9mRxNqTxdqUxtuVx9uWx9yXy NyYyNyZyd2ayd2byt2cyt6dy96fzN+gzN+hzd+izeCjzuCkzuCn00Gp0eKq0eKr0uOs0+Ot0+Ov1OSw1e Sy1uWz1uW01+W32Oa62ui72+i82+i+30m/3enC3urE3+vF4OvH4ezI4uzJ4u3K4+3L4+3N50705e7P5e/ R5u/S5/DT5/DV6PHW6fHX6fHY6vHa6/Lb7PPc7PPd7fPe7fTf7vTg7vTi7/Xj8PXk8fbm8vbn8vfo8/fp 8/fq9Pjr9Pjs9fjt9fnu9vnv9vnw9/rx9/ry+Prz+Pv0+fv1+fv2+vz4+/z5+/37/P38/f7+/v7///+B6 xdgAAAAHHRSTlMAARYaJ0FIT1pcYG6YmZyssrPDys3T2tvt9PX+1nJQbwAAAnFJREFUOMtjYOAWESMWiA qwMzBwyZAEOBn4SdMgzCBImgYJUjVI0UeDkoGBrq6BgZ6MhgECqAA56nJ6ICZIWN3AQAeuoevIrvOHDuy 6ZLl1366ru3ft2nVl167dJ08cOXHo/P6Dl3Yd33Nm15mdJw+thGnQO2ei2nzDRaZp405Zmd2KxhYWW2TM TeUmJOWv0NOPKVJ1uNEi4329LByuoXKaabvZNZcQw8u5IUANrYuX7pA5eNSxJCk/OPfGBe2ZKotbnAw6k TSs8Axslpnh0mtRr74YqME7LGaHjI6G4uakf0fGG21q3c5hLf7TNDMQGhqUMjN9vFz6O2TCjgA11M+Zs1 3m4oXIvKT8b0s+i7DMNJks/xuhcggNKQ3b+vfGpS65kLTqVNyRpLi4uP1x16d09jRPPF+b1HC29WB+SsX 5PXF1cA0lE/11WiZOnFg2saZrIgxkgojiyr6JZTLxQFZ5ycSJpRTHdOAmMMiM2Agk103esGnTxiWzwELT VwOJyes29aFqiFtrCQR+x05FuVpaWqcfA3I8FlQDyandjpaWh5KtLI3RNCxTA8ZypHewb7vNrvWKk2QW7 wiIzU3YteusXtXWrQvllm+diK5BR16+4JyW2omJ2qkRiqtknN2VF+UCxWbmKCi5b3GU1fRE16B+4cK5RC e3pH6z6bP3nZ0ZsyYoMzftwsWrp4+skZt/4kA1mqfjVqgAgcORw/Z23kejg86r7JxXm1AIF0qzVdFLAEo ahaNqiDgMBplZQGKNjC6QbD0MA3vmAomN5XTLcaQASQZe0jSIM3CQpoGPgZFHmgT1QkwMDAzMrOxEAjYW BgYAvI9h1MHdhQIAAAAASUVORK5CYII=") #fff;

.visa {

#### background:

url(" QICAjb4U/gAAABvFBMVEUAAADQ0NDa2tra2trZ2dnY2Nja2trt7e3t7e0mM3onNHspNXkqN30rN30sOH4 tN3ovO4AwPIAyPoE1QYM3Q4Q4Q4U4RIU5RYY8R4g9SIhCTYtDToxGUY5HUo5JU49JVJBOWJJQW5RSXJVT XZZVX5dXYZhYYplaY5pfaJ1kbaBlbqFoaZFocaNpcqNqc6RtdqZvd6dzcpV0fKp2f6x5ga18g698hK99h K99hbB+hrCAh7GDi7OHjrWIj7aJkLeNk7mNlLqOlbqRl7yUmr6WnL6YnsCbocKepMSjqMekqceprsqrsM ysscytss2uss2xts+xttC0uNG1udK1utK2utK3u9O6vdS7v9W8wNa9wda9wdfBxNnDx9rEx9vFyNzFydv Hy93Kzd/Mz+DR0+LS10PT1uTVnV/V1+XX2ebY2NjZuJbZ2+faoVza30jc3+rf4evf4ezi507j5e7n6fHp 6/Lq6/Lr7PPsmC3snTfs7fPunjnu7/Tu7/Xw8fbx8vfy8/f09fj09fn19vn29/r3z5332LH39/r42LD42 bL42bP5+fv76tX77dz7+/v7+/387dv9/f7+9ev//v3///9+dhG/AAAACXRST1MAGxuq7e7u+vsOT6YMAA ABbklEQVQ4y+WUV1cTYRQAlwSIsxoLltgLKgZ7AwV777FiL9gT1x4FGxpb0Gg0On/YBx83D+wz8z7nu+f e800QpNKtpTHSmk4FQUt7pu4YqWfaW4L0BBOQSQdt9SRCvS0omYjSOBZ+fB0d/f5T/VQoDHi6cF4b1/Zt 6d9fUZ+cLFyMvfDny6vhN3/1E0wegW4/LAHgpb6bBpNr8ZE2PBz+rQvIvrgJ2+2Ddae0ba7pXoBbceHAx HvfHIRNHOHjLobLqlZnkIeDcaHIlAeuh6Jb4bb9EG58rh6G4nTWNNnSHFYNZcnrcsKK1d4Op163MY91rm RmE6GHcCdc007mqt5ZAfM9C7uKvfA0LlyASSzUt7Daz+pIyGw7+c+JuPAxCxzV+7DHrq5t0zqhbxA6crl cSE+TS+dhVk0vwRk7AFhb64a761IWva7EhKEoKqvvo6jqs6sD526UNYoeq5ajR78a4/k/JM5M4pAlTGUq SBrjf5znrWNE0ZcCAAAAAElFTkSuQmCC") #fff;

## .mastercard {

### background:

url(" QICAjb4U/gAAACc1BMVEUAAADQ0NDa2tra2trZ2dnY2Nja2trt7e3t7e3MAADMAQHMBATNCQnOCwvODAz ODg7PDwnPERHRGxvSFgfSHh7SHx/SIB7THhDTJCTTJibTJyfUKSnVIAXVLS3VMDDWMjLWNTXWNjbXIQDX LyLXNS7XNzfXOzvYLxbYPT3YPj7Y2NjZOy/ZRUXaSEjaSUnbLQDbLgDbS0vbTU3cSj/cU1PdNADdSjTdV VXdVlbeNwDeW1vfYmLgUDPgZWXgZmbgaGjhXkvhamrhbW3ia2Lib2/jXDfja1njdXXkeHjkeXnke3vlgI DlgYHmg4PmhITmhobnh4fniIjni4voVgDojIzokJDqXADqaiTqlpbqmJjqmZnqmprrnJzrn5/tpqbuqqr ura3urq7vsbHvsrLvs7PwbADwbQDwtLTwtbXwt7fxvLzycgDyjULyvr7yv7/zdQDzmVvzn2fzxMTzxcXz x8f2fwD21tb3gQD3x6/3ybL32Nj4hAD43t7439/440D5iQD54eH54uL65ub65+f76+v7+/v88vL89PT99 /f9+Pj9+fn+lwD+/f3/mQD/mgT/nQv/nw//oRT/oRX/oRb/ohj/qCf/qSn/qSr/qy3/rDH/rjX/rjb/sT 7/sj//s0L/tEX/tUf/tUj/tkn/t0v/uVD/uVH/u1X/vFj/vVr/v17/v2H/w2n/xGz/x3P/yHb/yXr/zob/z4j/0Iv/1Zj/1pr/153/2J7/26X/3q7/4LL/4LP/4bX/4bb/5cD/5sL/58P/58T/58X/6sz/7NH/7dL/ 8d7/8t//90X/9eb/9ef/9ur/9+v/+vT/+/X//Pj//fz///90HdR0AAAACXRST1MAGxuq7e7u+vsOT6YMA AABmElEQVQ4y2NgYGJm0SISsDAzMTAwsrG3XiAStLKzMTIwc1wgAbAzM7C2kqKhlZVB6wJJQItSDS3R5o rSmo7pPUD2+d2r506bvWzLKdwaOr140SFAMuXCzqm9ENC//hwODc2KnHDAVdCLALNOYNXQLo9QzylgGoy kY+YZbBqckNSrpKamdSPpWINFQw03kgZhJSUlSyQNfUcxNfjzyfFISUDUi5WCQO+EOZOgGmZswNSgY3VB pyPOxJZf1d4uWdxZW9k45+SBtStWTVowffH8o/MxNUgHNsY0entmxrW5R6VnhNb6NlVu6p247uCOs3sOH 941DYuG9MTa3JCiGp+S+CzdrrziBOuK5b1L9x8/tG3vko0bsWjQafCKaIhNqon0qyvzqApyKZMtPLZ18/ bTR1Zv3Xd6JRYnBeiJChkJGqppWIgoKKi7mTnIVC9YPHnhnHlTJiyaM3EDgWANz87OLicQrCgRx6VvYJB PIOJQk4ZNWD3BpIGS+DhdCSc+0pM3JAOpkpCBaJOnSS5mSC7ISCwqgYUriYUxAINRRW57ksG5AAAAAE1F TkSuQmCC") #fff;

}

# .discover {

### background:

url("

4RzBb3Co9ZyRPnJYikIXHnAr5ssTR9hYCVIfIg8UmlILBCOMFfa6e4jWvQWh5/e0kUDTuFMsTSpvvI6gU og8QngzVsdDRVC9spbu7st5bbmL8ASUNEipEi0ElRRQEyhYL+K/2Tl5cD1U/cmSMgsXOneHRe3krenSpu CA26ckp2xTu1s2xFZSJ3JqiJqKbvXNrbOWPrzp0m3jt36sjJyS2Q35ms0rNz53wSg3VRI2kaVlc1kKRhV U0pSRoWVZaSpGF2RSkpGjZNAMcM0RoW15aSomE9JOKJ1bB1VnUpCRq2z6srLSVew+ZZyMoJalgzpbq0lG gNG+Z2lGKAplQcxcy6uV3lpVhAKyuWgmzLwqktpTgAJzNaUblt2cz+xnocoLmNiw1YuJJYGAMAEKBGzN/0FVAAAAAASUVORK5CYII=") #fff;

```
.expiry-date-group {
 float: left;
 width: 50%
.expiry-date-group input {
 width: calc(100\% + 1px);
 border-top-right-radius: 0;
 border-bottom-right-radius: 0;
.expiry-date-group input:focus {
 position: relative;
 z-index: 10;
.security-code-group {
 float: right;
 width: 50%
```

```
.security-code-group input {
 border-top-left-radius: 0;
 border-bottom-left-radius: 0;
.zip-code-group {
 clear: both;
#PayButton {
 outline: 0!important;
 height: 42px;
 font-size: 16px;
 background-color: #54C7C3!important;
 border: none;
 width: 100%;
 display: flex;
  align-items: center;
 justify-content: center;
 gap:10px
#PayButton span{
 width: 20px;
```

```
#PayButton:hover {
 background-color: #6DCECB!important;
#PayButton:active {
 background-color: #4FBCB9!important;
#PayButton:disabled {
 background: rgba(84, 199, 195, .5)!important;
 color: #FFF!important;
.container {
 margin-top: 50px;
#Checkout {
  z-index: 100001;
 /* background: ; */
 /* width: 50%; */
 min-width: 300px;
 height: 100%;
 min-height: 100%;
 background: 0 0 #ffffff;
  border-radius: 8px;
```

```
border: 1px solid #dedede;
 /* margin-left: auto;
 margin-right: auto; */
 display: block;
#Checkout>h1 {
 margin: 0;
 padding: 20px;
  text-align: center;
 background: #EEF2F4;
  color: #5D6F78;
  font-size: 24px;
  font-weight: 300;
 border-bottom: 1px solid #DEDEDE;
 border-top-left-radius: 8px;
 border-top-right-radius: 8px;
#Checkout>form {
 margin: 0 25px 25px;
label {
 color: #46545C;
 margin-bottom: 2px;
```

```
.input-container {
 position: relative;
.input-container input {
 padding-right: 25px;
.input-container>i, a[role="button"] {
 color: #d3d3d3;
 width: 25px;
 height: 30px;
 line-height: 30px;
 font-size: 16px;
 position: absolute;
 top: 2px;
 right: 2px;
 cursor: pointer;
 text-align: center;
.input-container>i:hover, a[role="button"]:hover {
 color: #777;
.amount-placeholder {
```

```
font-size: 20px;
 height: 34px;
 display: flex;
 align-items: center;
 justify-content: center;
 gap: 16px;
.amount-placeholder>button {
 float: right;
 width: 60px;
.amount-placeholder>span {
 line-height: 34px;
.card-row {
 text-align: center;
 margin: 20px 25px 10px;
.card-row span {
 width: 48px;
 height: 30px;
 margin-right: 3px;
```

```
background-repeat: no-repeat;
 display: inline-block;
 background-size: contain;
.card-image {
 background-repeat: no-repeat;
 padding-right: 50px;
 background-position: right 2px center;
 background-size: auto 90%
.cvc-preview-container {
 overflow: hidden;
.cvc-preview-container.two-card div {
 width: 48%;
 height: 80px;
.cvc-preview-container.two-card div.amex-cvc-preview {
 float: right;
.cvc-preview-container.two-card div.visa-mc-dis-cvc-preview {
```

```
float: left;
.cvc-preview-container div {
 height: 160px;
.amex-cvc-preview {
 background:}
.submit-button-lock {
 height: 20px;
 margin-top: -2px;
 margin-right: 7px;
 vertical-align: middle;
```

### background:

url(" BJO0MgUHJvZmlsZOAASA2dlndUU9kWh8+9N730EiIgJfOaegkg0jtIFORRiUmAUAKGhCZ2RAVGFBEpVmR UwAFHhyJjRRQLg4Ji1wnyEFDGwVFEReXdjGsJ7601896a/cdZ39nnt9fZZ+9917oAUPyCBMJ0WAGANKFY F07rwVwSE8vE9wIYEAEOWAHA4WZmBEf4RALU/L09mZmoSMaz9u4ugGS72yy/UCZz1v9/kSI3QyQGAApF1 TY8fiYX5QKUU7PFGTL/BMr0lSkyhjEyFqEJoqwi48SvbPan5iu7yZiXJuShGln0Gbw0noy7UN6aJeGjjA ShXJgl4GejfAdlvVRJmgDl9yjT0/icTAAwFJlfzOcmoWyJMkUUGe6J8gIACJTEObxyDov5OWieAHimZ+S KBIlJYqYR15hp5ejIZvrxs1P5YjErlMNN4Yh4TM/0tAyOMBeAr2+WRQElWW2ZaJHtrRzt7VnW5mj5v9nf Hn5T/T3IevtV8Sbsz55BjJ5Z32zsrC+9FgD2JFqbHb0+1VUAtG0GQ0XhrE/vIADyBQC03pzzHoZsXpLE4 gwnC4vs7GxzAZ9rLivoN/ufgm/Kv4Y595nL7vtW06YXP4EjSRUzZUXlpqemS0TMzAw0189k/fcQ/+PAOW nNycMsnJ/AF/GF6FVR6JQJhIlou4U8gViQLmQKhH/V4X8YNicHGX6daxRodV8AfYU5ULhJB8hvPQBDIwM kbj96An3rWxAxCsi+vGitka9zjzJ6/uf6Hwtcim7hTEEiU+b2DI9kciWiLBmj34RswQISkAd0oAo0gS4w AixgDRyAM3AD3iAAhIBIEAOWAy5IAmlABLJBPtgACkEx2AF2g2pwANSBetAEToI2cAZcBFfADXALDIBHQ AqGwUswAd6BaQiC8BAVokGqkBakD5lC1hAbWgh5Q0FQOBQDxU0JkBCSQPnQJqgYKoOqoUNQPfQjdBq6CF 2D+qAH0CA0Bv0BfYQRmALTYQ3YALaA2bA7HAhHwsvgRHgVnAcXwNvhSrgWPg63whfhG/AALIVfwpMIQMg IA9FGWAgb8URCkFgkAREha5EipAKpRZqQDqQbuY1IkXHkAwaHoWGYGBbGGeOHWYzhYlZh1mJKMNWYY5hW TBfmNmYQM4H5gqVi1bGmWCesP3YJNhGbjS3EVmCPYFuwl7ED2GHsOxwOx8AZ4hxwfrgYXDJuNa4Etw/Xj LuA68MN4SbxeLwq3hTvgg/Bc/BifCG+Cn8cfx7fjx/GvyeQCVoEa4IPIZYgJGwkVBAaCOcI/YQRwjRRga hPdCKGEHnEXGIpsY7YQbxJHCZOkxRJhiQXUiQpmbSBVElqIl0mPSa9IZPJOmRHchhZQF5PriSfIF8lD5I /UJQoJhRPShxFQtl00Uq5QHlAeU0lUg2obtRYqpi6nVpPvUR9Sn0vR5Mzl/0X48mtk6uRa5Xrl3slT5TX l3eXXy6fJ18hf0r+pvy4AlHBQMFTgaOwVqFG4bTCPYVJRZqilWKIYppiiWKD4jXFUSW8koGStxJPqUDps NIlpSEaQt0ledK4tE200tpl2jAdRzek+90T6cX0H+i99AllJWVb5SjlH0Ua5bPKUgbCMGD4M1IZpYyTjL uMj/M05rnP48/bNq9pXv+8KZX5Km4qfJUilWaVAZWPqkxVb9UU1Z2qbapP1DBqJmphatlq+9Uuq43Pp89 3ns+dXzT/5PyH6rC6iXq4+mr1w+o96pMamhq+GhkaVRqXNMY1GZpumsma5ZrnNMe0aFoLtQRa5VrntV4w 1ZnuzFRmJb0L0aGtru2nLdE+pN2rPa1jqLNYZ6NOs84TXZIuWzdBt1y3U3dCT0svWC9fr1HvoT5Rn62fp L9Hv1t/ysDQINpgi0GbwaihiqG/YZ5ho+FjI6qRq9Eqo1qj08Y4Y7ZxivE+41smsImdSZJJjclNU9jU3l Rgus+0zwxr5mgmNKs1u8eisNxZWaxG1qA5wzzIfKN5m/krCz2LWIudFt0WXyztLFMt6ywfWS1ZBVhtt0q w+sPaxJprXWN9x4Zq42Ozzqbd5rWtqS3fdr/tfTuaXbDdFrtOu8/2DvYi+yb7MQc9h3iHvQ732HR2KLuE fdUR6+jhuM7xjOMHJ3snsdNJp9+dWc4pzg3OowsMF/AX1C0YctFx4bgccpEuZC6MX3hwodRV25XjWuv6z E3Xjed2xG3E3dg92f24+ysPSw+RR4vHlKeT5xrPC16I169XkVevt5L3Yu9q76c+0j6JPo0+E752vqt9L/ hh/QL9dvrd89fw5/rX+08E0ASsCegKpARGBFYHPgsyCRIFdQTDwQHBu4IfL9JfJFzUFgJC/EN2hTwJNQx dFfpzGC4sNKwm7Hm4VXh+eHcELWJFREPEu0iPyNLIR4uNFksWd0bJR8VF1UdNRXtFl0VLl1gsWbPkRoxa iCCmPRYfGxV7JHZyqffS3UuH4+ziCuPuLiNclrPs2nK15anLz660X8FZcSoeGx8d3xD/iRPCqeVMrvRfu XflBNeTu4f7kufGK+eN8V34ZfyRBJeEsoTRRJfEXYljSa5JFUnjAk9BteB1sl/ygeSplJCUoykzqdGpzW mEtPi000IlYYqwK10zPSe9L8M0ozBDuspp1e5VE6JA0ZFMKHNZZruYjv5M9UiMJJslg1kLs2qy3mdHZZ/ KUcwR5vTkmuRuyx3J88n7fjVmNXd1Z752/ob8wTXuaw6thdauXNu5Tnddwbrh9b7rj20gbUjZ8MtGy41l G99uit7UUaBRsL5gaLPv5sZCuUJR4b0tzlsObMVsFWzt3WazrWrblyJe0fViy+KK4k813JLr3119V/ndz PaE7b219qX7d+B2CHfc3em681iZYlle2dCu4F2t5czyovK3u1fsvlZhW3FgD2mPZI+0MqiyvUqvakfVp+ qk6oEaj5rmvep7t+2d2sfb17/fbX/TAY0DxQc+HhQcvH/I91BrrUFtxWHc4azDz+ui6rq/Z39ff0TtSPG Rz0eFR6XHwo911TvU1zeoN5Q2wo2SxrHjccdv/eD1Q3sTq+lQM605+AQ4ITnx4sf4H++eDDzZeYp9qukn /Z/2ttBailqh1tzWibakNml7THvf6YDTnR3OHS0/m/989Iz2mZqzymdLz5HOFZyb0Z93fvJCxoXxi4kXh zpXdD66t0TSna6wrt7LgZevXvG5cqnbvfv8VZerZ645XTt9nX297Yb9jdYeu56WX+x+aem172296XCz/Z bjrY6+BX3n+l37L972un3ljv+dGwOLBvruLr57/17cPel93v3RB6kPXj/Mejj9aP1j700iJwpPKp6qP63 91fjXZqm990yg12DPs4hnj4a4Qy//lfmvT8MFz6nPK0a0RupHrUfPjPmM3Xqx9MXwy4yX0+0Fvyn+tveV @auffnf7vWdiycTwa9HrmT9K3qi+OfrW9m3nZOjk@3dp76anit6rvj/2gf2h+2P@x5Hp7E/4T5WfjT93f 8JRy6AAAAH3RST1MAAgYMEyIzOUpTVFViY3N2gJmcnaipq7fX3ebx+Pn8eTEuDQAAAI9JREFUKM/N0UkO glAQRdFHDyK90n64+9+lAyQgookjuaNKTlJJpaQlO2n6sW8SW/uCjrku2EloWDLhi3gDa4O3pTtA5Tt+B XDbiDsBmSQpAyZ3pRhoLUmS1QLxSilQPOcCSFfKgfxgPgfZ9ch7Y21LCcdd5wVH5SckEzkXc0ylpPJnMp ETmX/d9eUpH1/5AKrsQVrz7YPBAAAAAElFTkSuQmCC") center center/contain no-repeat;

```
width: 14px;
display: inline-block;
}
.align-middle {
  vertical-align: middle;
}
```

```
input {
 box-shadow: none!important;
input:focus {
 border-color: #b0e5e3!important;
 background-color: #EEF9F9!important;
/* datepicker */
.wrapper {
 max-width: 18rem;
 padding: 0 0.5rem;
 margin-left: auto;
 margin-right: auto;
 padding-top: 4rem;
}
label {
  font-size: 0.75rem;
  font-weight: 400;
  display: block;
 margin-bottom: 0.5rem;
  color: #B0BEC5;
  border: 1px solid #ECEFF1;
 padding: 0.5rem 0.75rem;
 border-radius: 0.5rem;
}
```

```
input {
  font-family: 'Roboto', sans-serif;
  display:block;
 border: none;
 border-radius: 0.25rem;
 border: 1px solid transparent;
 line-height: 1.5rem;
 padding: 0;
  font-size: 1rem;
  color: #607D8B;
 width: 100%;
 margin-top: 0.5rem;
}
input:focus {outline: none;}
#ui-datepicker-div {
  display: none;
 background-color: #fff;
 box-shadow: 0 0.125rem 0.5rem rgba(0,0,0,0.1);
 margin-top: 0.25rem;
  border-radius: 0.5rem;
 padding: 0.5rem;
}
table {
 border-collapse: collapse;
 border-spacing: 0;
}
.ui-datepicker-calendar thead th {
  padding: 0.25rem 0;
 text-align: center;
```

```
font-size: 0.75rem;
  font-weight: 400;
  color: #78909C;
}
.ui-datepicker-calendar tbody td {
 width: 2.5rem;
 text-align: center;
 padding: 0;
}
.ui-datepicker-calendar tbody td a {
  display: block;
 border-radius: 0.25rem;
 line-height: 2rem;
 transition: 0.3s all;
 color: #546E7A;
 font-size: 0.875rem;
 text-decoration: none;
}
.ui-datepicker-calendar tbody td a:hover {
  background-color: #E0F2F1;
}
.ui-datepicker-calendar tbody td a.ui-state-active {
 background-color: #009688;
 color: white;
}
.ui-datepicker-header a.ui-corner-all {
 cursor: pointer;
  position: absolute;
 top: 0;
```

```
width: 2rem;
 height: 2rem;
 margin: 0.5rem;
 border-radius: 0.25rem;
 transition: 0.3s all;
}
.ui-datepicker-header a.ui-corner-all:hover {
 background-color: #ECEFF1;
}
.ui-datepicker-header a.ui-datepicker-prev {
 left: 0;
 background:
url("
ciIHdpZHRoPSIxMyIgaGVpZ2h0PSIxMyIgdmlld0JveD0iMCAwIDEzIDEzIj48cGF0aCBmaWxsPSIjNDI
ONzcwIiBmaWxsLXJ1bGU9ImV2ZW5vZGQiIGQ9IkO3LjI4OCA2LjI5NkwzLjIwMiAyLjIxYS43MS43MSAw
IDAgMSAuMDA3LS450TljLjI4LS4yOC43MjUtLjI4Ljk5OS0uMDA3TDguODAzIDUuOGEuNjk1LjY5NSAwI
DAgMSAuMjAyLjQ5Ni42OTUuNjk1IDAgMCAxLS4yMDIuNDk3bC00LjU5NSA0LjU5NWEuNzA0LjcwNCAwID
AgMS0xLS4wMDcuNzEuNzEgMCAwIDEtLjAwNi0uOTk5bDQuMDg2LTQuMDg2eiIvPjwvc3ZnPg==");
  background-repeat: no-repeat;
 background-size: 0.5rem;
 background-position: 50%;
 transform: rotate(180deg);
.ui-datepicker-header a.ui-datepicker-next {
 right: 0;
 background:
url('
ciIHdpZHRoPSIxMyIgaGVpZ2h0PSIxMyIgdmlld0JveD0iMCAwIDEzIDEzIj48cGF0aCBmaWxsPSIjNDI
ONzcwIiBmaWxsLXJ1bGU9ImV2ZW5vZGQiIGQ9IkO3LjI4OCA2LjI5NkwzLjIwMiAyLjIxYS43MS43MSAw
IDAgMSAuMDA3LS450TljLjI4LS4yOC43MjUtLjI4Ljk5OS0uMDA3TDguODAzIDUuOGEuNjk1LjY5NSAwI
DAgMSAuMjAyLjQ5Ni42OTUuNjk1IDAgMCAxLS4yMDIuNDk3bC00LjU5NSA0LjU5NWEuNzA0LjcwNCAwID
AgMS0xLS4wMDcuNzEuNzEgMCAwIDEtLjAwNi0uOTk5bDQuMDg2LTQuMDg2eiIvPjwvc3ZnPg==');
  background-repeat: no-repeat;
```

```
background-size: 10px;
  background-position: 50%;
}
.ui-datepicker-header a>span {
 display: none;
}
.ui-datepicker-title {
 text-align: center;
 line-height: 2rem;
 margin-bottom: 0.25rem;
 font-size: 0.875rem;
 font-weight: 500;
 padding-bottom: 0.25rem;
}
.ui-datepicker-week-col {
 color: #78909C;
 font-weight: 400;
 font-size: 0.75rem;
}
#header.css
.header {
    left: 0;
   position: fixed;
   top: 0;
    z-index: 999;
    box-shadow: 0 0 10px rgb(0 0 0 / 30%);
```

```
width: 100%;
   background: #fff;
   /*#14274e;*/
   height: 4.5rem;
    font-size: 1rem;
   font-family: Barlow, Montserrat, Arial, Helvetica, sans-serif;
.header-body {
   /*display: flex;*/
   margin: 0 10px;
   height: inherit;
.term-related-badge {
   margin-bottom: -15px;
   padding: 3px 7px;
   border: 1px solid #f0f0f0;
   /* #dee2e6; */
   background-color: #f6f9fc;
   /*#dee2e6; */
   /* background-color: #21bf73; */
   color: #fff;
    font-weight: normal;
    font-size: 0.8rem;
    text-align: left;
   white-space: normal !important;
   box-shadow: 0 50px 100px -20px rgb(50 50 93 / 25%), 0 30px 60px -30px rgb(0 0
0 / 30%), inset 0 -2px 6px 0 rgb(10 37 64 / 35%);
```

```
/* box-shadow: rgba(14, 30, 37, 0.12) 0px 2px 4px 0px, rgba(14, 30, 37, 0.32)
0px 2px 16px 0px; */
.header .header-body .menu-col ul {
    list-style-type: none;
   float: left;
   /*display: flex;*/
.header .header-body .menu-col ul li {
   padding-left: 1rem;
a .link-nav .dropdown-toggle{
    text-decoration: none !important;
   color: #14274E !important;
a .link-nav {
    text-decoration: none;
   color: #14274E !important;
```

```
.menu {
   place-items: center;
   height: 100%;
.menu-col {
   display: flex;
   align-items: center;
.pmd-textfield-floating-label label {
   display: block !important;
    font-size: 12px;
   font-weight: 600;
/* a.link-nav {
   display: inline-block;
   height: 33px;
   padding-top: 5px;
   text-align: center;
   opacity: 0.7;
    overflow: hidden;
   transition: opacity 0.5s;
} */
```

```
/*
a.link-nav :hover {
   text-decoration: none;
   color: #ffffff;
   opacity: 1;
} */
a .link-nav span {
   display: inline-block;
   width: 0px;
   height: 3px;
   background-color: #47c789;
   transition: width 0.3s;
a.link-nav span ::before {
   content: '\a';
   white-space: pre;
/* .avatar{
   display: flex !important;
   padding: 10px !important;
    gap: 20px !important;
    align-items: center;
```

```
justify-content: center;
   flex-wrap: nowrap;
    flex-direction: column;
   background-color: #14274E;
} */
/* .profile-container .row{
   width: 100%;
} */
.sign_in-card {
   background-color: #ffffff;
    /*border: 1px solid #14274e;*/
    box-shadow: 0 0 16px rgba(20, 39, 78, 0.58);
   border-radius: 5px;
   padding: 4%;
#paw_show0,
#paw_show1,
#paw_hide0,
#paw_hide1 {
    right: calc(1em + 0.1875rem) !important;
    top: calc(2.4em) !important;
   /* top:50%; */
```

```
#paw_show,
#paw_show0,
#paw_show1 {
   position: absolute;
   right: calc(0.375em + 0.1875rem);
   top: calc(2.5em + 0.1875rem);
   /* top: calc(1.895em); */
   /* color: #21bf73; */
   color: #646363;
   /* top:50%; */
#paw_hide,
#paw_hide0,
#paw_hide1 {
   position: absolute;
   right: calc(0.375em + 0.1875rem);
    top: calc(2.5em + 0.1875rem);
   /* color: #dc3545; */
   /* top: 50%; */
   color: #646363;
#paw_show,
```

```
#paw_show0,
#paw_show1 {
   display: none;
.btn-default {
    display: inline-flex;
    justify-content: center;
    align-items: center;
    height: 30px;
    outline: 0 none #fff;
    border: 1px solid #21bf73;
    border-radius: 30px;
    padding: 5px 20px;
    background-color: #fff;
    background-image: linear-gradient(#47c789 50%, #21bf73 50%);
    background-size: 100%;
    color: #fff;
    font-size: 12px;
    font-weight: 600;
    /* width: 100%; */
    /*text-transform: uppercase;*/
    /* letter-spacing: 1px; */
    white-space: nowrap;
    transition: all .3s cubic-bezier(.16, .8, .66, 1.54);
```

```
.btn-default:hover,
.btn-default:focus {
   border: 1px solid #fff;
   background-color: #fff;
   background-image: linear-gradient(#fff 50%, #fff 50%);
   box-shadow: 0 0 0 5px rgb(94 114 156 / 20%);
   color: #21bf73;
.wrapper {
   display: grid;
   grid-template-columns: 6fr 18px;
   /* column-gap: 10px; */
   /* grid-auto-rows: 100px; */
   grid-template-rows: 50%;
   padding: 1rem 2rem 0rem;
/* Styling modal */
.modal-header,
.modal-body,
.modal-footer {
   border: none;
```

```
.modal-body {
   padding: 1rem 1rem !important;
.modal {
   text-align: center;
   padding: 0 !important;
.modal-content {
   padding: 0px, 10px, 0px;
   border: none;
   border-radius: 5px !important;
/* .modal:before {
  content: '';
  display: inline-block;
  height: 10%;
  vertical-align: middle;
  margin-right: -4px;
  } */
.modal-dialog {
   display: inline-block;
```

```
text-align: left;
    vertical-align: middle;
   max-width: 600px;
.modal-dialog-centered {
    display: -webkit-box;
   display: -ms-flexbox;
    display: flex;
    -webkit-box-align: center;
    -ms-flex-align: center;
    align-items: center;
   min-height: calc(100% - (.5rem * 2));
/* Register form validation styling css */
:root {
   --error-color: #dc3545;
    --success-color: #28a745;
   --warning-color: #ffc107;
.was-validated .form-control:invalid,
.form-control:valid {
```

```
background-image: none !important;
.invalid-feedback {
   color: #dc3545;
   position: absolute;
/* .valid-feedback {
  color: #2acc80;
} */
.invalid:focus {
   border-color: #dc3545;
   /* box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2); */
.was-validated:focus{
   box-shadow: none !important;
.invalid {
   border-color: #dc3545 !important;
   /* box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2); */
.primary-term-badge{
   min-width: 280px;
   width: 160px;
```

```
display: flex;
    align-items: center;
    justify-content: center;
    flex-direction: column;
.special_interests{
   width: fit-content;
.alert-fixed {
    position:fixed;
    top: 3.5rem;
   /* left: 50%; */
   margin: auto;
   width: 50%;
    left:0;
   right: 0;
    z-index:9999;
    border-radius:0px
JS
Dashboard.js
$(document).ready(function(){
const container = document.querySelector("main");
const search = document.querySelector(".search label");
const expander = document.querySelector("main .menu .expander");
const current = document.querySelector(".current");
const menuItems = document.querySelectorAll("main .menu .primary .menu-item");
```

```
const mainCards = document.querySelectorAll("main .dashboard .card");
// const weatherContent = document.querySelector(".side .weather .content");
const date = document.querySelector("main .side .date");
const time = document.querySelector("main .side .time");
// Fix :active touch on mobiles
document.addEventListener("touchstart", () => {}, true);
// Search Expand
// search.addEventListener("click", () => container.classList.toggle("search"));
// Main Menu
menuItems.forEach((item) => {
  item.addEventListener("click", () => {
    current.innerText = item.querySelector(".desc").textContent;
   menuItems.forEach((item) => item.classList.remove("active"));
   item.classList.add("active");
// Set Date, Time
const today = new Date();
const formatZero = (value) => value<10 ? '0'+value : value;</pre>
const months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep',
'Oct', 'Nov', 'Dec'];
```

```
date.innerText= `${today.getDate()} ${months[today.getMonth()]},
${today.getFullYear()}`;
time.innerText= `${today.getHours()}:${formatZero(today.getMinutes())}`;
// Populate News
// const dummyData = () => {
    mainCards.forEach((card, i) => {
//
      card.querySelector(".title").innerText =
//
         "Lorem ipsum dolor sit amet, consectetur adipiscing elit.";
//
      card.querySelector(
//
         ".content"
       ).innerText = "Aliquam vitae laoreet purus. Vivamus tincidunt nibh
//
rhoncus, varius libero dignissim, molestie odio. Aenean sit amet felis et lectus
viverra elementum. In quis tortor dignissim, ultrices odio et, dignissim quam.
Donec scelerisque lacinia dolor, a pulvinar enim auctor quis. Sed mollis faucibus
lacus id sagittis. Nunc et fringilla ipsum, et dignissim erat. Vivamus leo lorem,
iaculis tempor quam nec, malesuada ullamcorper ipsum...".slice(
//
        0,
        Math.round(Math.random() * -200)
//
//
    );
// });
// };
// $('.datetime').html(date)
// Weather Data for Athens from open-meteo.com
function getLocation() {
 if (navigator.geolocation) {
   return navigator.geolocation.getCurrentPosition(showPosition);
  } else {
```

```
x.innerHTML = "Geolocation is not supported by this browser.";
const weatherData = async () => {
 // var latlang;
 // if (navigator.geolocation) {
 // latlang = navigator.geolocation.getCurrentPosition(showPosition);
 // }
 console.log(latlang)
 const weather =
    "https://api.open-
meteo.com/v1/forecast?latitude="+latlang.lat+"&longitude="+latlang.lang+"&hourly=
temperature 2m&current weather=true";
  const res = await fetch(weather);
 console.log(res)
 const data = await res.json();
 if (data) {
    console.log('data',data.current_weather)
    $('.weather > .content').append(data.current_weather.temperature+"<span</pre>
class='celsius'>°C</span>")
   // weatherContent.html = `
   // ${data.current_weather.temperature}<span class='celsius'>°C</span>
   // `;
```

```
let date_time = data.current_weather.time.split('T')
    // $('.datetime').html(date_time[0]+' '+date_time[1])
var latlang;
function showPosition(position) {
 // x.innerHTML = "Latitude: " + position.coords.latitude +
 // "<br>Longitude: " + position.coords.longitude;
  console.log('inside
fun','lat',position.coords.latitude,'lang',position.coords.longitude)
 return latlang = {'lat':
position.coords.latitude, 'lang':position.coords.longitude};
setTimeout(() => {
}, 1000);
```

```
const weatherContent = $(".side .weather .content");
// date,
// var from, to, availableCities = [
// "Mumbai",
// "Kolkata",
//
    "Delhi",
    "Chennai",
//
// "Bangalore",
// "Hyderabad",
// "Ahmadabad",
//
    "Pune",
//
    "Surat",
//
    "Kanpur",
//
    "Jaipur",
    "Lucknow",
//
//
    "Nagpur",
//
    "Patna",
//
    "Indore",
//
    "Vadodara",
//
    "Bhopal",
//
    "Coimbatore",
    "Ludhiana",
//
//
    "Kochi",
//
    "Visakhapatnam",
//
    "Agra",
    "Varanasi",
//
//
    "Madurai",
//
    "Meerut",
    "Nashik",
//
```

```
//
     "Jabalpur",
//
     "Jamshedpur",
//
     "Asansol",
//
     "Dhanbad",
//
     "Faridabad",
     "Allahabad",
//
//
     "Amritsar",
// "Vijayawada",
// "Rajkot"
// ];
var from, to, availableCities = [
  "Mumbai",
  "Kolkata",
  "Delhi",
  "Chennai",
  "Bangalore",
  "Hyderabad",
  "Ahmadabad",
  "Pune",
  "Surat",
  "Kanpur",
  "Jaipur",
  "Lucknow",
  "Nagpur",
  "Patna",
  "Indore",
  "Vadodara",
  "Bhopal",
  "Coimbatore",
```

```
"Ludhiana",
  "Kochi",
  "Visakhapatnam",
  "Agra",
  "Varanasi",
  "Madurai",
  "Meerut",
  "Nashik",
  "Jabalpur",
  "Jamshedpur",
  "Asansol",
  "Dhanbad",
  "Faridabad",
  "Allahabad",
  "Amritsar",
  "Vijayawada",
  "Rajkot"
$( "#from" ).autocomplete({
  source: availableCities
$( "#to" ).autocomplete({
  source: availableCities
$(".invis").hide();
$("#page2").hide();
```

```
$(".final").hide();
$('.payment_checkout').hide();
$('.payment_success_card').hide();
$('.user_details').hide()
$("#search").click(function() {
  from = $("#from").val();
  to = $("#to").val();
  let date = $("#datepicker").val();
  console.log(from, to, date)
  if (!(from && to && date)) {
    alert("Please Select All Fields !");
    return False;
  } else if (from == to) {
    alert("From and To can't be same");
    return False;
  $("#page1").hide();
  $("#page2").show();
  $('.payment_checkout').hide();
  $('.payment_success_card').hide();
  $("#trainname1").html(from + " Express");
  $("#trainname2").html(to + " Express");
  $("#trainname3").html(from + " Passenger");
  $("#trainname4").html(to + " Passenger");
  $("#trainname5").html(from + " - " + to + " Super Fast Train");
```

```
$("tbody > tr").mouseover(function() {
 $(this).css("backgroundColor", "rgba(41, 103, 182, 0.89)");
}).mouseout(function() {
  $(this).css("backgroundColor", "");
$("tbody > tr").click(function() {
  $(this).parent().children().removeClass("selected");
  $(this).addClass("selected");
$(".book").click(function() {
 tcost = $(".selected").find(".tcost")
  tnum = $(".selected").find(".tnum").text();
  tnam = $(".selected").find(".tnam").text();
  ttime = $(".selected").find(".ttime").text();
 username = ''
  /* alert(tnum);*/
  if (!tnum) {
```

```
alert("Please Select Your Train !")
        return False;
      $(".invis").show();
      // $("#page2").hide();
      $(".booknow").click(function() {
        classname =
document.querySelector('input[name="toggle"]:checked+span').innerHTML;
       $('.compartment').html(classname)
        $(".invis").hide(function() {
          $('.amount-placeholder').html("$"+tcost)
          $('#PayButton > .align-middle').html("$"+tcost)
         $('.user_details').show();
        $("#page2").hide()
       $(".index").hide();
       // $(".final").show();
      $(".bookcancel").click(function() {
```

```
$(".invis").hide();
$('#user_details_submit').click(function () {
 username = $('#username').val()
 $('.user_details').hide();
 $('.payment_checkout').show();
$('#PayButton').click(function(){
 $('.payment_success_card').show();
 $('.payment_checkout').hide();
$('.view_ticket').click(function(){
 $('.payment_success_card').hide();
 $(".final").show();
// $('#user').html("Name:"+username)
$("#From").html("From : "+from);
$("#To").html("To : "+to);
$(".trainname").html(tnam);
$("#number").html(tnum);
// $('.compartment').html(classname)
var d = new Date();
var n = d.toLocaleDateString();
console.log('n value:',n)
document.getElementById("date").innerHTML = n;
```

```
let btn = document.querySelector(".booknow");
let qr_code_element = document.querySelector(".qr-code");
btn.addEventListener("click", () => {
  let user_input = {
    'train_name':tnam,
    'train_number':tnum,
    'from':from,
    'to':to
  if (user_input != "") {
    if (qr_code_element.childElementCount == 0) {
      generate(user_input);
    } else {
      qr_code_element.innerHTML = "";
      generate(user_input);
  } else {
    console.log("not valid input");
    qr_code_element.style = "display: none";
```

```
function generate(user_input) {
   qr_code_element.style = "";
   var qrcode = new QRCode(qr_code_element, {
     text: user_input,
     width: 120, //128
     height: 120,
     colorDark: "#000000",
     colorLight: "#ffffff",
     correctLevel: QRCode.CorrectLevel.H
    // var qrcode = new QRCode("test", {
     // text: qr_value,
     //
        width: 128,
     // height: 128,
     // colorDark : "#000000",
     // colorLight : "#ffffff",
     // correctLevel : QRCode.CorrectLevel.H
     // });
     var code =
00101100100100001101100011101011';
```

```
// $('#qrcode').html(qrcode);
// for (var i = 0; i < code.length; i++) {</pre>
// if (code[i] == 1) {
   table.append('')
//
   } else {
//
   table.append('')
//
// }
// }
// QR code
```

\$( function() {

```
$( "#datepicker" ).datepicker({
   dateFormat: "dd-mm-yy"
   , duration: "fast"
$(document).ready( function (){
  $(function () {
   $('[data-toggle="popover"]').popover();
    $('#cvc').on('click', function(){
     if ( $('.cvc-preview-container').hasClass('hide') ) {
       $('.cvc-preview-container').removeClass('hide');
     } else {
       $('.cvc-preview-container').addClass('hide');
//
    let download = document.createElement("button");
//
    qr_code_element.appendChild(download);
    let download_link = document.createElement("a");
```

```
download_link.setAttribute("download", "qr_code.png");
//
//
    download_link.innerHTML = `Download <i class="fa-solid fa-download"></i>`;
//
    download.appendChild(download link);
    let qr_code_img = document.querySelector(".qr-code img");
//
//
    let qr_code_canvas = document.querySelector("canvas");
    if (qr_code_img.getAttribute("src") == null) {
//
    setTimeout(() => {
//
        download_link.setAttribute("href", `${qr_code_canvas.toDataURL()}`);
//
    }, 300);
// } else {
// setTimeout(() => {
        download_link.setAttribute("href",
`${qr_code_img.getAttribute("src")}`);
// }, 300);
// }
// }
// generate({
// value: "https://murtuzaalisurti.github.io/qr"
// });
Header.js
$(document).ready(function () {
```

```
$(".dropdown-toggle").on("click", function () {
    $(".dropdown-menu").toggle();
$('#paw_hide').click(function () {
    console.log("Hello")
   $("#paw_show").show();
   $("#paw_hide").hide();
    $('#password').get(0).type = 'text';
  $('#paw_hide0').click(function () {
    $("#paw show0").show();
   $("#paw_hide0").hide();
   $('#pwd').get(0).type = 'text';
  $('#paw_hide1').click(function () {
    $("#paw_show1").show();
   $("#paw_hide1").hide();
    $('#Confirm_pwd').get(0).type = 'text';
  $('#paw_show').click(function () {
   $("#paw_show").hide();
   $("#paw_hide").show();
   $('#password').get(0).type = 'password';
```

```
console.log('paw_hide0 is clicked')
        $("#paw show0").hide();
        $("#paw_hide0").show();
       $('#pwd').get(0).type = 'password';
      $('#paw_show1').click(function () {
        $("#paw_show1").hide();
       $("#paw_hide1").show();
       $('#Confirm_pwd').get(0).type = 'password';
      $("#Confirm_pwd").on("keyup", function () {
        if ($("#Confirm pwd").val() == "") {
          $("#Confirm pwd").addClass('invalid');
          return false:
        } else {
          $("#Confirm pwd").removeClass('invalid');
        if ($("#pwd").val() != $("#Confirm_pwd").val()) {
          $("#Confirm_pwd").addClass('invalid');
          $("#Confirm pwd").removeClass('was-validated');
          $("#pass err").html('<label class="text-danger">Password and confirm
password not matched!</label>');
          $("#pass_err").show();
          return false;
        } else {
```

\$('#paw\_show0').click(function () {

```
console.log('inside else:')
          // $("#cp").html('<span ></span>');
          $("#pass_err").hide();
 window.onload = function (event) {
   setTimeout(function () { $('.alert_msg').hide(); }, 10000);
Ticketbooking.js
$(document).ready(function() {
   var tnum, tnam, ttime, tcost, classname;
    var from, to, date, availableCities = [
      "Mumbai",
      "Kolkata",
      "Delhi",
      "Chennai",
      "Bangalore",
      "Hyderabad",
      "Ahmadabad",
      "Pune",
      "Surat",
      "Kanpur",
```

```
"Jaipur",
"Lucknow",
"Nagpur",
"Patna",
"Indore",
"Vadodara",
"Bhopal",
"Coimbatore",
"Ludhiana",
"Kochi",
"Visakhapatnam",
"Agra",
"Varanasi",
"Madurai",
"Meerut",
"Nashik",
"Jabalpur",
"Jamshedpur",
"Asansol",
"Dhanbad",
"Faridabad",
"Allahabad",
"Amritsar",
"Vijayawada",
"Rajkot"
```

\$(".invis").hide();

```
$("#page2").hide();
$(".final").hide();
$("#search").click(function() {
  from = $("#from").val();
  to = $("#to").val();
  date = $("#datepicker").val();
  if (!(from && to && date)) {
    alert("Please Select All Fields !");
   return False;
  } else if (from == to) {
    alert("From and To can't be same");
   return False;
  $("#page1").hide();
  $("#page2").show();
  $("#trainname1").html(from + " Express");
  $("#trainname2").html(to + " Express");
  $("#trainname3").html(from + " Passenger");
  $("#trainname4").html(to + " Passenger");
  $("#trainname5").html(from + " - " + to + " Super Fast Train");
  $("tbody > tr").mouseover(function() {
    $(this).css("backgroundColor", "rgba(41, 103, 182, 0.89)");
  }).mouseout(function() {
    $(this).css("backgroundColor", "");
```

```
$(this).parent().children().removeClass("selected");
       $(this).addClass("selected");
      $(".book").click(function() {
        tcost = $(".selected").find(".tcost")
         .text();
        tnum = $(".selected").find(".tnum").text();
        tnam = $(".selected").find(".tnam").text();
        ttime = $(".selected").find(".ttime").text();
        /* alert(tnum);*/
       if (!tnum) {
         alert("Please Select Your Train !")
         return False;
        $(".invis").show();
        $(".booknow").click(function() {
         classname =
document.querySelector('input[name="toggle"]:checked+span').innerHTML;
         $(".invis").hide(function() {
           $("#page2").hide()
         $(".index").hide();
```

\$("tbody > tr").click(function() {

```
$(".final").show();
      $(".bookcancel").click(function() {
       $(".invis").hide();
      $("#From").html(from);
      $("#To").html(to);
      $(".trainname").html(tnam);
      $("#number").html(tnum);
      var d = new Date();
      var n = d.toLocaleDateString();
      document.getElementById("date").innerHTML = n;
      var code =
00101100100100001101100011101011';
      table = $('#barcodes tr');
      for (var i = 0; i < code.length; i++) {</pre>
       if (code[i] == 1) {
         table.append('')
       } else {
         table.append('')
```

```
Ticketbooking.js
$(document).ready(function() {
   var tnum, tnam, ttime, tcost, classname;
    var from, to, date, availableCities = [
      "Mumbai",
      "Kolkata",
      "Delhi",
      "Chennai",
      "Bangalore",
      "Hyderabad",
      "Ahmadabad",
      "Pune",
      "Surat",
      "Kanpur",
      "Jaipur",
      "Lucknow",
      "Nagpur",
      "Patna",
      "Indore",
      "Vadodara",
      "Bhopal",
      "Coimbatore",
```

```
"Ludhiana",
  "Kochi",
  "Visakhapatnam",
  "Agra",
  "Varanasi",
  "Madurai",
  "Meerut",
  "Nashik",
  "Jabalpur",
  "Jamshedpur",
  "Asansol",
  "Dhanbad",
  "Faridabad",
  "Allahabad",
  "Amritsar",
  "Vijayawada",
  "Rajkot"
$(".invis").hide();
$("#page2").hide();
$(".final").hide();
$("#search").click(function() {
  from = $("#from").val();
  to = $("#to").val();
  date = $("#datepicker").val();
  if (!(from && to && date)) {
```

```
alert("Please Select All Fields !");
 return False;
} else if (from == to) {
 alert("From and To can't be same");
 return False;
$("#page1").hide();
$("#page2").show();
$("#trainname1").html(from + " Express");
$("#trainname2").html(to + " Express");
$("#trainname3").html(from + " Passenger");
$("#trainname4").html(to + " Passenger");
$("#trainname5").html(from + " - " + to + " Super Fast Train");
$("tbody > tr").mouseover(function() {
 $(this).css("backgroundColor", "rgba(41, 103, 182, 0.89)");
}).mouseout(function() {
 $(this).css("backgroundColor", "");
$("tbody > tr").click(function() {
 $(this).parent().children().removeClass("selected");
 $(this).addClass("selected");
$(".book").click(function() {
 tcost = $(".selected").find(".tcost")
```

```
.text();
        tnum = $(".selected").find(".tnum").text();
        tnam = $(".selected").find(".tnam").text();
        ttime = $(".selected").find(".ttime").text();
       /* alert(tnum);*/
       if (!tnum) {
         alert("Please Select Your Train !")
         return False;
       $(".invis").show();
       $(".booknow").click(function() {
document.querySelector('input[name="toggle"]:checked+span').innerHTML;
         $(".invis").hide(function() {
           $("#page2").hide()
         $(".index").hide();
         $(".final").show();
        $(".bookcancel").click(function() {
         $(".invis").hide();
```

```
$("#From").html(from);
      $("#To").html(to);
      $(".trainname").html(tnam);
      $("#number").html(tnum);
      var d = new Date();
      var n = d.toLocaleDateString();
      document.getElementById("date").innerHTML = n;
      var code =
00101100100100001101100011101011';
      table = $('#barcodes tr');
      for (var i = 0; i < code.length; i++) {</pre>
       if (code[i] == 1) {
         table.append('')
       } else {
         table.append('')
Templates
Dashboard.html
```

{% extends "./base.html" %}

```
<link href="/static/css/dashboard.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
1.7.1.min.js"></script>
<script type="text/javascript" src="/static/js/dashboard.js"></script>
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
3.4.1.min.js"></script>
<link rel="stylesheet" href="//code.jquery.com/ui/1.13.2/themes/base/jquery-</pre>
ui.css">
<link rel="stylesheet" href="/resources/demos/style.css">
<script src="https://code.jquery.com/jquery-3.6.0.js"></script>
<script src="https://code.jquery.com/ui/1.13.2/jquery-ui.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/qrcodejs/1.0.0/qrcode.min.js"></scrip</pre>
t>
{% endblock %}
{% block content %}
<main class="container-fluid" style="margin-top:8% ;padding:0px;">
  <div class="menu">
    <div class="avatar">
```

{% block head\_extra %}

```
<img class="thumb" src="/static/images/avatar.png" width="60" />
 <span class="name">{{ user.username }}</span>
</div>
<nav class="primary">
 <!-- <a href="#" class="menu-item active">
        <span class="iconoir-report-columns"></span>
        <span class="desc">Dashboard</span>
     </a> -->
 <!-- <a href="#" class="menu-item">
        <span class="iconoir-google-docs"></span>
        <span class="desc">Reports</span>
      </a>
      <a href="#" class="menu-item">
        <span class="iconoir-table"></span>
        <span class="desc">Stats</span>
      </a>
      <a href="#" class="menu-item">
        <span class="iconoir-bag"></span>
        <span class="desc">Cart</span>
      </a>
      <a href="#" class="menu-item">
        <span class="iconoir-user"></span>
        <span class="desc">Clients</span>
      </a>
      <a href="#" class="menu-item">
       <span class="iconoir-leaderboard"></span>
       <span class="desc">Analytics</span>
      </a>
      <a href="#" class="menu-item">
```

```
<span class="iconoir-settings"></span>
            <span class="desc">Settings</span>
          </a> -->
    </nav>
    <span class="expander iconoir-arrow-right"></span>
  </div>
  <div class="topbar">
    <h1 class="current">Dashboard</h1>
    <!-- <span class="search">
          <label><span class="iconoir-search"></span></label>
          <input class="bar" type="text" placeholder="Search..." />
        </span> -->
    <!-- <nav>
          <a href="#" class="menu-item">Orders</a>
          <a href="#" class="menu-item">Clients</a>
          <a href="#" class="menu-item">Sections</a>
          <a href="#" class="menu-item">Products</a>
        </nav> -->
  </div>
  <div class="dashboard" style="padding-left: 5%;margin-top:2%; padding-top:</pre>
10rem">
    <div class="cardcolumn">
      <div id="page1" class="card animated zoomInDown">
        <header>
          <!-- <a class="title" href="#">Book Your Train Ticket</a>
          <span class="iconoir-more-vert"></span>
        </header>
```

```
<div class="content">
          <div class="field col-sm-6">
            <label for="from">From :</label>
            <input id="from" type="text" />
          </div>
          <div class="field col-sm-6">
            <label for="to">To :</label>
            <input id="to" type="text" />
          </div>
          <div class="field col-sm-6 col-centered">
            <label for="datepicker">Date</label>
            <input id="datepicker" type="text" />
          </div>
          <div class="clearfix visible-xs"></div>
          <div class="field col-sm-6 col-centered">
           <!-- <a href="javascript" class="btn btn-primary">Search for
Trains</a> -->
            <div id="search" class="btn btn-primary">Search for Trains</div>
          </div>
        </div>
```

```
</div>
    <div id="page2" class="card animated zoomInDown">
     <div class="row">
      <div class="col-xs-12">
        <div class="table-responsive text-center">
         <thead>
            <!-- <caption class="text-center">Available Trains : </caption>
-->
             Train No
             Train Name
             Time
             Cost
            </thead>
          <tfoot>
            <button class="btn btn-danger book">Book now</button>
              <!-- <span class="btn btn-danger book" style="width:
50px;">Book Now</span> -->
```

```
</tfoot>
78654
04:30 AM
₹ 200
54876
10:15 AM
₹ 250
25312
15:50 PM
₹ 300
45698
21:30 PM
₹350
```

```
95464
          23:15 PM
          ₹ 500
         </div>
  </div>
 </div>
</div>
<!-- page 3 start -->
<div id="invis" class=" animated fadeInUpBig invis">
 <div id="selectclass">
  <h2>Select your class :</h2>
  <div id="trainClass " style="display: flex;</pre>
      padding: 51px 10px 42px 10px;
     gap: 45px;
     align-items: center;
     justify-content: center;">
    <label class="blue" style="display: flex;</pre>
```

```
gap: 7px;
              width: 100px;
               color:#ffff;
              background: blue;
              text-align: center;
               align-items: center;
               justify-content: center;
              border-radius: 7px;"><input type="radio"</pre>
name="toggle"><span>GEN</span></label>
            <label class="green" style="display: flex;</pre>
              gap: 7px;
              width: 100px;
              color:#ffff;
              background: green;
              text-align: center;
               align-items: center;
              justify-content: center;
              border-radius: 7px;"><input type="radio"</pre>
name="toggle"><span>SL</span></label>
            <label class="yellow" style="display: flex;</pre>
              gap: 7px;
              width: 100px;
               color:#000000;
              background: yellow;
              text-align: center;
               align-items: center;
              justify-content: center;
              border-radius: 7px;"><input type="radio"</pre>
name="toggle"><span>AC1</span></label>
            <label class="pink" style="display: flex;</pre>
```

```
gap: 7px;
              width: 100px;
              color:#ffff;
              background: pink;
              text-align: center;
              align-items: center;
              justify-content: center;
              border-radius: 7px;"><input type="radio"</pre>
name="toggle"><span>AC2</span></label>
            <label class="purple" style="display: flex;</pre>
              gap: 7px;
              width: 100px;
              color:#ffff;
              background: purple;
              text-align: center;
              align-items: center;
              justify-content: center;
              border-radius: 7px;"><input type="radio"</pre>
name="toggle"><span>AC3</span></label>
          </div>
          <div id="bfoot d-flex align-items-center justify-content-center"</pre>
style="gap:20px ;flex-direction:row;">
            <button class="btn btn-primary booknow">BOOK NOW</button>
            <button class="btn btn-danger bookcancel">CANCEL</button>
          </div>
        </div>
      </div>
      <div class="card user_details">
```

```
<h1>Passenger Details</h1>
    <div class="field col-sm-6">
      <label for="username">Name :</label>
      <input id="username" type="text" />
    </div>
    <!-- <div class="field col-sm-6">
      <label >Male</label> -->
      <!-- <input id="gender" name="gender" type="text" -->
      <div style="display: flex;</pre>
  padding: 51px 10px 42px 10px;
  gap: 45px;
  align-items: center;
  justify-content: center;">
  <label>Gender:</label>
<label class="blue" style="display: flex;</pre>
  gap: 7px;
 width: 100px;
  /* color:#ffff; */
 /* background: blue; */
  text-align: center;
  align-items: center;
```

<div class="content">

justify-content: center;

```
<div class="clearfix visible-xs"></div>
         <div class="field col-sm-6 col-centered">
           <!-- <a href="javascript" class="btn btn-primary">Search for
Trains</a> -->
           <div id="user_details_submit" class="btn btn-primary">Next</div>
         </div>
        </div>
      </div>
      <div class="card final animated flip">
        <h2> Here is Your Ticket</h2>
        <!-- <div class="ticket" id="ticket"> -->
        <div class="ticket">
         <div class="row mb-1">
            <div class="col-md-3" id="date"></div>
            <div class="col-md-3" id="user"></div>
            <div class="col-md-6">INDIAN RAILWAYS</div>
         </div>
         <div class="row mb-1">
            <div class="col-md-6 trainno" id="number"><span></span></div>
            <div class="col-md-6 trainname"></div>
          </div>
         <div class="row mb-1">
```

```
<div class="col-md-6" id="From"></div>
   <div class="col-md-6" id="To"></div>
 </div>
 <div class="row mb-1">
   <div class="qr-code-container">
     <div class="qr-code" style></div>
   </div>
   <div class="col-md-6 compartment">S3</div>
   <div class="col-md-6 seatno">Seat No:45</div>
 </div>
</div>
<!-- <div class="row">
   <div class="col-md-6 pull-left" id="date"></div>
   <div class="col-md-6 pull-right">INDIAN RAILWAYS</div>
 </div> -->
<!-- <div class="row">
   <div class="col-md-6 trainno"><span id="number"></span></div>
   <div class="col-md-6 trainname"></div>
 </div>
 <div class="row">
   <div class="col-md-6 from">From :<span id="From"></span></div>
   <div class="col-md-6 to">To :<span id="To"></span></div>
 </div>
 <div class="row">
   <div class="col-md-6 barcode">
     </div>
```

```
<div class="col-xs-2 compartment">S3</div>
            <div class="col-xs-4 seatno">Seat No:45</div>
          </div> -->
        <!-- </div> -->
      </div>
      <div class="card payment_checkout">
        <div id="Checkout" class="inline">
          <h1>Pay Invoice</h1>
          <div class="card-row d-flex align-items-center justify-content-center">
            <span class="visa"></span>
            <span class="mastercard"></span>
            <span class="amex"></span>
            <span class="discover"></span>
          </div>
          <form>
            <div class="form-group">
              <label for="PaymentAmount">Payment amount</label>
              <div class="amount-placeholder">
                <span>$</span>
                <span>500.00</span>
              </div>
            </div>
            <div class="form-group">
              <label or="NameOnCard">Name on card</label>
              <input id="NameOnCard" class="form-control" placeholder="Card</pre>
holder Name" type="text" maxlength="255"></input>
            </div>
            <div class="form-group">
```

```
<label for="CreditCardNumber">Card number</label>
              <input id="CreditCardNumber" class="null card-image form-control"</pre>
type="number" maxlength="16"></input>
            </div>
            <div class="expiry-date-group form-group">
              <label for="ExpiryDate">Expiry date</label>
              <input id="ExpiryDate" class="form-control" type="text"</pre>
placeholder="MM / YY" maxlength="7"></input>
            </div>
            <div class="security-code-group form-group">
              <label for="SecurityCode">Security code</label>
              <div class="input-container">
                <input id="SecurityCode" class="form-control" type="number"</pre>
maxlength="3"></input>
                <i id="cvc" class="fa fa-question-circle"></i></i>
              </div>
              <div class="cvc-preview-container two-card hide">
                <div class="amex-cvc-preview"></div>
                <div class="visa-mc-dis-cvc-preview"></div>
              </div>
            </div>
            <!-- <div class="zip-code-group form-group">
              <label for="ZIPCode">ZIP/Postal code</label>
              <div class="input-container">
                <input id="ZIPCode" class="form-control" type="text"</pre>
maxlength="10"></input>
                <a tabindex="0" role="button" data-toggle="popover" data-</pre>
trigger="focus" data-placement="left"
                  data-content="Enter the ZIP/Postal code for your credit card
billing address."><i</pre>
                    class="fa fa-question-circle"></i></a>
```

```
</div>
            </div> -->
            <button id="PayButton" type="button" class="btn btn-block btn-success"</pre>
mt-2">
              <span class="submit-button-lock"></span>
              <span class="align-middle">Pay $500.00</span>
            </button>
            <!-- <button id="PayButton2" class="btn btn-block btn-success submit-
button mt-2">
              <span class="align-middle"><i class="fa-sharp fa-solid fa-circle-</pre>
check"></i></span>
            </button> -->
          </form>
        </div>
      </div>
      <div class="card payment_success_card">
        <div class="card-content d-flex align-content-center justify-content-</pre>
center bg-success" style="flex-direction: column; gap:10px;padding:5%">
          <h3 style="width: 100%;">Payment Successfully Completed </h3>
          <button class="btn btn-danger view_ticket">View Ticket
        </div>
      </div>
    </div>
  </div>
```

```
<div class="side">
   <div class="card weather">
     <img class="condition"</pre>
src="https://res.cloudinary.com/dtqkhr809/image/upload/v1665659679/forecast vb4vl
0.png" />
     <div class="content"></div>
     <div class="meta">
       <span class="location">
         <span class="iconoir-pin-alt"></span>
       </span>
       <div class="datetime">
         <span class="iconoir-calendar"></span>
         <span class="date">21 July, 2022</span>
         <span class="time">5:01</span>
       </div>
     </div>
   </div>
   <!-- <div class="card">
     <header>Schedule</header>
     <div class="content">
       <l>
             (15:30) Deliver the project to client
             (18:00) Meet Mike @ White Goose
             (19:30) Dinner with Mary @ Kit-Bar
             (22:00) Watch the Falcons match
             (23:30) Headspace Meditate
           </div>
   </div> -->
```

```
</div>
</main>
<div class="video">
 <video
src="https://res.cloudinary.com/dtqkhr809/video/upload/v1665644022/pexels_uezvrq.
mp4" muted playsinline
    autoplay loop></video>
</div>
{% endblock %}
Fooder.html
<!-- <style>
.footer{
padding: 10px 20px;
    background-color: #14274e;
    text-transform: uppercase;
    font-weight: 300;
   font-size: .8rem;
   border-top: 1px solid #ccc;
   color:#FFFFF;
   position:absolute;
   bottom: 0;
   width: 100%;
}
.footer .about {
    text-align: center;
```

```
padding-bottom: 10px;
   color:#FFFFF;
}
.footer .links {
   font-size: 0.55rem;
   text-align: center;
   color:#FFFFF;
}
.footer .social {
   display: flex;
   align-items: center;
   justify-content: center;
   flex-direction: row;
   padding: 20px 0;
   text-align: center;
}
.footer .social img{
   height: 50px;
   width: 50px;
   padding: 5px;
   color: #ccc;
}
.footer .about a,.footer .links a{
   color:#ffffff;
}
</style>
```

```
{% block content %}
<div class="footer">
    <div class="about">
        © 2022
                     <a</pre>
href="http://demo.bleblubla.com/prototypes/v4/-/home">SSR Booking</a>
    </div> -->
   <!--/.about -->
<!--
    <div class="links">
        <a href="http://demo.bleblubla.com/prototypes/v4/-/terms">Terms of
Use</a>
        <span class="ml-1 mr-1">/</span>
        <a href="http://demo.bleblubla.com/prototypes/v4/-/privacy">Privacy
Policy</a>
    </div> -->
    <!--/.links -->
    <!-- <div class="social">
        <a href="https://www.facebook.com" target="_blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/faceboo
k.svg" alt="Facebook"></a>
        <a href="https://twitter.com" target="_blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/twitter
.svg" alt="Twitter"></a>
```

```
<a href="https://www.youtube.com" target="_blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/youtube
.svg" alt="YouTube"></a>
    </div> -->
   <!--/.social -->
<!-- </div> -->
{% endblock %}
Header.html
{% load data_filters %}
{% block head_extra %}
<!--<li>href="/static/css1/about.css" rel="stylesheet" type="text/css" />-->
<script src="../static/js/header.js"></script>
<!-- <script src="../static/js/occupation_details.js"></script> -->
<!-- segment.js -->
{% endblock %}
{% block content %}
<header class="header">
    <section class="header-body">
        <div class="row menu">
```

```
<div class="col-md-3">
                <div class="logo-img">
                     <a class="lu-header-title" id="lu-header-title" href="/">
                         <img alt=" Logo" src="/static/images/logo.png"</pre>
width="120" height="60">
                    </a>
                </div>
            </div>
            <div class="col-md-3 text-start">
                                     <a target="" href="/job_post"</pre>
class="dyn nav mm">Create a Post</a>-->
            </div>
            {% if messages %}
            {% for msg in messages %}
            {% if msg.message == 'Login Successfully' %}
            <div class="alert msg alert alert-success alert-dismissible fade</pre>
show" role="alert"
                style="position: absolute;width: 30%;top: 100%;left:
50%; transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% endif %}
            {% if msg.message == 'Registered Successfully' %}
            <div class="alert msg alert alert-success alert-dismissible fade</pre>
show" role="alert"
                style="position: absolute;width: 19%;top: 80%;left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
```

```
</div>
            {% endif %}
            {% if msg.message == 'Login Error' %}
            <div class="alert_msg alert alert-danger alert-dismissible fade show"</pre>
role="alert"
                style="position: absolute;width: 19%;top: 80%;left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% endif %}
            {% if msg.message == 'Registeration failed' %}
            <div class="alert msg alert alert-danger alert-dismissible fade show"</pre>
role="alert"
                style="position: absolute; width: 19%; top: 80%; left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% endif %}
            {% endif %}
            <div class="col-md-6 text-end">
                {% if user.is authenticated %}
                <div class="btn-group d-md-inline-block show ">
```

```
<a href="javascript:void(0);" class="link-nav dropdown-</pre>
toggle" data-toggle="dropdown"
                        aria-expanded="true">{{ user.username }}<span></a>
                    <div id='drop-down' class="dropdown-menu dropdown-menu-left"</pre>
x-placement="bottom-end"
                        style="position: absolute; will-change: transform; top:
Opx; right:-50px; transform: translate3d(-52px, 33px, 0px);">
                        <!-- <a href="/profile" class="dropdown-item"> <i
                                class="fas fa-user icon icon-sm icon-muted mr-
1"></i> Profile</a> -->
                        <a href="/logout" class="dropdown-item"><i</pre>
                                class="fas fa-sign-out-alt icon icon-sm icon-
muted mr-1"></i> Logout</a>
                    </div>
                </div>
                <div>
                    <a href='/login'>Create Account / Login</a>
                </div>
                {% endif %}
                <!-- <h2>Hello</h2> -->
            </div>
        </div>
    </section>
</header>
<!-- signin modal page -->
<!--
<div class="modal fade " id="signInmodal" tabindex="-1" aria-hidden="true" >
    <div class="modal-dialog modal-dialog-centered">
```

```
<div class="modal-content">
             <div class="modal-header">
                 <div class="col-11 d-flex align-items-center justify-content-</pre>
center">
                     <h3>SIGN </h3>
                 </div>
                 <div class="col-1 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                     <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                 </div>
                 <div class="col-12 col-md-12 text-center" style="padding: 0.5rem"</pre>
1rem 0.5rem;">
                     <span><strong> Are you new to SSR Booking?</strong><a</pre>
href="/signup"
                              style="padding-left: 0.5rem;padding-right:
0.5rem">Create an account</a>to get
                         started!
                     </span>
                 </div>
            </div>
            <div class="modal-body">
                 <form method="post" id="sign_in_form" class="signIn_form-</pre>
validation" action="login" novalidate>
                     {% csrf_token %}
```

```
<div class="form-group mb-4">
                         <label>Username(Email)</label>{{a}}
                         <input class="form-control " id="userCredencial"</pre>
name="email" type="email" required />
                         <div class="invalid-feedback"><label>phone number /email
field cannot be blank!</label>
                         </div>
                     </div>
                     <div class="form-group mb-4" style="position: relative;">
                         <label>Password</label>
                         <i id='paw show' class="fas fa-eye "></i></i>
                         <i id='paw_hide' class="fas fa-eye-slash "></i>
                         <input type="password" id="password" name="password"</pre>
class="form-control" required />
                         <div class="invalid-feedback"><label>password field
cannot be blank!</label></div>
                     </div>
                     <div class="row">
                         <div class="col-md-6" id="forgot-btn">
                             <a href="password_reset" class="btn btn-link btn-sm</pre>
pl-0 ">Forgot Password?</a>
                         </div>
                         <div class="col-md-6 text-end pr-1">
                             <button type="submit" class="btn btn-</pre>
default">Login</button>
                         </div>
                     </div>
                </form>
            </div>
        </div>
```

```
</div> -->
{% endblock %}
<!-- Register modal page design -->
<div class="modal fade bd-example-modal-lg" id="signUpmodal">
    <div class="modal-dialog modal-dialog-centered modal-lg">
        <div class="modal-content">
            <div class="modal-header wrapper d-flex align-items-center justify-</pre>
content-center">
                <div class="col-11 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                    <h3>SIGN UP</h3>
                </div>
                <div class="col-1 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                     <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                </div>
            </div>
            <div class="modal-body">
                <form enctype="multipart/form-data" action="signup/"</pre>
method="post" id="register_frm"
```

</div>

```
class="Regiser_from" novalidate>
                    {% csrf_token %}
                    <div class="form-group row mb-4">
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="name">Name</label>
                             <input type="text" class="form-control" id="username"</pre>
name="username"
                                 aria-describedby="basic-addon3" required>
                             <!-- <div class="valid-feedback">Username field is
valid!</div> -->
                             <div class="invalid-feedback"><label>Username field
cannot be blank!</label>
                            </div>
                        </div>
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label>Phone</label>
                             <input type="tel" class="form-control"</pre>
id="phone_number" name="phone_number"
                                 aria-describedby="basic-addon3" required>
                             <!-- <div class="valid-feedback">Phone number field
is valid!</div> -->
                             <div class="invalid-feedback"><label>Phone number
field cannot be
                                     blank!</label></div>
                         </div>
                    </div>
                    <div class="form-group mb-4">
```

```
<div class="col-md-12 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="email">Email</label>
                             <input type="email" class="form-control" id="email"</pre>
name="email"
                                 aria-describedby="basic-addon3" required>
                             <div id="email err" class="invalid-</pre>
feedback"><label>email field cannot be
                                     blank!</label>
                             </div>
                         </div>
                     </div>
                     <div class="form-group mb-4 row" style="position: relative;">
                         <div class="col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label"
                             style="flex: auto; position: relative;">
                             <label>Password</label>
                             <i id="paw_show0" class="fas fa-eye"></i></i>
                             <i id="paw_hide0" class="fas fa-eye-slash"></i>
                             <input type="password" class="form-control "</pre>
name="password" id="pwd" required />
                             <div class="invalid-feedback"><label>password field
cannot be blank!</label>
                             </div>
                         </div>
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label "
                             style="flex: auto;position: relative;">
```

```
<label>Confirm Password</label>
                             <i id='paw_show1' class="fas fa-eye "></i></i>
                             <i id='paw_hide1' class="fas fa-eye-slash "></i></i>
                             <input type="password" class="form-control"</pre>
name="confirm_password" id="Confirm_pwd"
                                 required />
                             <div class="invalid-feedback"
id="pass_err"><label>confirm password field
                                     cannot be
                                     blank!</label></div>
                         </div>
                     </div>
                     <!-- <div class="form-group mb-4" style="position:
relative;">
                         </div> -->
                     <div class="form-group mb-4">
                         <div class="pmd-textfield pmd-textfield-floating-label"</pre>
style="flex: auto;">
                             <label for="address">Address</label>
                             <input type="text" class="form-control" id="address"</pre>
name="address"
                                 aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>Address field
cannot be blank!</label>
                             </div>
                         </div>
                     </div>
                     <div class="form-group row mb-4">
```

```
<div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="city">City</label>
                             <input type="text" class="form-control" id="city"</pre>
name="city"
                                 aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>city field
cannot be blank!</label>
                             </div>
                         </div>
                         <div class="col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="state">State</label>
                             <input type="text" class="form-control" id="state"</pre>
name="state"
                                 aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>field cannot be
blank!</label> </div>
                         </div>
                     </div>
                     <!--
                     <div class="form-group mb-4">
                         <div class="pmd-textfield pmd-textfield-floating-label"</pre>
style="flex: auto;">
                             <label for="profile">Profile Photo</label>
                             <input type="file" class="form-control" id="profile"</pre>
name="profile"
                                 aria-describedby="basic-addon3" accept="image/*"
required>
                         </div>
                     </div> -->
```

```
<!-- <div class="form-group mb-4">
                        </div> -->
                    <div class="row flex-row">
                        <div class="col-md-6">
                            <a href="javascript:void(0);" data-toggle="modal"</pre>
data-target="#signInmodal"
                                 id="return_signin">Return to Sign In</a>
                        </div>
                        <div class="col-md-6 text-end pr-1">
                            <button type="submit" id="btn-submit" class="btn btn-
default">Register</button>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>
Ticket_booking.html
{% extends "./base.html" %}
{% block head_extra %}
<link href="/static/css/ticketbooking.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
1.7.1.min.js"></script>
```

```
<script type="text/javascript" src="/static/js/ticketbooking.js"></script>
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
3.4.1.min.js"></script>
{% endblock %}
{% block content %}
<main class="container-fluid" style="margin-top:5%">
</main>
<div class="index container animated zoomIn">
   <div class="form contactform">
       <div id="page2" class="animated zoomInDown">
          <div class="row">
              <div class="col-xs-12">
                  <div class="table-responsive text-center">
                     <caption class="text-center">Available Trains :
</caption>
                         <thead>
                             Train No
                                Train Name
```

```
Time
         Cost
        </thead>
       <tfoot>
        <span class="btn btn-
danger book">Book Now</span>
        </tfoot>
       78654
         04:30 AM
         ₹ 200
        54876
         10:15 AM
         ₹ 250
        25312
         15:50 PM
         ₹ 300
```

```
45698
      21:30 PM
      ₹350
     95464
      23:15 PM
      ₹ 500
     </div>
 </div>
</div>
</div>
<!---->
```

```
<div id="invis" class="animated fadeInUpBig invis">
            <div id="selectclass">
                <h2>Select your class :</h2>
                <div id="trainClass">
                     <label class="blue"><input type="radio"</pre>
name="toggle"><span>GEN</span></label>
                     <label class="green"><input type="radio"</pre>
name="toggle"><span>SL</span></label>
                     <label class="yellow"><input type="radio"</pre>
name="toggle"><span>AC1</span></label>
                     <label class="pink"><input type="radio"</pre>
name="toggle"><span>AC2</span></label>
                     <label class="purple"><input type="radio"</pre>
name="toggle"><span>AC3</span></label>
                </div>
                <div id="bfoot">
                     <div class="col-xs-6">
                         <span class="btn btn-primary booknow">BOOK NOW</span>
                     </div>
                     <div class="col-xs-6">
                         <span class="btn btn-danger bookcancel">CANCEL</span>
                     </div>
                </div>
            </div>
        </div>
```

</div>

```
</div>
< <div class="final animated flip">
   <h2> Here is Your Ticket</h2>
   <div class="ticket" id="ticket">
       <div class="row">
           <div class="col-xs-6 pull-left" id="date"></div>
           <div class="col-xs-6 pull-right ">INDIAN RAILWAYS</div>
       </div>
       <div class="row">
           <div class="col-xs-6 trainno"><span id="number"></span></div>
           <div class="col-xs-6 trainname"></div>
       </div>
       <div class="row">
           <div class="col-xs-6 from">From :<span id="From"></span></div>
           <div class="col-xs-6 to">To :<span id="To"></span></div>
       </div>
       <div class="row">
           <div class="col-xs-6 barcode">
               </div>
           <div class="col-xs-2 compartment">S3</div>
           <div class="col-xs-4 seatno">Seat No:45</div>
       </div>
   </div>
   </div>
```

```
{% endblock %}
```

## Templatetags Forms.py

```
# from typing_extensions import Self
```

```
from dataclasses import field
import math
import os
from urllib import request
from django import forms
from django.conf import settings
from users.models import CustomUser
from django.contrib.auth.forms import UserCreationForm, UserChangeForm
from django.contrib.auth.models import AbstractUser
from django.contrib.sites.shortcuts import get_current_site
from django.utils.encoding import force_bytes
from django.utils.http import urlsafe_base64_encode
from django.template.loader import render_to_string
from .token import token_generator
from django.core.mail import send mail
import random
```

```
import os
from twilio.rest import Client
# Find your Account SID and Auth Token at twilio.com/console
# and set the environment variables. See http://twil.io/secure
def sendSMS():
   # account_sid = os.environ['TWILIO_ACCOUNT_SID']
   # account_sid = os.environ.get('TWILIO_ACCOUNT_SID')
   # auth_token = os.environ.get('TWILIO_AUTH_TOKEN')
    account_sid = 'ACe765f622893a417859432b0caa8b177a'
    auth token = 'ef41dbad7a8e9d2157059eba0dd83721'
                           # body='dddd',
                           # to='+919524397170'
   # auth_token = os.environ['TWILIO_AUTH_TOKEN']
   print(type(auth_token),account_sid)
    client = Client(account_sid, auth_token)
   message = client.messages('MG4fd350bcb0342964e037bdffc399fc81').fetch()
```

```
# message = client.messages.create(
                                  body='Hi testing otp message',
                                  from ="+15095161794",
    #
messaging service sid='MG4fd350bcb0342964e037bdffc399fc81',
                                  to='+919524397170'
                              )
    print(message.sid)
    1.1.1
    import urllib.request
    import urllib.parse
    def sendSMS(apikey, numbers, sender, message):
        data = urllib.parse.urlencode({'apikey': apikey, 'numbers': numbers,
            'message' : message, 'sender': sender})
        data = data.encode('utf-8')
        request = urllib.request.Request("https://api.textlocal.in/send/?")
        f = urllib.request.urlopen(request, data)
        fr = f.read()
        return(fr)
    resp = sendSMS('NjM30DM1NjI0MTUwNzc2YTcyNzUz0DczNGM3NzUxNjE=',
'918056747633',
        '805674', 'This is testing ssm')
    print ('sms response',resp)
```

```
# class UserRegisterForm(UserCreationForm):
      # mobile_number = PhoneNumberField(
#
            widget = PhoneNumberPrefixWidget(initial='IN')
      # )
      class Meta:
#
          model = CustomUser
#
          fields = ('username', 'email', 'mobile_number',
#
                    'password1')
#
#
      def save(self,commit=True):
          user = super(UserRegisterForm, self).save(commit=False)
#
#
          user.email = self.cleaned_data['email']
          if commit:
#
              user.save()
          return user
#
from django import forms
from django.contrib.auth.models import User
from django.contrib.auth.forms import UserCreationForm
```

1.1.1

```
class Meta:
        model = CustomUser
        fields = ['username', 'email', 'mobile_number', 'password1', 'password2']
    1.1.1
        send_mail(
            'Subject here',
            'Here is the message.',
            'from@example.com',
            ['to@example.com']
        )
        message = Mail(
        from_email=Email(from_mail),
        to_emails=To(str(user)),
        subject='Sending with Twilio SendGrid is Fun',
        html_content='Your Register Otp:<strong>'+otp+'</strong><br/><a</pre>
href="http://localhost:8000/activate/'+str(us_id)+'/'+otp+'">Active</a>')
        try:
            sg = SendGridAPIClient(os.environ.get('SENDGRID_API_KEY'))
            response = sg.send(message)
```

```
# import pdb
            # pdb.set_trace()
            print(response.status_code)
            print(response.body)
            print(response.headers)
        except Exception as e:
            print(e)
        return response
        1.1.1
# get_full_name()
class CustomUserChangeForm(UserChangeForm):
   class Meta:
       model = CustomUser
        fields = ('username', 'email')
class LogInForm(forms.Form):
    email = forms.EmailField()
    password = forms.CharField(widget=forms.PasswordInput)
   class Meta:
       model = CustomUser
```

## Models.py

```
from django.db import models
# Create your models here.
from django.db import models
from django.contrib.auth.models import AbstractUser
# from phonenumber_field.modelfields import PhoneNumberField
from django.contrib.auth.base_user import BaseUserManager
class CustomUserManager(BaseUserManager):
   def _create_user(self, email, password, **extra_fields):
        0.00
        Create and save a User with the given email and password.
        0.00
        if not email:
            raise ValueError("The given email must be set")
        email = self.normalize_email(email)
        user = self.model(email=email, **extra_fields)
        user.set_password(password)
        user.save(using=self._db)
        return user
    def create_user(self, email, password=None, **extra_fields):
        extra_fields.setdefault("is_superuser", False)
        return self._create_user(email, password, **extra_fields)
```

```
def create_superuser(self, email, password, **extra_fields):
        extra fields.setdefault("is staff", True)
        extra_fields.setdefault("is_superuser", True)
        if extra_fields.get("is_staff") is not True:
            raise ValueError(
                "Superuser must have is_staff=True."
        if extra_fields.get("is_superuser") is not True:
            raise ValueError(
                "Superuser must have is superuser=True."
        return self._create_user(email, password, **extra_fields)
class CustomUser(AbstractUser):
    email = models.EmailField("email address", unique=True)
   mobile_number = models.CharField('mobile_number', max_length=15, blank=True)
   USERNAME_FIELD = "email" # make the user log in with the email
   REQUIRED_FIELDS = ["username"]
```

```
objects = CustomUserManager()
    def str (self):
        return self.email
Models.py
from django.db import models
# Create your models here.
from django.db import models
from django.contrib.auth.models import AbstractUser
# from phonenumber_field.modelfields import PhoneNumberField
from django.contrib.auth.base_user import BaseUserManager
class CustomUserManager(BaseUserManager):
    def _create_user(self, email, password, **extra_fields):
        Create and save a User with the given email and password.
        0.00
        if not email:
            raise ValueError("The given email must be set")
        email = self.normalize_email(email)
```

```
user = self.model(email=email, **extra_fields)
   user.set_password(password)
   user.save(using=self. db)
   return user
def create user(self, email, password=None, **extra fields):
   extra_fields.setdefault("is_superuser", False)
    return self._create_user(email, password, **extra_fields)
def create_superuser(self, email, password, **extra_fields):
    extra_fields.setdefault("is_staff", True)
    extra fields.setdefault("is superuser", True)
   if extra_fields.get("is_staff") is not True:
        raise ValueError(
            "Superuser must have is staff=True."
   if extra fields.get("is superuser") is not True:
        raise ValueError(
            "Superuser must have is superuser=True."
    return self._create_user(email, password, **extra_fields)
```

```
email = models.EmailField("email address", unique=True)
    mobile_number = models.CharField('mobile_number', max_length=15, blank=True)
    USERNAME_FIELD = "email" # make the user log in with the email
    REQUIRED FIELDS = ["username"]
    objects = CustomUserManager()
    def __str__(self):
       return self.email
tests.py
from django.test import TestCase
# Create your tests here.
Tokens.py
from django.contrib.auth.tokens import PasswordResetTokenGenerator
class AccountActivationTokenGenerator(PasswordResetTokenGenerator):
    def _make_hash_value(self, user, timestamp):
       return (
            str(user.is_active) + str(user.pk) + str(timestamp)
```

```
token_generator = AccountActivationTokenGenerator()
Urls.py
from django.urls import path, re_path, reverse_lazy
from . import views
from django.contrib.auth.views import (
   PasswordResetView,
   PasswordResetDoneView,
   PasswordResetConfirmView,
   PasswordResetCompleteView
urlpatterns = [
   path('', views.home, name='home'),
   path('dashboard', views.home, name='dashboard'),
   path('login/', views.login_request, name="login"),
   path('ticket-booing', views.booking, name='booking'),
    path('register/', views.register, name='signup'),
    path('verification', views.otp verification, name="check email"),
    path('logout', views.logout_request, name="logout"),
    path('password_reset/', PasswordResetView.as_view(
        template_name='users/password_reset_form.html',
```

```
html email template_name='users/password_reset_email.html',
    subject_template_name='users/password_reset_subject.txt',
    success_url=reverse_lazy('password_reset_done')),
    name='password_reset'
path('password_reset/done/', PasswordResetDoneView.as_view(
    template name='users/password reset done.html'),
    name='password_reset_done'
path('reset/<uidb64>/<token>/', PasswordResetConfirmView.as_view(
    template_name='users/password_reset_confirm.html',
    success_url=reverse_lazy('password_reset_complete')),
    name='password reset confirm'
path('reset/done/', PasswordResetCompleteView.as_view(
    template name='users/password reset complete.html'),
    name='password_reset_complete'
```

## Views.py

```
import math
import random
from django.conf import settings
from django.shortcuts import render
```

```
# Create your views here.
from django.http import HttpResponse
import os
import datetime
from pdb import Pdb
# from urllib import request
from django.shortcuts import render, redirect
from django.views.generic import CreateView, TemplateView, RedirectView
# from django.contrib.auth import login
# from django.contrib.auth.views import LoginView
from django.urls import reverse_lazy
from django.utils.http import urlsafe_base64_decode
from django.utils.encoding import force_str
import requests # force_text on older versions of Django
from .forms import UserRegisterForm, token_generator
from users.models import CustomUser
from django.contrib.auth.forms import AuthenticationForm
from users.forms import LogInForm
```

```
from django.contrib.auth import login, authenticate, logout
from django.contrib import messages
from requests import get
from django.shortcuts import render, redirect
# from .forms import NewUserForm
from django.contrib.auth import login
from django.contrib import messages
from django.core.mail import send_mail
def register(request):
   if request.method == 'POST':
        form = UserRegisterForm(request.POST)
        # import pdb
        # pdb.set trace()
        # for data in request.POST:
              print(data,'|',request.POST.get(data))
        # print(form.is valid())
        if form.is_valid():
           user = form.save()
            username = form.cleaned_data.get('username')
            email = form.cleaned_data.get('email')
            user.is_active = False # Turns the user status to inactive
           u id = user.id
            otp = get_otp()
```

```
request.session['otp'] = otp
          request.session['u_id'] = u_id
          ############# mail system
subject = 'Welcome to ssr booking app'
          message = f'Hi {email}, thank you for registering in ssr-booking.
your oneTime Pass:{otp}'
          email_from = settings.EMAIL_HOST_USER
          recipient_list = [email ]
          send_mail( subject, message, email_from, recipient_list )
          return redirect('/verification')
          else:
          messages.error(request, form.errors)
          print('invalid form')
   else:
       form = UserRegisterForm()
   return render(request, 'register.html')
def otp verification(request):
   if request.method == 'POST':
       user otp = request.POST.get('otp')
       if 'otp' in request.session and 'u_id' in request.session:
          otp = request.session['otp']
          u id = request.session['u id']
```

```
print(otp,u_id)
            if otp == user_otp:
                user = CustomUser.objects.get(pk=u_id)
                print('verification',user)
                if user is not None:
                    user.is_active = True
                    del request.session['otp']
                    del request.session['u_id']
                    messages.success(request, f'Your account has been created !
You are now able to log in')
                    return redirect('login/')
    return render(request, "check_email.html")
def login_request(request):
    if request.method == 'POST':
        form = LogInForm(request.POST)
        print(request.POST.get('email'), request.POST.get('password'))
        if form.is_valid():
            username = request.POST.get('email')
            password = request.POST.get('password')
            user=authenticate(username=username, password=password)
            if user is not None:
```

```
login(request,user)
                messages.info(request, f"You are now logged in as {username}.")
                return redirect("/")
            else:
                messages.error(request, "Invalid username or password.")
        else:
            messages.error(request, "Invalid username or password.")
    else:
        form = LogInForm()
        return render(request, "login.html", context={"login_form":form})
def home(request):
    print(request.user,request.user.is_authenticated)
    if request.user.is_authenticated:
        return render(request, 'dashbord.html')
    else:
        return redirect('/login')
    # return render(request, 'home.html')
def booking(request):
    return render(request, 'ticket_booking.html')
def get_otp():
    digits = "0123456789"
    OTP = ""
```

```
for i in range(6) :
        OTP += digits[math.floor(random.random() * 10)]
    return OTP
def logout request(request):
    logout(request)
    messages.info(request, "You have successfully logged out.")
    return redirect('/')
# def send_activation_email(self, request, user,otp,us_id):
      current site = get current site(request)
      subject = 'Welcome to ssr booking app'
#
      message = f'Hi {user}, thank you for registering in ssr-booking. your
oneTime Pass:${otp}'
      # email_from ='kumaresan2773@gmail.com'
#
#
      email from = settings.EMAIL HOST USER
      recipient list = [user ]
#
#
      print(current_site,email_from,user)
      send mail( subject, message, email from, recipient list )
#
# def signup(request):
# class SignUpView(CreateView):
```

```
form_class = UserRegisterForm
#
      template_name = 'register.html'
#
      success_url = reverse_lazy('check_email')
#
      def form_valid(self, form):
          to_return = super().form_valid(form)
#
          user = form.save()
#
          print("user", user)
#
          otp = get_otp()
#
#
          user.is_active = False # Turns the user status to inactive
#
          user.otp = otp
          user.save()
#
          print(otp)
#
          us_id = user.id
#
          # request.session['user-id'] = user.id
#
          # request.session['otp'] = otp
#
          form.send_activation_email(self.request, user,otp,us_id)
#
#
          return to_return
```

```
# class ActivateView(RedirectView):
      url = reverse_lazy('success')
      # Custom get method
#
      def get(self,request,id,otp):
#
          user = None
          print(id,otp)
#
          try:
#
              uid = id
#
              if uid:
#
                  user = CustomUser.objects.get()
          except (TypeError, ValueError, OverflowError, CustomUser.DoesNotExist):
#
              user = None
#
          if user is not None:
#
              if otp:
#
                  user.is_active = True
#
                  user.save()
#
              return redirect('/login')
#
          else:
#
              return render(request, 'users/activate_account_invalid.html')
```

# class CheckEmailView(TemplateView):

```
template_name = 'check_email.html'
#
# class SuccessView(TemplateView):
      template_name = 'users/success.html'
# def set_cookie(response, key, value, days_expire=7):
#
      if days expire is None:
#
          max_age = 365 * 24 * 60 * 60 # one year
#
      else:
          max age = days expire * 24 * 60 * 60
#
      expires = datetime.datetime.strftime(
#
#
          datetime.datetime.utcnow() + datetime.timedelta(seconds=max_age),
          "%a, %d-%b-%Y %H:%M:%S GMT",
#
#
      )
      response.set_cookie(
#
#
          key,
          value,
#
          max_age=max_age,
          expires=expires,
#
          domain=settings.SESSION_COOKIE_DOMAIN,
#
          secure=settings.SESSION_COOKIE_SECURE or None,
#
      )
# def signin(request):
      if request.method == 'POST':
```

```
form = LogInForm(request.POST)
#
          if form.is_valid():
#
#
              try:
                  username = form.cleaned_data.get('email')
#
                  password = form.cleaned_data.get('password')
#
#
                  print(username,password)
                  user = authenticate(username=username, password=password)
#
                  print(user.is_authenticated)
#
                  if user is not None:
#
                      # login(request, user)
#
                      # request.session['User'] =
#
user._meta.pk.value_to_string(user)
                      messages.success(request, f"You are now logged in as
{user}.")
                      return redirect("/dashboard")
#
                  else:
                      messages.error(request, "Invalid username or password.")
#
#
              except:
                  return False
#
          else:
#
              messages.error(request, "Invalid username or password.")
#
      return render(request, 'login.html')
Requirements.txt
asgiref==3.5.2
Babel==2.11.0
certifi==2022.9.24
cffi==1.15.1
```

```
charset-normalizer==2.1.1
cryptography==38.0.3
defusedxml==0.7.1
Django==4.1.3
django-allauth==0.51.0
django-crispy-forms==1.14.0
django-environ==0.9.0
idna==3.4
mysql-connector-python==8.0.28
mysqlclient==2.1.1
numpy==1.23.2
oauthlib==3.2.2
opencv-python==4.6.0.66
protobuf==4.21.9
pycparser==2.21
PyJWT==2.6.0
python3-openid==3.2.0
pytz==2022.6
requests==2.28.1
requests-oauthlib==1.3.1
sqlparse==0.4.3
twilio==7.15.2
tzdata==2022.6
urllib3==1.26.12
```

## Documentation.txt

Trainticket Django Project

1.create new directory

- 2. open the directory on CMD
- 3.create virtualenvironment using => py -m venv venv
- 4.Once the process is complete, you also need to activate the virtual environment:.\env\Scripts\activate.bat
- 5.Once you've created and activated your Python virtual environment,

you can install Django into this dedicated development workspace: python -m pip install django 6.python -m pip freeze > requirements.txt

This command writes the names and versions of all external Python packages that are currently in your virtual environment to a file called requirements.txt.

This file will include the django package and all of its dependencies.

- 7. After you've successfully installed Django, you're ready to create the scaffolding for your new web application. The Django framework distinguishes between projects and apps \$ django-admin startproject <project-name> => \$ django-admin startproject setup.
- 8. Now, you'll create a Django app that'll contain the specific fnctionality of your web application \$ python manage.py startapp <appname> => \$ python manage.py startapp users

## **Output:**







