


SMART SOLUTION FOR RAILWAYS


Project Development phase

Sprint-1

Date	29 October 2022
Team ID	PNT2022TMID48351
Project Name	Project-smart solutions for Railways
Maximum Marks	20 Marks

Structure of the project:





Ticket booking:

`_int_.py`

`Assign.py`

''' '''

ASGI config for ticketbooking project.

It exposes the ASGI callable as a module-level variable named ``application``.

For more information on this file, see

<https://docs.djangoproject.com/en/4.1/howto/deployment/asgi/>

```
"""
```

```
import os
```

```
from django.core.asgi import get_asgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'ticketbooking.settings')
```

```
application = get_asgi_application()
```

Settings.py

```
STATIC_URL = 'static/'
```

```
# Default primary key field type
```

```
# https://docs.djangoproject.com/en/4.1/ref/settings/#default-auto-field
```

```
DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'
```

```
# mysql Database configuration
```

```
DATABASES = {
```

```
    'default': {
```

```
        'ENGINE': 'django.db.backends.mysql',
```

```
        'NAME': 'ticketbooking',
```

```
        'USER': 'root',
```

```
        'PASSWORD': 'dhanushavj',
```

```
        'HOST': 'localhost',
```

```
        'PORT': '3306',
```

```
    }
```

```
}
```

```
AUTHENTICATION_BACKENDS = [
```

```
    'django.contrib.auth.backends.ModelBackend',
```

```
    'allauth.account.auth_backends.AuthenticationBackend'
```

```
]
```

```

SOCIALACCOUNT_PROVIDERS = {
    'google': {
        'SCOPE': [
            'profile',
            'email',
        ],
        'AUTH_PARAMS': {
            'access_type': 'online',
        }
    }
}

SOCIALACCOUNT_LOGIN_ON_GET=True

SITE_ID = 2

LOGIN_REDIRECT_URL = '/'
LOGOUT_REDIRECT_URL = '/'

import environ

# Initialise environment variables
env = environ.Env()
environ.Env.read_env()

# DEFAULT_FROM_EMAIL = '<paste your gmail account here>'
EMAIL_BACKEND = 'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST = 'smtp.gmail.com'
EMAIL_HOST_USER = 'kumaresan2773@gmail.com'
EMAIL_HOST_PASSWORD = 'nmwrjglmrmdrghjr'
EMAIL_PORT = 587
EMAIL_USE_TLS = True

# EMAIL_HOST = 'smtp.sendgrid.net'
# EMAIL_PORT = 587
# EMAIL_USE_TLS = True

```

```
# EMAIL_HOST_USER = 'apikey' # Name for all the SenGrid accounts
# EMAIL_HOST_PASSWORD = env('SENDGRID_API_KEY')
# # The email you'll be sending emails from
# DEFAULT_FROM_EMAIL = env('SENDER_EMAIL')
CRISPY_ALLOWED_TEMPLATE_PACKS = "bootstrap4"
CRISPY_TEMPLATE_PACK = "bootstrap4"
```

Urls.py

```
"""ticketbooking URL Configuration
```

The `urlpatterns` list routes URLs to views. For more information please see:

<https://docs.djangoproject.com/en/4.1/topics/http/urls/>

Examples:

Function views

1. Add an import: `from my_app import views`
2. Add a URL to `urlpatterns`: `path('', views.home, name='home')`

Class-based views

1. Add an import: `from other_app.views import Home`
2. Add a URL to `urlpatterns`: `path('', Home.as_view(), name='home')`

Including another URLconf

1. Import the `include()` function: `from django.urls import include, path`
2. Add a URL to `urlpatterns`: `path('blog/', include('blog.urls'))`

```
"""
```

```
from django.contrib import admin
from django.urls import include, path
from django.contrib.auth.views import LogoutView
urlpatterns = [
    path('admin/', admin.site.urls),
    path('', include('users.urls')),
```

```
    path('accounts/', include('allauth.urls')),
    path('logout', LogoutView.as_view()),
]
```

Wsgi.py

```
"""
```

WSGI config for ticketbooking project.

It exposes the WSGI callable as a module-level variable named ``application``.

For more information on this file, see

<https://docs.djangoproject.com/en/4.1/howto/deployment/wsgi/>

```
"""
```

```
import os
```

```
from django.core.wsgi import get_wsgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'ticketbooking.settings')
```

```
application = get_wsgi_application()
```

USERS

Migrations

int.py

0001_int_.py

```
# Generated by Django 4.1.3 on 2022-11-12 13:15
```

```
import django.contrib.auth.validators
```

```
from django.db import migrations, models
```

```
import django.utils.timezone
```

```
class Migration(migrations.Migration):
```

```

initial = True

dependencies = [
    ('auth', '0012_alter_user_first_name_max_length'),
]

operations = [
    migrations.CreateModel(
        name='CustomUser',
        fields=[
            ('id', models.BigAutoField(auto_created=True, primary_key=True,
serialize=False, verbose_name='ID')),
            ('password', models.CharField(max_length=128,
verbose_name='password')),
            ('last_login', models.DateTimeField(blank=True, null=True,
verbose_name='last login')),
            ('is_superuser', models.BooleanField(default=False,
help_text='Designates that this user has all permissions without explicitly
assigning them.', verbose_name='superuser status')),
            ('username', models.CharField(error_messages={'unique': 'A user
with that username already exists.'}, help_text='Required. 150 characters or
fewer. Letters, digits and @/./+/-/_ only.', max_length=150, unique=True,
validators=[django.contrib.auth.validators.UnicodeUsernameValidator()],
verbose_name='username')),
            ('first_name', models.CharField(blank=True, max_length=150,
verbose_name='first name')),
            ('last_name', models.CharField(blank=True, max_length=150,
verbose_name='last name')),
            ('is_staff', models.BooleanField(default=False,
help_text='Designates whether the user can log into this admin site.',
verbose_name='staff status')),

```

```

        ('is_active', models.BooleanField(default=True,
help_text='Designates whether this user should be treated as active. Unselect
this instead of deleting accounts.', verbose_name='active')),

        ('date_joined',
models.DateTimeField(default=django.utils.timezone.now, verbose_name='date
joined')),

        ('email', models.EmailField(max_length=254, unique=True,
verbose_name='email address')),

        ('mobile_number', models.CharField(blank=True, max_length=15,
verbose_name='mobile_number')),

        ('groups', models.ManyToManyField(blank=True, help_text='The
groups this user belongs to. A user will get all permissions granted to each of
their groups.', related_name='user_set', related_query_name='user',
to='auth.group', verbose_name='groups')),

        ('user_permissions', models.ManyToManyField(blank=True,
help_text='Specific permissions for this user.', related_name='user_set',
related_query_name='user', to='auth.permission', verbose_name='user
permissions')),

    ],

    options={

        'verbose_name': 'user',

        'verbose_name_plural': 'users',

        'abstract': False,

    },

),

```

0002_customuser_otp.py

Generated by Django 4.1.3 on 2022-11-14 12:13

```
from django.db import migrations, models
```

```
class Migration(migrations.Migration):
```



```
dependencies = [  
    ('users', '0001_initial'),  
]  
  
operations = [  
    migrations.AddField(  
        model_name='customuser',  
        name='otp',  
        field=models.CharField(blank=True, max_length=15,  
verbose_name='otp'),  
    ),  
]
```

Static

CSS

#base.css

#header.css

```
.header {  
    left: 0;  
    position: fixed;  
    top: 0;  
    z-index: 999;  
    box-shadow: 0 0 10px rgb(0 0 0 / 30%);  
    width: 100%;  
    background: #fff;  
    /*#14274e;*/  
    height: 4.5rem;  
    font-size: 1rem;
```

```
    font-family: Barlow, Montserrat, Arial, Helvetica, sans-serif;
}

.header-body {
    /*display: flex;*/
    margin: 0 10px;
    height: inherit;
}

.term-related-badge {
    margin-bottom: -15px;
    padding: 3px 7px;
    border: 1px solid #f0f0f0;
    /* #dee2e6; */
    background-color: #f6f9fc;
    /*#dee2e6; */
    /* background-color: #21bf73; */
    color: #fff;
    font-weight: normal;
    font-size: 0.8rem;
    text-align: left;
    white-space: normal !important;
    box-shadow: 0 50px 100px -20px rgb(50 50 93 / 25%), 0 30px 60px -30px rgb(0 0
0 / 30%), inset 0 -2px 6px 0 rgb(10 37 64 / 35%);
    /* box-shadow: rgba(14, 30, 37, 0.12) 0px 2px 4px 0px, rgba(14, 30, 37, 0.32)
0px 2px 16px 0px; */
}

.header .header-body .menu-col ul {
    list-style-type: none;
    float: left;
    /*display: flex;*/
}
```

```
.header .header-body .menu-col ul li {
    padding-left: 1rem;
}

a .link-nav .dropdown-toggle{
    text-decoration: none !important;

    color: #14274E !important;
}

a .link-nav {
    text-decoration: none;

    color: #14274E !important;
}

.menu {
    place-items: center;
    height: 100%;
}

.menu-col {
    display: flex;
    align-items: center;
}

.pmd-textfield-floating-label label {
    display: block !important;
    font-size: 12px;
    font-weight: 600;
}

/* a.link-nav {
    display: inline-block;
    height: 33px;
```

```
padding-top: 5px;

text-align: center;
opacity: 0.7;
overflow: hidden;
transition: opacity 0.5s;
} */
/*
a.link-nav :hover {
    text-decoration: none;
    color: #ffffff;
    opacity: 1;
} */
a .link-nav span {
    display: inline-block;
    width: 0px;
    height: 3px;
    background-color: #47c789;
    transition: width 0.3s;
}
a.link-nav span ::before {
    content: '\a';
    white-space: pre;
}
/* .avatar{
    display: flex !important;
    padding: 10px !important;
    gap: 20px !important;
    align-items: center;
```

```

        justify-content: center;

        flex-wrap: nowrap;

        flex-direction: column;

        background-color: #14274E;
    } */
/* .profile-container .row{
    width: 100%;
} */
.sign_in-card {
    background-color: #ffffff;

    /*border: 1px solid #14274e;*/

    box-shadow: 0 0 16px rgba(20, 39, 78, 0.58);

    border-radius: 5px;

    padding: 4%;
}

#paw_show0,
#paw_show1,
#paw_hide0,
#paw_hide1 {
    right: calc(1em + 0.1875rem) !important;

    top: calc(2.4em) !important;

    /* top:50%; */
}

#paw_show,
#paw_show0,
#paw_show1 {
    position: absolute;

    right: calc(0.375em + 0.1875rem);

    top: calc(2.5em + 0.1875rem);

```

```
    /* top: calc(1.895em); */  
    /* color: #21bf73; */  
    color: #646363;  
    /* top:50%; */  
}  
#paw_hide,  
#paw_hide0,  
#paw_hide1 {  
    position: absolute;  
    right: calc(0.375em + 0.1875rem);  
    top: calc(2.5em + 0.1875rem);  
    /* color: #dc3545; */  
    /* top: 50%; */  
    color: #646363;  
}  
#paw_show,  
#paw_show0,  
#paw_show1 {  
    display: none;  
}  
.btn-default {  
    display: inline-flex;  
    justify-content: center;  
    align-items: center;  
    height: 30px;  
    outline: 0 none #fff;  
    border: 1px solid #21bf73;  
    border-radius: 30px;  
    padding: 5px 20px;
```

```

background-color: #fff;
background-image: linear-gradient(#47c789 50%, #21bf73 50%);
background-size: 100%;
color: #fff;
font-size: 12px;
font-weight: 600;
/* width: 100%; */
/*text-transform: uppercase;*/
/* letter-spacing: 1px; */
white-space: nowrap;
transition: all .3s cubic-bezier(.16, .8, .66, 1.54);
}

.btn-default:hover,
.btn-default:focus {
border: 1px solid #fff;
background-color: #fff;
background-image: linear-gradient(#fff 50%, #fff 50%);
box-shadow: 0 0 0 5px rgb(94 114 156 / 20%);
color: #21bf73;
}

.wrapper {
display: grid;
grid-template-columns: 6fr 18px;
/* column-gap: 10px; */
/* grid-auto-rows: 100px; */
grid-template-rows: 50%;
padding: 1rem 2rem 0rem;
}

/* Styling modal */

```

```
.modal-header,  
.modal-body,  
.modal-footer {  
    border: none;  
}  
  
.modal-body {  
    padding: 1rem 1rem 1rem !important;  
}  
  
.modal {  
    text-align: center;  
    padding: 0 !important;  
}  
  
.modal-content {  
    padding: 0px, 10px, 0px;  
    border: none;  
    border-radius: 5px !important;  
}  
  
/* .modal:before {  
    content: '';  
    display: inline-block;  
    height: 10%;  
    vertical-align: middle;  
    margin-right: -4px;  
} */  
  
.modal-dialog {  
    display: inline-block;  
    text-align: left;  
    vertical-align: middle;  
    max-width: 600px;
```



```
}

.modal-dialog-centered {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  min-height: calc(100% - (.5rem * 2));
}

/* Register form validation styling css */
:root {
  --error-color: #dc3545;
  --success-color: #28a745;
  --warning-color: #ffc107;
}

.was-validated .form-control:invalid,
.form-control:valid {
  background-image: none !important;
}

.invalid-feedback {
  color: #dc3545;
  position: absolute;
}

/* .valid-feedback {
  color: #28a745;
} */

.invalid:focus {
  border-color: #dc3545;
```

```
        /* box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2); */
    }

    .was-validated:focus{
        box-shadow: none !important;
    }

    .invalid {
        border-color: #dc3545 !important;
        /* box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2); */
    }

    .primary-term-badge{
        min-width: 280px;
        width: 160px;
        display: flex;
        align-items: center;
        justify-content: center;
        flex-direction: column;
    }

    .special_interests{
        width: fit-content;
    }.alert-fixed {
        position:fixed;
        top: 3.5rem;
        /* left: 50%; */
        margin: auto;
        width: 50%;
        left:0;
        right: 0;
        z-index:9999;
        border-radius:0px
```

```
}
```

#register.css

```
{
```

```
margin: 0;
```

```
padding: 0;
```

```
box-sizing: border-box;
```

```
}
```

```
.btn-default{
```

```
display: inline-flex;
```

```
justify-content: center;
```

```
align-items: center;
```

```
height: 30px;
```

```
outline: 0 none #fff;
```

```
border: 1px solid #21bf73;
```

```
border-radius: 30px;
```

```
padding: 5px 20px;
```

```
background-color: #fff;
```

```
background-image: linear-gradient(#47c789 50%, #21bf73 50%);
```

```
background-size: 100%;
```

```
color: #fff;
```

```
font-size: 12px;
```

```
font-weight: 600;
```

```
/*text-transform: uppercase;*/
```

```
/* letter-spacing: 1px; */
```

```
white-space: nowrap;
```

```
transition: all .3s cubic-bezier(.16, .8, .66, 1.54);
```

```
}
```

```
.btn-default:hover, .btn-default:focus {
```

```
border: 1px solid #fff;
```

```
background-color: #fff;
background-image: linear-gradient(#fff 50%, #fff 50%);
box-shadow: 0 0 0 5px rgb(94 114 156 / 20%);
color: #21bf73;
}

.container{
    margin-top:150px
}

.error_msg{
    color:red;
    display: block;
}

.success_msg{
    color:green;
    display: block;
}

#register_frm{
    margin-top: 8%;
}

h2{
    color: #14274e;
    font-weight: bold!important;
    font-size: 2.5rem;
}

/* label{
    margin: 0;
    padding: 0;
```

```
        font-weight: 600;
    } */
a{
    text-decoration: none !important;
    /* color: #0092ca; */
}

.register-card {
    background-color: #ffffff;
    /*border: 1px solid #14274e;*/
    box-shadow: 0 0 16px rgba(20, 39, 78, 0.58);
    border-radius: 5px;
}

@media only screen and (min-device-width: 320px) and (max-device-width: 425px) {
    .register-card{
        margin-left: 15rem;
    }
}

@media only screen and (min-device-width: 768px) and (max-device-width: 1440px)
{
    .register-card{
        margin-right: 8rem;
    }
}

.text-aling{
    padding-top: 2rem;
}

.failure-icon,.success-icon {
    position: absolute;
    right: 0;
}
```

```

        top: 1.5rem;

padding: 10px;

        /*opacity: 0;*/
    }

.failure-icon,

.error {

    color: red;

}

.success-icon {

    color: green;

}

.error {

    font-size: 14.5px;

    margin-top: 5px;

}

.isValid

{

    border-color: #198754 !important;

    padding-right: calc(1.5em + 0.75rem) !important;

    /* background-image: url(data:image/svg+xml,%3csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 8 8'%3e%3cpath fill='%23198754'
d='M2.3 6.73L6 4.53c-.4-1.04.46-1.4 1.1-.8l1.1 1.4 3.4-3.8c.6-.63 1.6-.27
1.2.7l-4 4.6c-.43.5-.84-1.1.1z'/%3e%3c/svg%3e); */

    /* background-repeat: no-repeat;

    background-position: right calc(0.375em + 0.1875rem) center;

    background-size: calc(0.75em + 0.375rem) calc(0.75em + 0.375rem); */

}

.isInvalid{

    border-color: #dc3545 !important;

```

```
padding-right: calc(1.5em + 0.75rem) !important;

}

#paw_show,#paw_show0{
    position: absolute;
    right: calc(0.375em + 0.1875rem);
    top: calc(2em + 0.1875rem);
    /* color: #21bf73; */
    color: #646363
}

#paw_hide,#paw_hide0{
    position: absolute;
    right: calc(0.2em + 0.1875rem);
    top: calc(2em + 0.1875rem);
    color: #646363;
    /* color: #dc3545; */
}

#paw_hide2{
    position: absolute;
    right: calc(0.2em + 0.1875rem);
    top: calc(1.6em + 0.1875rem);
    color: #646363;
}

.form-control:focus{
    border: 1px solid rgb(94, 114, 156, 0.2);
    box-shadow: 0 0 0 3px rgb(94 114 156 / 20%);
}

#paw_show,#paw_show0,#paw_show1{
    display: none;
}
```

```
}  
  
#paw_hides1 {  
    position: absolute;  
    right: calc(1.2em + 0.1875rem);  
    top: calc(0.5em + 0.1875rem);  
  
    /* color: #dc3545; */  
    /* top: 50%; */  
    color: #646363;  
}  
  
.cur-btn1 {  
    cursor: no-drop !important;  
}  
  
#paw_shows1 {  
    position: absolute;  
    right: calc(1.2em + 0.1875rem);  
    top: calc(0.5em + 0.1875rem);  
  
    /* top: calc(1.895em); */  
    /* color: #21bf73; */  
    color: #646363;  
    /* top: 50%; */  
}  
  
#paw_shows1{  
    display: none;  
}  
  
#paw_hides2 {  
    position: absolute;
```



```

    right: calc(0.375em + 0.1875rem);
    top: calc(2em + 0.1875rem);
    /* color: #dc3545; */
    /* top: 50%; */
    color: #646363;
}

#paw_shows2 {
    position: absolute;
    right: calc(0.375em + 0.1875rem);
    top: calc(2em + 0.1875rem);
    /* top: calc(1.895em); */
    /* color: #21bf73; */
    color: #646363;
    /* top: 50%; */
}

#paw_shows2{
    display: none;
}

.was-validated .form-control:invalid,
.form-control:valid {
    background-image: none !important;
}

.invalid-feedback {
    color: #dc3545;
    position: absolute;
    left: 0px;
    font-weight: 400;
    position: absolute;
    bottom: 4px;

```

```

}

.valid-feedback {
    color: #2acc80;
}

.invalid:focus {
    border-color: #dc3545;
    box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2);
}

.invalid {
    border-color: #dc3545 !important;
}

label {
    margin: 20px 0;
    position: relative;
    display: inline-block;
}

span{
    font-size: 14px;
    font-weight: normal;
    display: table-cell;
    color: #14274E
}

/*
input {
    padding: 10px;
}

input:focus + span, input:not(:placeholder-shown) + span {
    opacity: 1;
    transform: scale(0.75) translateY(-100%) translateX(-30px);

```

```

}

input:focus + span, input:not(:-ms-input-placeholder) + span {
  opacity:1;

  transform: scale(0.75) translateY(-100%) translateX(-30px);
} */
/* new styles css */
/* form {

  background: rgba(19, 35, 47, .9);
  padding: 40px;
  max-width: 600px;
  margin: 40px auto;
  border-radius: 4px;
  box-shadow: 0 4px 10px 4px rgba(19, 35, 47, .3);
} */
.tab-group {
  list-style: none;
  padding: 0;
  margin: 0 0 40px 0;
}
label {
  position: absolute;

  left: 15px;
  color: #868e96;

  transition: all 0.25s ease;
  --webkit-backface-visibility: hidden;
  pointer-events: none;
  font-size: 1rem;

```

```
    font-weight: normal !important;
    padding-left: 10px ;
}

.text-reg{
    font-size: 80%;
    /* margin-bottom: 1rem !important; */
    /* margin-right: -20rem; */
    color: rgb(167 159 159);
}

.len-text{
    font-size: 80%;
    color: rgb(167 159 159);
    margin-top: -0.5rem;
    padding-left: 1rem;
}

label .req {
    margin: 2px;
    color: #1ab188;
}

.floating-label-group {
    position: relative;
    margin-top: 15px;
    margin-bottom: 25px;
}

.floating-label-group .floating-label {
    font-size: 1rem;
    color: #868e96;
    position: absolute;
    pointer-events: none;
```

```

    font-weight: normal !important;

    top: -1rem;

    left: 12px;

    transition: all 0.1s ease;
}

.floating-label-group input:focus ~ .floating-label, .floating-label-group
input:not(:focus):valid ~ .floating-label {

    top: -45px;

    bottom: 0px;

    left: 0px;

    font-size: 1rem;

    font-weight: 500;

    opacity: 1;

    color: #14274E !important;

}

.floating-label-group1 {

    position: absolute;

    margin-top: -62px;

    left: 0rem;

    margin-bottom: 25px;

}

/* .floating-label-group1.floating-label1{

    font-size: 1rem;

    color: #868e96;

    position: absolute;

    pointer-events: none;

    font-weight: normal !important;

    top: -1rem;

```

```
        left: 12px;

        transition: all 0.1s ease;
    } */

.floating-label1{
    top: -15px;
    bottom: 0px;
    font-size: 1rem;
    font-weight: 500;
    opacity: 1;
}

/* label.active {
    transform: translateY(-45px);
    left: 4px;
    font-size: 14px;
    font-weight: 500;
}

label.active .req {
    opacity: 0;
}

label.highlight {
    color: #14274E !important;
    font-weight: 500;
} */

input, textarea {
    font-size: 400;
    display: block;
    width: 100%;
    height: 100%;
    padding: 5px 10px;
```

```

background: none;
background-image: none;
/* border: 1px solid #a0b3b0; */
border: 1px solid #9a9a9a;
color: #000;
border-radius: 5px;
color: black;
/* border: 1px solid #14274E; */
transition: border-color 0.5s ease, box-shadow 0.5s ease;
}

.group-btn{
border: 1px solid #21bf73;
margin-right: -0.4rem;
background-color: white;
color: #21bf73;
}

button:hover, textarea:hover{
background-color: #21bf73;
color: white;
}

input:focus, textarea:focus {
outline: 0;
border-color: #1ab188;
color: #14274E;
border: none;
border: 1px solid #14274E;
}

textarea {
/* border: 2px solid #a0b3b0; */

```

```

        resize: vertical;
    }
    .field-wrap {
        position: relative;
        margin-bottom: 25px;
    }
    .top-row:after {
        content: '';
        display: table;
        clear: both;
    }
    .top-row > div {
        float: left;
        width: 48%;
        /* margin-right: 4%; */
    }
    .top-row > div:last-child {
        margin: 0;
    }

```

JS

Register.js

```

$(document).ready(function () {

    $('#paw_hides1').click(function () {
        $("#paw_shows1").show();
        $("#paw_hides1").hide();
        $('#pwd1').get(0).type = 'text';
        console.log($('#pwd').get(0).type = 'text')
    });

```



```
});
```

```
$('#paw_shows1').click(function () {  
    $("#paw_shows1").hide();  
    $("#paw_hides1").show();  
    $('#pwd1').get(0).type = 'password';  
});
```

```
$('#paw_hides2').click(function () {  
    $("#paw_shows2").show();  
    $("#paw_hides2").hide();  
    $('#Confirm_pwd2').get(0).type = 'text';  
});
```

```
$('#paw_shows2').click(function () {  
    $("#paw_shows2").hide();  
    $("#paw_hides2").show();  
    $('#Confirm_pwd2').get(0).type = 'password';  
});
```

```
$("#Confirm_pwd2").on("keyup", function () {  
    if ($("#Confirm_pwd2").val() == "") {  
        $("#Confirm_pwd2").addClass('invalid');  
        return false;  
    } else {  
        $("#Confirm_pwd2").removeClass('invalid');  
    }  
}
```

```

if ($("#pwd1").val() != $("#Confirm_pwd2").val()) {
    console.log("hi ppass")
    $("#Confirm_pwd2").addClass('invalid');
    $("#Confirm_pwd2").removeClass('was-validated');
    $("#pass_err1").html('<label class="text-danger">Password and confirm
password not matched!</label>');
    $("#pass_err1").show();
    return false;
} else {
    console.log('inside else:')
    // $("#cp").html('<span ></span>');
    $("#pass_err1").hide();

}
});

```

```

$("#emails").on('keyup', function () {

    var regMail = /^[_a-zA-Z0-9-]+)(\.[_a-zA-Z0-9-]+)*@([a-zA-Z]+\.[_a-zA-Z]{2,3})$/;

    if ($("#emails").val() == "") {
        $(".rem-flo").addClass('floating-label-group1');
        $(".rem-flo").removeClass('floating-label');
        $("#emails").addClass('invalid');
        $(".blank-error1").show();
        $(".email_err1").hide();
        $(".reg-btn").addClass('disabled');
    }
});

```

```

        $('.text-end').addClass('cur-btn1');

    }

    else if (regMail.test($("#emails").val()) == false) {
        console.log('inside nested if');
        $("#emails").addClass('invalid');
        $('.email_err1').show();
        $('.blank-error1').hide();
        $('.reg-btn').addClass('disabled');
        $('.text-end').addClass('cur-btn1');
    }

    else {
        console.log('inside nested else')
        $("#emails").removeClass('invalid');
        $('.email_err1').hide();
        $('.reg-btn').removeClass('disabled');
        $('.text-end').removeClass('cur-btn1');
    }

});

$(document).ready(function () {

    $('.form').find('input, textarea').on('keyup blur focus', function (e) {

```

```
var $this = $(this),  
    label = $this.prev('label');  
  
if (e.type === 'keyup') {  
    if ($this.val() === '') {  
        label.removeClass('active highlight');  
    } else {  
        label.addClass('active highlight');  
    }  
} else if (e.type === 'blur') {  
    if ($this.val() === '') {  
        label.removeClass('active highlight');  
    } else {  
        label.removeClass('highlight');  
    }  
} else if (e.type === 'focus') {  
  
    if ($this.val() === '') {  
        label.removeClass('highlight');  
    }  
    else if ($this.val() !== '') {  
        label.addClass('highlight');  
    }  
}
```

```
});
```

```
$('.tab a').on('click', function (e) {
```

```
    e.preventDefault();
```

```
    $(this).parent().addClass('active');
```

```
    $(this).parent().siblings().removeClass('active');
```

```
    target = $(this).attr('href');
```

```
    $('.tab-content > div').not(target).hide();
```

```
    $(target).fadeIn(600);
```

```
});
```

```
})
```

```
// $(document).ready(function () {
```

```
//     $("input[id='phone_number']").on("input", function () {
```

```

//      $("input[id='dummy-number']").val(destroyMask(this.value));
//      this.value = createMask($("input[id='dummy-number']").val());
//  })

//  function createMask(string) {
//      console.log(string)
//      return string.replace(/(\d{3})(\d{3})(\d{4})/, "$1-$2-$3");
//  }

//  function destroyMask(string) {
//      console.log(string)
//      return string.replace(/\D/g, '').substring(0, 10);
//  }
// })

//  $(document).ready(function () {
//      $('.reg-btn').on('click', function() {
//          var regMail = /^([_a-zA-Z0-9-]+)(\.[_a-zA-Z0-9-]+)*@([a-zA-Z0-9-
//  ]+\.)+([a-zA-Z]{2,3})$/;
//          console.log($("#emails").val())
//          if ( ($("#emails").val() == "" )){
//              console.log('hi if co');
//              $("#emails").addClass('invalid');
//              $('.blank-error1').show();
//              $('.email_err1').hide();
//          }

```

```

//     else if (regMail.test($("#emails").val()) == false) {
//         console.log('hi elif co');
//         $("#emails").addClass('invalid');
//         $('.email_err1').show();
//         $('.blank-error1').hide();
//     }
//     else {
//         console.log('hi eles co');
//         $("#emails").removeClass('invalid');
//         $('.email_err1').hide();

//     }
// });

// });

// $('#reg-btn').on('click', function() {

//     let bcd = $('.email_blog').children().length
//     console.log(bcd)
//     let abc = ''
//     if($('#emails').val() != ''){
//         return true;
//     }else{
//         abc = $('.email_blog').children('')
//         if(bcd == 2){
//             $(abc).append(`
```

```

//    }
//    return false;
//  }
// });

// $(".is-valid").css({
//    "background-image":"none !important"
// })

// $('#paw_hide').click(function() {
//    $("#paw_show").show();
//    $("#paw_hide").hide();
//    $('#Confirm_pwd').get(0).type = 'text';

// });
// $('#paw_show,#paw_show0').click(function() {
//    $("#paw_show").hide();
//    $("#paw_hide").show();
//    $('#Confirm_pwd').get(0).type = 'password';
// });

// $('#pwd, #Confirm_pwd').on('keyup', function () {
//    if ($('#pwd').val() === $('#Confirm_pwd').val()) {
//        $('#passwordMatch').html('Password Matched').css('color',
'green');

```



```
//          $('#btn-submit').prop('disabled', false);  
//      }  
//      else{  
//          $('#passwordMatch').html('Password Does Not  
Matched').css('color', 'red');  
//          $('#btn-submit').prop('disabled', true);  
//      }  
// });
```

```
// $("#register_frm").validate({  
//     rules: {  
//         username: {  
//             required: true,  
//         },  
//         email: {  
//             required: true,  
//             email: true  
//         },  
//         phone_number: { required: true },  
//         password: {  
//             minlength: 8,  
//             required: true  
//         },  
//         confirm_password: {  
//             equalTo: "#pwd1",  
//             minlength: 8,  
//         }  
//     }
```

```

// },
// messages: {
//     name: "Please enter your Name",
//     email: "Please enter a valid Email Address",
//     phone_number: "Please enter your Contact Number",
//     password: "Please enter valid password",
//     confirm_password: "Password is not Match"
// },
// errorElement: "em",

// errorPlacement: function (error, element) {
//     error.addClass("invalid-feedback");
//     error.insertAfter(element);
//     // error.insertAfter(element.next(".form-control"));
//     // error.insertAfter(element.next(".pmd-textfield-focused"));
// },
// highlight: function (element, errorClass, validClass) {
//     $(element).addClass("is-invalid").removeClass("is-valid");
//     console.log()

//     $("#paw_hide,#paw_hide0").show();
// },
// unhighlight: function (element, errorClass, validClass) {
//     $(element).addClass("is-valid").removeClass("is-invalid");
// }

```

```

// });

// $("#phone_number").intlTelInput({
//   utilsScript: "https://cdnjs.cloudflare.com/ajax/libs/intl-tel-input/8.4.6/js/utils.js"
// });

// // $("#paw_show,#paw_show0").css({
// //   "position":"absolute",
// //   "right":"calc(0.375em + 0.1875rem)",
// //   // "bottom":"calc(0.4884em + 0.1875rem)",
// //   "top":" calc(1.995em + 0.1875rem)",
// //   "color":"#21bf73"
// // })

// // $("#paw_hide,#paw_hide0").css({
// //   "background-position": "right calc(0.375em + 0.1875rem) center",
// //   "position":"absolute",
// //   "right":"calc(0.375em + 0.1875rem)",
// //   // "bottom":"calc(0.4884em + 0.1875rem)",
// //   "top":" calc(1.995em + 0.1875rem)",
// //   "color":"#dc3545"
// // })

// // $("#paw_show,#paw_show0").hide();

// // $('#btn-submit').click(function() {
// //

```

```

// //      $(".error").hide();
// //      var hasError = false;
// //
// //      var Email_id = $("#email").val();
// //      var password = $("#pwd").val();
// //      var contact_number = $("#phone_number").val();
// //      var comfirm_password = $("#Confirm_pwd").val();
// //      if(Email_id == '' && password =='' && contact_number == '' &&
comfirm_password == '' ){
// //          $(".form").each(function(){
// //              console.log( $(this));
// //              $(this).find(':input').addClass("is-invalid");
// //              $("#paw_hide,#paw_hide0").hide();
// //          });
// //          hasError = true;
// //      }
// //      if(hasError == true) { return false; }
// //
// // });
});

```

Templates

Activate_account_invalid.html

```

{% extends 'base.html' %}

{% block title %}Email Verification - Falied{% endblock %}


{% block content %}

<div class="mx-auto text-center">

    <div style="padding-top: 5rem;">

        <h1>Invalid account validation</h1>

```

```
        <p>Sorry we couldn't activate your account</p>
    </div>
</div>
```

```
{% endblock %}
```

Activate_account_.html

```
!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html data-editor-version="2" class="sg-campaigns"
xmlns="http://www.w3.org/1999/xhtml">

<head>

    <meta http-equiv="Content-Type" content="text/html; charset=utf-8">

    <meta name="viewport" content="width=device-width, initial-scale=1, minimum-
scale=1, maximum-scale=1">

    <!--[if !mso]><!-->

    <meta http-equiv="X-UA-Compatible" content="IE=Edge">

    <!--<![endif]-->

    <!--[if (gte mso 9)|(IE)]>

        <xml>

            <o:OfficeDocumentSettings>

                <o:AllowPNG/>

                <o:PixelsPerInch>96</o:PixelsPerInch>

            </o:OfficeDocumentSettings>

        </xml>

    <![endif]-->

    <!--[if (gte mso 9)|(IE)]>

    <style type="text/css">

        body {width: 600px;margin: 0 auto;}
```

```
table {border-collapse: collapse;}

table, td {mso-table-lspace: 0pt;mso-table-rspace: 0pt;}

img {-ms-interpolation-mode: bicubic;}

</style>

<![endif]-->

<style type="text/css">

    body,

    p,

    div {

        font-family: inherit;

        font-size: 14px;

    }


    body {

        color: #000000;

    }


    body a {

        color: #1188E6;

        text-decoration: none;

    }


    p {

        margin: 0;

        padding: 0;

    }
```

```
table.wrapper {  
  width: 100% !important;  
  table-layout: fixed;  
  -webkit-font-smoothing: antialiased;  
  -webkit-text-size-adjust: 100%;  
  -moz-text-size-adjust: 100%;  
  -ms-text-size-adjust: 100%;  
}
```

```
img.max-width {  
  max-width: 100% !important;  
}
```

```
.column.of-2 {  
  width: 50%;  
}
```

```
.column.of-3 {  
  width: 33.333%;  
}
```

```
.column.of-4 {  
  width: 25%;  
}
```

```
ul ul ul ul {
    list-style-type: disc !important;
}

ol ol {
    list-style-type: lower-roman !important;
}

ol ol ol {
    list-style-type: lower-latin !important;
}

ol ol ol ol {
    list-style-type: decimal !important;
}

@media screen and (max-width:480px) {

    .preheader .rightColumnContent,
    .footer .rightColumnContent {
        text-align: left !important;
    }

    .preheader .rightColumnContent div,
```



```
.preheader .rightColumnContent span,  
.footer .rightColumnContent div,  
.footer .rightColumnContent span {  
    text-align: left !important;  
}
```

```
.preheader .rightColumnContent,  
.preheader .leftColumnContent {  
    font-size: 80% !important;  
    padding: 5px 0;  
}
```

```
table.wrapper-mobile {  
    width: 100% !important;  
    table-layout: fixed;  
}
```

```
img.max-width {  
    height: auto !important;  
    max-width: 100% !important;  
}
```

```
a.bulletproof-button {  
    display: block !important;  
    width: auto !important;  
    font-size: 80%;
```

```
padding-left: 0 !important;
padding-right: 0 !important;
}

.columns {
    width: 100% !important;
}

.column {
    display: block !important;
    width: 100% !important;
    padding-left: 0 !important;
    padding-right: 0 !important;
    margin-left: 0 !important;
    margin-right: 0 !important;
}

.social-icon-column {
    display: inline-block !important;
}
}
</style>
<style>
@media screen and (max-width:480px) {
    table\0 {
        width: 480px !important;
    }
}
```



```

        <!--[if mso]>

        <center>

        <table><tr><td width="600">

<![endif]-->

        <table width="100%" cellpadding="0" cellspacing="0"
border="0"

        style="width:100%; max-width:600px;" align="center">

        <tr>

        <td role="modules-container"

        style="padding:0px 0px 0px 0px; color:#000000;
text-align:left;" bgcolor="#FFFFFF"

        width="100%" align="left">

        <table class="module preheader preheader-hide"
role="module" data-type="preheader"

        border="0" cellpadding="0" cellspacing="0"
width="100%"

        style="display: none !important; visibility:
hidden; opacity: 0; color: transparent; height: 0; width: 0;">

        <tr>

        <td role="module-content">

        <p></p>

        </td>

        </tr>

        </table>

        <table border="0" cellpadding="0" cellspacing="0"
align="center" width="100%"

        role="module" data-type="columns"
style="padding:30px 20px 30px 20px;" bgcolor="#f6f6f6"

        data-distribution="1">

        <tbody>

        <tr role="module-content">

        <td height="100%" valign="top">

```

[illegible]

`src="http://cdn.mcauto-images-production.sendgrid.net/4bf13fb39916be28/80cb099c-5924-4ed3-b90c-1ae842911ec9/32x32.png"`

`height="32">`

`</td>`

`</tr>`

`</tbody>`

`</table>`

`data-type="spacer" border="0"`

`width="100%"`

`8852-b7dbeb9101d7">`

`<table class="module" role="module"`

`cellpadding="0" cellspacing="0"`

`style="table-layout: fixed;"`

`data-muid="331cde94-eb45-45dc-`

`<tbody>`

`<tr>`

`20px 0px;" role="module-content"`

`<td style="padding:0px 0px`

`bgcolor="">`

`</td>`

`</tr>`

`</tbody>`

`</table>`

`role="module" data-type="image" border="0"`

`width="100%"`

`9877-d46adf313282">`

`<table class="wrapper"`

`cellpadding="0" cellspacing="0"`

`style="table-layout: fixed;"`

`data-muid="d8508015-a2cb-488c-`

`<tbody>`

```
height:10px; padding:15px 0px 0px 0px;"
```

```
align="center">
```

```
border="0"
```

```
color:#000000; text-decoration:none; font-family:Helvetica, arial, sans-serif;  
font-size:16px;"
```

```
proportionally-constrained="true"
```

```
images-production.sendgrid.net/4bf13fb39916be28/b494830b-6456-4fcb-bc87-  
b16f8a904a88/359x60.png"
```

```
data-type="spacer" border="0"
```

```
width="100%"
```

```
94f9-a4f28bc172a0">
```

```
30px 0px;" role="module-content"
```

```
<tr>
```

```
<td
```

```
style="font-size:6px; line-
```

```
valign="top"
```

```

```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<table class="module" role="module"
```

```
cellpadding="0" cellspacing="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="27716fe9-ee64-4a64-
```

```
<tbody>
```

```
<tr>
```

```
<td style="padding:0px 0px
```

```

        bgcolor="">
    </td>
</tr>
</tbody>
</table>
<table class="module" role="module"
data-type="text" border="0"
width="100%"
a90e-625a47b1c957"
22">
        cellpadding="0" cellspacing="0"
        style="table-layout: fixed;"
        data-muid="948e3f3f-5214-4721-
        data-mc-module-version="2019-10-
        <tbody>
            <tr>
                <td
                    style="padding:30px 30px
30px 30px; line-height:1px; text-align:inherit; background-color:#FC1002;"
                    height="100%" valign="top"
                    bgcolor="#FC1002"
                    role="module-content">
                <div>
                    <h1 style="text-align:
                    style="color:
                    <div></div>
                </div>
            </td>
        </tr>
    </tbody>
```



```

data-type="text" border="0"

width="100%"

a90e-625a47b1c957.1"

22">

</table>

<table class="module" role="module"

cellpadding="0" cellspacing="0"

style="table-layout: fixed;"

data-muid="948e3f3f-5214-4721-

data-mc-module-version="2019-10-

<tbody>

<tr>

<td

style="padding:18px 30px

18px 30px; line-height:36px; text-align:inherit; background-color:#ffffff;"

height="100%" valign="top"

bgcolor="#ffffff"

role="module-content">

<div>

<div style="font-family:

inherit; text-align: center"><span

style="color:

#000000; font-family: Colfax, Helvetica, Arial, sans-serif; font-style: normal;

font-variant-ligatures: normal; font-variant-caps: normal; font-weight: 400;

letter-spacing: normal; orphans: 2; text-align: center; text-indent: 0px; text-

transform: none; white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-

text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-

thickness: initial; text-decoration-style: initial; text-decoration-color:

initial; float: none; display: inline; font-size: 18px"><strong

>Hi

{{user.username}}, Welcome !</strong></span></div>

<div style="font-family:

inherit; text-align: center"><span

```

```

                                style="font-size:
18px"><strong>You're almost ready to start enjoying
BleBluBla</strong></span></div>

                                <div style="font-family:
inherit; text-align: center"><span

                                style="font-size:
18px"><strong>Simply click on the button below and&nbsp;</strong></span></div>

                                <div style="font-family:
inherit; text-align: center"><span

                                style="font-size:
18px"><strong>activate your account ...</strong></span></div>

                                <div style="font-family:
inherit; text-align: center"><span

                                style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: inherit; font-stretch: inherit; line-height: inherit; font-family:
inherit; vertical-align: baseline; border-top-width: 0px; border-right-width:
0px; border-bottom-width: 0px; border-left-width: 0px; border-top-style: initial;
border-right-style: initial; border-bottom-style: initial; border-left-style:
initial; border-top-color: initial; border-right-color: initial; border-bottom-
color: initial; border-left-color: initial; border-image-source: initial; border-
image-slice: initial; border-image-width: initial; border-image-outset: initial;
border-image-repeat: initial; letter-spacing: normal; orphans: 2; text-align:
center; text-indent: 0px; text-transform: none; white-space: pre-wrap; widows: 2;
word-spacing: 0px; -webkit-text-stroke-width: 0px; text-decoration-thickness:
initial; text-decoration-style: initial; text-decoration-color: initial; color:
#ffbe00; background-color: rgb(255, 255, 255); font-size: 18px"><strong
                                >Thank you
!</strong></span><span

                                style="font-size:
18px"><strong> </strong></span>&nbsp;<

                                </div>

                                <div></div>

                                </div>

                                </td>

```

```

        </tr>
      </tbody>
    </table>
    <table border="0" cellpadding="0"
cellspacing="0" class="module"
type="button" role="module"
width="100%"
a727-58be74cf9cae">
        data-role="module-button" data-
style="table-layout:fixed;"
data-muid="b5229de1-56fa-4481-
<tbody>
  <tr>
    <td align="center"
bgcolor="#ffffff" class="outer-td"
style="padding:0px 0px 0px
0px; background-color:#ffffff;">
      <table border="0"
cellpadding="0" cellspacing="0"
class="wrapper-mobile"
style="text-align:center;">
        <tbody>
          <tr>
            <td align="center"
bgcolor="#21BF73" class="inner-td"
style="border-
radius:6px; font-size:16px; text-align:center; background-color:inherit;">
              <a href="http://{
domain }}{% url 'activate' uidb64=uid token=token %}"
style="background-color:#21BF73; border:1px solid #21BF73; border-color:#21BF73;
border-radius:6px; border-width:1px; color:#ffffff; display:inline-block; font-
size:14px; font-weight:normal; letter-spacing:0px; line-height:normal;
padding:12px 18px 12px 18px; text-align:center; text-decoration:none; border-
style:solid;"

```

`target="_blank">Verify Now`

`data-type="spacer" border="0"`

`width="100%"`

`a277-1c66b2646d8d">`

`20px 0px;" role="module-content"`

`data-type="text" border="0"`

`width="100%"`

`</td>`

`</tr>`

`</tbody>`

`</table>`

`</td>`

`</tr>`

`</tbody>`

`</table>`

`<table class="module" role="module"`

`cellpadding="0" cellspacing="0"`

`style="table-layout: fixed;"`

`data-muid="7770fdab-634a-4f62-`

`<tbody>`

`<tr>`

`<td style="padding:0px 0px`

`bgcolor="#ffffff">`

`</td>`

`</tr>`

`</tbody>`

`</table>`

`<table class="module" role="module"`

`cellpadding="0" cellspacing="0"`

`style="table-layout: fixed;"`

```

9009-54d6151b1600"
data-muid="a265ebb9-ab9c-43e8-
22">
data-mc-module-version="2019-10-
<tbody>
<tr>
<td
style="padding:50px 30px
50px 30px; line-height:22px; text-align:inherit; background-color:#6e6e6e;"
height="100%" valign="top"
bgcolor="#6e6e6e"
role="module-content">
<div>
<div style="font-family:
inherit; text-align: center"><span
style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: inherit; font-stretch: inherit; line-height: inherit; font-family:
inherit; font-size: 18px; vertical-align: baseline; border-top-width: 0px;
border-right-width: 0px; border-bottom-width: 0px; border-left-width: 0px;
border-top-style: initial; border-right-style: initial; border-bottom-style:
initial; border-left-style: initial; border-top-color: initial; border-right-
color: initial; border-bottom-color: initial; border-left-color: initial; border-
image-source: initial; border-image-slice: initial; border-image-width: initial;
border-image-outset: initial; border-image-repeat: initial; text-align: center;
color: #ffffff; letter-spacing: normal; orphans: 2; text-indent: 0px; text-
transform: none; white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-
text-stroke-width: 0px; background-color: rgb(110, 110, 110); text-decoration-
thickness: initial; text-decoration-style: initial; text-decoration-color:
initial"
>Need support? Our
support team is always</span></div>
<div style="font-family:
inherit; text-align: center"><span

```

```
style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: inherit; font-stretch: inherit; line-height: inherit; font-family:
inherit; font-size: 18px; vertical-align: baseline; border-top-width: 0px;
border-right-width: 0px; border-bottom-width: 0px; border-left-width: 0px;
border-top-style: initial; border-right-style: initial; border-bottom-style:
initial; border-left-style: initial; border-top-color: initial; border-right-
color: initial; border-bottom-color: initial; border-left-color: initial; border-
image-source: initial; border-image-slice: initial; border-image-width: initial;
border-image-outset: initial; border-image-repeat: initial; text-align: center;
color: #ffffff; letter-spacing: normal; orphans: 2; text-indent: 0px; text-
transform: none; white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-
text-stroke-width: 0px; background-color: rgb(110, 110, 110); text-decoration-
thickness: initial; text-decoration-style: initial; text-decoration-color:
initial"
```

>ready to

help! </div>

<div></div>

</div>

</td>

</tr>

</tbody>

</table>

<table border="0" cellpadding="0"

cellspacing="0" class="module"

data-role="module-button" data-

type="button" role="module"

style="table-layout:fixed;"

width="100%"

data-muid="d050540f-4672-4f31-

80d9-b395dc08abe1.1">

<tbody>

<tr>

```

        bgcolor="#6e6e6e" class="outer-td"

        style="padding:0px 0px 0px

        cellpadding="0" cellspacing="0"

        style="text-align:center;">

        <td align="center"

        style="padding:0px 0px 0px

        cellpadding="0" cellspacing="0"

        style="text-align:center;">

        <td align="center"

        style="border-

        radius:6px; font-size:16px; text-align:center; background-color:inherit;">

        <a href=""

        style="background-color:#ffbe00; border:1px solid #ffbe00; border-color:#ffbe00;

        border-radius:0px; border-width:1px; color:#000000; display:inline-block; font-

        size:14px; font-weight:normal; letter-spacing:0px; line-height:normal;

        padding:12px 40px 12px 40px; text-align:center; text-decoration:none; border-

        style:solid; font-family:inherit;"

        target="_blank">Contact Support</a>

        </td>

        </tr>

        </tbody>

        </table>

        </td>

        </tr>

        </tbody>

        </table>

        <table class="module" role="module"

        data-type="spacer" border="0"

```

```
width="100%"
```

```
b825-9645974c984e">
```

```
30px 0px;" role="module-content"
```

```
data-type="social" align="center"
```

```
cellspacing="0" width="100%"
```

```
a357-54139d1a1790">
```

```
10px 10px; font-size:6px; line-height:10px; background-color:#6E6E6E;"
```

```
start:auto;-webkit-margin-end:auto;">
```

```
cellpadding="0" cellspacing="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="c37cc5b7-79f4-4ac8-
```

```
<tbody>
```

```
<tr>
```

```
<td style="padding:0px 0px
```

```
bgcolor="6E6E6E">
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<table class="module" role="module"
```

```
border="0" cellpadding="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="99c55928-08ae-4a4f-
```

```
<tbody>
```

```
<tr>
```

```
<td valign="top"
```

```
style="padding:10px 10px
```

```
align="center">
```

```
<table align="center"
```

```
style="-webkit-margin-
```

```
<tbody></tbody>
```

```
</table>
```



```

                </td>
            </tr>
        </tbody>
    </table>
</td>
</tr>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
<div data-role="module-unsubscribe" class="module"
role="module" data-type="unsubscribe"
style="color:#444444; font-size:12px; line-
height:20px; padding:16px 16px 16px 16px; text-align:Center;"
data-muid="4e838cf3-9892-4a6d-94d6-170e474d21e5">
<div class="Unsubscribe--addressLine"></div>
<p style="font-size:12px; line-height:20px;"><a
target="_blank"
class="Unsubscribe--unsubscribeLink zzzzzzz"
href="{{unsubscribe}}"
>Unsubscribe</a> - <a
href="{{unsubscribe_preferences}}" target="_blank"
class="Unsubscribe--unsubscribePreferences"
>Unsubscribe Preferences</a></p>
</div>
</td>
</tr>
</table>
<!--[if mso]>

```

```
        </td>
      </tr>
    </table>
  </center>
  <![endif]-->
</td>
</tr>
</table>
</td>
</tr>
</table>
</td>
</tr>
</table>
</div>
</center>
</body>
```

```
</html>
```

Check_email.html

```
{% extends 'base.html' %}
{% block title %}Email Verification{% endblock %}
```

```
{% block content %}
```

```
<div class="mx-auto text-center">
  <div style="padding-top:5rem;">
    <h1>Activate your account</h1>
```

```

<p>Please check your inbox and verify your email address</p>

<h5>Please Enter OTP to verify Email...</h5>

<div class="otp_container d-flex align-items-center justify-content-
center p-1" style=" height: 400px;">

    <div class="card d-flex align-items-center justify-content-center p-
3" style="width:500px ;height: 200px;">

        <form method="post" action="activate">

            {% csrf_token %}

            <input class="form-control mb-2" name="otp"
placeholder="Enter OTP">

            <button class="btn btn-primary mt-1">submit</button>

        </form>

    </div>

</div>

</div>

</div>

```

```
{% endblock %}
```

Password_reset_complete.html

```

{% extends 'base.html' %}

{% block title %}Reset Password{% endblock %}

{% block head_extra %}

<link href="/static/css/home3.css" rel="stylesheet" type="text/css" />

<!-- <link href="/static/css/search_results.css" rel="stylesheet"> -->

<script type="text/javascript" src="/static/js/home.js"></script>

<!--<link
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css"/>-->

```

```

{% endblock %}

{% block content %}

<div style="padding-top: 7rem; padding-left:2rem;">
    <h2 style="font-weight: 300; font-size: 20px;">Password reset complete</h2>
    <p style="font-size: 14px;">Your password has been set. You may go ahead and log
    in now.</p>

    <p><a href="{{ login_url }}" style="color:rgb(68 126 155);">Log in</a></p>
</div>

{% endblock %}

```

Password_reset_confirm.html

```

{% extends 'base.html' %}

{% block title %}Reset Password{% endblock %}

{% block head_extra %}

<link href="/static/css/home3.css" rel="stylesheet" type="text/css" />
<!-- <link href="/static/css/search_results.css" rel="stylesheet"> -->
<script type="text/javascript" src="/static/js/home.js"></script>
<!--<link
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css"/>-->

{% endblock %}

{% block content %}

<div style="padding-top: 7rem; padding-left:2rem;">
    {% if validlink %}

```

```

    <h2 style="margin: 0 0 20px; font-weight: 300; font-size: 20px; color: var(--
body-quiet-color);">Enter new password

</h2>

<p>Please enter your new password twice so we can verify you typed it in
correctly.</p>

<div style="padding-left:1rem;">
    <form method="post">{% csrf_token %}

        <fieldset class="module aligned">

            <input type="hidden" autocomplete="username" value="{{
form.user.get_username }}">

            <div class="form-row field-password1">

                {{ form.new_password1.errors }}

                <div class="row mt-3" >

                    <div class="col-5 ml-3 ">

                        <label for="id_new_password1" style=" font-weight:
normal; font-size: 13px;"> New password:

                            </label>

                        </div>

                        <div class="col-5">

                            {{ form.new_password1 }}

                        </div>

                    </div>

                </div>

                <div class="col-5">

                    {{ form.new_password2 }}

                </div>

            </div>

        </div>

    <hr>

    <div class="form-row field-password2">

        <div>{{ form.new_password2.errors }}</div>

        <div class="row mt-5" style="margin-left: 0rem;">

            <div class="col-5 mr-1 ">

```

```

        <label for="id_new_password2" style=" font-
weight: normal; font-size: 13px;"> Confirm
            password:
        </label>
    </div>
    <div class="col-5">
        {{ form.new_password2 }}
    </div>
</div>

</div>
<hr>
<div>
    <input type="submit"
        style=" font-weight: normal; font-size: 13px;
background:rgb(121 174 200); border:none; color:aliceblue; padding:10px 15px;
border-radius:4px;"
        value="Change my password">
    </div>
</fieldset>
</form>
</div>
</div>

{% else %}

```

```

<p> The password reset link was invalid, possibly because it has already been
used. Please request a new password reset.

```

```

</p>

```

```
{% endif %}
```

```
{% endblock %}
```

Password_reset_done.html

```
% extends 'base.html' %}
```

```
{% block title %}Reset Password{% endblock %}
```

```
{% block head_extra %}
```

```
<link href="/static/css/home3.css" rel="stylesheet" type="text/css" />
```

```
<!-- <link href="/static/css/search_results.css" rel="stylesheet"> -->
```

```
<script type="text/javascript" src="/static/js/home.js"></script>
```

```
<!--<link
```

```
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css"/>-->
```

```
{% endblock %}
```

```
{% block content %}
```

```
<div style="padding-top:7rem; padding-left:2rem;">
```

```
    <h2>Password reset</h2>
```

```
<p>We've emailed you instructions for setting your password, if an account exists  
with the email you entered. You should receive them shortly.</p>
```

```
<p>If you don't receive an email, please make sure you've entered the address you  
registered with, and check your spam folder.</p>
```

```
</div>
```

```
{% endblock %}
```

Password_reset_email.html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">

<html data-editor-version="2" class="sg-campaigns"
xmlns="http://www.w3.org/1999/xhtml">

<head>

  <meta http-equiv="Content-Type" content="text/html; charset=utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1, minimum-
scale=1, maximum-scale=1">

  <!--[if !mso]><!-->

  <meta http-equiv="X-UA-Compatible" content="IE=Edge">

  <!--<![endif]-->

  <!--[if (gte mso 9)|(IE)]>
    <xml>
      <o:OfficeDocumentSettings>
        <o:AllowPNG/>
        <o:PixelsPerInch>96</o:PixelsPerInch>
      </o:OfficeDocumentSettings>
    </xml>
  <![endif]-->

  <!--[if (gte mso 9)|(IE)]>
<style type="text/css">
  body {width: 600px;margin: 0 auto;}
  table {border-collapse: collapse;}
  table, td {mso-table-lspace: 0pt;mso-table-rspace: 0pt;}
  img {-ms-interpolation-mode: bicubic;}
</style>
```



```
<![endif]-->

<style type="text/css">

    body,

    p,

    div {

        font-family: inherit;

        font-size: 14px;

    }


    body {

        color: #000000;

    }


    body a {

        color: #1188E6;

        text-decoration: none;

    }


    p {

        margin: 0;

        padding: 0;

    }


    table.wrapper {

        width: 100% !important;

        table-layout: fixed;
```

```
-webkit-font-smoothing: antialiased;  
-webkit-text-size-adjust: 100%;  
-moz-text-size-adjust: 100%;  
-ms-text-size-adjust: 100%;  
}
```

```
img.max-width {  
    max-width: 100% !important;  
}
```

```
.column.of-2 {  
    width: 50%;  
}
```

```
.column.of-3 {  
    width: 33.333%;  
}
```

```
.column.of-4 {  
    width: 25%;  
}
```

```
ul ul ul ul {  
    list-style-type: disc !important;  
}
```

```
ol ol {  
    list-style-type: lower-roman !important;  
}
```

```
ol ol ol {  
    list-style-type: lower-latin !important;  
}
```

```
ol ol ol ol {  
    list-style-type: decimal !important;  
}
```

```
@media screen and (max-width:480px) {
```

```
.preheader .rightColumnContent,  
.footer .rightColumnContent {  
    text-align: left !important;  
}
```

```
.preheader .rightColumnContent div,  
.preheader .rightColumnContent span,  
.footer .rightColumnContent div,  
.footer .rightColumnContent span {  
    text-align: left !important;  
}
```

```
}
```

```
.preheader .rightColumnContent,  
.preheader .leftColumnContent {  
    font-size: 80% !important;  
    padding: 5px 0;  
}
```

```
table.wrapper-mobile {  
    width: 100% !important;  
    table-layout: fixed;  
}
```

```
img.max-width {  
    height: auto !important;  
    max-width: 100% !important;  
}
```

```
a.bulletproof-button {  
    display: block !important;  
    width: auto !important;  
    font-size: 80%;  
    padding-left: 0 !important;  
    padding-right: 0 !important;  
}
```

```
.columns {
    width: 100% !important;
}

.column {
    display: block !important;
    width: 100% !important;
    padding-left: 0 !important;
    padding-right: 0 !important;
    margin-left: 0 !important;
    margin-right: 0 !important;
}

.social-icon-column {
    display: inline-block !important;
}
}
</style>
<style>
    @media screen and (max-width:480px) {
        table\0 {
            width: 480px !important;
        }
    }
</style>
<!--user entered Head Start-->
<link href="https://fonts.googleapis.com/css?family=Muli&display=swap"
rel="stylesheet">
```

```

<style>

  body {

    font-family: 'Muli', sans-serif;

  }

</style>

<!--End Head user entered-->

</head>


<body>

  <center class="wrapper" data-link-color="#1188E6"

    data-body-style="font-size:14px; font-family:inherit; color:#000000;
background-color:#FFFFFF;">

    <div class="webkit">

      <table cellpadding="0" cellspacing="0" border="0" width="100%"
class="wrapper" bgcolor="#FFFFFF">

        <tr>

          <td valign="top" bgcolor="#FFFFFF" width="100%">

            <table width="100%" role="content-container" class="outer"
align="center" cellpadding="0" cellspacing="0"

              border="0">

                <tr>

                  <td width="100%">

                    <table width="100%" cellpadding="0" cellspacing="0" border="0">

                      <tr>

                        <td>

                          <!--[if mso]>

                            <center>

                              <table><tr><td width="600">

                                <![endif]-->

```

```

border="0"
<table width="100%" cellpadding="0" cellspacing="0"
style="width:100%; max-width:600px;" align="center">
<tr>
<td role="modules-container"
style="padding:0px 0px 0px 0px; color:#000000;
text-align:left;" bgcolor="#FFFFFF"
width="100%" align="left">
<table class="module preheader preheader-hide"
role="module" data-type="preheader"
border="0" cellpadding="0" cellspacing="0"
width="100%"
style="display: none !important; visibility:
hidden; opacity: 0; color: transparent; height: 0; width: 0;">
<tr>
<td role="module-content">
<p></p>
</td>
</tr>
</table>
<table border="0" cellpadding="0" cellspacing="0"
align="center" width="100%"
role="module" data-type="columns"
style="padding:30px 20px 30px 20px;" bgcolor="#f6f6f6"
data-distribution="1">
<tbody>
<tr role="module-content">
<td height="100%" valign="top">
<table width="540"
style="width:540px; border-spacing:0;
border-collapse:collapse; margin:0px 10px 0px 10px;"

```

```

align="left" border="0" bgcolor=""

class="column column-0">

<tbody>

  <tr>

    <td

      style="padding:0px;margin:0px;border-spacing:0;">

        <table class="wrapper"

          cellpadding="0" cellspacing="0"

          style="table-layout: fixed;"

          data-muid="72aac1ba-9036-4a77-

b9d5-9a60d9b05cba">

          <tbody>

            <tr>

              <td

                style="font-size:6px; line-

                valign="top"

            </td>

```



```
data-type="spacer" border="0"
```

```
width="100%"
```

```
8852-b7dbeb9101d7">
```

```
20px 0px;" role="module-content"
```

```
role="module" data-type="image" border="0"
```

```
width="100%"
```

```
9877-d46adf313282">
```

```
height:10px; padding:15px 0px 0px 0px;"
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<table class="module" role="module"
```

```
cellpadding="0" cellspacing="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="331cde94-eb45-45dc-
```

```
<tbody>
```

```
<tr>
```

```
<td style="padding:0px 0px
```

```
bgcolor="">
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<table class="wrapper"
```

```
cellpadding="0" cellspacing="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="d8508015-a2cb-488c-
```

```
<tbody>
```

```
<tr>
```

```
<td
```

```
style="font-size:6px; line-
```

```

align="center">
border="0"
color:#000000; text-decoration:none; font-family:Helvetica, arial, sans-serif;
font-size:16px;"
proportionally-constrained="true"
width="180" alt="" data-
data-responsive="false"
src="http://cdn.mcauto-
images-production.sendgrid.net/4bf13fb39916be28/b494830b-6456-4fcb-bc87-
b16f8a904a88/359x60.png"
height="30">
</td>
</tr>
</tbody>
</table>
<table class="module" role="module"
data-type="spacer" border="0"
width="100%"
cellpadding="0" cellspacing="0"
style="table-layout: fixed;"
data-muid="27716fe9-ee64-4a64-
94f9-a4f28bc172a0">
<tbody>
<tr>
<td style="padding:0px 0px
30px 0px;" role="module-content"
bgcolor="">
</td>
</tr>
</tbody>

```

```
data-type="text" border="0"
```

```
width="100%"
```

```
a90e-625a47b1c957"
```

```
22">
```

```
30px 30px; line-height:1px; text-align:inherit; background-color:#FC1002;"
```

```
bgcolor="#FC1002"
```

```
center"><span
```

```
#ffffff">Password Reset</span></h1>
```

```
data-type="text" border="0"
```

```
width="100%"
```

```
</table>
```

```
<table class="module" role="module"
```

```
cellpadding="0" cellspacing="0"
```

```
style="table-layout: fixed;"
```

```
data-muid="948e3f3f-5214-4721-
```

```
data-mc-module-version="2019-10-
```

```
<tbody>
```

```
<tr>
```

```
<td
```

```
style="padding:30px 30px
```

```
height="100%" valign="top"
```

```
role="module-content">
```

```
<div>
```

```
<h1 style="text-align:
```

```
style="color:
```

```
<div></div>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<table class="module" role="module"
```

```
cellpadding="0" cellspacing="0"
```

```
a90e-625a47b1c957.1"

22">

style="table-layout: fixed;"
data-muid="948e3f3f-5214-4721-

data-mc-module-version="2019-10-

<tbody>
  <tr>
    <td
      style="padding:50px 30px
18px 30px; line-height:36px; text-align:inherit; background-color:#ffffff;"
      height="100%" valign="top"
bgcolor="#ffffff"
      role="module-content">
    <div>
      <div style="font-family:
inherit; text-align: center"><span
        style="color:
#000000; font-family: Colfax, Helvetica, Arial, sans-serif; font-style: normal;
font-variant-ligatures: normal; font-variant-caps: normal; font-weight: 400;
letter-spacing: normal; orphans: 2; text-align: center; text-indent: 0px; text-
transform: none; white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-
text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-
thickness: initial; text-decoration-style: initial; text-decoration-color:
initial; float: none; display: inline; font-size: 18px"><strong>Hi
{{user}}!</strong></span></div>
      <div style="font-family:
inherit; text-align: center"><span
        style="font-size:
18px"><strong>You're receiving this email
      because you
      requested a password reset for your user
      account at {{
site_name }}.</strong></span></div>
      <div style="font-family:
inherit; text-align: left"><br></div>
```

```

<div
    style="font-family:
inherit; text-align: inherit;margin-left: 0px;margin-bottom: -55px">

    <span
        style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: inherit; font-stretch: inherit; line-height: inherit; font-family:
inherit; font-size: 18px; vertical-align: baseline; border-top-width: 0px;
border-right-width: 0px; border-bottom-width: 0px; border-left-width: 0px;
border-top-style: initial; border-right-style: initial; border-bottom-style:
initial; border-left-style: initial; border-top-color: initial; border-right-
color: initial; border-bottom-color: initial; border-left-color: initial; border-
image-source: initial; border-image-slice: initial; border-image-width: initial;
border-image-outset: initial; border-image-repeat: initial; text-align: left;
color: #000000; letter-spacing: normal; orphans: 2; text-indent: 0px; text-
transform: none; white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-
text-stroke-width: 0px; background-color: rgb(255, 255, 255); text-decoration-
thickness: initial; text-decoration-style: initial; text-decoration-color:
initial"

        >Please click the
<strong style="color: #21bf73;">button</strong> below to set a new password!

    </span>

</div>

</div>

</td>

</tr>

</tbody>

</table>

<table border="0" cellpadding="0"

cellspacing="0" class="module"

data-role="module-button" data-

type="button" role="module"

style="table-layout:fixed;"

width="100%"

```

```

80d9-b395dc08abe1.1">
data-muid="d050540f-4672-4f31-

<tbody>
<tr>
<td align="center"
bgcolor="#FFFFFF" class="outer-td"
style="padding:0px 0px 0px
0px; background-color:#FFFFFF;">

<table border="0"
class="wrapper-mobile"
style="text-align:center;">

<tbody>
<tr>
<td align="center"
bgcolor="#21BF73" class="inner-td"
style="border-
radius:6px; font-size:16px; text-align:center; background-color:inherit;">
<a href="{
protocol }}://{{ domain }}{% url 'password_reset_confirm' uidb64=uid token=token
%}"
style="background-color:#21BF73; border:1px solid #21BF73; border-color:#21BF73;
border-radius:0px; border-width:1px; display:inline-block; font-size:14px; font-
weight:bold; letter-spacing:0px; line-height:normal; padding:12px 40px 12px 40px;
text-align:center; text-decoration:none; border-style:solid; font-family:inherit;
color:#FFFFFF;"
target="_blank">Reset password</a>

</td>
</tr>
</tbody>
</table>
</td>

```

```

        </tr>
      </tbody>
    </table>

    <table class="module" role="module"
data-type="text" border="0"
width="100%"
cellpadding="0" cellspacing="0"
style="table-layout: fixed;"
data-muid="a10dcb57-ad22-4f4d-
b765-1d427dfddb4e"
data-mc-module-version="2019-10-
22">

      <tbody>
        <tr>
          <td
style="padding:18px 30px
18px 30px; line-height:22px; text-align:inherit; background-color:#ffffff;"
height="100%" valign="top"
bgcolor="#ffffff"
role="module-content">
        <div>
          <div style="font-family:
inherit; text-align: left"><span
style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: inherit; font-stretch: inherit; line-height: inherit; font-family:
inherit; vertical-align: baseline; border-top-width: 0px; border-right-width:
0px; border-bottom-width: 0px; border-left-width: 0px; border-top-style: initial;
border-right-style: initial; border-bottom-style: initial; border-left-style:
initial; border-top-color: initial; border-right-color: initial; border-bottom-
color: initial; border-left-color: initial; border-image-source: initial; border-
image-slice: initial; border-image-width: initial; border-image-outset: initial;
border-image-repeat: initial; text-align: left; color: #000000; letter-spacing:

```

```
normal; orphans: 2; text-indent: 0px; text-transform: none; white-space: pre-
wrap; widows: 2; word-spacing: 0px; -webkit-text-stroke-width: 0px; background-
color: rgb(255, 255, 255); text-decoration-thickness: initial; text-decoration-
style: initial; text-decoration-color: initial; font-size: 15px"
```

```
>Your username incase
you have forgotten : {{user.get_username}}</span>
```

```
</div>
```

```
<div style="font-family:
inherit; text-align: left"><br></div>
```

```
<div style="font-family:
inherit; text-align: center"><span
```

```
style="box-sizing:
border-box; padding-top: 0px; padding-right: 0px; padding-bottom: 0px; padding-
left: 0px; margin-top: 0px; margin-right: 0px; margin-bottom: 0px; margin-left:
0px; font-style: inherit; font-variant-ligatures: inherit; font-variant-caps:
inherit; font-variant-numeric: inherit; font-variant-east-asian: inherit; font-
weight: bold; font-stretch: inherit; line-height: inherit; font-family: inherit;
font-size: 18px; vertical-align: baseline; border-top-width: 0px; border-right-
width: 0px; border-bottom-width: 0px; border-left-width: 0px; border-top-style:
initial; border-right-style: initial; border-bottom-style: initial; border-left-
style: initial; border-top-color: initial; border-right-color: initial; border-
bottom-color: initial; border-left-color: initial; border-image-source: initial;
border-image-slice: initial; border-image-width: initial; border-image-outset:
initial; border-image-repeat: initial; text-align: center; color: #ffbe00;
letter-spacing: normal; orphans: 2; text-indent: 0px; text-transform: none;
white-space: pre-wrap; widows: 2; word-spacing: 0px; -webkit-text-stroke-width:
0px; background-color: rgb(255, 255, 255); text-decoration-thickness: initial;
text-decoration-style: initial; text-decoration-color: initial"
```

```
>Thank
you!</span>&nbsp;
```

```
</div>
```

```
<div></div>
```

```
</div>
```

```
</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```



```
data-type="spacer" border="0"

width="100%"

a277-1c66b2646d8d">

20px 0px;" role="module-content"
```

```
data-type="text" border="0"

width="100%"

9009-54d6151b1600"

22">
```

```
50px 30px; line-height:22px; text-align:inherit; background-color:#6e6e6e;"

bgcolor="#6e6e6e"

role="module-content">
```

```
<table class="module" role="module"

cellpadding="0" cellspacing="0"

style="table-layout: fixed;"

data-muid="7770fdab-634a-4f62-

<tbody>

<tr>

<td style="padding:0px 0px

bgcolor="#ffffff">

</td>

</tr>

</tbody>

</table>

<table class="module" role="module"

cellpadding="0" cellspacing="0"

style="table-layout: fixed;"

data-muid="a265ebb9-ab9c-43e8-

data-mc-module-version="2019-10-

<tbody>

<tr>

<td

style="padding:50px 30px

height="100%" valign="top"

role="module-content">
```

```
inherit; text-align: center"><span  
#ffffff; font-size: 18px">If you did not  
change, kindly ignore this email / please  
have any questions.</span></div>
```

```
cellspacing="0" class="module"  
type="button" role="module"  
width="100%"  
80d9-b395dc08abe1.1.1">  
bgcolor="#6e6e6e" class="outer-td"  
0px; background-color:#6e6e6e;">  
cellpadding="0" cellspacing="0"  
style="text-align:center;">
```

```
<div>  
  <div style="font-family:  
    style="color:  
      request a password  
        contact us if you  
    <div></div>  
  </div>  
</td>  
</tr>  
</tbody>  
</table>  
<table border="0" cellpadding="0"  
  data-role="module-button" data-  
    style="table-layout:fixed;"  
    data-muid="d050540f-4672-4f31-  
  <tbody>  
    <tr>  
      <td align="center"  
        style="padding:0px 0px 0px  
      <table border="0"  
        class="wrapper-mobile"
```

```

        <tbody>
        <tr>
            <td align="center"
bgcolor="#ffbe00" class="inner-td"
        style="border-
radius:6px; font-size:16px; text-align:center; background-color:inherit;">
            <a href=""
style="background-color:#ffbe00; border:1px solid #ffbe00; border-color:#ffbe00;
border-radius:0px; border-width:1px; color:#000000; display:inline-block; font-
size:14px; font-weight:normal; letter-spacing:0px; line-height:normal;
padding:12px 40px 12px 40px; text-align:center; text-decoration:none; border-
style:solid; font-family:inherit;"
target="_blank">Contact Support</a>
        </td>
        </tr>
        </tbody>
    </table>
</td>
</tr>
</tbody>
</table>
<table class="module" role="module"
data-type="spacer" border="0"
width="100%"
cellpadding="0" cellspacing="0"
style="table-layout: fixed;"
data-muid="c37cc5b7-79f4-4ac8-
b825-9645974c984e">
    <tbody>
        <tr>

```

```
30px 0px;" role="module-content"

data-type="social" align="center"

cellspacing="0" width="100%"

a357-54139d1a1790">

start:auto;-webkit-margin-end:auto;">
```

```
<td style="padding:0px 0px

bgcolor="#6E6E6E">

</td>

</tr>

</tbody>

</table>

<table class="module" role="module"

border="0" cellpadding="0"

style="table-layout: fixed;"

data-muid="99c55928-08ae-4a4f-

a357-54139d1a1790">

<tbody>

<tr>

<td valign="top"

style="padding:10px 10px

10px 10px; font-size:6px; line-height:10px; background-color:#6E6E6E;"

align="center">

<table align="center"

style="-webkit-margin-

start:auto;-webkit-margin-end:auto;">

<tbody></tbody>

</table>

</td>

</tr>

</tbody>

</table>

</td>

</tr>
```

```
                </tbody>
            </table>
        </td>
    </tr>
</tbody>
</table>
<div data-role="module-unsubscribe" class="module"
role="module" data-type="unsubscribe"
style="color:#444444; font-size:12px; line-
height:20px; padding:16px 16px 16px 16px; text-align:Center;"
data-muid="4e838cf3-9892-4a6d-94d6-170e474d21e5">
    <div class="Unsubscribe--addressLine"></div>
    <p style="font-size:12px; line-height:20px;"><a
target="_blank"
class="Unsubscribe--unsubscribeLink zzzzzzz"
href="{unsubscribe}"
>Unsubscribe</a> - <a
href="{unsubscribe_preferences}" target="_blank"
class="Unsubscribe--unsubscribePreferences"
>Unsubscribe Preferences</a></p>
    </div>
</td>
</tr>
</table>
<!--[if mso]>
    </td>
    </tr>
</table>
</center>
<![endif]-->
</td>
```

```

        </tr>
    </table>
</td>
</tr>
</table>
</td>
</tr>
</table>
</div>
</center>
</body>

```

```
</html>
```

Password_reset_form.html

```

{% extends 'base.html' %}
{% block title %}Reset Password{% endblock %}
{% block head_extra %}
<link href="/static/css/home3.css" rel="stylesheet" type="text/css" />
<!-- <link href="/static/css/search_results.css" rel="stylesheet"> -->
<script type="text/javascript" src="/static/js/home.js"></script>
<!--<link
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css"/>-->
<style>
    #reset_pass {
        background-color: #3bb6b6;
        color: #ffffff;
        display: inline-block;
        padding: 3px 26px;
        border-radius: 4px;
    }

```

```

        text-decoration: none;

        border: hidden;
    }
</style>
{% endblock %}

{% block content %}
<div style="padding-top:7rem; padding-left:2rem;">
    <h3> Password Reset</h3>

    <p>Forgotten your password? Enter your email address below, and we'll email
instructions for setting a new one.</p>

    <form action="" method="post">
        <div style="display:none">
            <input type="hidden" value="{{ csrf_token }}"
name="csrfmiddlewaretoken">
        </div>
        {{ form.email.errors }}
        <div>
            <tr>
                <td><label for="id_email">E-mail address :</label></td>
                <td> {{ form.email }} </td>
            </tr>
            <td> <input type="submit" id="reset_pass" value="Reset password" />
</td>
        </tr>
    </div>
</div>

```

```
</form>
```

```
</div>
```

```
{% endblock %}
```

Password_reset_subject.html

```
{% load i18n %}{% autoescape off %}
```

```
{% blocktranslate %}Password reset on {{ site_name }}{% endblocktranslate %}
```

```
{% endautoescape %}
```

Register.html

```
{% extends 'base.html' %}
```

```
{% block title %}User Registration{% endblock %}
```

```
{% block head_extra %}
```

```
<link href="/static/css/register.css" rel="stylesheet" type="text/css" />
```

```
<script type="text/javascript" src="/static/js/register.js"></script>
```

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-  
validate/1.19.0/jquery.validate.min.js"> </script>
```

```
<!-- <link rel="stylesheet" href="static/build/css/intlTelInput.css"> -->
```

```
<!-- <link rel="stylesheet" href="static/build/css/demo.css"> -->
```

```
<!-- <script src="static/build/js/intlTelInput.js"></script> -->
```

```
<script type="text/javascript" src="https://code.jquery.com/jquery-  
3.4.1.min.js"></script>
```

```
<script type="text/javascript" src="https://cdnjs.cloudflare.com/ajax/libs/intl-  
tel-input/16.0.8/js/intlTelInput-jquery.min.js"></script>
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/intl-tel-  
input/16.0.8/css/intlTelInput.css" />
```



```
<script>
```

```
    $(function () {  
        $("#country").change(function () {  
            let countryCode = $(this).find('option:selected').data('country-  
code');  
            let value = "+" + $(this).val();  
            $('#txtPhone').val(value).intlTelInput("setCountry", countryCode);  
        });  
  
        var code = "+977";  
        $('#txtPhone').val(code).intlTelInput();  
    });
```

```
</script>
```

```
{% endblock %}
```

```
{% block content %}
```

```
<div style="background-color: transparent !important;" class="container">  
    <!--    <div class="register-card">-->  
        <div class="row d-flex align-items-center justify-content-center align-  
content-center">
```

```

<div class="col-12 w-50 p-4 pl-md-4 register-card">

    <div class="text-center mt-3">

        <h2>Create an Account</h2>

    </div>

    {% if form.errors %}

    {% for field in form %}

    {% for error in field.errors %}

    <div class="alert alert-danger">

        <strong>{{ error|escape }}</strong>

    </div>

    {% endfor %}

    {% endfor %}

    {% endif %}

    <form class="form" enctype="multipart/form-data" method="post"
id="register_frm" novalidate>

        {% csrf_token %}

        <div class="row ml-2 ">

            <div class=" mt-4 col-md-4 floating-label-group">

                <input type="text" name="first_name" id="first_name"
class="form-control" required

                autocomplete="off" />

                <label for="name" class="floating-label">

                    First Name

                </label>

```

```
        <div class="text-reg" style="margin-right: -20rem;">Enter  
name as it appears on your driver's
```

```
        <br>license or government-issued ID.
```

```
    </div>
```

```
</div>
```

```
<div class=" mt-4 col-md-4 floating-label-group">
```

```
    <input type="text" name="middle_name" class="form-  
control" required autocomplete="off" />
```

```
    <label class="floating-label">
```

```
        Middle Name
```

```
    </label>
```

```
</div>
```

```
<div class=" mt-4 col-md-4 floating-label-group">
```

```
    <input type="text" name="last_name" id="last_name"  
class="form-control" required
```

```
        autocomplete="off" />
```

```
    <label class="floating-label">
```

```
        Last Name
```

```
    </label>
```

```
</div>
```

```
<div class="col-12 floating-label-group">
```

```
    <input type="text" name="username" class="form-control"  
required autocomplete="off" />
```

```
    <label class="floating-label">
```

```
        Username
```

```
    </label>
```

```

    </div>

    <div class="col-12 floating-label-group">
        <input type="text" class="form-control" id="emails"
name="email" required />
        <label for="email" class="floating-label">
            Email Address
        </label>
        <div class="invalid-feedback blank-error1 mb-3"><label
style="color: #dc3545;
            font-size: 0.8rem;
            font-weight: 500;">username /email field cannot be
blank!</label>
        </div>
        <div class="invalid-feedback email_err1 mb-3"><label
style="color: #dc3545;
            font-size: 0.8rem;
            font-weight: 500;">Invalid email format please check
it!</label>
        </div>
    </div>

    <div class=" mt-4 floating-label-group col-md-6">

        <!-- <div class="row"> -->
            <!-- <div class="col-md-12 form-group">
                <div class="col-md-6 form-group hire-input-
country_box position-relative">
                    <select name="country" class="form-control"
id="country">

```

```

value="213">Algeria</option>
value="376">Andorra</option>
value="244">Angola</option>
value="1264">Anguilla</option>
value="1268">Antigua & Barbuda
</option>
</select>
</div>
</div> -->
<!-- <div class="col-md-12 form-group">
    <input type="tel" class="form-control"
id="txtPhone" class="txtbox" />
</div> -->
<!-- </div> -->
<!-- <input id="phone" name="phone" type="tel"
class="form-control"> -->
    <label style="position: relative;top:-
5px;padding:0;margin: 0 !important;">
        Phone number
    </label>
    <input type="text" class="form-control" id="txtPhone"
name="mobile_number" required
        autocomplete="off" />

    <input type="text" id="dummy-number" style="display:
none;" />

</div>
<div class="col-md-6">

```

```

<span>Can we text you?</span>

<div class="d-flex align-items-center position-relative">
  <div class="switches-container">
    <input type="radio" id="switch_job_commission_No"
name="job_commission" value="No" checked="checked" />
    <input type="radio"
id="switch_job_commission_Yes" name="job_commission" value="Yes" />
    <label for="switch_job_commission_No">No</label>
    <label
for="switch_job_commission_Yes">Yes</label>
    <div class="switch-wrapper">
      <div class="switch">
        <div>No</div>
        <div>Yes</div>
      </div>
    </div>
  </div>

  <!-- <button type="button" role="radio" class="px-5
group-btn py-2">No</button>

  <button type="button" role="radio" class="px-5 group-btn
py-2">Yes</button> -->
</div>

<div class="floating-label-group col-md-6">
  <input type="password" class="form-control" minlength="8"
name="password1" id="pwd1" required
autocomplete="off" />

```

```
<i id="paw_shows1" class="fas fa-eye"></i>
<i id="paw_hides1" class="fas fa-eye-slash "></i>
<label class="floating-label">
    Password
</label>
</div>
<div class=" text-reg col-12">
    By providing the information above, I authorize BleBluBla
    (and those acting on BleBluBla's
    behalf)
    to send me emails (and, if applicable, text messages to
    my mobile telephone)
    pertaining to information about my status for employment
    applications or employment-related
    information. See our Terms of Service and Privacy Policy
    here.
</div>
<!--
<div class="form-group mb-4 col-12">

    <label for="name">

        <span>Name</span>
    </label>
    <input type="text" class="form-control" id="name"
name="username"

    aria-describedby="basic-addon3" placeholder=" " required >

</div>
```

```

        <div class="form-group mb-4">
            <div class="pmd-textfield pmd-textfield-floating-label "
style="flex: auto;">
                <label for="email">Email</label>
                <input type="email" class="form-control" id="emails"
name="email"
                    aria-describedby="basic-addon3" required>
                <div class="invalid-feedback blank-
error1"><label>username /email field cannot be blank!</label>
                </div>
                <div class="invalid-feedback email_err1"><label>Invalid
email format please check it!</label>
                </div>
            </div>
        </div>
        <div class="form-group mb-4">
            <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">
                <label>Phone</label>
                <input type="tel" class="form-control" id="phone_number"
name="mobile_number"
                    aria-describedby="basic-addon3" required>
            </div>
        </div>
        <div class="form-group mb-4" style="position: relative;">
            <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">
                <label>Password</label>
                <i id="paw_shows1" class="fas fa-eye"></i>
                <i id="paw_hides1" class="fas fa-eye-slash "></i>

```



```

        <input type="password" class="form-control "
minlength="8" name="password1" id="pwd1"

        required />

        <div class="invalid-feedback"><label>password field
cannot be blank!</label>

        </div>

    </div>

-->

<!-- <div class="form-group mb-4" style="position:
relative;">

    <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">

        <label>Confirm Password</label>

        <i id ='paw_shows2'class="fas fa-eye "></i>

        <i id ='paw_hides2'class="fas fa-eye-slash "></i>

        <input type="password" class="form-control"
name="confirm_password2" id="Confirm_pwd2" required/>

    </div>

    <div class="invalid-feedback" id="pass_err1"><label>confirm
password field

        cannot be

        blank!</label></div>

    </div> -->

    <!-- <div class="form-group mb-4">

    <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">

        <label for="profile">Profile Photo</label>

        <input type="file" class="form-control" id="profile"
name="profile" aria-describedby="basic-addon3">

    </div>

    </div> -->

```

```

        <!-- <div class="form-group mb-4">
            <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">
                <label for="address">Address</label>
                <input type="text" class="form-control" id="address"
name="address" aria-describedby="basic-addon3">
            </div>
        </div>
        <div class="form-group mb-4">
            <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">
                <label for="city">City</label>
                <input type="text" class="form-control" id="city"
name="city" aria-describedby="basic-addon3">
            </div>
        </div>
        <div class="form-group mb-4">
            <div class="pmd-textfield pmd-textfield-floating-label"
style="flex: auto;">
                <label for="state">State</label>
                <input type="text" class="form-control" id="state"
name="state" aria-describedby="basic-addon3">
            </div>
        </div> -->

```

```

<div class="col-md-6 mt-4">
    <a href="/login" class="btn btn-link btn-sm pl-1">Sign in
to existing account</a>
</div>
<div class="col-md-6 text-end pr-3 cur-btn1 mt-4">

```

```

        <button type="submit" id="btn-submit"
                class="btn btn-default reg-btn
disabled">Register</button>
    </div>
</div>
</form>
</div>

<!-- </div>-->
</div>
</div>

```

```
{% endblock %}
```

Templatetags

int.py

Admin.py

```
from django.contrib import admin
```

App.py

```
from django.apps import AppConfig
```

```
class UsersConfig(AppConfig):
```

```
    default_auto_field = 'django.db.models.BigAutoField'
```

```
    name = 'users'
```

Forms.py

```
#from typing_extensions import Self
```

```
from dataclasses import field
```

```
import math
```

```
import os
```

```
from urllib import request
```

```

from django import forms
from django.conf import settings
from users.models import CustomUser
from django.contrib.auth.forms import UserCreationForm, UserChangeForm
from django.contrib.auth.models import AbstractUser
from django.contrib.sites.shortcuts import get_current_site
from django.utils.encoding import force_bytes
from django.utils.http import urlsafe_base64_encode
from django.template.loader import render_to_string
from .token import token_generator

# from phonenumber_field.formfields import PhoneNumberField
#
# from phonenumber_field.widgets import PhoneNumberPrefixWidget

# from sendgrid import SendGridAPIClient
# from sendgrid.helpers.mail import *
from django.core.mail import send_mail
import random

# Download the helper library from https://www.twilio.com/docs/python/install
import os

from twilio.rest import Client

# Find your Account SID and Auth Token at twilio.com/console
# and set the environment variables. See http://twil.io/secure

def sendSMS():
    # account_sid = os.environ['TWILIO_ACCOUNT_SID']
    # account_sid = os.environ.get('TWILIO_ACCOUNT_SID')
    # auth_token = os.environ.get('TWILIO_AUTH_TOKEN')
    account_sid = 'ACe765f622893a417859432b0caa8b177a'

```

```

auth_token = 'ef41dbad7a8e9d2157059eba0dd83721'

        #    body='dddd',

        #    to='+919524397170

# auth_token = os.environ['TWILIO_AUTH_TOKEN']
print(type(auth_token),account_sid)
client = Client(account_sid, auth_token)
message = client.messages('MG4fd350bcb0342964e037bdffc399fc81').fetch()

# message = client.messages.create(

#                                body='Hi testing otp message',

#                                from_="+15095161794",

#                                #

messaging_service_sid='MG4fd350bcb0342964e037bdffc399fc81',

#                                to='+919524397170'

#                                )

print(message.sid)
...

import urllib.request

import urllib.parse

def sendSMS(apikey, numbers, sender, message):

    data = urllib.parse.urlencode({'apikey': apikey, 'numbers': numbers,

        'message' : message, 'sender': sender})

    data = data.encode('utf-8')

    request = urllib.request.Request("https://api.textlocal.in/send/?")

    f = urllib.request.urlopen(request, data)

    fr = f.read()

    return(fr)

resp = sendSMS('NjM3ODM1NjI0MTUwNzc2YTcyNzUzODczNGM3NzUxNjE=',

'918056747633',

    '805674', 'This is testing ssm')

```

```

print ('sms response',resp)
'''

class UserRegisterForm(UserCreationForm):

    # mobile_number = PhoneNumberField(
    #     widget = PhoneNumberPrefixWidget(initial='IN')
    # )

    class Meta:
        model = CustomUser

        fields = ('username', 'email', 'mobile_number',
                  'password1')

        # widgets = {
        #     'phone': PhoneNumberPrefixWidget(),
        # }

    # def __init__(self, *args, **kwargs):
    #     # print(self.fields.values('mobile_number'))
    #     super(UserCreationForm, self).__init__(*args, **kwargs)
    #     self.fields.pop('password2')

    def send_activation_email(self, request, user, otp, us_id):
        current_site = get_current_site(request)

        subject = 'Welcome to ssr booking app'

        message = f'Hi {user}, thank you for registering in ssr-booking. your
oneTime Pass:${otp}'

        # email_from = 'kumaresan2773@gmail.com'

        email_from = settings.EMAIL_HOST_USER

        recipient_list = [user ]

```

```

print(current_site,email_from,user)

send_mail( subject, message, email_from, recipient_list )

...

send_mail(
    'Subject here',
    'Here is the message.',
    'from@example.com',
    ['to@example.com']
)

message = Mail(
    from_email=Email(from_mail),
    to_emails=To(str(user)),
    subject='Sending with Twilio SendGrid is Fun',
    html_content='Your Register Otp:<strong>'+otp+'</strong><br/><a
href="http://localhost:8000/activate/'+str(us_id)+'/'+otp+'">Active</a>')

    try:
        sg = SendGridAPIClient(os.environ.get('SENDGRID_API_KEY'))
        response = sg.send(message)

        # import pdb
        # pdb.set_trace()

        print(response.status_code)
        print(response.body)
        print(response.headers)

    except Exception as e:
        print(e)

    return response

...

# get_full_name()

```

```

class CustomUserChangeForm(UserChangeForm):
    class Meta:
        model = CustomUser
        fields = ('username', 'email')

class LogInForm(forms.Form):
    email = forms.EmailField()
    password = forms.CharField(widget=forms.PasswordInput)

    class Meta:
        model = CustomUser

```

Models.py

```

from django.db import models

# Create your models here.
from django.db import models
from django.contrib.auth.models import AbstractUser
# from phonenumber_field.modelfields import PhoneNumberField
from django.contrib.auth.base_user import BaseUserManager

class CustomUserManager(BaseUserManager):

    def _create_user(self, email, password, **extra_fields):
        """
        Create and save a User with the given email and password.

```



```

"""

if not email:
    raise ValueError("The given email must be set")
email = self.normalize_email(email)
user = self.model(email=email, **extra_fields)
user.set_password(password)
user.save(using=self._db)
return user

def create_user(self, email, password=None, **extra_fields):
    extra_fields.setdefault("is_superuser", False)
    return self._create_user(email, password, **extra_fields)

def create_superuser(self, email, password, **extra_fields):
    extra_fields.setdefault("is_staff", True)
    extra_fields.setdefault("is_superuser", True)

    if extra_fields.get("is_staff") is not True:
        raise ValueError(
            "Superuser must have is_staff=True."
        )
    if extra_fields.get("is_superuser") is not True:
        raise ValueError(
            "Superuser must have is_superuser=True."
        )

    return self._create_user(email, password, **extra_fields)

class CustomUser(AbstractUser):

```

```

email = models.EmailField("email address", unique=True)

mobile_number = models.CharField('mobile_number',max_length=15,blank=True)

# middle_name = models.CharField('middlename', max_length=150, blank=True)

# carrier_text_rates = models.CharField('carrier_text_rates', max_length=150,
blank=True)

# country_code = models.CharField('country_code',max_length=15,blank=True)

# city = models.CharField(max_length=100)

# state = models.CharField(max_length=100)

otp = models.CharField('otp',max_length=15,blank=True)

USERNAME_FIELD = "email" # make the user log in with the email

REQUIRED_FIELDS = ["username"]

objects = CustomUserManager()

def __str__(self):
    return self.email

```

Tests.py

```

from django.test import TestCase

# Create your tests here.

```

Tokens.py

```

from django.contrib.auth.tokens import PasswordResetTokenGenerator

class AccountActivationTokenGenerator(PasswordResetTokenGenerator):
    def _make_hash_value(self, user, timestamp):
        return (
            str(user.is_active) + str(user.pk) + str(timestamp)
        )

token_generator = AccountActivationTokenGenerator()

```

Urls.py

```

from django.urls import path, re_path, reverse_lazy

```

```

from . import views

from .views import (
    SignUpView,
    ActivateView,
    CheckEmailView,
    SuccessView,
)

from django.contrib.auth.views import (
    PasswordResetView,
    PasswordResetDoneView,
    PasswordResetConfirmView,
    PasswordResetCompleteView
)

urlpatterns = [
    path('', views.home, name='home'),
    path('dashboard', views.dashboard, name='dashboard'),
    path('login', views.signin, name="login"),

    path('activate', views.verify_otp, name='verify_otp'),
    path('register/', SignUpView.as_view(), name="signup"),
    # path('activate', ActivateView.as_view(), name="activate"),
    # re_path(r'^activate/([0-9\-]+)/([0-9\-]+)$', ActivateView.as_view(),
name="activate"),

    path('check-email', CheckEmailView.as_view(), name="check_email"),
    path('success', SuccessView.as_view(), name="success"),

    path('password_reset/', PasswordResetView.as_view(
        template_name='users/password_reset_form.html',

```

```

        html_email_template_name='users/password_reset_email.html',
        subject_template_name='users/password_reset_subject.txt',
        success_url=reverse_lazy('password_reset_done')),
        name='password_reset'
    ),
    path('password_reset/done/', PasswordResetDoneView.as_view(
        template_name='users/password_reset_done.html'),
        name='password_reset_done'
    ),
    path('reset/<uidb64>/<token>/', PasswordResetConfirmView.as_view(
        template_name='users/password_reset_confirm.html',
        success_url=reverse_lazy('password_reset_complete')),
        name='password_reset_confirm'
    ),
    path('reset/done/', PasswordResetCompleteView.as_view(
        template_name='users/password_reset_complete.html'),
        name='password_reset_complete'
    ),

```

Views.py

```

import math
import random
from django.shortcuts import render
# Create your views here.
from django.http import HttpResponse
import os
import datetime
from pdb import Pdb
# from urllib import request

```

```
from django.shortcuts import render, redirect
from django.views.generic import CreateView, TemplateView, RedirectView
from django.contrib.auth import login
from django.contrib.auth.views import LoginView
from django.urls import reverse_lazy
from django.utils.http import urlsafe_base64_decode
from django.utils.encoding import force_str
import requests # force_text on older versions of Django
from .forms import UserRegisterForm, token_generator
from users.models import CustomUser
from users.forms import LogInForm
from django.contrib.auth import login, authenticate
from django.contrib import messages
from requests import Request, get

def home(request):
    if request.user.is_authenticated:
        redirect('/login')
    else:
        redirect('/dashboard')

    return render(request, 'index.html')

def dashboard(request):

    return render(request, 'dashbord.html')

def get_otp():
    digits = "0123456789"
    OTP = ""

    # length of password can be changed
    # by changing value in range
```

```

        for i in range(6) :

            OTP += digits[math.floor(random.random() * 10)]

        return OTP

def activate():
    pass

class SignUpView(CreateView):
    form_class = UserRegisterForm
    template_name = 'register.html'
    success_url = reverse_lazy('check_email')

    def form_valid(self, form):
        to_return = super().form_valid(form)

        if to_return:
            user = form.save()

            print("user", user)

            otp = get_otp()

            user.is_active = False # Turns the user status to inactive

            user.otp = otp

            user.save()

            print(otp)

            us_id = user.id

            # request.session['user-id'] = user.id

            # request.session['otp'] = otp

            form.send_activation_email(self.request, user,otp,us_id)

        return to_return

```

```

        else:

            form = form

            return render(Request, 'register.html', {'form': form})

def verify_otp(request):
    # for id in [1,2,3,4,5,6,7]:
    user = CustomUser.objects.get('danushavarthiniss@gmail.com')

    if user is not None:

        user.is_active = True

        user.save()

        return redirect('/login')

class ActivateView(RedirectView):
    url = reverse_lazy('success')

# Custom get method
def get(self, *args, **k
    # user = None

    # print(id,otp)

    # try:

    #     uid = id

    #     if uid:

    #         user = CustomUser.objects.get()

    # except (TypeError, ValueError, OverflowError, CustomUser.DoesNotExist):

    #     user = None

# if user is not None:

#     if otp:

```

```

#         user.is_active = True

#         user.save()

#     return redirect('/login')

# else:

#     return render(request, 'users/activate_account_invalid.html')

return

```

```

class CheckEmailView(TemplateView):

```

```

    template_name = 'users/check_email.html'

```

```

class SuccessView(TemplateView):

```

```

    template_name = 'users/success.html'

```

```

def set_cookie(response, key, value, days_expire=7):

```

```

    if days_expire is None:

```

```

        max_age = 365 * 24 * 60 * 60 # one year

```

```

    else:

```

```

        max_age = days_expire * 24 * 60 * 60

```

```

    expires = datetime.datetime.strftime(

```

```

        datetime.datetime.utcnow() + datetime.timedelta(seconds=max_age),

```

```

        "%a, %d-%b-%Y %H:%M:%S GMT",

```

```

    )

```

```

    response.set_cookie(

```

```

        key,

```

```

        value,

```

```

        max_age=max_age,

```

```

        expires=expires,

```

```

        domain=settings.SESSION_COOKIE_DOMAIN,

```

```

        secure=settings.SESSION_COOKIE_SECURE or None,

```

```

    )

```



```

def signin(request):
    if request.method == 'POST':
        form = LogInForm(request.POST)
        if form.is_valid():
            try:
                username = form.cleaned_data.get('email')
                password = form.cleaned_data.get('password')
                print(username,password)

                user = authenticate(username=username, password=password)
                print(user)

                # request.session['user'] = username
                if user is not None:
                    # request.session['user'] =
                    {'username':user,'is_authenticated':user.is_authenticated}
                    # login(request, user)
                    # request.session['User'] =
                    user._meta.pk.value_to_string(user)
                    messages.success(request, f"You are now logged in as
{user}.")

                    return redirect("/dashboard")
                else:
                    messages.error(request, "Invalid username or password.")
            except:
                return False
        else:
            messages.error(request, "Invalid username or password.")

    return render(request, 'login.html')

```

Datafilters.py

```
# from django.template.defaulttags import register
import ast
from django import template
register = template.Library()
@register.simple_tag
def get_item(dictionary, key):
    # result = ast.literal_eval(dictionary)
    # return result[key]
    return True
@register.filter(name='split')
def split(value, key):
    """
    Returns the value turned into a list.
    """
    return value.split(key)
@register.filter(name='replace')
def replace(value):
    """
    Returns the value turned into a list.
    """
    return value.replace(' ','-')
```

Documentation.txt

Trainticket Django Project

- 1.create new directory
2. open the directory on CMD
- 3.create virtualenvironment using => py -m venv venv
- 4.Once the process is complete, you also need to activate the virtual environment:.\env\Scripts\activate.bat

5. Once you've created and activated your Python virtual environment, you can install Django into this dedicated development workspace: `python -m pip install django`

6. `python -m pip freeze > requirements.txt`

This command writes the names and versions of all external Python packages that are currently in

your virtual environment to a file called `requirements.txt`.

This file will include the `django` package and all of its dependencies.

7. After you've successfully installed Django, you're ready to create the scaffolding

for your new web application. The Django framework distinguishes between projects and apps:

`$ django-admin startproject <project-name> => $ django-admin startproject setup.`

8. Now, you'll create a Django app that'll contain the specific functionality of your web application

`$ python manage.py startapp <appname> => $ python manage.py startapp users`

Requirements.txt

`asgiref==3.5.2`

`Babel==2.11.0`

`certifi==2022.9.24`

`charset-normalizer==2.1.1`

`Django==4.1.3`

`idna==3.4`

`mysql-connector-python==8.0.28`

`numpy==1.23.2`

`opencv-python==4.6.0.66`

`PyJWT==2.6.0`

`pytz==2022.6`

`requests==2.28.1`

`sqlparse==0.4.3`

`twilio==7.15.2`

`tzdata==2022.6`

```
url1lib3==1.26.12
```

Output

Page 1:

Welcome to SSR-Booking

If your are new user goto signup

[Register](#)

Page2:

Create an Account

[Sign in to existing account](#)

Page 3:

Activate your account

Please check your inbox and verify your email address

Please Enter OTP to verify Email...

