SMART SOLUTION FOR RAILWAYS

Project Development Phase

Sprint-2

Date	05 Nov 2022
Team ID	PNT2022TMID48351
Project Name	Project-Smart Solution For
	Railways
Maximum Marks	20 Marks

Ticket booking

User

Static

CSS

#dashboard.css

```
:root {
    --font: 'Montserrat', system-ui, sans-serif;
    --max-width: 1400px;
    --i-padding: 0.6rem;
    --o-padding: 1.6rem;
    --radius: 10px;
    --max-radius: 40px;
    --c-lighter: #b1d0e050;
    --c-light: #b1d0e050;
    --c-dark: #40688290;
```

```
--c-darker: #40688260;
  --c-elements: #b1d0e0;
  --c-bg-elements: #0004;
  --c-card-main: #b1d0e090;
  --c-card-side: #b1d0e040;
html {
  scroll-behavior: smooth;
 -webkit-tap-highlight-color: transparent;
html::-webkit-scrollbar {
 width: 6px;
 background: #555555;
html::-webkit-scrollbar-thumb {
 background: #151515;
  -webkit-box-sizing: border-box;
 box-sizing: border-box;
.active {
 background: var(--c-bg-elements);
body {
```

```
margin: 0;
  font-family: var(--font);
  color: #fefefe;
 background-color: #252525;
 display: -webkit-box;
 display: -ms-flexbox;
 display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
 align-items: center;
 min-height: 100vh;
 position: relative;
/* body .video {
 margin-top: 120px;
 position: fixed;
 left: 0;
 top: 0;
 width: 100%;
 height: 100vh;
 overflow: hidden;
 z-index: -1;
} */
/* body .video video {
 height: 100%;
 width: 100%;
```

```
-o-object-fit: cover;
  object-fit: cover;
} */
body .video {
  display: none;
  background-color: #fff;
.container {
  max-width: var(--max-width);
 width: 100%;
 margin: 0 auto;
main {
  max-height: 100vh;
  width: 100%;
  display: -ms-grid;
  display: grid;
  padding-left: 62px;
  position: relative;
main .menu {
  position: fixed;
  top: 0;
  left: 0;
```

```
background-color: var(--c-darker);
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  width: 62px;
  height: 100%;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
  -webkit-transition: all 0.3s ease;
  -o-transition: all 0.3s ease;
  transition: all 0.3s ease;
  overflow: hidden;
  z-index: 2;
  -webkit-backdrop-filter: blur(1rem);
  backdrop-filter: blur(1rem);
  border-right: solid 1px var(--c-lighter);
main .menu:hover,
main .menu:active {
 width: 200px;
  border-radius: 0 var(--radius) var(--radius) 0;
main .menu .avatar {
```

```
display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 10px;
main .menu .avatar .thumb {
 border-radius: 50%;
 width: 100%;
 max-width: 40px;
 background-color: #ffffff;
main .menu .avatar .name {
  color: var(--c-elements);
  font-weight: 500;
  white-space: nowrap;
  opacity: 0;
  visibility: hidden;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
main .menu:hover .avatar .name,
```

```
main .menu:active .avatar .name {
  opacity: 1;
  visibility: visible;
main .menu .primary {
 display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  gap: 4px;
  overflow: hidden;
main .menu .primary .menu-item {
  font-weight: 400;
  text-decoration: none;
  color: var(--c-elements);
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  gap: 8px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  padding-left: 10px;
  border-radius: 50%;
  width: 40px;
```

```
height: 40px;
main .menu:hover .primary .menu-item,
main .menu:active .primary .menu-item {
 width: 100%;
 border-radius: var(--max-radius);
main .menu .primary .menu-item:hover {
 background: var(--c-bg-elements);
main .menu .primary .menu-item span:first-child {
  font-size: 21px;
main .menu .primary .menu-item .desc {
 opacity: 0;
 visibility: hidden;
 -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .menu:hover .primary .menu-item .desc,
main .menu:active .primary .menu-item .desc {
 opacity: 1;
 visibility: visible;
main .menu .expander {
  color: var(--c-elements);
  font-size: 24px;
  border-radius: 50%;
```

```
height: 40px;
  width: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .menu:hover .expander,
main .menu:active .expander {
  -webkit-transform: rotate(-180deg);
  -ms-transform: rotate(-180deg);
  transform: rotate(-180deg);
main .topbar {
 position: fixed;
  left: 0;
  top: 0;
  width: calc(100% - 62px);
  margin-left: 62px;
  height: 60px;
```

```
z-index: 1;
  background: var(--c-dark);
  border-bottom: solid 1px var(--c-lighter);
  -webkit-backdrop-filter: blur(1rem);
  backdrop-filter: blur(1rem);
  padding: 0 var(--o-padding);
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
  gap: 10px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
main .topbar .current {
  color: var(--c-elements);
  font-size: 24px;
  font-weight: 700;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
main .topbar .search {
  cursor: pointer;
  color: var(--c-elements);
```

```
border-radius: 50%;
  max-width: 40px;
  width: 100%;
  height: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  margin-right: auto;
  overflow: hidden;
  position: relative;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .topbar .search:hover,
main.search .topbar .search {
 background: var(--c-bg-elements);
main.search .topbar .search {
  border-radius: var(--max-radius);
 max-width: 200px;
  cursor: default;
main .topbar .search label {
 position: absolute;
  left: 0;
```

```
top: 0;
  width: 40px;
  height: 40px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  z-index: 1;
  font-size: 24px;
  cursor: inherit;
main .topbar .search .bar {
  color: var(--c-elements);
  background: unset;
  width: 100%;
  padding: 1px 10px 0 34px;
  font-size: 16px;
  border: unset;
  outline: none;
  opacity: 0;
  visibility: hidden;
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
```

```
main.search .topbar .search .bar {
 opacity: 1;
 visibility: visible;
  touch-action: none;
main .topbar .search .bar::-webkit-input-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar::-moz-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar:-ms-input-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar::-ms-input-placeholder {
  font-family: var(--font);
  color: var(--c-elements);
main .topbar .search .bar::placeholder {
 font-family: var(--font);
  color: var(--c-elements);
main .topbar nav {
  overflow: overlay;
  white-space: nowrap;
```

```
display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  height: 40px;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 4px;
main .topbar nav::-webkit-scrollbar {
 height: 2px;
main .topbar nav::-webkit-scrollbar-thumb {
  background: var(--c-bg-elements);
main .topbar nav .menu-item {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  height: 30px;
  padding: 0 10px;
  text-decoration: none;
  font-weight: 600;
```

```
font-size: 14px;
  color: var(--c-elements);
  border-radius: var(--max-radius);
  -webkit-transition: all 0.2s ease;
  -o-transition: all 0.2s ease;
  transition: all 0.2s ease;
main .topbar nav .menu-item:hover {
  background: var(--c-bg-elements);
main .dashboard {
  border-top: solid 1px var(--c-lighter);
  background-color: var(--c-light);
  -webkit-backdrop-filter: blur(6px);
  backdrop-filter: blur(6px);
  display: -ms-grid;
  display: grid;
  grid-gap: var(--o-padding);
  position: relative;
  overflow: overlay;
main .dashboard::-webkit-scrollbar,
main .side::-webkit-scrollbar {
 width: 2px;
 background: var(--c-darker);
main .dashboard::-webkit-scrollbar-thumb,
```

```
main .side::-webkit-scrollbar-thumb {
  background: var(--c-bg-elements);
main .dashboard .cardcolumn {
  display: -webkit-box;
 display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  -ms-flex-item-align: baseline;
  align-self: baseline;
main .dashboard .cardcolumn .card .content {
  font-size: 14px;
main .dashboard .cardcolumn .card span {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  height: 24px;
 min-width: 24px;
  max-width: 24px;
  border-radius: 50%;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
```

```
-webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  cursor: pointer;
main .dashboard .cardcolumn .card span:hover {
  color: var(--c-elements);
 background: var(--c-bg-elements);
main .dashboard .cardcolumn .card header {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 4px;
  -webkit-box-pack: justify;
  -ms-flex-pack: justify;
  justify-content: space-between;
main .dashboard .cardcolumn .card header a {
  color: inherit;
  text-decoration: none;
 margin: 0;
  font-size: 14px;
  font-weight: 600;
  -webkit-line-clamp: 1;
  overflow: hidden;
```

```
display: -webkit-box;
  -webkit-box-orient: vertical;
main .dashboard .cardcolumn .card .meta {
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-pack: end;
  -ms-flex-pack: end;
  justify-content: flex-end;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 4px;
main .side {
  margin-top: 60px;
  background-color: var(--c-medium);
  -webkit-backdrop-filter: blur(6px);
  backdrop-filter: blur(6px);
  display: -ms-grid;
  display: grid;
  -ms-flex-line-pack: start;
  align-content: flex-start;
  overflow: overlay;
  -webkit-box-ordinal-group: 0;
```

```
-ms-flex-order: -1;
  order: -1;
main .dashboard .card,
main .side .card {
 position: relative;
  color: var(--c-elements);
  padding: var(--i-padding);
  background: var(--c-bg-elements);
  border-radius: var(--radius);
  -webkit-box-shadow: 0 4px 8px #0003;
  box-shadow: 0 4px 8px #0003;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  gap: 10px;
  border-bottom: solid 2px #0003;
main .side .card ul {
 margin: 0;
 padding: 0;
  list-style: none;
main .side .card ul li {
 padding: 6px 0;
```

```
border-bottom: solid 1px var(--c-bg-elements);
main .side .card ul li:last-child {
 border-bottom: none;
main .side .weather .condition {
 opacity: 0.65;
  position: absolute;
  right: 10px;
  pointer-events: none;
  -webkit-user-select: none;
  -moz-user-select: none;
  -ms-user-select: none;
  user-select: none;
 max-width: 200px;
 width: 100%;
  float: right;
main .side .weather .content {
  position: relative;
  font-size: 3rem;
  font-weight: 600;
  min-height: 180px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
```

```
text-shadow: 1px 3px 0px #0008;
main .side .weather .content .celsius {
  position: relative;
  top: -10px;
 right: -4px;
  font-size: 1.3rem;
main .side .weather .meta {
  border-top: solid 1px var(--c-bg-elements);
  padding-top: 10px;
  display: -webkit-box;
  display: -ms-flexbox;
  display: flex;
  -webkit-box-orient: vertical;
  -webkit-box-direction: normal;
  -ms-flex-direction: column;
  flex-direction: column;
  gap: 6px;
main .side .weather .meta .datetime,
main .side .weather .meta .location {
  display: -webkit-box;
 display: -ms-flexbox;
  display: flex;
  -webkit-box-align: center;
  -ms-flex-align: center;
  align-items: center;
  gap: 6px;
```

```
main .side .weather .meta .datetime .time {
  font-weight: 600;
@media (min-width: 1024px) {
  :root {
    --i-padding: 1rem;
    --o-padding: 2rem;
  .container {
   margin: var(--o-padding);
    -webkit-box-shadow: 0 0px 1rem #0003;
    box-shadow: 0 0px 1rem #0003;
    overflow: hidden;
  main {
    min-height: 500px;
    max-height: calc(100vh - (2 * var(--o-padding)));
    border-radius: var(--radius);
    -ms-grid-columns: auto 380px;
    grid-template-columns: 2fr 1fr;
    padding-left: 74px;
  main .menu {
    width: 74px;
    position: absolute;
    top: unset;
    border-radius: var(--radius) 0 0 var(--radius);
```

```
main .menu:hover {
  border-radius: var(--radius);
main .menu .avatar {
  -ms-flex-wrap: wrap;
  flex-wrap: wrap;
  -webkit-box-pack: center;
  -ms-flex-pack: center;
  justify-content: center;
 margin-bottom: 10px;
  padding-bottom: 10px;
main .menu .avatar .thumb {
 max-width: 70px;
main .topbar {
  position: absolute;
  width: calc(100% - 74px);
 margin-left: 74px;
  border-radius: 0 var(--radius) 0 0;
main .topbar .search {
  margin-right: unset;
  -webkit-box-ordinal-group: 0;
  -ms-flex-order: -1;
  order: -1;
  max-width: 200px;
  border-radius: var(--max-radius);
```

```
cursor: default;
    background: var(--c-bg-elements);
 main .topbar .search .bar {
   opacity: 1;
    visibility: visible;
 main .dashboard {
    margin-top: 60px;
    border-top: unset;
    height: calc(100vh - (2 * var(--o-padding)) - 60px);
    -ms-grid-columns: 1fr var(--o-padding) 1fr var(--o-padding) 1fr;
    grid-template-columns: repeat(3, 1fr);
 main .side {
    -webkit-box-ordinal-group: 1;
    -ms-flex-order: 0;
    order: 0;
    height: calc(100vh - (2 * var(--o-padding)) - 60px);
    border-top: unset;
    margin-top: 60px;
    border-radius: 0 0 var(--radius) 0;
/* train ticket booking tables */
@import url("https://fonts.googleapis.com/css?family=Roboto");
```

```
margin: 0;
 padding: 0;
 box-sizing: border-box;
.container {
 min-height: 100%;
 min-height: 100vh;
 display: flex;
 align-items: center;
html,
body {
 min-height: 100%;
 min-width: 100%;
body {
 font: 16px 'Roboto', sans-serif;
 width: 100%;
 text-align: center;
 color: #555;
 background: #ddd;
```

```
.form {
 padding: 35px 0;
 border: 1px solid #aaa;
 background: #eee;
 min-width: 100%;
 margin: 0 auto;
button,
input,
select,
textarea {
 font-family: inherit;
 font-size: 100%;
 vertical-align: baseline;
 border: 0;
 outline: 0;
button::-moz-focus-inner,
input::-moz-focus-inner {
 border: 0;
 padding:0;
```

```
input[type=text] {
 width: 80%;
 padding: 10px 10px 12px 70px;
 font-size: 12px;
 color: #555;
 border: 1px solid #aaa;
 background-color: #fff;
.field {
 display: inline-block;
 position: relative;
 margin: 10px auto;
.col-centered {
 float: none;
.field input {
 transition: .1s all linear;
 font-size: 20px;
 font-family: Monospace;
.field label {
```

```
color: #999;
  font-size: 14px;
  font-weight: normal;
  position: absolute;
  pointer-events: none;
 left: 18%;
 top: 18px;
h1 {
  font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
  font-size: 2em;
  padding: 10px 10px;
  text-align: center;
  text-transform: uppercase;
  text-rendering: optimizeLegibility;
  color: #131313;
 background-color: #e7e5e4;
 letter-spacing: .07em;
  text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
caption {
 font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
  font-size: 25px;
```

```
padding: 20px 5px;
  text-align: center;
  text-transform: uppercase;
  color: #e0dfdc;
 background-color: #333;
 letter-spacing: .2em;
 text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
#trainClass {
 margin: 4px;
 float: center;
#trainClass label {
 width: 60px;
 margin: 4px;
 background-color: #EFEFEF;
 border-radius: 4px;
 border: 1px solid #D0D0D0;
 overflow: auto;
 cursor: pointer;
#trainClass label span {
  text-align: center;
```

```
font-size: 25px;
  padding: 13px 0px;
 display: inline-block;
 width: 100%;
#trainClass label input {
  position: absolute;
 top: -20px;
 opacity: 0;
 /**hides the radio button**/
#trainClass input:checked + span {
 background-color: #404040;
 color: #F7F7F7;
#trainClass .yellow {
 background-color: #FFCC00;
 color: #333;
#trainClass .blue {
 background-color: #00BFFF;
 color: #333;
```

```
#trainClass .pink {
 background-color: #FF99FF;
 color: #333;
#trainClass .green {
 background-color: #A3D900;
 color: #333;
#trainClass .purple {
 background-color: #B399FF;
 color: #333;
#bfoot {
 position: relative;
 top: 30px;
.member tr:hover {
 color: black;
 cursor: pointer;
```

```
.selected {
 background-color: rgba(41, 103, 182, 0.89);
 color: #FFF;
.table th {
text-align: center;
#selectclass {
 position: absolute;
 left: 20%;
 width: 60%;
 height: 60%;
 top: 20%;
 z-index: 10;
 color: brown;
 background-color: white;
.invis {
 width: 100%;
```

```
height: 100%;
 position: absolute;
 top: 0;
 left: 0;
 z-index: 0.5;
 background-color: rgba(0, 0, 0, 0.2);
 min-width: 370px;
#selectclass > h2 {
  font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
  font-size: 25px;
 padding: 20px 5px;
 text-align: center;
 text-transform: uppercase;
  /* text-rendering: optimizeLegibility;*/
 color: #e0dfdc;
 background-color: #333;
 letter-spacing: .2em;
 text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
/*********** ticket *******/
#ticket {
```

```
width: 500px;
 height: 250px;
 border: 1px solid black;
 text-transform: uppercase;
 margin: 50px auto;
 background: white;
 font-family: "Times New Roman", Times, serif;
.pull-right {
 padding: 15px;
 text-align: right;
 right: 10px;
 font-size: 15px;
.pull-left {
 text-align: left;
 left: 10px;
 font-size: 15px;
 padding: 15px;
.trainno {
 font-size: 60px;
 padding: 15px;
 font-family: monospace;
```

```
.trainname {
  font-size: 22px;
 font-family: Verdana, Geneva, sans-serif;
 padding: 10px 8px;
 text-align: center;
 text-transform: uppercase;
.from {
  font-family: Verdana, Geneva, sans-serif;
 padding: 10px 10px;
 text-align: center;
 text-transform: uppercase;
.to {
  font-family: Verdana, Geneva, sans-serif;
 padding: 10px 0px;
 text-align: center;
 text-transform: uppercase;
#barcodes {
 width: 80%;
```

```
font-size: 25px;
table {
 border-collapse: collapse;
 margin: 10px auto;
td {
 width: 4px;
 height: 30px;
.compartment {
 font-size: 25px;
 padding: 10px;
.seatno {
 font-size: 25px;
 padding: 10px;
.final > h2 {
 font-family: "Avant Garde", Avantgarde, "Century Gothic", CenturyGothic,
"AppleGothic", sans-serif;
```

```
font-size: 25px;
  padding: 20px 5px;
  text-align: center;
  text-transform: uppercase;
  color: #e0dfdc;
 background-color: #333;
  letter-spacing: .2em;
  text-shadow: 1px -1px 0 #767676;
 margin-top: 10px;
#login.css
   margin: 0;
   padding: 0;
   box-sizing: border-box;
.invalid {
    border-color: #dc3545 !important;
   box-shadow: 0 0 0 3px rgba(216, 28, 22, 0.2);
.invalid:focus {
    border-color: #dc3545;
   box-shadow: 0 0 0 3px rgba(255, 122, 117, 0.2);
.field-wrap {
    position: relative;
    margin-bottom: 48px;
```

```
.greenbg-btn{
    background-color:#21bf73 !important;
    border: 1px solid #21bf73 !important;
    color :#ffffff !important;
/* new styles start */
/* .box-lightbox {
    display: flex;
    justify-content: center;
    align-items: center;
    visibility: hidden;
    opacity: 0;
    position: fixed;
    bottom: 0;
    left: 0;
    right: 0;
    top: 0;
    min-height: 100%;
    height: auto;
    padding: 70px 0;
    overflow-x: hidden;
    overflow-y: auto;
    background-color: rgba(0,0,0,.75);
    z-index: 10;
    transition: all .3s;
}
.box-lightbox.open {
    visibility: visible;
```

```
opacity: 1;
}
.box-lightbox .bt-close {
    position: absolute;
   top: 0;
   right: 0;
   width: 66px;
   height: 70px;
   background-color: #fcfcfc;
    cursor: pointer;
    z-index: 1;
   transition: all .3s ease-in-out;
}
.box-lightbox .bt-close:before, .box-lightbox .bt-close:after {
    content: "";
    display: block;
   position: absolute;
   top: 50%;
   left: 50%;
   width: 20px;
   height: 2px;
   background-color: #202121;
}
.box-lightbox .bt-close:after {
   transform: translate(-50%, -50%) rotate(45deg);
}
.box-lightbox.open [class*=box-content-] {
```

```
opacity: 1;
   transform: translateY(0);
}
.box-lightbox .box-content-login {
   width: 650px;
}
.box-lightbox [class*=box-content-] {
   opacity: 0;
    display: inline-block;
   max-width: 100%;
   padding: 50px;
    background-color: #f4f7f6;
   transform: translateY(30px);
   transition: opacity .3s,transform .3s;
   margin: auto 0;
}
.box-login {
   width: 430px;
   max-width: 100%;
   margin: 0 auto;
   padding-bottom: 15px;
}
.box-login .tab-form.active {
   display: block;
}
.box-login .tab-form {
```

```
display: none;
    text-align: left;
}
.has-mobile, .hidden {
    display: none;
}
.box-loading.style3 {
    display: flex;
    align-items: center;
    justify-content: center;
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: #fcfcfc;
    z-index: 5;
    transition: none;
}
.box-loading {
    width: 100%;
    text-align: center;
    transition: all .3s ease-in-out;
}
.box-loading .spinner {
    display: inline-block;
    position: relative;
    width: 32px;
    height: 32px;
```

```
} */
/* new styles end */
.btn-default{
    display: inline-flex;
    justify-content: center;
    align-items: center;
    height: 30px;
    outline: 0 none #fff;
    border: 1px solid #21bf73;
    border-radius: 30px;
    padding: 5px 20px;
    background-color: #fff;
    background-image: linear-gradient(#47c789 50%, #21bf73 50%);
    background-size: 100%;
    color: #fff;
    font-size: 12px;
    font-weight: 600;
    /*text-transform: uppercase;*/
    /* letter-spacing: 1px; */
    white-space: nowrap;
    transition: all .3s cubic-bezier(.16, .8, .66, 1.54);
.btn-default:hover, .btn-default:focus {
    border: 1px solid #fff;
    background-color: #fff;
    background-image: linear-gradient(#fff 50%, #fff 50%);
    box-shadow: 0 0 0 5px rgb(94 114 156 / 20%);
    color: #21bf73;
```

```
.container{
   margin-top:150px
.form-group{
   /*padding: 0.5rem;*/
   /*gap: 10px;*/
   display: flex;
   flex-direction: column;
.floating-label-group {
   position: relative;
   margin-top: 15px;
   /* margin-bottom: 25px; */
   margin-bottom: 2.3rem;
.floating-label-group .floating-label {
    font-size: 1rem;
   color: #868e96;
   position: absolute;
   pointer-events: none;
    font-weight: normal !important;
   top: -1rem;
    left: 12px;
   transition: all 0.1s ease;
.floating-label-group input:focus ~ .floating-label, .floating-label-group
input:not(:focus):valid ~ .floating-label {
   top: -45px;
```

```
bottom: 0px;
    left: 0px;
    font-size: 1rem;
    font-weight: 500;
    opacity: 1;
    color: #14274E !important;
h2{
   color: #14274e;
    font-weight: bold!important;
   font-size: 2.5rem;
label {
   margin:20px 0;
   position:relative;
   display:inline-block;
label {
   position: absolute;
    transform: translateY(-1px);
    left: 13px;
    color: rgb(163, 163, 163);
    /* color:#000; */
    transition: all 0.25s ease;
    -webkit-backface-visibility: hidden;
    pointer-events: none;
```

```
font-size: 0.89rem;
    padding-left: 15px ;
label.active {
    transform: translateY(-45px);
    left: 4px;
    font-size: 14px;
    font-weight: 500;
label.highlight {
    color: #14274E !important;
    font-weight: 500;
input, textarea {
    font-size: 400;
    display: block;
   width: 100%;
   height: 100%;
   padding: 5px 10px;
   background: none;
    background-image: none;
    /* border: 1px solid #a0b3b0; */
    border:1px solid #9a9a9a;
    color: #000;
    border-radius:5px;
    color: black;
```

```
/* border: 1px solid #14274E; */
   transition: border-color 0.5s ease, box-shadow 0.5s ease;
input:focus, textarea:focus {
    outline: 0;
   border-color: #1ab188;
    color: #14274E;
   border:none;
    border: 1px solid #14274E;
a{
    text-decoration: none !important;
    color: #0092ca;
.sign_in-card{
   background-color: #ffffff;
    /*border: 1px solid #14274e;*/
   box-shadow: 0 0 16px rgba(20, 39, 78, 0.58);
    border-radius:5px;
    padding: 4%;
.form-control:focus{
```

```
border: 1px solid rgb(94, 114, 156, 0.2);
    box-shadow: 0 0 0 3px rgb(94 114 156 / 20%);
#paw_show{
    position: absolute;
   right: calc(1em + 0.1875rem);
    top: calc(0.5rem + 0.1875rem);
   color: #646363;
#paw_hide{
   position: absolute;
    right: calc(1em + 0.1875rem);
    top: calc(0.5rem + 0.1875rem);
    color: #646363;
#paw_show{
    display: none;
/* Styling modal */
 .modal-header,.modal-body,.modal-footer{
     border: none;
```

```
.modal-body{
   padding: 2rem !important;
.modal {
   text-align: center;
   padding: 0!important;
   .modal-content{
       padding: 0px,10px,0px;
       border: none;
       border-radius: 5px !important;
   .modal:before {
   content: '';
   display: inline-block;
   height: 30%;
   vertical-align: middle;
   margin-right: -4px;
   .modal-dialog {
   display: inline-block;
   text-align: left;
   vertical-align: middle;
```

```
.register-card {
        background-color: #ffffff;
        /*border: 1px solid #14274e;*/
        box-shadow: 0 0 16px rgba(20, 39, 78, 0.58);
        border-radius: 5px;
        padding: 5%;
/* container for all of the switch elements
    - adjust "width" to fit the content accordingly
*/
.switches-container {
   width: 12rem;
    position: relative;
    display: flex;
    padding: 0;
    position: relative;
    background: #ddffee;
    line-height: 3rem;
    border-radius: 3rem;
    /* margin-left: auto; */
    margin-right: auto;
    border:1px solid #47c789;
    transform: scale(0.9);
```

```
/* input (radio) for toggling. hidden - use labels for clicking on */
.switches-container input {
   visibility: hidden;
   position: absolute;
   top: 0;
/* labels for the input (radio) boxes - something to click on */
.switches-container label {
   width: 50%;
   padding: 0;
   margin: 0;
   text-align: center;
   cursor: pointer;
    color: var(--switches-label-color);
/* switch highlighters wrapper (sliding left / right)
    - need wrapper to enable the even margins around the highlight box
*/
.switch-wrapper {
   position: absolute;
    top: 0;
    bottom: 0;
   width: 50%;
    padding: 0.15rem;
    z-index: 3;
    transition: transform .5s cubic-bezier(.77, 0, .175, 1);
```

```
/* transition: transform 1s; */
/* switch box highlighter */
.switch {
   border-radius: 3rem;
   background: #21bf73;
   height: 100%;
/* switch box labels
    - default setup
    - toggle afterwards based on radio:checked status
*/
.switch div {
   width: 100%;
    text-align: center;
   opacity: 0;
   display: block;
    color: #fff ;
    transition: opacity .2s cubic-bezier(.77, 0, .175, 1) .125s;
   will-change: opacity;
    position: absolute;
   top: 0;
   left: 0;
```

```
/* slide the switch box from right to left */
.switches-container input:nth-of-type(1):checked~.switch-wrapper {
    transform: translateX(0%);
/* slide the switch box from left to right */
.switches-container input:nth-of-type(2):checked~.switch-wrapper {
    transform: translateX(100%);
/* toggle the switch box labels - first checkbox:checked - show first switch div
*/
.switches-container input:nth-of-type(1):checked~.switch-wrapper .switch div:nth-
of-type(1) {
    opacity: 1;
/* toggle the switch box labels - second checkbox:checked - show second switch
.switches-container input:nth-of-type(2):checked~.switch-wrapper .switch div:nth-
of-type(2) {
    opacity: 1;
JS
Dashboard.js
$(document).ready(function(){
const container = document.querySelector("main");
const search = document.querySelector(".search label");
```

```
const expander = document.querySelector("main .menu .expander");
const current = document.querySelector(".current");
const menuItems = document.querySelectorAll("main .menu .primary .menu-item");
const mainCards = document.querySelectorAll("main .dashboard .card");
// const weatherContent = document.querySelector(".side .weather .content");
const date = document.querySelector("main .side .date");
const time = document.querySelector("main .side .time");
// Fix :active touch on mobiles
document.addEventListener("touchstart", () => {}, true);
// Search Expand
// search.addEventListener("click", () => container.classList.toggle("search"));
// Main Menu
menuItems.forEach((item) => {
 item.addEventListener("click", () => {
    current.innerText = item.querySelector(".desc").textContent;
   menuItems.forEach((item) => item.classList.remove("active"));
   item.classList.add("active");
// Set Date, Time
const today = new Date();
```

```
const formatZero = (value) => value<10 ? '0'+value : value;</pre>
const months = ['Jan', 'Feb', 'Mar', 'Apr', 'May', 'Jun', 'Jul', 'Aug', 'Sep',
'Oct', 'Nov', 'Dec'];
date.innerText= `${today.getDate()} ${months[today.getMonth()]},
${today.getFullYear()}`;
time.innerText= `${today.getHours()}:${formatZero(today.getMinutes())}`;
// Populate News
// const dummyData = () => {
    mainCards.forEach((card, i) => {
       card.querySelector(".title").innerText =
//
//
         "Lorem ipsum dolor sit amet, consectetur adipiscing elit.";
//
       card.querySelector(
         ".content"
//
       ).innerText = "Aliquam vitae laoreet purus. Vivamus tincidunt nibh
rhoncus, varius libero dignissim, molestie odio. Aenean sit amet felis et lectus
viverra elementum. In quis tortor dignissim, ultrices odio et, dignissim quam.
Donec scelerisque lacinia dolor, a pulvinar enim auctor quis. Sed mollis faucibus
lacus id sagittis. Nunc et fringilla ipsum, et dignissim erat. Vivamus leo lorem,
iaculis tempor quam nec, malesuada ullamcorper ipsum...".slice(
//
        0,
//
       Math.round(Math.random() * -200)
//
     );
// });
// };
// $('.datetime').html(date)
// Weather Data for Athens from open-meteo.com
const weatherData = async () => {
```

```
"https://api.open-
meteo.com/v1/forecast?latitude=9.939093&longitude=78.121719&hourly=temperature 2m
&current weather=true";
 const res = await fetch(weather);
 console.log(res)
 const data = await res.json();
 if (data) {
   console.log('data',data.current_weather)
   $('.weather > .content').append(data.current_weather.temperature+"<span</pre>
class='celsius'>°C</span>")
   // weatherContent.html = `
   // ${data.current weather.temperature}<span class='celsius'>°C</span>
   // `;
   let date_time = data.current_weather.time.split('T')
   // $('.datetime').html(date_time[0]+' '+date_time[1])
// dummyData();
```

const weatherContent = \$(".side .weather .content");

```
$(document).ready(function() {
$(function() {
  $("#datepicker").datepicker();
$(function() {
  $("#timepicker").timepicker();
var tnum, tnam, ttime, tcost, classname;
var from, to, date, availableCities = [
  "Mumbai",
  "Kolkata",
  "Delhi",
  "Chennai",
  "Bangalore",
  "Hyderabad",
  "Ahmadabad",
  "Pune",
  "Surat",
  "Kanpur",
  "Jaipur",
  "Lucknow",
  "Nagpur",
```

```
"Patna",
  "Indore",
  "Vadodara",
  "Bhopal",
  "Coimbatore",
  "Ludhiana",
  "Kochi",
  "Visakhapatnam",
  "Agra",
  "Varanasi",
  "Madurai",
  "Meerut",
  "Nashik",
  "Jabalpur",
  "Jamshedpur",
  "Asansol",
  "Dhanbad",
  "Faridabad",
  "Allahabad",
  "Amritsar",
  "Vijayawada",
  "Rajkot"
$("#from").autocomplete({
  source: availableCities
$("#to").autocomplete({
source: availableCities
```

```
$(".invis").hide();
$("#page2").hide();
$(".final").hide();
$("#search").click(function() {
  from = $("#from").val();
  to = $("#to").val();
  date = $("#datepicker").val();
  if (!(from && to && date)) {
    alert("Please Select All Fields !");
    return False;
  } else if (from == to) {
    alert("From and To can't be same");
    return False;
  $("#page1").hide();
  $("#page2").show();
  $("#trainname1").html(from + " Express");
  $("#trainname2").html(to + " Express");
  $("#trainname3").html(from + " Passenger");
 $("#trainname4").html(to + " Passenger");
  $("#trainname5").html(from + " - " + to + " Super Fast Train");
  $("tbody > tr").mouseover(function() {
```

```
$(this).css("backgroundColor", "rgba(41, 103, 182, 0.89)");
}).mouseout(function() {
 $(this).css("backgroundColor", "");
$("tbody > tr").click(function() {
 $(this).parent().children().removeClass("selected");
 $(this).addClass("selected");
$(".book").click(function() {
  tcost = $(".selected").find(".tcost")
  tnum = $(".selected").find(".tnum").text();
  tnam = $(".selected").find(".tnam").text();
  ttime = $(".selected").find(".ttime").text();
  /* alert(tnum);*/
  if (!tnum) {
   alert("Please Select Your Train !")
   return False;
  $(".invis").show();
```

```
$(".booknow").click(function() {
        classname =
document.querySelector('input[name="toggle"]:checked+span').innerHTML;
        $(".invis").hide(function() {
         $("#page2").hide()
        $(".index").hide();
        $(".final").show();
      $(".bookcancel").click(function() {
       $(".invis").hide();
      $("#From").html(from);
      $("#To").html(to);
      $(".trainname").html(tnam);
      $("#number").html(tnum);
      var d = new Date();
      var n = d.toLocaleDateString();
      document.getElementById("date").innerHTML = n;
```

```
var code =
00101100100100001101100011101011';
   table = $('#barcodes tr');
   for (var i = 0; i < code.length; i++) {</pre>
    if (code[i] == 1) {
      table.append('')
    } else {
      table.append('')
```

Sign_in.js

\$(document).ready(function () {

```
$('.blublebla-signin-card').on('click', function () {
 $("#blublebla-signin-card").addClass("d-none")
 $("#blublebla-signup-card").removeClass("d-none")
$('.blublebla-signup-card').on('click', function () {
 $("#blublebla-signup-card").addClass("d-none")
 $("#blublebla-signin-card").removeClass("d-none")
$('.form').find('input, textarea').on('keyup blur focus', function (e) {
 var $this = $(this),
    label = $this.prev('label');
  if (e.type === 'keyup') {
    if ($this.val() === '') {
      label.removeClass('active highlight');
    } else {
      label.addClass('active highlight');
  } else if (e.type === 'blur') {
   if ($this.val() === '') {
      label.removeClass('active highlight');
    } else {
      label.removeClass('highlight');
  } else if (e.type === 'focus') {
```

```
if ($this.val() === '') {
     label.removeClass('highlight');
    else if ($this.val() !== '') {
      label.addClass('highlight');
$('.tab a').on('click', function (e) {
 e.preventDefault();
  $(this).parent().addClass('active');
  $(this).parent().siblings().removeClass('active');
  target = $(this).attr('href');
  $('.tab-content > div').not(target).hide();
  $(target).fadeIn(600);
```

```
$(document).ready(function () {
 $('.rd-1').on('click', function () {
   console.log('hi')
   $('.rd-1').addClass('greenbg-btn');
   $('.rd-2').removeClass('greenbg-btn');
 $('.rd-2').on('click', function () {
   $('.rd-2').addClass('greenbg-btn');
   $('.rd-1').removeClass('greenbg-btn');
 var code = "+1";
 $('#txtPhone').val(code).intlTelInput();
  $("#country").bind().on('change', function () {
    let countryCode = $(this).find('option:selected').data('country-code');
```

```
let value = "+" + $(this).val();
  $('#txtPhone').val(value).intlTelInput("setCountry", countryCode);
$('#txtPhone').on('change', function () {
 $('.phone number').val('');
$('.phone_number').on('change', function () {
  console.log($(this).val().length)
  if (($(this).val()).length < 10) {</pre>
    $('.phone_number').val("")
    $('.err_msg').html(`<label style="color: #dc3545;</pre>
    font-size: 0.8rem;
    position:absolute;
    top:1.2rem;
    font-weight: 500 !important;">Please Enter valid phone number</label>`)
    $('.phone number').css({
      'border':'1px solid #dc3545',
      'box-shadow': '0 0 0 3px rgb(216 28 22 / 20%)'
  } else {
    let ph_number = $(this).val()
```

```
var code = $('#txtPhone').val();
    // ph_num_formated = formatPhoneNumber(ph_number, code)
    ph_num_formated = code + formatPhoneNumber(ph_number, code)
    $('.phone_number').val(ph_num_formated)
    $('.err_msg').html("")
    $('.phone_number').css({
      'border':'1px solid #ced4da' ,
      'box-shadow': 'none'
function formatPhoneNumber(phoneNumberString, code) {
 var cleaned = ('' + phoneNumberString).replace(/\D/g, '');
 var match = cleaned.match(/^(1|)?(\d{3})(\d{4})$);
 if (match) {
    var intlCode = (match[1] ? code : '');
   return [intlCode, '(', match[2], ') ', match[3], '-', match[4]].join('');
 return null;
```

```
})
```

```
$( "#sign_in_form" ).validate( {
//
//
           rules: {
//
               email: {
//
                   required:true,
//
              },
//
               password: {
                  minlength: 8,
//
                   required:true
//
//
               }
//
          },
//
          messages: {
              // username: "Please enter your Name",
//
              email: "Please enter a valid Email Address",
//
              phone_number: "Please enter your Contact Number",
//
              password: "Please enter valid password",
//
              // confirm_password:"Password is not Match"
//
//
          },
          errorElement: "em",
//
```

```
//
           errorPlacement: function ( error, element ) {
               error.addClass( "invalid-feedback" );
//
             error.insertAfter(element);
//
              // error.insertAfter(element.next(".form-control"));
//
//
              // error.insertAfter(element.next(".pmd-textfield-focused"));
//
          },
           highlight: function ( element, errorClass, validClass ) {
//
               $( element ).addClass( "is-invalid" ).removeClass( "is-valid" );
//
//
               console.log()
//
              $("#paw_hide").show();
//
                },
           unhighlight: function (element, errorClass, validClass) {
//
              $( element ).addClass( "is-valid" ).removeClass( "is-invalid" );
//
//
          }
//
      });
$(document).ready(function () {
 setTimeout(() => {
   $(".alert").alert("close");
  }, 5000);
 $("#signInmodal").modal('show');
```

```
// $('#password').on('keyup', function() {
 // var input = $('#password').val();
 // if ( input.length < 8) {</pre>
 //
             console.log("kdbhbdb")
 //
      $('.error').show();
 //
             $('.blank-error').hide();
 // } else {
 // $('.error').hide();
 //
             $('.blank-error').hide();
 // }
 // });
 // $('.log-btn').on('click', function() {
 //
       if ( $('#password').val() == "") {
 //
           $('.blank-error').show();
 //
        }
 //
       else {
 //
       $('.blank-error').hide();
 // }
 // });
 // $("#emails").on('keyup', function () {
 // var regMail = /^([_a-zA-Z0-9-]+)(\.[_a-zA-Z0-9-]+)*@([a-zA-Z0-9-]+\.)+([a-zA-Z0-9-]+))
zA-Z]{2,3})$/;
 // if ($("#emails").val() == "") {
```

```
$("#emails").addClass('invalid');
//
//
      $('.blank-error1').show();
//
      $('.email_err1').hide();
//
    }
    else if (regMail.test($("#emails").val()) == false) {
//
       console.log('inside nested if');
//
      $("#emails").addClass('invalid');
//
//
      $('.email_err1').show();
//
      $('.blank-error1').hide();
// }
// else {
//
      console.log('inside nested else')
      $("#emails").removeClass('invalid');
//
      $('.email_err1').hide();
//
     // $('#email').next()[0].innerHTML = 'email field cannot be blank!'
//
// }
// });
// $('.log-btn1').on('click', function() {
```

```
// var regMail = /^{([a-zA-Z0-9-]+)(\.[a-zA-Z0-9-]+)*@([a-zA-Z0-9-]+\.)+([a-zA-Z0-9-]+))}
zA-Z[{2,3})$/;
      // var validRegex = /^[a-zA-Z0-9.!#$%&'*+/=?^_`{|}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-2-]+(?:\.[a-zA-Z0-
zA-Z0-9-]+)*$/;
      // console.log($("#emails").val())
      // if ( $("#emails").val() == "" ){
      //
                     console.log('hi if co');
      //
                       $("#emails").addClass('invalid');
      //
                       $('.blank-error1').show();
                       $('.email_err1').hide();
      //
      //
                       else if (regMail.test($("#emails").val()) == false) {
      //
                       console.log('hi elif co');
      //
      //
                      $("#emails").addClass('invalid');
      //
                       $('.email err1').show();
      //
                        $('.blank-error1').hide();
      //
                      }
      // else {
      //
                      console.log('hi eles co');
      //
                     $("#emails").removeClass('invalid');
      // $('.email err1').hide();
      // }
      // });
      // //
      // let Validatas = () =>{
      // Array.from(signIn)
      // .forEach(function (form) {
      //
                            form.addEventListener('submit', function (event) {
```

```
//
           if (!form.checkValidity()) {
 //
             event.preventDefault()
 //
            event.stopPropagation()
 //
          }
 //
          form.classList.add('was-validated')
        }, false)
 //
 // })
 // };
 // $("#emails").on('keyup', function () {
 // var regMail = /^([_a-zA-Z0-9-]+)(\.[_a-zA-Z0-9-]+)*@([a-zA-Z]+\.)+([a-zA-Z0-9-]+))
Z]{2,3})$/;
 // if ($("#emails").val() == "") {
        $("#emails").addClass('invalid');
 //
 //
        $('.blank-error1').show();
        $('.email err1').hide();
 //
 //
        Validatas()
 //
      }
 //
       else if (regMail.test($("#emails").val()) == false) {
 //
        console.log('inside nested if');
 //
        $("#emails").addClass('invalid');
 //
        $('.email_err1').show();
 //
        $('.blank-error1').hide();
 //
        Validatas()
```

```
// }
 // else {
 //
        console.log('inside nested else')
 //
        $("#emails").removeClass('invalid');
 //
        $('.email_err1').hide();
       // $('#email').next()[0].innerHTML = 'email field cannot be blank!'
 //
 // }
 // });
 // $('.log-btn1').on('click', function() {
 // var regMail = /^{([a-zA-Z0-9-]+)(\.[a-zA-Z0-9-]+)*@([a-zA-Z0-9-]+\.)+([a-zA-Z0-9-]+))}
zA-Z]{2,3})$/;
 // console.log($("#emails").val())
 // if ( $("#emails").val() == "" ){
 //
      console.log('hi if co');
      $("#emails").addClass('invalid');
 //
 //
       $('.blank-error1').show();
 //
       $('.email err1').hide();
 //
       }
       else if (regMail.test($("#emails").val()) == false) {
 //
 //
       console.log('hi elif co');
 //
       $("#emails").addClass('invalid');
 //
       $('.email_err1').show();
```

```
$('.blank-error1').hide();
//
//
    }
// else {
//
    console.log('hi eles co');
//
    $("#emails").removeClass('invalid');
// $('.email_err1').hide();
// }
// });
// $('.log-btn1').on('click', function() {
//
      console.log('hi',$('#login_email').val())
//
      let email = $('#login_email').val();
    if ($("#login_email").val() == "") {
//
//
    console.log('h1')
//
     $("#login_email").addClass('invalid');
//
         $('.blank-error1').show();
//
         $('.email_err1').hide();
```

```
//
        // $('.email_err').html(`<label>email field cannot be blank!</label>`)
        return false;
 //
 // } else {
        console.log('inside else');
 //
        var validRegex = /^([_a-zA-Z0-9-]+)(\.[_a-zA-Z0-9-]+)*@([a-zA-Z0-9-]+)
Z]+\.)+([a-zA-Z]{2,3})$/;
 //
        if (validRegex.test($("#login_email").val()) == false) {
 //
          console.log('inside if');
           $("#login_email").addClass('invalid');
 //
 //
          $('.email_err1').show();
 //
             $('.blank-error1').hide();
 //
document.getElementsByClassName('email_err').innerHTML="<label>Invalid
Email!</label>"
 //
          return false;
 //
        } else {
           console.log('inside nested else')
 //
 //
           $("#login_email").removeClass('invalid');
           $('#next-form').collapse('show');
 //
          // $('#email').next()[0].innerHTML = 'email field cannot be blank!'
 //
 //
        }
 // }
 // });
```

```
// var user_Credencial = document.getElementById('')
// var user_Credencial = $('#userCredencial').val();
// var password = $('#password').val();
// console.log('User Credencial:',user_Credencial,password);
// $( "#sign_in_form" ).validate( {
//
     rules: {
//
          username: {
//
              required:true,
//
              email:true
//
          },
//
          phone_number: {required:true},
         password: {
//
//
              minlength: 8,
//
              required:true
//
          },
//
          confirm_password:{
              equalTo : "#pwd",
//
//
              minlength: 8,
```

```
//
          }
//
       },
//
       messages: {
           username: "Please enter your Name",
//
           email: "Please enter a valid Email Address",
//
           phone number: "Please enter your Contact Number",
//
           password: "Please enter valid password",
//
           confirm_password:"Password is not Match"
//
//
       },
       errorElement: "em",
//
//
       errorPlacement: function ( error, element ) {
//
           error.addClass( "invalid-feedback" );
         error.insertAfter(element);
//
           // error.insertAfter(element.next(".form-control"));
//
           // error.insertAfter(element.next(".pmd-textfield-focused"));
//
//
       },
       highlight: function ( element, errorClass, validClass ) {
//
           $( element ).addClass( "is-invalid" ).removeClass( "is-valid" );
//
//
           console.log()
//
           $("#paw_hide, #paw_hide0").show();
//
            },
       unhighlight: function (element, errorClass, validClass) {
//
           $( element ).addClass( "is-valid" ).removeClass( "is-invalid" );
//
```

```
// }
// } );
// $("#paw_show").css({
       "position": "absolute",
//
//
       "right":"calc(0.375em + 0.1875rem)",
      // "bottom":"calc(0.4884em + 0.1875rem)",
//
       "top":" calc(1.995em + 0.1875rem)",
//
//
       "color":"#21bf73"
//
// });
// $("#paw_hide").css({
//
       "background-position": "right calc(0.375em + 0.1875rem) center",
//
       "position": "absolute",
       "right":"calc(0.375em + 0.1875rem)",
//
      // "bottom":"calc(0.4884em + 0.1875rem)",
//
       "top":" calc(1.995em + 0.1875rem)",
//
       "color":"#dc3545"
//
//
// });
//
// $("#paw_show").hide();
// $('#paw_hide0').click(function() {
//
       $("#paw show0").show();
```

```
//
        $("#paw_hide0").hide();
 //
         $('#pwd').get(0).type = 'text';
 // });
 // $('#paw show0').click(function() {
 //
        $("#paw_show0").hide();
 //
        $("#paw_hide0").show();
 //
        $('#pwd').get(0).type = 'password';
 // });
 // $('#btn-submit').click(function() {
 //
 //
         $(".error").hide();
 //
        var hasError = false;
 //
 //
        var Email_id = $("#email").val();
 //
        var password = $("#pwd").val();
 //
        var contact_number = $("#phone_number").val();
        var comfirm_password = $("#Confirm_pwd").val();
 //
         if(Email_id == '' && password =='' && contact_number == '' &&
 //
comfirm password == '' ){
 //
            $("form").each(function(){
 //
                 console.log( $(this));
 //
                 $(this).find(':input').addClass("is-invalid");
                 $("#paw_hide, #paw_hide0").hide();
 //
 //
            });
 //
            hasError = true;
 //
        }
 //
         if(hasError == true) { return false; }
```

```
//
 // });
Templates
Sign in.html
{% block title %}Post{% endblock %}
{% block head_extra %}
<link href="/static/css/sign_in.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="/static/js/sign_in.js"></script>
<!-- Register Page header start -->
<link href="/static/css/register.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="/static/js/register.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
validate/1.19.0/jquery.validate.min.js"> </script>
<!-- <li>k rel="stylesheet" href="static/build/css/intlTelInput.css"> -->
<!-- <li>href="static/build/css/demo.css"> -->
<!-- <script src="static/build/js/intlTelInput.js"></script> -->
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
3.4.1.min.js"></script>
<script type="text/javascript"</pre>
```

```
src="https://cdnjs.cloudflare.com/ajax/libs/intl-tel-
input/16.0.8/js/intlTelInput-jquery.min.js"></script>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/intl-tel-</pre>
input/16.0.8/css/intlTelInput.css" />
<script>
 // $(function () {
      $("#country").change(function () {
 //
        let countryCode = $(this).find('option:selected').data('country-code');
 //
        let value = "+" + $(this).val();
 //
        $('#txtPhone').val(value).intlTelInput("setCountry", countryCode);
 // });
 // var code = "+1";
 // $('#txtPhone').val(code).intlTelInput();
 // });
</script>
<!-- Register Page header end -->
{% endblock %}
```

```
{% block content %}
{% if messages %}
{% for message in messages %}
<div class="container-fluid p-0">
  <div class="alert {{ message.tags }} alert-dismissible" role="alert">
    <button type="button" class="close" data-dismiss="alert" aria-label="Close">
      <span aria-hidden="true">×</span>
    </button>
  </div>
</div>
{% endif %}
<!-- <div class="modal fade" id="signInmodal" tabindex="-1">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <div class="row mb-1">
          <div class="col-11 d-flex align-items-center justify-content-center mb-</pre>
2">
            <h3>SIGN INN</h3>
          </div>
          <div class="col-1 d-flex align-item-center justify-content-center mb-</pre>
2">
            <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
              <span aria-hidden="true">&times;</span>
```

```
</button>
          </div>
          <div class="col-12 col-md-12 text-center">
            <span><strong> Are you new to SSR Booking?</strong><a</pre>
href="/register"
                style="padding-left: 0.5rem; padding-right: 0.5rem">Create an
account</a>to get started!
            </span>
          </div>
        </div>
      </div>
      <div class="modal-body">
        <div class="search-form">
          <form method="post" action="/results" name="qsearchform"</pre>
id="qsearchform">
            {% csrf_token %}
            <div class="search-box-container">
              <div class="row term-search-input">
                <input type="text" placeholder="Enter term here" class="term-</pre>
search" name="title" id="searchtext"
                  aria-label="Search Jobtitle or Occupation" required />
                <div class="suggestion-box"></div>
                <input value="Occupation" type="hidden" id="search_type" />
              </div>
            </div>
          </form>
```

```
<form method="post" action="/CreateTerm" name="addTermForm">
            {% csrf_token %}
            <input type="hidden" name="term" id="term" value="">
            <input type="hidden" name="newTerm" value="yes">
            <input type="hidden" name="selectType" id="selectType" value="">
            <div class="row justify-content-center" id="create-btn">
              <button type="submit" class="btn">Create <strong id="term-</pre>
typed"></strong>&nbsp;&nbsp;
                <i class="fas fa-plus"></i></button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
</div> -->
<div class="container">
  {% if messages %}
  {% for message in messages %}
  <div class="alert alert-danger alert-fixed alert-dismissible fade show"</pre>
role="alert">
    <i class="bi-check-circle-fill"></i><strong class="mx-2">{{message}}</strong>
    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
  </div>
  {% endif %}
```

```
<div class="row d-flex align-items-center justify-content-center align-content-</pre>
center d-none"
    id="blublebla-signin-card">
    <div class="col-12 col-md-6 register-card">
      <div class="col-11 d-flex align-items-center justify-content-center mb-2">
        <h3 style="
        padding-left: 2rem;
    ">SIGN IN</h3>
      </div>
      <!-- <div class="col-1 d-flex align-item-center justify-content-center mb-
2">
        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div> -->
      <!-- <div class="col-12 col-md-12 text-center">
        <span><strong> Are you new to SSR Booking?</strong><a href="/signup"</pre>
            style="padding-left: 0.5rem;padding-right: 0.5rem">Create an
account</a>to get started!
        </span>
      </div> -->
      <div class="col-12 col-md-12 text-center">
        <span><strong> Are you new to SSR Booking?</strong><a</pre>
href="javascript:void(0);"
            style="padding-left: 0.5rem; padding-right: 0.5rem" class="blublebla-
signin-card">Create an account</a>to get
```

```
</span>
      </div>
      <br>
      <div class="search-form">
        <form class="form" action="/login" method="post" id="sign_in_form"</pre>
class="signIn_form-validation needs-validation" novalidate>
          {% csrf_token %}
          <div class="field-wrap col-12 floating-label-group">
            <input class="form-control" id="email" name="email" type="text"</pre>
required autocomplete="off" />
            <label class="floating-label">
            </label>
          </div>
          <div class="field-wrap col-12 floating-label-group">
            <input type="password" class="form-control" id="password"</pre>
name="password" required autocomplete="off" />
            <i id='paw_show' class="fas fa-eye "></i></i>
            <i id='paw_hide' class="fas fa-eye-slash "></i>
            <label class="floating-label">
            </label>
          </div>
          <div class="row">
            <div class="col-md-6" id="forgot-btn">
```

```
<a href="/password_reset" class="btn btn-link btn-sm pl-3 ">Forgot
Password?</a>
            </div>
            <div class="col-md-6 text-end pr-4">
              <button type="submit" name="login" class="btn btn-default log-</pre>
btn1">Login</button>
            </div>
          </div>
        </form>
      </div>
    </div>
  </div>
</div>
{% endblock %}
Success.html
{% block title %}Email Verification - Success{% endblock %}
{% block head_extra %}
<link href="/static/css/home3.css" rel="stylesheet" type="text/css" />
<!-- <li>href="/static/css/search_results.css" rel="stylesheet"> -->
<script type="text/javascript" src="/static/js/home.js"></script>
<!--<link
href="https://cdn.jsdelivr.net/npm/boxicons@latest/css/boxicons.min.css"/>-->
{% endblock %}
```

```
{% block content %}
<div class="container-fluid">
    <div class="container" >
      <div style="text-align:center; padding-top: 5rem;">
        <h1>Congrats! you just verified your account</h1>
        </div>
        <div class="row">
<!--
                <div class="col-md-6">-->
<!--
                    <img src="../static/images/Interview.png">-->
<!--
                </div>-->
            <div class="col-md-12 d-flex align-items-center justify-content-</pre>
center" style="flex-direction: column; padding-top: 15rem;" >
<!--
                    <h1 style="margin-bottom: 1rem;">Excellence through Finding,
Connecting and Recruiting</h1>-->
                 <button class="btn job post btn-primary">Post a job</button>
                   <!-- {% if user.is_authenticated %}
                   <a href="/post_add"> <button class="btn job_post btn-</pre>
primary">Post a job</button></a>
                   {% else %}
                   <a href="javascript:void(0);" data-toggle="modal" data-</pre>
target="#signInmodal"
                   id="login_btn"><button class="btn job_post btn-primary">Post a
job</button></a>
                   {% endif %} -->
            </div>
        </div>
    </div>
</div>
<div class="modal fade" id="modal_open" tabindex="-1" role="dialog" aria-</pre>
labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-dialog-centered" role="document">
```

```
<div class="modal-content">
        <div class="modal-header">
          <h5 class="modal-title" id="exampleModalLabel">We charge $1 per week to
post a job plus $50 per hire to use our system</h5>
          <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
      <!-- <div class="modal-body">
            </div> -->
        <div class="modal-footer">
            <a href='\job_post'><button type="button" id="agree_btn" class="btn"</pre>
btn-primary bg-success" data-dismiss="modal">I agree</button></a>
          <a href='\home'><button type="button" class="btn btn-primary bg-</pre>
secondary">No Thank You</button></a>
        </div>
      </div>
   </div>
  </div>
Base.html
<!DOCTYPE html>
<html lang="en">
<head>
    <title>{% block title %}Ticket Booking {% endblock %}</title>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" type="image/x-icon"</pre>
href="/static/images/favicon io/favicon.ico">
      {# Bootstrap #}
    <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/2.9.2/umd/popper.min.js"
integrity="sha512-
2rNj2KJ+D8s1ceNasTIex6z4HWyOnEYLVC3FigGOmyQCZc2eBXKgOxQmo3oKLHyfcj53uz4QMsRCWNbLd
32Q1g==" crossorigin="anonymous" referrerpolicy="no-referrer"></script>
<!-- <li>k href="/static/vendor/bootstrap/css/bootstrap.min.css"
rel="stylesheet" type="text/css"> {# bootstrap 5.0.1 #}-->
      <script src="/static/vendor/popperjs/popper.js"></script> {# popper.js
2.9.2 #}-->
<!-- <script
src="/static/vendor/bootstrap/js/bootstrap.bundle.min.js"></script>-->
    k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
crossorigin="anonymous">
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.min.js
" integrity="sha384-
/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zE0g7Hlq2THRZ"
crossorigin="anonymous"></script>
<!-- <script type="text/javascript" src="/static/js2/global.js"></script>-->
    <link href="/static/css/header.css" rel="stylesheet">
    {% block head extra %}{% endblock %}
    <script>
       /*to prevent Firefox FOUC, this must be here*/
       let FF FOUC FIX;
    </script>
```

```
</head>
<body>
<div>
{% block content %}{% endblock %}
{% include 'footer.html' %}
</div>
</body>
</html>
Dashbord.html
{% block head_extra %}
<link href="/static/css/dashboard.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
1.7.1.min.js"></script>
<script type="text/javascript" src="/static/js/dashboard.js"></script>
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
3.4.1.min.js"></script>
{% endblock %}
{% block content %}
    <main class="container" style="margin-top:8%">
```

```
<div class="menu">
  <div class="avatar">
   <img
      class="thumb"
      src="/static/images/avatar.png"
     width="60"
   />
   <span class="name">@Dhanushvarthini</span>
  </div>
  <nav class="primary">
    <!-- <a href="#" class="menu-item active">
      <span class="iconoir-report-columns"></span>
      <span class="desc">Dashboard</span>
    </a> -->
    <!-- <a href="#" class="menu-item">
      <span class="iconoir-google-docs"></span>
     <span class="desc">Reports</span>
    </a>
    <a href="#" class="menu-item">
      <span class="iconoir-table"></span>
      <span class="desc">Stats</span>
    </a>
    <a href="#" class="menu-item">
      <span class="iconoir-bag"></span>
      <span class="desc">Cart</span>
    </a>
    <a href="#" class="menu-item">
      <span class="iconoir-user"></span>
      <span class="desc">Clients</span>
```

```
</a>
    <a href="#" class="menu-item">
     <span class="iconoir-leaderboard"></span>
     <span class="desc">Analytics</span>
    </a>
    <a href="#" class="menu-item">
     <span class="iconoir-settings"></span>
     <span class="desc">Settings</span>
    </a> -->
  </nav>
  <span class="expander iconoir-arrow-right"></span>
</div>
<div class="topbar">
 <h1 class="current">Dashboard</h1>
 <!-- <span class="search">
   <label><span class="iconoir-search"></span></label>
   <input class="bar" type="text" placeholder="Search..." />
  </span> -->
  <!-- <nav>
   <a href="#" class="menu-item">Orders</a>
   <a href="#" class="menu-item">Clients</a>
   <a href="#" class="menu-item">Sections</a>
   <a href="#" class="menu-item">Products</a>
  </nav> -->
</div>
<div class="dashboard" style="padding-left: 5%;margin-top:2%">
 <div class="cardcolumn">
   <div class="card">
```

```
<header>
    <a class="title" href="#">Book Your Train Ticket</a>
    <span class="iconoir-more-vert"></span>
  </header>
  <div class="content">
    <div class="field col-sm-6">
      <label for="from">From :</label>
      <input id="from" type="text" />
    </div>
    <div class="field col-sm-6">
      <label for="to">To :</label>
      <input id="to" type="text" />
    </div>
    <div class="field col-sm-6 col-centered">
      <label for="datepicker">Date</label>
      <input id="datepicker" type="text" />
    </div>
    <div class="clearfix visible-xs"></div>
    <div class="field col-sm-6 col-centered">
      <div id="search" class="btn btn-primary">Search for Trains</div>
    </div>
  </div>
</div>
```

```
<header>
              <a class="title" href="#"></a>
              <span class="iconoir-more-vert"></span>
            </header>
            <div class="content"></div>
            <div class="meta">
              <span class="iconoir-pin"></span>
              <span class="iconoir-eye-off"></span>
              <span class="iconoir-share-ios"></span>
            </div>
          </div>
        </div>
        <div class="cardcolumn">
        </div>
      <div class="side">
        <div class="card weather">
          <img
            class="condition"
src="https://res.cloudinary.com/dtqkhr809/image/upload/v1665659679/forecast_vb4vl
0.png"
          />
          <div class="content"></div>
          <div class="meta">
            <span class="location">
```

<div class="card">

```
</span>
          <div class="datetime">
            <span class="iconoir-calendar"></span>
            <span class="date">21 July, 2022</span>
            <span class="time">5:01</span>
           </div>
         </div>
       </div>
       <div class="card">
         <header>Schedule
         <div class="content">
          <!-- <ul>
            (15:30) Deliver the project to client
            (18:00) Meet Mike @ White Goose
            (19:30) Dinner with Mary @ Kit-Bar
            (22:00) Watch the Falcons match
            (23:30) Headspace Meditate
          </div>
       </div>
     </div>
   </main>
   <div class="video">
     <video
src="https://res.cloudinary.com/dtqkhr809/video/upload/v1665644022/pexels_uezvrq.
mp4"
       muted
```



```
playsinline
        autoplay
      ></video>
    </div>
 {% endblock %}
Footer.html
<!-- <style>
.footer{
padding: 10px 20px;
   background-color: #14274e;
   text-transform: uppercase;
   font-weight: 300;
   font-size: .8rem;
   border-top: 1px solid #ccc;
   color:#FFFFF;
   position:absolute;
   bottom: 0;
   width: 100%;
.footer .about {
   text-align: center;
   padding-bottom: 10px;
```

}

color:#FFFFF;

```
}
.footer .links {
   font-size: 0.55rem;
   text-align: center;
   color:#FFFFFF;
}
.footer .social {
   display: flex;
   align-items: center;
   justify-content: center;
   flex-direction: row;
   padding: 20px 0;
   text-align: center;
}
.footer .social img{
   height: 50px;
   width: 50px;
   padding: 5px;
   color: #ccc;
}
.footer .about a,.footer .links a{
    color:#ffffff;
}
</style>
```

```
{% block content %}
<div class="footer">
    <div class="about">
        © 2022
                     <a</pre>
href="http://demo.bleblubla.com/prototypes/v4/-/home">SSR Booking</a>
    </div> -->
   <!--/.about -->
<!--
    <div class="links">
        <a href="http://demo.bleblubla.com/prototypes/v4/-/terms">Terms of
Use</a>
        <span class="ml-1 mr-1">/</span>
        <a href="http://demo.bleblubla.com/prototypes/v4/-/privacy">Privacy
Policy</a>
    </div> -->
    <!--/.links -->
    <!-- <div class="social">
        <a href="https://www.facebook.com" target="_blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/faceboo
k.svg" alt="Facebook"></a>
        <a href="https://twitter.com" target=" blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/twitter
.svg" alt="Twitter"></a>
```

```
<a href="https://www.youtube.com" target="_blank"><img</pre>
src="http://demo.bleblubla.com/prototypes/v4/assets/images/social/circles/youtube
.svg" alt="YouTube"></a>
    </div> -->
   <!--/.social -->
<!-- </div> -->
{% endblock %}
Header.html
{% load data_filters %}
{% block head_extra %}
<!--<li>k href="/static/css1/about.css" rel="stylesheet" type="text/css" />-->
<script src="../static/js/header.js"></script>
<!-- <script src="../static/js/occupation_details.js"></script> -->
<!-- segment.js -->
{% endblock %}
{% block content %}
<header class="header">
    <section class="header-body">
        <div class="row menu">
```

```
<div class="col-md-3">
                <div class="logo-img">
                     <a class="lu-header-title" id="lu-header-title" href="/">
                         <img alt=" Logo" src="/static/images/bleblubla_logo.svg"</pre>
width="175" height="30">
                    </a>
                </div>
            </div>
            <div class="col-md-3 text-start">
                                    <a target="" href="/job_post"</pre>
class="dyn nav mm">Create a Post</a>-->
            </div>
            {% if messages %}
            {% for msg in messages %}
            {% if msg.message == 'Login Successfully' %}
            <div class="alert msg alert alert-success alert-dismissible fade</pre>
show" role="alert"
                style="position: absolute;width: 30%;top: 100%;left:
50%; transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% if msg.message == 'Registered Successfully' %}
            <div class="alert msg alert alert-success alert-dismissible fade</pre>
show" role="alert"
                style="position: absolute;width: 19%;top: 80%;left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
```

```
</div>
            {% endif %}
            {% if msg.message == 'Login Error' %}
            <div class="alert_msg alert alert-danger alert-dismissible fade show"</pre>
role="alert"
                style="position: absolute;width: 19%;top: 80%;left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% endif %}
            {% if msg.message == 'Registeration failed' %}
            <div class="alert_msg alert alert-danger alert-dismissible fade show"</pre>
role="alert"
                style="position: absolute;width: 19%;top: 80%;left:
50%;transform: translateX(-50%);">
                <button type="button" class="btn-close" data-bs-dismiss="alert"</pre>
aria-label="Close"></button>
            </div>
            {% endif %}
            {% endif %}
            <div class="col-md-6 text-end">
                {% if user.is authenticated %}
                <div class="btn-group d-md-inline-block show ">
```

```
<a href="javascript:void(0);" class="link-nav dropdown-</pre>
toggle" data-toggle="dropdown"
                         aria-expanded="true">Dhanush<span></span></a>
                     <div id='drop-down' class="dropdown-menu dropdown-menu-left"</pre>
x-placement="bottom-end"
                         style="position: absolute; will-change: transform; top:
Opx; right:-50px; transform: translate3d(-52px, 33px, 0px);">
                         <a href="/profile" class="dropdown-item"> <i
                                 class="fas fa-user icon icon-sm icon-muted mr-
1"></i> Profile</a>
                         <a href="/users/logout" class="dropdown-item"><i</pre>
                                 class="fas fa-sign-out-alt icon icon-sm icon-
muted mr-1"></i> Logout</a>
                     </div>
                </div>
                     <!-- <div class="btn-group d-md-inline-block show ">
                     <a href="javascript:void(0);" class="link-nav dropdown-</pre>
toggle" data-toggle="dropdown"
                         aria-expanded="true">Dhanushavarthini<span></span></a>
                     <div id='drop-down' class="dropdown-menu dropdown-menu-left"</pre>
x-placement="bottom-end"
                         style="position: absolute; will-change: transform; top:
0px; right:-50px; transform: translate3d(-52px, 33px, 0px);">
                         <a href="/profile" class="dropdown-item"> <i</pre>
                                 class="fas fa-user icon icon-sm icon-muted mr-
1"></i> Profile</a>
                         <a href="/users/logout" class="dropdown-item"><i</pre>
                                 class="fas fa-sign-out-alt icon icon-sm icon-
muted mr-1"></i> Logout</a>
                     </div>
                </div> -->
```

```
<div>
                    <a href='/login'>Create Account / Login</a>
                </div>
                {% endif %}
                <!-- <h2>Hello</h2> -->
            </div>
        </div>
    </section>
</header>
<!-- signin modal page -->
<!--
<div class="modal fade " id="signInmodal" tabindex="-1" aria-hidden="true" >
    <div class="modal-dialog modal-dialog-centered">
        <div class="modal-content">
            <div class="modal-header">
                <div class="col-11 d-flex align-items-center justify-content-</pre>
center">
                    <h3>SIGN </h3>
                </div>
                <div class="col-1 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                    <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
```

```
</div>
```

```
<div class="col-12 col-md-12 text-center" style="padding: 0.5rem</pre>
1rem 0.5rem;">
                     <span><strong> Are you new to SSR Booking?</strong><a</pre>
href="/signup"
                             style="padding-left: 0.5rem;padding-right:
0.5rem">Create an account</a>to get
                         started!
                     </span>
                </div>
            </div>
            <div class="modal-body">
                <form method="post" id="sign_in_form" class="signIn_form-</pre>
validation" action="login" novalidate>
                    {% csrf token %}
                     <div class="form-group mb-4">
                         <label>Username(Email)</label>{{a}}
                         <input class="form-control " id="userCredencial"</pre>
name="email" type="email" required />
                         <div class="invalid-feedback"><label>phone number /email
field cannot be blank!</label>
                         </div>
                     </div>
                     <div class="form-group mb-4" style="position: relative;">
                         <label>Password</label>
                         <i id='paw_show' class="fas fa-eye "></i></i>
                         <i id='paw_hide' class="fas fa-eye-slash "></i></i>
                         <input type="password" id="password" name="password"</pre>
class="form-control" required />
```

```
<div class="invalid-feedback"><label>password field
cannot be blank!</label></div>
                    </div>
                    <div class="row">
                        <div class="col-md-6" id="forgot-btn">
                            <a href="password_reset" class="btn btn-link btn-sm</pre>
pl-0 ">Forgot Password?</a>
                        </div>
                        <div class="col-md-6 text-end pr-1">
                             <button type="submit" class="btn btn-</pre>
default">Login</button>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div> -->
{% endblock %}
<!-- Register modal page design -->
<div class="modal fade bd-example-modal-lg" id="signUpmodal">
    <div class="modal-dialog modal-dialog-centered modal-lg">
```

```
<div class="modal-content">
            <div class="modal-header wrapper d-flex align-items-center justify-</pre>
content-center">
                <div class="col-11 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                     <h3>SIGN UP</h3>
                </div>
                <div class="col-1 d-flex align-items-center justify-content-</pre>
center" style="padding: 0.8rem;">
                     <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal" aria-label="Close"></button>
                </div>
            </div>
            <div class="modal-body">
                <form enctype="multipart/form-data" action="signup/"</pre>
method="post" id="register_frm"
                     class="Regiser_from" novalidate>
                    {% csrf_token %}
                     <div class="form-group row mb-4">
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="name">Name</label>
                             <input type="text" class="form-control" id="username"</pre>
name="username"
                                 aria-describedby="basic-addon3" required>
                             <!-- <div class="valid-feedback">Username field is
valid!</div> -->
                             <div class="invalid-feedback"><label>Username field
cannot be blank!</label>
                             </div>
                         </div>
```

```
<div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                            <label>Phone</label>
                             <input type="tel" class="form-control"</pre>
id="phone_number" name="phone_number"
                                 aria-describedby="basic-addon3" required>
                             <!-- <div class="valid-feedback">Phone number field
is valid!</div> -->
                             <div class="invalid-feedback"><label>Phone number
field cannot be
                                     blank!</label></div>
                        </div>
                    </div>
                    <div class="form-group mb-4">
                        <div class="col-md-12 col-sm-12 pmd-textfield pmd-
textfield-floating-label" style="flex: auto;">
                             <label for="email">Email</label>
                             <input type="email" class="form-control" id="email"</pre>
name="email"
                                 aria-describedby="basic-addon3" required>
                             <div id="email_err" class="invalid-</pre>
feedback"><label>email field cannot be
                                    blank!</label>
                             </div>
                        </div>
                    </div>
                    <div class="form-group mb-4 row" style="position: relative;">
```

```
<div class="col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label"
                             style="flex: auto; position: relative;">
                             <label>Password</label>
                             <i id="paw_show0" class="fas fa-eye"></i>
                             <i id="paw_hide0" class="fas fa-eye-slash"></i>
                             <input type="password" class="form-control "</pre>
name="password" id="pwd" required />
                             <div class="invalid-feedback"><label>password field
cannot be blank!</label>
                             </div>
                         </div>
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label "
                             style="flex: auto;position: relative;">
                             <label>Confirm Password</label>
                             <i id='paw_show1' class="fas fa-eye "></i></i>
                             <i id='paw_hide1' class="fas fa-eye-slash "></i></i>
                             <input type="password" class="form-control"</pre>
name="confirm_password" id="Confirm_pwd"
                                 required />
                             <div class="invalid-feedback"
id="pass_err"><label>confirm password field
                                     blank!</label></div>
                         </div>
```

```
<!-- <div class="form-group mb-4" style="position:
relative;">
                         </div> -->
                     <div class="form-group mb-4">
                         <div class="pmd-textfield pmd-textfield-floating-label"</pre>
style="flex: auto;">
                             <label for="address">Address</label>
                             <input type="text" class="form-control" id="address"</pre>
name="address"
                                 aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>Address field
cannot be blank!</label>
                             </div>
                         </div>
                     </div>
                     <div class="form-group row mb-4">
                         <div class=" col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="city">City</label>
                             <input type="text" class="form-control" id="city"</pre>
name="city"
                                 aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>city field
cannot be blank!</label>
                             </div>
                         </div>
                         <div class="col-md-6 col-sm-12 pmd-textfield pmd-</pre>
textfield-floating-label" style="flex: auto;">
                             <label for="state">State</label>
                             <input type="text" class="form-control" id="state"</pre>
name="state"
```

```
aria-describedby="basic-addon3" required>
                             <div class="invalid-feedback"><label>field cannot be
blank!</label> </div>
                        </div>
                    </div>
                    <!--
                    <div class="form-group mb-4">
                        <div class="pmd-textfield pmd-textfield-floating-label"</pre>
style="flex: auto;">
                             <label for="profile">Profile Photo</label>
                             <input type="file" class="form-control" id="profile"</pre>
name="profile"
                                 aria-describedby="basic-addon3" accept="image/*"
required>
                        </div>
                    </div> -->
                    <!-- <div class="form-group mb-4">
                        </div> -->
                    <div class="row flex-row">
                        <div class="col-md-6">
                             <a href="javascript:void(0);" data-toggle="modal"</pre>
data-target="#signInmodal"
                                 id="return_signin">Return to Sign In</a>
```

<div class="col-md-6 text-end pr-1">

</div>

```
<button type="submit" id="btn-submit" class="btn btn-
default">Register</button>
                         </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
</div>
Index.html
{% block content %}
<div class="d-flex align-content-center justify-content-center " style="margin-</pre>
top: 120px;">
    <div class="card p-10 text-center" style="margin: auto;width:400px;</pre>
height:400px;">
        <h3 class="mt-5 mb-2">Welcome to SSR-Booking</h3>
        <span class="mt-5 mb-2">If your are new user goto signup <a</pre>
href="/register" class="btn btn-primary">Register</a></span>
    </div>
</div>
```

```
{% endblock %}
Login.html
{% block title %}Post{% endblock %}
{% block head_extra %}
<link href="/static/css/sign_in.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="/static/js/sign_in.js"></script>
<!-- Register Page header start -->
<link href="/static/css/register.css" rel="stylesheet" type="text/css" />
<script type="text/javascript" src="/static/js/register.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/jquery-</pre>
validate/1.19.0/jquery.validate.min.js"> </script>
<!-- <li>k rel="stylesheet" href="static/build/css/intlTelInput.css"> -->
<!-- <li>k rel="stylesheet" href="static/build/css/demo.css"> -->
<!-- <script src="static/build/js/intlTelInput.js"></script> -->
<script type="text/javascript" src="https://code.jquery.com/jquery-</pre>
3.4.1.min.js"></script>
<script type="text/javascript"</pre>
  src="https://cdnjs.cloudflare.com/ajax/libs/intl-tel-
```

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/intl-tel-
input/16.0.8/css/intlTelInput.css" />
```

input/16.0.8/js/intlTelInput-jquery.min.js"></script>

```
<script>
```

```
// $(function () {
      $("#country").change(function () {
 //
        let countryCode = $(this).find('option:selected').data('country-code');
        let value = "+" + $(this).val();
 //
        $('#txtPhone').val(value).intlTelInput("setCountry", countryCode);
 //
 // });
 // var code = "+1";
 // $('#txtPhone').val(code).intlTelInput();
 // });
</script>
<!-- Register Page header end -->
{% endblock %}
{% block content %}
{% if messages %}
{% for message in messages %}
<div class="container-fluid p-0">
 <div class="alert {{ message.tags }} alert-dismissible" role="alert">
```

```
<button type="button" class="close" data-dismiss="alert" aria-label="Close">
      <span aria-hidden="true">×</span>
    </button>
  </div>
</div>
{% endif %}
<!-- <div class="modal fade" id="signInmodal" tabindex="-1">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <div class="row mb-1">
          <div class="col-11 d-flex align-items-center justify-content-center mb-</pre>
2">
            <h3>SIGN INN</h3>
          </div>
          <div class="col-1 d-flex align-item-center justify-content-center mb-</pre>
2">
            <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="col-12 col-md-12 text-center">
```

```
<span><strong> Are you new to SSR Booking?</strong><a</pre>
href="/register"
                style="padding-left: 0.5rem; padding-right: 0.5rem">Create an
account</a>to get started!
            </span>
          </div>
        </div>
      </div>
      <div class="modal-body">
        <div class="search-form">
          <form method="post" action="/results" name="qsearchform"</pre>
id="qsearchform">
            {% csrf_token %}
            <div class="search-box-container">
              <div class="row term-search-input">
                <input type="text" placeholder="Enter term here" class="term-</pre>
search" name="title" id="searchtext"
                  aria-label="Search Jobtitle or Occupation" required />
                <div class="suggestion-box"></div>
                <input value="Occupation" type="hidden" id="search_type" />
              </div>
            </div>
          </form>
          <form method="post" action="/CreateTerm" name="addTermForm">
            {% csrf_token %}
            <input type="hidden" name="term" id="term" value="">
            <input type="hidden" name="newTerm" value="yes">
            <input type="hidden" name="selectType" id="selectType" value="">
            <div class="row justify-content-center" id="create-btn">
```

```
<button type="submit" class="btn">Create <strong id="term-</pre>
typed"></strong>&nbsp;&nbsp;
                <i class="fas fa-plus"></i></button>
            </div>
          </form>
        </div>
      </div>
    </div>
  </div>
</div>
</div> -->
<div class="container">
 {% if messages %}
  {% for message in messages %}
  <div class="alert alert-danger alert-fixed alert-dismissible fade show"</pre>
role="alert">
    <i class="bi-check-circle-fill"></i><strong class="mx-2">{{message}}</strong>
    <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
  </div>
  {% endif %}
  <div class="row d-flex align-items-center justify-content-center align-content-</pre>
center "
    id="blublebla-signin-card">
    <div class="col-12 w-50 p-4 pl-md-4 register-card">
      <div class="col-11 d-flex align-items-center justify-content-center mb-2">
        <h3 style="
        padding-left: 2rem;
```

```
">SIGN IN</h3>
      </div>
      <!-- <div class="col-1 d-flex align-item-center justify-content-center mb-
2">
        <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div> -->
      <!-- <div class="col-12 col-md-12 text-center">
        <span><strong> Are you new to SSR Booking?</strong><a href="/signup"</pre>
            style="padding-left: 0.5rem;padding-right: 0.5rem">Create an
account</a>to get started!
        </span>
      </div> -->
      <div class="col-12 col-md-12 text-center">
        <span><strong> Are you new to SSR Booking?</strong><a href="/register"</pre>
            style="padding-left: 0.5rem;padding-right: 0.5rem" class="blublebla-
signin-card">Create an account</a>to get
        </span>
      </div>
      <hr>>
      <div class="search-form">
        <form class="form" method="post" id="sign_in_form" class="signIn_form-</pre>
validation needs-validation" novalidate>
          {% csrf_token %}
          <!-- <div class="form-group mb-4 " style="position: relative;">
```

```
<label>Username</label>{{a}}
            <input class="form-control " id="email" placeholder="Email"</pre>
name="email" type="email" required />
            <div class="invalid-feedback " style="</pre>
          margin-top: 4rem;"><label>username /email field cannot be
blank!</label>
            </div>
            <div class="invalid-feedback email err1 " style="</pre>
          margin-top: 4rem;"><label>Invalid email format please check it!</label>
            </div>
          </div>
          <div class="form-group mb-4" style="position: relative;">
            <label>Password</label>
            <i id='paw_show' class="fas fa-eye "></i></i>
            <i id='paw_hide' class="fas fa-eye-slash "></i>
            <input type="password" id="password" name="password"</pre>
placeholder="password" class="form-control" required />
            <div class="invalid-feedback" style="</pre>
            margin-top: 4rem;"><label>password field cannot be
blank!</label></div>
          </div> -->
          <div class="field-wrap col-12 floating-label-group">
            <input class="form-control" id="email" name="email" type="text"</pre>
required autocomplete="off" />
            <label class="floating-label">
            </label>
```

```
</div>
          <div class="field-wrap col-12 floating-label-group">
            <input type="password" class="form-control" id="password"</pre>
name="password" required autocomplete="off" />
            <i id='paw_show' class="fas fa-eye "></i>
            <i id='paw_hide' class="fas fa-eye-slash "></i>
            <label class="floating-label">
            </label>
          </div>
          <div class="row">
            <div class="col-md-6" id="forgot-btn">
              <a href="/password_reset" class="btn btn-link btn-sm pl-3 ">Forgot
Password?</a>
            </div>
            <div class="col-md-6 text-end pr-4">
              <button type="submit" name="login" class="btn btn-default log-</pre>
btn1">Login</putton>
            </div>
          </div>
        </form>
      </div>
    </div>
  </div>
  <!-- Register page body-portion end -->
```

```
</div>
{% endblock %}
Templatetags
Urls.py
from django.urls import path, re_path, reverse_lazy
from . import views
from .views import (
   SignUpView,
   ActivateView,
   CheckEmailView,
   SuccessView,
from django.contrib.auth.views import (
    PasswordResetView,
    PasswordResetDoneView,
   PasswordResetConfirmView,
   PasswordResetCompleteView
urlpatterns = [
   path('', views.home, name='home'),
   path('dashboard',views.dashboard, name='dashboard'),
    path('login', views.signin, name="login"),
```

```
path('activate', views.verify otp, name='verify otp'),
    path('register/', SignUpView.as_view(), name="signup"),
    # path('activate', ActivateView.as view(), name="activate"),
    # re path(r'^activate/([0-9\-]+)/([0-9\-]+)$', ActivateView.as view(),
name="activate"),
   path('check-email', CheckEmailView.as view(), name="check email"),
    path('success', SuccessView.as view(), name="success"),
    path('password_reset/', PasswordResetView.as_view(
        template name='users/password reset form.html',
        html email template name='users/password reset email.html',
        subject template name='users/password reset subject.txt',
        success url=reverse lazy('password reset done')),
        name='password reset'
   path('password_reset/done/', PasswordResetDoneView.as_view(
        template name='users/password reset done.html'),
        name='password reset done'
    path('reset/<uidb64>/<token>/', PasswordResetConfirmView.as view(
        template_name='users/password_reset_confirm.html',
        success url=reverse lazy('password reset complete')),
        name='password reset confirm'
    path('reset/done/', PasswordResetCompleteView.as_view(
        template_name='users/password_reset_complete.html'),
        name='password reset complete'
```

```
Views.py
import math
import random
from django.shortcuts import render
# Create your views here.
from django.http import HttpResponse
import os
import datetime
from pdb import Pdb
# from urllib import request
from django.shortcuts import render, redirect
from django.views.generic import CreateView, TemplateView, RedirectView
from django.contrib.auth import login
from django.contrib.auth.views import LoginView
```

from django.urls import reverse_lazy

```
from django.utils.http import urlsafe_base64_decode
from django.utils.encoding import force_str
import requests # force_text on older versions of Django
from .forms import UserRegisterForm, token_generator
from users.models import CustomUser
from users.forms import LogInForm
from django.contrib.auth import login, authenticate
from django.contrib import messages
from requests import Request, get
def home(request):
   if request.user.is_authenticated:
       redirect('/login')
   else:
        redirect('/dashboard')
   return render(request, 'index.html')
def dashboard(request):
   return render(request, 'dashbord.html')
```

```
def get_otp():
   digits = "0123456789"
   OTP = ""
   # length of password can be changed
    # by changing value in range
    for i in range(6) :
        OTP += digits[math.floor(random.random() * 10)]
    return OTP
def activate():
   pass
class SignUpView(CreateView):
    form_class = UserRegisterForm
   template_name = 'register.html'
    success_url = reverse_lazy('check_email')
    def form_valid(self, form):
        to_return = super().form_valid(form)
        if to_return:
           user = form.save()
```

```
otp = get_otp()
            user.is_active = False # Turns the user status to inactive
            user.otp = otp
            print(otp)
            us_id = user.id
        # request.session['user-id'] = user.id
        # request.session['otp'] = otp
            form.send_activation_email(self.request, user,otp,us_id)
            return to_return
        else:
            form = form
            return render(Request, 'register.html', { 'form':form})
def verify_otp(request):
    # for id in [1,2,3,4,5,6,7]:
    user = CustomUser.objects.get('danushavarthiniss@gmail.com')
    if user is not None:
        user.is active = True
        return redirect('/login')
```

print("user", user)

```
class ActivateView(RedirectView):
   url = reverse_lazy('success')
   # Custom get method
   def get(self, *args, **kwargs):
       # user = None
       # print(id,otp)
       # try:
       # uid = id
            if uid:
                user = CustomUser.objects.get()
       # except (TypeError, ValueError, OverflowError, CustomUser.DoesNotExist):
            user = None
       # if user is not None:
             if otp:
                user.is_active = True
```

```
user.save()
             return redirect('/login')
       # else:
           return render(request, 'users/activate_account_invalid.html')
       return
class CheckEmailView(TemplateView):
    template_name = 'users/check_email.html'
class SuccessView(TemplateView):
    template_name = 'users/success.html'
def set_cookie(response, key, value, days_expire=7):
   if days_expire is None:
       max_age = 365 * 24 * 60 * 60 # one year
   else:
       max_age = days_expire * 24 * 60 * 60
   expires = datetime.datetime.strftime(
       datetime.datetime.utcnow() + datetime.timedelta(seconds=max_age),
        "%a, %d-%b-%Y %H:%M:%S GMT",
    response.set cookie(
       key,
       max_age=max_age,
```

```
expires=expires,
        domain=settings.SESSION_COOKIE_DOMAIN,
        secure=settings.SESSION_COOKIE_SECURE or None,
def signin(request):
    if request.method == 'POST':
        form = LogInForm(request.POST)
        if form.is valid():
            try:
                username = form.cleaned_data.get('email')
                password = form.cleaned_data.get('password')
                user = authenticate(username=username, password=password)
                # request.session['user'] = username
                if user is not None:
                    # request.session['user'] =
{'username':user,'is_authenticated':user.is_authenticated}
                    # login(request, user)
                    # request.session['User'] =
user._meta.pk.value_to_string(user)
                    messages.success(request, f"You are now logged in as
{user}.")
                    return redirect("/dashboard")
                else:
                    messages.error(request, "Invalid username or password.")
```

```
except:
    return False

else:
    messages.error(request, "Invalid username or password.")

return render(request, 'login.html')
```

Documentation.txt

Trainticket Django Project

- 1.create new directory
- 2. open the directory on CMD
- 3.create virtualenvironment using => py -m venv venv
- 4.Once the process is complete, you also need to activate the virtual environment:.\env\Scripts\activate.bat
- 5. Once you've created and activated your Python virtual environment,

you can install Django into this dedicated development workspace: python -m pip install django 6.python -m pip freeze > requirements.txt

This command writes the names and versions of all external Python packages that are currently in your virtual environment to a file called requirements.txt.

This file will include the django package and all of its dependencies.

- 7. After you've successfully installed Django, you're ready to create the scaffolding for your new web application. The Django framework distinguishes between projects and apps:
 \$ django-admin startproject <project-name> => \$ django-admin startproject setup.
- 8. Now, you'll create a Django app that'll contain the specific functionality of your web application \$ python manage.py startapp <appname> => \$ python manage.py startapp users


Requirements.txt

```
asgiref==3.5.2
Babel==2.11.0
certifi==2022.9.24
charset-normalizer==2.1.1
```

```
Django==4.1.3
idna==3.4
mysql-connector-python==8.0.28
numpy==1.23.2
opencv-python==4.6.0.66
PyJWT==2.6.0
pytz==2022.6
requests==2.28.1
sqlparse==0.4.3
twilio==7.15.2
tzdata==2022.6
urllib3==1.26.12
```

Output

Page 4:



Page 5:

