


Assignment 3

Project Name	Plasma Donor application
Team ID	PNT2022TMID47827

Question

1.Create a bucket in IBM object Storage

Output



The screenshot displays the IBM Cloud Object Storage console. The left sidebar shows the navigation menu with options like Cloud Object Storage, Storage instances, Cloud Object Storage-el, Buckets, Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area shows the bucket 'cloud-object-storage-el-cos-standard-gue' with tabs for Objects, Configuration, and Permissions. Below the tabs, there is a message about usage and a table of objects. The table has columns for Object name, Archived, Size, and Last modified. The objects listed are 'downL...jffif', 'downL...jffif', 'downL...jffif', 'ima...jffif', and 'img...jffif', all with sizes between 4.7 KB and 6.9 KB and last modified on 2022-10-30 1:58 PM.

Object name	Archived	Size	Last modified
downL...jffif		4.8 KB	2022-10-30 1:58 PM
downL...jffif		6.9 KB	2022-10-30 1:58 PM
downL...jffif		4.8 KB	2022-10-30 1:58 PM
ima...jffif		6.3 KB	2022-10-30 1:58 PM
img...jffif		4.7 KB	2022-10-30 1:58 PM

2.Upload 5 images to IBM object storage and make it public .Write code to displaying all the 5 images.

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>blood donor application</title>

</head>

<body>

<h1 style="color:red;text-align:center;">Donate your blood save lives</h1>

<div>








```


</div>

</body>

</html>

Output

The screenshot shows the IBM Cloud Object Storage console. The left sidebar contains navigation links: Cloud Object Storage, Storage instances, Cloud Object Storage-el, Buckets, Integrations, Endpoints, Usage details, Service credentials, Connections, and Plan. The main content area displays the bucket 'cloud-object-storage-el-cos-standard-gue' with tabs for Objects, Configuration, and Permissions. A yellow warning box states: 'Warning: All objects in this bucket have public view access.' Below this, a message says: 'If you're seeing more usage than expected, versions count towards your usage or you may have incomplete uploads. [Learn more](#)'.

A table lists the objects in the bucket:

Object name	Archived	Size	Last modified
download ...		4.8 KB	2022-10-30 1:58 PM
download ...		6.9 KB	2022-10-30 1:58 PM
download ...		4.8 KB	2022-10-30 1:58 PM
images ...		6.3 KB	2022-10-30 1:58 PM
img 1 b...		4.7 KB	2022-10-30 1:58 PM

Donate your blood save lives



3.Upload a CSS page to the object Storage and use the same page in your Html code

Code :

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" href="https://cloud-object-storage-el-cos-standard-
gue.s3.jp-tok.cloud-object-storage.appdomain.cloud/donate.css">
<title>blood donor application</title>
</head>
<body>
<h1 style="color:red;text-align:center;">Donate your blood save lives</h1>
<div>




```

```

</div>
</body>
</html>
```

Css:

```
body {
  background-color:red;
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
}
```

```
img {
  height: 240px;
  border-radius: 10px;
  margin: 10px;
}
```

Output:




4.Design A chatbox using IBM Watson Assistant for Hospital.Ex:User comes with query to know the branches for that hospital in your city. Submit the web URL of that chatbox as a assignment.

Code

```
<!DOCTYPE html>
<html>
  <body>
    <script>
      window.watsonAssistantChatOptions = {
        integrationID: "e6fad13c-5aa7-4afa-8af7-ece9aa5adaf0", // The ID of this
        integration.      region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "72541452-cb52-4a85-b496-a346c7d80db7", // The ID of
        your service instance.
        onLoad: function(instance) { instance.render(); }
      };
      setTimeout(function(){
        const
        t=document.createElement('script');
        t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
        (window.watsonAssistantChatOptions.clientVersion || 'latest') +
```

```
"/WatsonAssistantChatEntry.js";  
document.head.appendChild(t);  
});  
</script>  
</body>  
</html>
```

Output



5.Create a Watson Assistant service with 10steps and use 3 conditions in it. Load that script in HTML page

Code

```
<!DOCTYPE html>
<html>
<body>    <script>        window.watsonAssistantChatOptions = {
integrationID: "e6fad13c-5aa7-4afa-8af7-ece9aa5adaf0", // The ID of this
integration.
        region: "au-syd", // The region your integration is hosted in.
        serviceInstanceID: "72541452-cb52-4a85-b496-a346c7d80db7", // The ID of
your service instance.
        onLoad: function(instance) { instance.render(); }
    };    setTimeout(function(){    const
t=document.createElement('script');
        t.src="https://webchat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
    });
    </script>
</body>
</html>
```