Project Delivery Sprint-1

| Date | 17-11-2022 | |
|--------------|-----------------------------|--|
| Team ID | PNT2022TMID38953 | |
| Project Name | IoT Based Safety Gadget For | |
| | Child Safety Monitoring & | |
| | Notification | |

DASHBORAD

HTML CODE:

```
!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./DASHBOARD.css">
  <title>Dashboard</title>
  <script src="./LOCALFORAGE.js"></script>
</head>
<body>
  <div class="wrapper">
     <div class="header">
       <span class="heading">Dashboard</span>
       <span class="right">
          <span class="username">Hello User</span>
          <span>
             <img class="profilePic"
```

```
src="https://avatars.dicebear.com/api/avataaars/asdfasdfd s.svg" alt="User
Profile" height="30" width="30">
          </span>
        </span>
     </div>
<div class="actionCenter">
        <div class="action">
          <span>Create Child Card</span>
        </div>
        <div class="action">
           <span class="logout">Log out</span>
        </div>
     </div>
     <div class="childCardContainer">
        <div class="childCard">
           <div class="childCardHeader">
             <span>Shine</span>
             <span>Age 12</span>
           </div>
           <div class="actions">
             <span>View</span>
             <span>GeoFence</span>
           </div>
        </div>
     </div>
  </div>
```

```
<script> async function main() { let userData = await
     localforage.getItem('userData')
  if(userData == null)
   {
           window.location.href = "/login"
   }
 document.querySelector(".username").innerHTML =`Hello
                                                                ${
userData.firstName}` document.querySelector(".profilePic").src =
userData.profilePic
     }
     main()
document.querySelector(".logout").addEventListener("click
", async () => { await localforage.setItem('userData', null)
        window.location.href = "/login"
      })
  </script>
</body>
</html>
```

CSS CODE:

```
html, body {
margin: 0; padding:
0;
   font-family: system-ui, -apple-system,
BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open
Sans', 'Helvetica Neue', sans-serif;
}
.wrapper { display: flex; flex-
  direction: column; height:
   100vh; margin: 0 auto;
}
.header { display: flex; justify-content:
  space-between; align-items: center;
  padding: 1rem; background-color:
  #f1f1f1;
}
.heading { font-size:
   1.3rem;
}
.right { display: flex; align-
  items: center; gap:
  0.5rem;
}
```

```
.actionCenter {
  display: flex; justify-content:
  flex-end; align-items: center;
  gap: 1rem; padding: 0.5rem 0;
}
.actionCenter .action { padding: 0.5rem
  0.8rem; border: 1px solid #44444444;
  border-radius: 12px; margin-right:
  0.5rem; cursor: pointer;
}
.actionCenter .action:hover { background-
  color: #0070f3; color: white;
}
.childCardContainer { display: flex;
  flex-wrap: wrap; padding: 0.5rem
  1rem;
}
.childCardContainer .childCard { display:
  flex; flex-direction: column; border:
  1px solid #4444444; border-radius:
  12px; max-width: 300px; font-size:
  1.4rem;
}
```

```
.childCardContainer .childCard .childCardHeader { display: flex; gap: 3rem; margin: 0.1rem 0.1rem 0.8rem; padding: 1rem 0.8rem 0; }

.childCardContainer .childCard .actions { background-color: #0070f3; padding: 2rem 0.5rem 1rem; color: white; display: flex; justify-content: space-around; border-radius: 12px; border-top-left-radius: 0; border-top-right-radius: 0; }

.childCardContainer .childCard .actions span { border: 1px solid #0070f3; background-color: white; color: #0070f3; padding: 0.3rem 0.9rem; border-radius: 12px; cursor: pointer;
```

OUTPUT:

