Assignment Date	3 OCTOBER 2022
Student Name	AHAMAD BASHA
Student Roll Name	311819104301
Maximum Marks	2Marks

```
from flask import Flask,redirect,url_for,render_template,request import ibm_boto3
from ibm_botocore.client import Config, ClientError
COS_ENDPOINT="https://s3.jp-tok.cloud-object-storage.appdomain.cloud"
COS_API_KEY_ID="erYOo-lq7dwN0LigQFZUw9ZhSjUSZPeUrZl8VaIOZwoC"
COS_INSTANCE_CRN="crn:v1:bluemix:public:cloud-object-
storage:global:a/11d1eefda09948f1a3075e4fab8e60f6:712106a7-5039-4a5e-8c83-c72c3638249a::"
# Create resource https://s3.ap.cloud-object-storage.appdomain.cloud
cos = ibm_boto3.resource("s3", ibm_api_key_id=COS_API_KEY_ID,
ibm_service_instance_id=COS_INSTANCE_CRN,
config=Config(signature_version="oauth"), endpoint_url=COS_ENDPOINT
)
app=Flask( name ) def
get_item(bucket_name, item_name):
  print("Retrieving item from bucket: {0}, key: {1}".format(bucket_name, item_name))
  try:
    file = cos.Object(bucket_name, item_name).get()
```

```
print("File Contents: {0}".format(file["Body"].read())) except
  ClientError as be: print("CLIENT ERROR:
  {0}\n".format(be)) except Exception as e:
     print("Unable to retrieve file contents: {0}".format(e))
def get_bucket_contents(bucket_name):
  print("Retrieving bucket contents from: {0}".format(bucket_name))
  try:
    files = cos.Bucket(bucket_name).objects.all() files_names
    = [] for file in
    files:
       files_names.append(file.key)
                                       print("Item:
                                                       {0}
                                                               ({1}
     bytes).".format(file.key, file.size)) return files_names
  except ClientError as be:
    print("CLIENT ERROR: {0}\n".format(be)) except
  Exception as e:
     print("Unable to retrieve bucket contents: {0}".format(e))
def delete_item(bucket_name, object_name):
  try:
    cos.delete_object(Bucket=bucket_name, Key=object_name) print("Item:
     {0} deleted!\n".format(object_name))
  except ClientError as be:
```

```
print("CLIENT ERROR: {0}\n".format(be)) except Exception
  as e:
    print("Unable to delete object: {0}".format(e))
def multi_part_upload(bucket_name, item_name, file_path):
  try:
    print("Starting file transfer for {0} to bucket: {1}\n".format(item_name, bucket_name))
    # set 5 MB chunks
    part_size = 1024 * 1024 * 5
    # set threadhold to 15 MB file_threshold
    = 1024 * 1024 * 15
    # set the transfer threshold and chunk size
    transfer_config = ibm_boto3.s3.transfer.TransferConfig(
    multipart_threshold=file_threshold, multipart_chunksize=part_size
    )
     # the upload_fileobj method will automatically execute a multi-part upload
    # in 5 MB chunks for all files over 15 MB with open(file_path,
    "rb") as file_data:
      cos.Object(bucket_name, item_name).upload_fileobj(
        Fileobj=file_data,
```

```
Config=transfer_config
      )
    print("Transfer for {0} Complete!\n".format(item_name)) except
  ClientError as be: print("CLIENT ERROR:
  {0}\n".format(be)) except Exception as e:
    print("Unable to complete multi-part upload: {0}".format(e))
@app.route('/') def
index():
  files = get_bucket_contents('flaskbucket')
  return render_template('index.html', files = files)
@app.route('/deletefile', methods = ['GET', 'POST']) def deletefile():
  if request.method == 'POST': bucket=request.form['bucket']
    name_file=request.form['filename']
    delete_item(bucket,name_file) return
    'file deleted successfully'
 if request.method == 'GET':
    return render_template('delete.html')
```

```
@app.route('/uploader', methods = ['GET', 'POST']) def upload():
  if request.method == 'POST': bucket=request.form['bucket'] name_file=request.form['filename']
   f = request.files['file']
   multi_part_upload(bucket,name_file,f.filename)
   return 'file uploaded successfully <a href="/">GO to Home</a>'
 if request.method == 'GET':
   return render_template('upload.html')
if __name__=='__main__': app.run(host='0.0.0.0',port=8080,debug=True)
Upload.html
<!DOCTYPE html>
<html lang="en">
```

```
<head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>Upload Files</title>
       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
</head>
<body>
       <div class="section">
              <div class="menu">
                     <a href="{{url_for('index')}}">Index</a>
                             <a href="{{url_for('upload')}}">Upload</a>
                             <a href="{{url_for('deletefile')}}">Delete</a>
                     </div>
              <h1>IBM Upload File</h1>
              <form action="/uploader" method="POST" enctype="multipart/form-data">
                     <input type="text" placeholder="Enter bucket name" name="bucket" />
                     <br>
```

```
<input type="text" placeholder="Enter file name" name="filename" />
                       <br>
                       <br>
                       <input class="file-inp" type="file" name="file" />
                       <br>
                       <br>
                       <input class="btn-submit" type="submit" />
               </form>
        </div>
</body>
</html>
Index.html
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Home</title>
 <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
```



```
</head>
<body>
 <div class="section">
   <div class="menu">
    <a href="{{url_for('index')}}">Index</a>
     <a href="{{url_for('upload')}}">Upload</a>
     <a href="{{url_for('deletefile')}}">Delete</a>
    </div>
   <hr>
      <h1>IBM Object Storage</h1>
   <h2>{% for row in files %}</h2>
   <div class="content">
    <h3>Filename : {{row}} </h3>
    <img src="https://bucket-03.s3.jp-tok.cloud-object-storage.appdomain.cloud/{{row}}"</pre>
width="150px">
   </div>
   {% endfor %}
 </div>
</body>
```

```
</html>
Delete.html
<!DOCTYPE html>
<html lang="en">
<head>
       <meta charset="UTF-8">
       <meta http-equiv="X-UA-Compatible" content="IE=edge">
       <meta name="viewport" content="width=device-width, initial-scale=1.0">
       <title>Delete File</title>
       <link rel="stylesheet" href="{{url_for('static',filename='css/style.css')}}">
</head>
<body>
       <div class="section">
              <div class="menu">
                     <a href="{{url_for('index')}}">Index</a>
                            <a href="{{url_for('upload')}}">Upload</a>
                            <a href="{{url_for('deletefile')}}">Delete</a>
                     </div>
```

```
<h1>IBM Object Storage</h1>
               <form action="/deletefile" method="POST">
                       <input type="text" placeholder="Enter bucket name" name="bucket" />
                       <br>
                       <br>
                       <input type="text" placeholder="Enter file name" name="filename" />
                       <br>
                       <br>
                       <input class="btn-submit" type="submit" />
               </form>
        </div>
</body>
</html>
Style.css
* {
  margin: 0;
  padding: 0; color:
  white; font-family: Arial, Helvetica,
  sans-serif; }
```

<hr>

```
html {
  width: 100%; height:
  100vh;
}
body {
  width: 100%;
  height: 100%;
  background-color: rgb(8, 82, 124); display:
  flex;
  justify-content: center;
}
.section { width: 30%;
  height: fit-content;
  display: flex;
  flex-direction: column;
  /* border: 1px solid #fff; */
  box-shadow: 2px 2px 1px 2px rgba(167, 167, 167, 0.644); border-radius:
  2rem;
  border-left: 1px solid rgba(255, 255, 255, 0.3);
  border-top: 1px solid rgba(255, 255, 255, 0.3);
  align-items: center; padding-bottom: 5rem;
  margin-top: 5rem;
```

```
}
a {
  text-decoration: none;
}
.menu {
  margin-top: 2rem;
  width: 100%; height:
  3rem;
  display: flex;
  align-items: center;
  /* background-color: bisque; */ justify-content: center;
  border-bottom: 2px solid rgba(255, 255, 255,
  0.555); padding-bottom: 2rem;
}
.menu-list { width:
  100%;
             list-style-
  type: none;
                 text-
  transform:
  uppercase; display:
```

```
flex;
}
.menu-list li { width: 100%;
  display: flex;
  justify-content: space-around;
}
a {
  box-shadow: 1px 1px 2px 2px rgba(167, 167, 167, 0.4); padding:
  1rem 1.4rem; border-radius: 1rem;
}
h1 {
  /* padding-left: 2rem; */ margin-top:
  1rem;
}
h2 {
  margin-top: 1rem;
}
.content {
  /* margin-left: 2rem; */ margin-top:
```

```
2rem;
}
form {
 /* margin-left: 2rem; */ margin-top:
  1rem;
}
input {
  height: 2.6rem; width:
  18rem;
              padding-left:
  .6rem; border: none; border-
              .4rem; color:
  radius:
  #000;
}
.btn-submit { width: 5rem; padding:
  .2rem; height:
  2rem; color: rgb(104, 104, 104);
      text-transform:
  uppercase;
}
.file-inp {
  width: 15rem; height:
  2rem; border: none;
```

```
.btn-submit:hover { color:
    #000;
}
```