REGISTRATION.HTML

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<head>
<meta charset="UTF-8">
<link rel="stylesheet"</pre>
href="C:\Users\sweth\OneDrive\Documents\registration.css">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<style>
   *{
   margin:0px;
    padding:0px;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
    body{
    height:100vh;
    display: flex;
    justify-content: center;
    align-items: center;
    padding: 10px;
    .container{
    max-width: 900px;
    width: 300%;
    background-color: #fff; /* linear-gradient(135deg, #71b7e6, #9b59b6)*/
    padding: 25px 30px;
    border-radius: 5px;
    box-shadow:0px;
    .container .title{
    font-size: 50px;
    font-weight: 500;
    position: relative;
    .container .title::before{
    content: "";
    position: absolute;
    left: 0;
    bottom: 0;
    height: 3px;
    width: 30px;
    border-radius: 5px;
    background: linear-gradient(135deg, #71b7e6, #9b59b6);
    .content form .user-details{
    display: flex;
```

```
flex-wrap: wrap;
justify-content: space-between;
margin: 20px 0 12px 0;
form .user-details .input-box{
margin-bottom: 15px;
width: calc(100% / 2 - 20px);
form .input-box span.details{
display: block;
font-weight: 500;
margin-bottom: 5px;
.user-details .input-box input{
height: 45px;
width: 100%;
outline: none;
font-size: 16px;
border-radius: 5px;
padding-left: 15px;
border: 1px solid #ccc;
border-bottom-width: 2px;
transition: all 0.3s ease;
.user-details .input-box input:focus,
.user-details .input-box input:valid{
border-color: #9b59b6;
form .gender-details .gender-title{
font-size: 20px;
font-weight: 500;
form .category{
display: flex;
width: 80%;
margin: 14px 0;
justify-content: space-between;
form .category label{
display: flex;
align-items: center;
cursor: pointer;
form .category label .dot{
height: 18px;
width: 18px;
border-radius: 50%;
margin-right: 10px;
```

```
background: #d9d9d9;
border: 5px solid transparent;
transition: all 0.3s ease;
#dot-1:checked ~ .category label .one,
#dot-2:checked ~ .category label .two,
#dot-3:checked ~ .category label .three{
background: #9b59b6;
border-color: #d9d9d9;
form input[type="radio"]{
display: none;
form .button{
height: 45px;
margin: 35px 0
form .button input{
height: 100%;
width: 100%;
border-radius: 5px;
border: none;
color: #fff;
font-size: 18px;
font-weight: 500;
letter-spacing: 1px;
cursor: pointer;
transition: all 0.3s ease;
background: linear-gradient(135deg, #71b7e6, #9b59b6);
form .button input:hover{
/* transform: scale(0.99); */
background: linear-gradient(-135deg, #71b7e6, #9b59b6);
@media(max-width: 584px){
.container{
max-width: 100%;
form .user-details .input-box{
margin-bottom: 15px;
width: 100%;
form .category{
width: 100%;
.content form .user-details{
max-height: 300px;
overflow-y: scroll;
```

```
.user-details::-webkit-scrollbar{
    width: 5px;
    @media(max-width: 459px){
    .container .content .category{
    flex-direction: column;
    </style>
</head>
<body background="C:\Users\R.Sneha\Downloads\rs.jpg">
<div class="container">
<div class="title">Registration</div>
<div class="content">
<form action="{{url_for('register')}}" method="POST" class="login email">
<div class="user-details">
<div class="input-box">
<span class="details">Full Name</span>
<input type="text" placeholder="Enter your name" name="fullname">
</div>
<div class="input-box">
<span class="details">Username</span>
<input type="text" placeholder="Enter your username"</pre>
name="username">
</div>
<div class="input-box">
<span class="details">Email</span>
<input type="text" placeholder="Enter your email" name="email">
<div class="input-box">
<span class="details">Phone Number</span>
<input type="text" placeholder="Enter your number"</pre>
name="phonenumber">
</div>
<div class="input-box">
<span class="details">Password</span>
<input type="password" placeholder="Enter your password"</pre>
name="passwords">
</div>
<div class="input-box">
<span class="details">Confirm Password</span>
<input type="password" placeholder="Confirm your password"</pre>
name="cpassword">
</div>
</div>
<div class="button">
```

```
<input type="submit" value="Register">
already registered?
<a href="login1.html"> login </a>
</div>
</form>
</div>
</div>
</div>
</html>
```

LOGIN.HTML

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
<meta charset="UTF-8">
<link rel="stylesheet"</pre>
href="C:\Users\sweth\OneDrive\Documents\registration.css">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<style>
    *{
     margin:0px;
     padding:0px;
     box-sizing: border-box;
     font-family: 'Poppins',sans-serif;
     body{
     height:100vh;
     display: flex;
     justify-content: center;
     align-items: center;
     padding: 10px;
     }
     .container{
     max-width: 900px;
     width: 300%;
     background-color: #fff; /* linear-gradient(135deg, #71b7e6, #9b59b6)*/
     padding: 25px 30px;
     border-radius: 5px;
     box-shadow:0px;
     .container .title{
     font-size: 50px;
     font-weight: 500;
     position: relative;
```


```
.container .title::before{
content: "";
position: absolute;
left: 0;
bottom: 0;
height: 3px;
width: 30px;
border-radius: 5px;
background: linear-gradient(135deg, #71b7e6, #9b59b6);
}
.content form .user-details{
display: flex;
flex-wrap: wrap;
justify-content: space-between;
margin: 20px 0 12px 0;
form .user-details .input-box{
margin-bottom: 15px;
width: calc(100% / 2 - 20px);
form .input-box span.details{
display: block;
font-weight: 500;
margin-bottom: 5px;
.user-details .input-box input{
height: 45px;
width: 100%;
outline: none;
font-size: 16px;
border-radius: 5px;
padding-left: 15px;
border: 1px solid #ccc;
border-bottom-width: 2px;
transition: all 0.3s ease;
.user-details .input-box input:focus,
.user-details .input-box input:valid{
border-color: #9b59b6;
form .gender-details .gender-title{
font-size: 20px;
font-weight: 500;
form .category{
display: flex;
width: 80%;
margin: 14px 0;
```

```
justify-content: space-between;
form .category label{
display: flex;
align-items: center;
cursor: pointer;
form .category label .dot{
height: 18px;
width: 18px;
border-radius: 50%;
margin-right: 10px;
background: #d9d9d9;
border: 5px solid transparent;
transition: all 0.3s ease;
#dot-1:checked ~ .category label .one,
#dot-2:checked ~ .category label .two,
#dot-3:checked ~ .category label .three{
background: #9b59b6;
border-color: #d9d9d9;
form input[type="radio"]{
display: none;
form .button{
height: 45px;
margin: 35px 0
form .button input{
height: 100%;
width: 100%;
border-radius: 5px;
border: none;
color: #fff;
font-size: 18px;
font-weight: 500;
letter-spacing: 1px;
cursor: pointer;
transition: all 0.3s ease;
background: linear-gradient(135deg, #71b7e6, #9b59b6);
form .button input:hover{
/* transform: scale(0.99); */
background: linear-gradient(-135deg, #71b7e6, #9b59b6);
@media(max-width: 584px){
.container{
```

```
max-width: 100%;
     form .user-details .input-box{
     margin-bottom: 15px;
     width: 100%;
     form .category{
     width: 100%;
     .content form .user-details{
     max-height: 300px;
     overflow-y: scroll;
     .user-details::-webkit-scrollbar{
     width: 5px;
     @media(max-width: 459px){
     .container .content .category{
     flex-direction: column;
     </style>
<body background="C:/Users/R.Sneha/Downloads/nu">
<div class="container">
<div class="title">Login</div>
<div class="content">
<form action="{{url_for('register')}}" method="POST" class="login email">
<div class="user-details">
<div class="input-box">
<span class="details">Username</span>
<input type="text" placeholder="Enter your username"</pre>
name="username">
</div>
<br><br><br>>
<div class="input-box">
<span class="details">Password</span>
<input type="password" placeholder="Enter your password"</pre>
name="passwords">
</div>
</div>
<div class="button">
<input type="submit" value="login">
<button onclick="myfunction()">login</button>
not registered?
<a href="registration.html"> register </a>
</div>
```

```
</form>
</div>
</div>
</body>
</html>
```

REGISTRATION PAGE:



LOGIN PAGE:

