PROJECT DEVELOPMENT PHASE

PROJECT DEVELOPMENT - DELIVERY OF SPRINT-1

Date	9 November 2022
Team ID	PNT2022TMID34017
Project Name	Project - IoT Based Safety Gadget for
	Child Safety Monitoring and
	Notification

PROGRAM CODE:

```
Registration:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
  <link rel="stylesheet" href="/css/login.css">
  <title>Sign Up</title>
  <script>
```

```
if (window.location.hostname !== "localhost") {
       if (location.protocol !== "https:") {
         location.replace(
            `https:${location.href.substring(
              location.protocol.length
            )}`
       }
     }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
     <div class="loginContainer">
       <span>Login to Continue</span>
```

```
<div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
            <input type="text" name="firstName" placeholder="First</pre>
Name" id="firstName"><br>
            <input type="text" name="lastName" placeholder="Last</pre>
Name" id="lastName"><br>
            <input type="text" name="username" placeholder="User</pre>
Name" id="username"><br>
            <input type="email" name="email" placeholder="Email"</pre>
id="email"><br>
            <input type="password" name="password"</pre>
placeholder="Password" id="password"><br>
            <input class="loginButton" type="submit" value="Sign</pre>
Up">
         </form>
       </div>
       <div class="loginWithFireContainer">
         <button type="button" class="fire" title="Login with</pre>
SAFETY" id="fire">Login with SAFETY</button>
```

```
</div>
       <a class="hyperLink" href="/login">Already have an
Account? Login ≯</a>
    </div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new
BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async
event => {
       let data = event.data
       /**
       * @typedef {Object<string, any>} Data
       * @property {boolean} success - Whether the login was
successful
```

* @property {string} token - The data returned from the login i.e. Fire Token */ // data.token is the message sent from the fireOAuthChannel after verification // data.success is a boolean that indicates whether the verification was successful // data.token is the fire token // What to do with the Fire Token? // * Fire Token is an unique token which uniquely identifies the user who authorized your login attempt with Fire // * You can use this token ONLY ONCE as it will be destroyed after the first use

```
// 1. Send the fire token to the Fire Server to verify the user
       // - You can do that client sided or server sided
       // - You need to send a POST Request to the Fire Server with
the fire token
            at the URL: http://localhost:3003/api/tokens/verify
       // - The Fire Server will verify the fire token and return a
response
            - If the verification was successful - CODE (200), the Fire
Server will return a response with the user's data
            - If the verification was unsuccessful - CODE (400) or
CODE (401), the Fire Server will return a response with an error
'message'
       // - You can use the data returned from the Fire Server to
create a new user in your database
       // This example will send the token to Fire Servers and
console.log the response
       console.log("%c" + `Fire Token: ${data.token}`, `color:
#f1c40f; font-weight: bold; );
```

```
const response = await
fetch('https://fire.adaptable.app/api/tokens/verify', {
          method: 'POST',
          headers: {
            'Content-Type': 'application/json'
          },
          body: JSON.stringify({
            token: data.token
          })
       })
        // get the response
        const responseData = await response.json()
       // console.log the response
       console.log(responseData)
       await localforage.setItem('userData', {...responseData, isFire:
true})
       // Adding the user data to the user Database
```

```
let database = await localforage.getItem("userDatabase")
       if (database == null) {
          database = []
       }
       database.push(responseData)
       await localforage.setItem("userDatabase", database)
       // redirect to the home page
       window.location.href = '/'
     })
     function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2);
       var top = (screen.height/2)-(h/2);
       return window.open(url, title, 'toolbar=no, location=no,
directories=no, status=no, menubar=no, scrollbars=no, resizable=no,
copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
```

```
}
    document.getElementById("fire").addEventListener("click",
function() {
       popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
    })
  </script>
  <script>
    // this. Website's Scripts / App Logic
document.querySelector(".signupForm").addEventListener("submit",
async (e) => {
       e.preventDefault()
       let firstName = document.getElementById("firstName").value
       let lastName = document.getElementById("lastName").value
       let username = document.getElementById("username").value
```

```
let email = document.getElementById("email").value
       let password = document.getElementById("password").value
       let profilePic = `https://avatars.dicebear.com/api/adventurer-
neutral/${firstName}${lastName}.svg?backgroundColor=variantO3`
       let data = { firstName, lastName, username, email, password,
profilePic }
       await localforage.setItem("userData", data)
       let database = await localforage.getItem("userDatabase")
       if (database == null) {
         database = []
       }
       database.push(data)
       await localforage.setItem("userDatabase", database)
       window.location.href = "/"
```

```
})
</script>
</body>
</html>
```

Output:

```
Login to Continue

First Name

Last Name

User Name

Email

Password

Sign Up

Login with SAFETY

Already have an Account? Login 2
```

Login:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
< rel="stylesheet" href="/css/login.css">
```

```
<title>Sign Up</title>
  <script>
    if (window.location.hostname !== "localhost") {
       if (location.protocol !== "https:") {
          location.replace(
            `https:${location.href.substring(
               location.protocol.length
            )}`
         )
     }
  </script>
  <script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
```

```
<div class="loginContainer">
       <span>SignUp To Continue/span>
       <div class="traditionalLoginContainer">
         <form class="signupForm" action="/" method="post">
            <input type="email" name="email" placeholder="Email"</pre>
id="email">
            <input type="password" name="password"</pre>
placeholder="Password" id="password">
            <input class="loginButton" type="submit"</pre>
value="Login">
         </form>
       </div>
       <div class="loginWithFireContainer">
         <button type="button" class="fire" title="Login with</pre>
Safety" id="fire">Login with Safety</button>
       </div>
       <a class="hyperLink" href="/register">Don't have an
Account? Register ✓</a>
```

```
</div>
  </div>
  <script>
    // Necessary for Fire OAuth to Function
    const fireBroadcastingChannel = new
BroadcastChannel('fireOAuthChannel');
    fireBroadcastingChannel.addEventListener('message', async
event => {
       let data = event.data
       /**
       * @typedef {Object<string, any>} Data
       * @property {boolean} success - Whether the login was
successful
       * @property {string} token - The data returned from the login
i.e. Fire Token
       */
```

```
// data.token is the message sent from the fireOAuthChannel
after verification
       // data.success is a boolean that indicates whether the
verification was successful
       // data.token is the fire token
       // What to do with the Fire Token?
       // * Fire Token is an unique token which uniquely identifies
the user who authorized your login attempt with Fire
       // * You can use this token ONLY ONCE as it will be
destroyed after the first use
       // 1. Send the fire token to the Fire Server to verify the user
       // - You can do that client sided or server sided
       // - You need to send a POST Request to the Fire Server with
the fire token
```

```
at the URL: http://localhost:3003/api/tokens/verify
       // - The Fire Server will verify the fire token and return a
response
            - If the verification was successful - CODE (200), the Fire
Server will return a response with the user's data
            - If the verification was unsuccessful - CODE (400) or
CODE (401), the Fire Server will return a response with an error
'message'
       // - You can use the data returned from the Fire Server to
create a new user in your database
       // This example will send the token to Fire Servers and
console.log the response
       console.log("%c" + `Fire Token: ${data.token}`, `color:
#f1c40f; font-weight: bold;`);
       const response = await
fetch('https://fire.adaptable.app/api/tokens/verify', {
          method: 'POST',
          headers: {
```

```
'Content-Type': 'application/json'
          },
          body: JSON.stringify({
            token: data.token
          })
       })
       // get the response
       const responseData = await response.json()
       // console.log the response
       console.log(responseData)
       await localforage.setItem('userData', {...responseData, isFire:
true})
       // Adding the user data to the user Database
       let database = await localforage.getItem("userDatabase")
       if (database == null) {
          database = []
        }
```

```
database.push(responseData)
       await localforage.setItem("userDatabase", database)
       // redirect to the home page
       window.location.href = '/'
     })
     function popupwindow(url, title, w, h) {
       var left = (screen.width/2)-(w/2);
       var top = (screen.height/2)-(h/2);
       return window.open(url, title, 'toolbar=no, location=no,
directories=no, status=no, menubar=no, scrollbars=no, resizable=no,
copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
     }
     document.getElementById("fire").addEventListener("click",
function() {
       popupwindow("/fireoauth.html", "Fire OAuth", 450, 600)
```

```
})
  </script>
  <script>
    // this. Website's Scripts / App Logic
document.querySelector(".signupForm").addEventListener("submit",
async (e) => {
       e.preventDefault()
       let email = document.getElementById("email").value
       let password = document.getElementById("password").value
       let flag = false
       let userData = await localforage.getItem("userDatabase")
       if(userData) {
         userData.forEach(e => {
```

```
if(e.email === email) {
       if(e.password === password || e.isFire === true) {
          localforage.setItem("userData", e)
          flag = true
          window.location.href = "/"
       }
     }
  })
} else {
  alert("User Not Found")
}
if(!flag) {
  alert("Invalid Credentials")
}
```

```
})
  </script>
</body>
</html>
Output:
                         Login
              Password
    Don't have an Account? Register ⊅
Login.css:
html,
body {
     height: 100%;
     margin: 0;
     font-weight: 300;
     font-family: -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto, Oxygen,
            Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-
serif;
```

```
}
.wrapper {
     height: 100%;
     display: flex;
     align-items: center;
     justify-content: center;
}
.loginContainer {
     display: flex;
     flex-direction: column;
     gap: 1rem;
     min-width: 25rem;
     padding: 1rem 3rem;
     border: 1px solid #4444444;
```

```
box-shadow: 0px 3px 2px 1px #44444444;
     border-radius: 8px;
}
.loginContainer span {
     text-align: center;
     font-size: 3rem;
     font-weight: 500;
     margin: 1rem 1rem 3rem;
}
.traditionalLoginContainer form {
     display: flex;
     flex-direction: column;
     align-items: center;
     justify-content: center;
```

```
.traditionalLoginContainer :is(input[type="text"],
input[type="password"], input[type="email"]) {
     margin: 0.3rem;
     padding: 0.3em 0.5em;
     border: 1px solid #4444444;
     border-radius: 5px;
     outline: none;
     min-width: 200px;
     font-size: 1.3rem;
}
.traditionalLoginContainer .loginButton {
     background-color: #0070f3;
     font-size: 1.6rem;
     padding: 0.2em 0.8em;
```

```
color: white;
     margin: 0.4rem;
     border: none;
     border-radius: 5px;
  cursor: pointer;
     margin-top: 2rem;
}
.traditionalLoginContainer .loginButton:hover {
  background-color: #0071f3d6;
}
.loginWithFireContainer {
     display: grid;
     display: -ms-grid;
     place-items: center;
```

```
.fire {
     background-color: #f8f9fa;
     border: 1px solid #3c404321;
     border-radius: 4px;
     color: #3c4043;
     font-family: arial, sans-serif;
     margin: 11px 4px;
     padding: 0.4em 0.8em;
     line-height: 27px;
     min-width: 54px;
     text-align: center;
     cursor: pointer;
```

```
user-select: none;
     font-size: 1.3rem;
     font-weight: 500;
}
.hyperLink {
     text-decoration: none;
  text-align: center;
  font-size: 1.2rem;
  color: #0070f3;
  font-weight: 400;
}
@media screen and (max-width: 480px) {
  .loginContainer {
    border: none;
```

```
box-shadow: none;
    min-width: fit-content;
    min-width: -moz-fit-content;
    min-width: -webkit-fill-available;
    padding: 1rem;
  }
}
FireoAuth:
html,
body {
     height: 100%;
     margin: 0;
     font-weight: 300;
     font-family: -apple-system, BlinkMacSystemFont, "Segoe UI",
Roboto, Oxygen,
          Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-
serif;
```

```
}
.wrapper {
     height: 100%;
     display: flex;
     align-items: center;
     justify-content: center;
}
.loginContainer {
     display: flex;
     flex-direction: column;
     gap: 1rem;
     min-width: 25rem;
     padding: 1rem 3rem;
     border: 1px solid #4444444;
```

```
box-shadow: 0px 3px 2px 1px #44444444;
     border-radius: 8px;
}
.loginContainer span {
     text-align: center;
     font-size: 3rem;
     font-weight: 500;
     margin: 1rem 1rem 3rem;
}
.traditionalLoginContainer form {
     display: flex;
     flex-direction: column;
     align-items: center;
     justify-content: center;
```

```
.traditionalLoginContainer :is(input[type="text"],
input[type="password"], input[type="email"]) {
     margin: 0.3rem;
     padding: 0.3em 0.5em;
     border: 1px solid #4444444;
     border-radius: 5px;
     outline: none;
     min-width: 200px;
     font-size: 1.3rem;
}
.traditionalLoginContainer .loginButton {
     background-color: #0070f3;
     font-size: 1.6rem;
     padding: 0.2em 0.8em;
```

```
color: white;
     margin: 0.4rem;
     border: none;
     border-radius: 5px;
  cursor: pointer;
     margin-top: 2rem;
}
.traditionalLoginContainer .loginButton:hover {
  background-color: #0071f3d6;
}
.loginWithFireContainer {
     display: grid;
     display: -ms-grid;
     place-items: center;
```

```
.fire {
     background-color: #f8f9fa;
     border: 1px solid #3c404321;
     border-radius: 4px;
     color: #3c4043;
     font-family: arial, sans-serif;
     margin: 11px 4px;
     padding: 0.4em 0.8em;
     line-height: 27px;
     min-width: 54px;
     text-align: center;
     cursor: pointer;
```

```
user-select: none;
     font-size: 1.3rem;
     font-weight: 500;
}
.hyperLink {
     text-decoration: none;
  text-align: center;
  font-size: 1.2rem;
  color: #0070f3;
  font-weight: 400;
}
@media screen and (max-width: 480px) {
  .loginContainer {
    border: none;
```

```
box-shadow: none;
     min-width: fit-content;
     min-width: -moz-fit-content;
     min-width: -webkit-fill-available;
     padding: 1rem;
  }
}
Dashboard:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./css/dashboard.css">
  <title>Dashboard</title>
```

```
<script src="./localforage.js"></script>
</head>
<body>
  <div class="wrapper">
    <div class="header">
      <span class="heading">Dashboard</span>
      <span class="right">
         <span class="username">Hello User</span>
         <span>
           <img class="profilePic"
src="https://img.favpng.com/0/3/10/cartoon-study-skills-drawing-illustration-
png-favpng-1k4SDeh70aXHbGyYqmXE2etGw.jpg" alt="User Profile"
height="30" width="30">
         </span>
      </span>
    </div>
```

```
<div class="actionCenter">
  <div class="action">
    <span>Create Child Card</span>
  </div>
  <div class="action">
    <span class="logout" align="center">Log out</span>
  </div>
</div>
<div class="childCardContainer">
  <div class="childCard">
    <div class="childCardHeader">
      <span>Child Name:</span><br>
      <span>Age: 12</span>
    </div>
    <div class="actions">
```

```
<span>View</span>
           <span>GeoFence</span>
         </div>
       </div>
    </div>
  </div>
  <script>
    async function main() {
       let userData = await localforage.getItem('userData')
       if(userData == null) {
         window.location.href = "/login"
       }
       document.querySelector(".username").innerHTML = `Hello
${userData.firstName}`
       document.querySelector(".profilePic").src = userData.profilePic
    }
    main()
```

```
document.querySelector(".logout").addEventListener("click", async () => {
    await localforage.setItem('userData', null)
    window.location.href = "/login"
})
</script>
</body>
</html>
```

Output:

```
| Run | O Debug | Stop | Share | Save | Beautify | Language | HTML, JS, ( O Debug | Stop | Share | Save | Beautify | Language | HTML, JS, ( O Debug | Stop | Share | Save | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML, JS, ( O Debug | Beautify | Language | HTML
```

Dashboard.css:

```
html, body {
margin: 0;
```

padding: 0;

```
font-family: system-ui, -apple-system, BlinkMacSystemFont, 'Segoe UI',
Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica Neue', sans-serif;
}
.wrapper {
  display: flex;
  flex-direction: column;
  height: 100vh;
  margin: 0 auto;
}
.header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 1rem;
```

background-color: #f1f1f1;

}

```
.heading {
  font-size: 1.3rem;
}
.right {
  display: flex;
  align-items: center;
  gap: 0.5rem;
}
.actionCenter {
  display: flex;
  justify-content: flex-end;
  align-items: center;
  gap: 1rem;
  padding: 0.5rem 0;
}
```

```
.actionCenter .action {
  padding: 0.5rem 0.8rem;
  border: 1px solid #4444444;
  border-radius: 12px;
  margin-right: 0.5rem;
  cursor: pointer;
}
.actionCenter .action:hover {
  background-color: #0070f3;
  color: white;
}
. child Card Container \ \{
  display: flex;
  flex-wrap: wrap;
```

```
padding: 0.5rem 1rem;
}
.childCardContainer .childCard {
  display: flex;
  flex-direction: column;
  border: 1px solid #4444444;
  border-radius: 12px;
  max-width: 300px;
  font-size: 1.4rem;
}
. child Card Container \ . child Card \ . child Card Header \ \{
  display: flex;
  gap: 3rem;
  margin: 0.1rem 0.1rem 0.8rem;
```

```
padding: 1rem 0.8rem 0;
}
.childCardContainer .childCard .actions {
  background-color: #0070f3;
  padding: 2rem 0.5rem 1rem;
  color: white;
  display: flex;
  justify-content: space-around;
  border-radius: 12px;
  border-top-left-radius: 0;
  border-top-right-radius: 0;
}
.childCardContainer .childCard .actions span {
  border: 1px solid #0070f3;
```

```
background-color: white;
  color: #0070f3;
  padding: 0.3rem 0.9rem;
  border-radius: 12px;
  cursor: pointer;
}
LocalForage:
/*!
  localForage -- Offline Storage, Improved
  Version 1.10.0
  https://localforage.github.io/localForage
  (c) 2013-2017 Mozilla, Apache License 2.0
*/
!function(a)
{if("object"==typeof
                                               exports&&"undefined"!=typeof
module)module.exports=a();
else if("function"==typeof define&&define.amd)define([],a);
else{var b;
                                         window?window:"undefined"!=typeof
   b="undefined"!=typeof
global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}(function(){
 return function a(b,c,d){
  function e(g,h)\{if(!c[g])\{if(!b[g])\}
```

```
var i="function"==typeof require&&require;
   if(!h\&\&i)return i(g,!0);if(f)return f(g,!0);
   var j=new Error("Cannot find module ""+g+""");
   throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
                  b[g][0].call(k.exports,function(a){
                   var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
            return c[g].exports}
  for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
  return e \ (\{ 1: [function(a,b,c)\{ (function(a)\{ "use strict";
                            function c(){k=!0;for(var a,b,c=l.length;c;){
                             for(b=1,1=[],a=-1;++a<c;)b[a]();c=1.length\}k=!1
                            function
                                                 d(a)\{1!==1.push(a)||k||e()\}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                            if(f){var
                                                                   g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=functi
on()\{i.data=g=++g\%2\}\}
                            else
                                                        if(a.setImmediate||void
0===a.MessageChannel)e="document"in
                                                  a&&"onreadystatechange"in
a.document.createElement("script")?function(){var
b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.o
nreadystatechange=null,b.parentNode.removeChild(b),b=null},a.document.doc
umentElement.appendChild(b)}:function(){setTimeout(c,0)};else{var
a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}
                             k,l=[];b.exports=d}).call(this,"undefined"!=typeof
var
global?global:"undefined"!=typeof
                                                 self?self:"undefined"!=typeof
window?window:{})},{}],2:[function(a,b,c){"use strict";function d(){}function
e(a){if("function"!=typeof a)throw new TypeError("resolver must be a
function");this.state=s,this.queue=[],this.outcome=void
0,a!==d\&\&i(this,a) function
                                   f(a,b,c){this.promise=a,"function"==typeof
b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==t
ypeof
c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)}function
```

```
d;try{d=b(c)}catch(b){return
g(a,b,c){o(function(){var
p.reject(a,b)d===a?p.reject(a,new TypeError("Cannot resolve promise with
itself")):p.resolve(a,d)})}function
                                                                       h(a){var
b=a&&a.then;if(a&&("object"==typeof
                                                          all"function"==typeof
a)&&"function"==typeof b)return function(){b.apply(a,arguments)}}function
i(a,b){function
                                             c(b)\{f||(f=!0,p.reject(a,b))\} function
d(b)\{f||(f=!0,p.resolve(a,b))\} function
                                                                 e()\{b(d,c)\}var
f=!1,g=i(e);"error"===g.status&&c(g.value)}function
                                                                     i(a,b){ var
c={};try{c.value=a(b),c.status="success"}catch(a){c.status="error",c.value=a}r
eturn c}function k(a){return a instance of this?a:p.resolve(new this(d),a)}function
                      this(d):return
                                        p.reject(b,a)}function
l(a){var
            b=new
                                                                 m(a){function
b(a,b){function
=!0,p.reject(j,a))}var
                                                              c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return
                                                                 this.reject(new
                                    array"));var
TypeError("must
                     be
                                                    e=a.length,f=!1;if(!e)return
                             an
this.resolve([]);for(var
                                                       Array(e),h=0,i=-1,j=new
                                   g=new
                                                                  n(a){function
this(d);++i < e;)b(a[i],i);return
                                          j}function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.resolve(h,a))}
.reject(h,a))\}var
                                                              c=this;if("[object
Array]"!==Object.prototype.toString.call(a))return
                                                                 this.reject(new
                                    array"));var
TypeError("must
                     be
                                                    e=a.length,f=!1;if(!e)return
                             an
this.resolve([]);for(var
                                         this(d);++g < e;)b(a[g]);return
                         g=-1,h=new
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=
e,e.prototype.catch=function(a){return
this.then(null,a)},e.prototype.then=function(a,b){if("function"!=typeof
a&&this.state===r||"function"!=typeof
                                          b&&this.state===q)return
                                                                        this:var
c=new
this.constructor(d);if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else
this.queue.push(new
                                                                 f(c,a,b));return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.o
therCallFulfilled=function(a){g(this.promise,this.onFulfilled,a)},f.prototype.call
Rejected=function(a){p.reject(this.promise,a)},f.prototype.otherCallRejected=f
unction(a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b){var
c=j(h,b);if("error"===c.status)return
                                                         p.reject(a,c.value);var
d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var
                                                                            e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return
a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var
                                                                            c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(
b){"use
                                                      strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof
global?global:"undefined"!=typeof
                                                  self?self:"undefined"!=typeof
```

```
window?window:\{\}\},\{2:2\}\},4:[function(a,b,c)]"use
                                                               strict":function
d(a,b){if(!(a instanceof b))throw new TypeError("Cannot call a class as a
                        e(){try{if("undefined"!=typeof
function")}function
                                                            indexedDB)return
indexedDB;if("undefined"!=typeof
                                                     webkitIndexedDB)return
webkitIndexedDB;if("undefined"!=typeof
                                                        mozIndexedDB)return
mozIndexedDB;if("undefined"!=typeof
                                                          OIndexedDB)return
OIndexedDB;if("undefined"!=typeof
                                                         msIndexedDB)return
msIndexedDB}catch(a){return}}function
                                           f(){try{if(!ua||!ua.open)return!1;var
a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chr
ome/.test(navigator.userAgent)&&!/BlackBerry/.test(navigator.platform),b="fu
nction"==typeof
                               fetch&&-1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
IDBKeyRange \catch(a) \{return!1\}\} function
                                              g(a,b){a=a||[],b=b||{}};try{return}
           Blob(a,b) catch(f){if("TypeError"!==f.name)throw
c="undefined"!=typeof
                                BlobBuilder?BlobBuilder:"undefined"!=typeof
MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder,d=new
c,e=0;e<a.length;e+=1)d.append(a[e]);return
                                                  d.getBlob(b.type)} } function
h(a,b)\{b\&\&a.then(function(a)\{b(null,a)\},function(a)\{b(a)\})\} function
i(a,b,c){"function"==typeof
                                            b&&a.then(b),"function"==typeof
                          j(a){return"string"!=typeof
c&&a.catch(c)}function
                                                       a&&(console.warn(a+"
                                              string."),a=String(a)),a}function
               kev.
                      but
                            it
                                is
                                     not
                                          a
k(){if(arguments.length&&"function"==typeof
                                                 arguments[arguments.length-
                 arguments[arguments.length-1]}function
11)return
                                                                  l(a){for(var
                                                        ArrayBuffer(b),d=new
b=a.length,c=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return
                                                                   c}function
m(a){return
                                                           va(function(b){var
c=a.transaction(wa,Ba),d=g([""]);c.objectStore(wa).put(d,"key"),c.onabort=func
tion(a){a.preventDefault(),a.stopPropagation(),b(!1)},c.oncomplete=function(){
var
a=navigator.userAgent.match(/Chrome\/(\d+)/),c=navigator.userAgent.match(/Ehrome)/(\d+)/)
dge \frac{1}{1}); b(c|||a|||parseInt(a[1],10)>=43)}).catch(function(){return!1})}function
n(a){return"boolean"==typeof xa?va.resolve(xa):m(a).then(function(a){return
                                           b=ya[a.name],c={};c.promise=new
xa=a})}function
                         o(a){var
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbRea
dy?b.dbReady=b.dbReady.then(function(){return
c.promise}):b.dbReady=c.promise}function
                                                                     p(a){var}
b=ya[a.name],c=b.deferredOperations.pop();if(c)return
c.resolve(),c.promise} function
                                                                    q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return
d.reject(b),d.promise}function
                                             r(a,b){return
                                                                         new
va(function(c,d)\{if(ya[a.name]=ya[a.name]||B(),a.db)\{if(!b)return\}\}
```

```
c(a.db);o(a),a.db.close()}var
                                        e=[a.name];b&&e.push(a.version);var
f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createOb
jectStore(wa)}catch(c){if("ConstraintError"!==c.name)throw
c;console.warn('The database "'+a.name+"' has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+"
already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=fun
ction(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})}functio
                        r(a,!1) function
                                              t(a){return
       s(a){return
                                                              r(a, !0) function
u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a
.version>a.db.version;if(d&&(a.version!==b&&console.warn('The
"'+a.name+"\" can't be downgraded from version "+a.db.version+" to version
"+a.version+"."),a.version=a.db.version),e||c){if(c){var}
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function
                                       va(function(b,c){var
v(a){return
                       new
                                                                       d=new
FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||"");b({__local_forage_encoded_blob:!0,data:d,type:a.typ
e})},d.readAsBinaryString(a)})}function
                                                                  w(a){return
g([l(atob(a.data))],{type:a.type})}function
                                                                   x(a){return
a&&a. local forage encoded blob}function
                                                                      y(a){var}
b=this,c=b._initReady().then(function(){var
a=ya[b. dbInfo.name];if(a&&a.dbReady)return
                                                           a.dbReady});return
                                                              z(a){o(a);for(var)
i(c,a,a),c}function
b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
e=c[d];e._dbInfo.db&&(e._dbInfo.db.close(),e._dbInfo.db=null)}return
a.db=null,s(a).then(function(b){return
a.db=b,u(a)?t(a):b).then(function(d){a.db=b.db=d;for(var)}
e=0;e< c.length;e++)c[e]._dbInfo.db=d).catch(function(b)\{throw
q(a,b),b})function
                             A(a,b,c,d){void
                                                      0 = = d\&\&(d=1):try{var}
e=a.db.transaction(a.storeName,b);c(null,e)}catch(e){if(d>0&&(!a.db||"InvalidS
tateError"===e.name||"NotFoundError"===e.name))return
va.resolve().then(function(){if(!a.db||"NotFoundError"===e.name&&!a.db.obje
ctStoreNames.contains(a.storeName)&&a.version<=a.db.version)return
a.db\&\&(a.version=a.db.version+1),t(a)\}).then(function(){return})
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function
C(a){function b(){return va.resolve()}var c=this,d={db:null};if(a)for(var e in
a)d[e]=a[e];var
f=ya[d.name];f||(f=B(),ya[d.name]=f),f.forages.push(c),c._initReady||(c._initRea
dy=c.ready,c.ready=y);for(var
                                         g=[],h=0;h< f. for ages.length;h++){var}
```

```
i=f.forages[h];i!==c&&g.push(i._initReady().catch(b))}var
j=f.forages.slice(0);return
                                                                               va.all(g).then(function(){return
d.db=f.db,s(d)}).then(function(a){return
d.db=a,u(d,c. defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a,c.
dbInfo=d:for(var
                                                                                          b=0;b<i.length;b++){var
e=i[b];e!==c&&(e. dbInfo.db=d.db,e. dbInfo.version=d.version)}})}function
D(a,b){ var
                                                       c=this;a=i(a);var
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(e)ret
                                                                                                               d(e);try{var
urn
g=f.objectStore(c. dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var
a=h.result;void
0===a\&\&(a=null),x(a)\&\&(a=w(a)),b(a)\},h.onerror=function()\{d(h.error)\}\}catc
h(a)\{d(a)\}\}).catch(d)});return h(d,b),dfunction E(a,b)\{var\ c=this,d=new\}
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(e)ret}}
                                                                                                               d(e):try{var
g=f.objectStore(c. dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=functi
on(){var
                               c=h.result;if(c){ var
                                                                               d=c.value:x(d)&&(d=w(d)):var
e=a(d,c.key,i++);void
                                                                                   0!==e?b(e):c.continue()}else
b()},h.onerror=function(){d(h.error)}}catch(a){d(a)}})}).catch(d)});return
h(d,b),d function F(a,b,c) {var d=this;a=j(a);var e=new va(function(c,e){var
f:d.ready().then(function(){return
                                                                                                f=d._dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d._dbInfo,Ba,function(f,g){if(f)return}}
e(f);try{var h=g.objectStore(d._dbInfo.storeName);null===b&&(b=void 0);var
i=h.put(b,a);g.oncomplete=function(){void
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}}catch(a){e(a)}})}).catch(e)});return
h(e,c),e}function
                                           G(a,b){ var
                                                                            c=this;a=i(a);var
                                                                                                                       d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Ba,function(e,f){if(e)ret}}
                                                                                                               d(e);try{var
urn
g=f.objectStore(c. dbInfo.storeName),h=g.delete(a);f.oncomplete=function(){b
()},f.onerror=function(){d(h.error)},f.onabort=function(){var
a=h.error?h.error:h.transaction.error;d(a)}catch(a){d(a)})}).catch(d)});return
h(d,b),d}function
                                                            H(a){var
                                                                                                            b=this,c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Ba,function(d,e){if(d)re}}
turn
                                                                                                               c(d):try{var
f=e.objectStore(b._dbInfo.storeName),g=f.clear();e.oncomplete=function(){a()}
,e.onabort=e.onerror=function(){var
a=g.error?g.error:g.transaction.error;c(a)}catch(a)}catch(a)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}catch(c)}ca
h(c,a),c}function
                                                             I(a){var
                                                                                                            b=this.c=new
va(function(a,c)) b.ready().then(function()) A(b.\_dbInfo,Aa,function(d,e)) if (d) re
                                                                                                               c(d);try{var
turn
f=e.objectStore(b._dbInfo.storeName),g=f.count();g.onsuccess=function(){a(g.r
```

```
esult), g.onerror=function()(c(g.error))(c(a)(a)(c(a)))), catch(c)); return
h(c,a),c function J(a,b) {var c=this,d=new va(function(b,d){if(a<0)return void}
b(null);c.ready().then(function(){A(c._dbInfo,Aa,function(e,f){if(e)return}}
g=f.objectStore(c._dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=f
unction(){ var
                                 c=i.result:if(!c)return
                                                                           void
b(null);0===a?b(c.key):h?b(c.key):(h=!0,c.advance(a))\},i.onerror=function(){d(
i.error)}}catch(a){d(a)}})}.catch(d)});return
                                                 h(d,b),d}function
b=this,c=new
va(function(a,c)\{b.ready().then(function()\{A(b.\_dbInfo,Aa,function(d,e)\}if(d)ready().then(function(),a,c)\}
                                                                    c(d);try{var
f=e.objectStore(b. dbInfo.storeName),g=f.openKeyCursor(),h=[];g.onsuccess=f
                                 b=g.result;if(!b)return
unction(){ var
                                                                           void
a(h);h.push(b.key),b.continue()},g.onerror=function(){c(g.error)}}catch(a){c(a)}
\{\}\}\}).catch(c)\{\});return h(c,a),c\{\}function L(a,b)\{\}b=k.apply(this,arguments);var
c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeN
ame);var
                                                        d,e=this;if(a.name){var
f=a.name===c.name&&e._dbInfo.db,g=f?va.resolve(e._dbInfo.db):s(a).then(fu
nction(b){var
                                       c=ya[a.name],d=c.forages;c.db=b;for(var
e=0;e<d.length;e++)d[e]._dbInfo.db=b;return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeN
ame)){var c=b.version+1;o(a);var d=ya[a.name],e=d.forages;b.close();for(var
f=0;f<e.length;f++){var
                          g=e[f];g._dbInfo.db=null,g._dbInfo.version=c}return
                                                           va(function(b,d){var
new
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradene
eded=function(){e.result.deleteObjectStore(a.storeName)},e.onsuccess=functio
                     a=e.result; a.close(),b(a)}).then(function(a){d.db=a;for(var)}
n(){var
b=0;b<e.length;b++){var}
c=e[b];c.\_dbInfo.db=a,p(c.\_dbInfo)\}).catch(function(b){throw(q(a,b)||va.resol
ve()).catch(function(){}),b})};g.then(function(b){o(a);var}
c=ya[a.name],d=c.forages;b.close();for(var
e=0;e<d.length;e++){d[e]. dbInfo.db=null}return
                                                   new
                                                           va(function(b,c){var
d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('drop
Instance blocked for database "'+a.name+" until all open connections are
closed')},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]._dbInfo)).catch(function(b){throw(q(a,b)||va.resolv
e()).catch(function(){}),b})}else
                                     d=va.reject("Invalid
                                                            arguments");return
                     M(){return"function"==typeof
h(d,b),d}function
                                                        openDatabase \ function
            b,c,d,e,f,g=.75*a.length,h=a.length,i=0;"="===a[a.length-1]&&(g--)
N(a){var
"====a[a.length-2]&&g--);var
                                                         ArrayBuffer(g),k=new
                                         i=new
```

```
Uint8Array(j);for(b=0;b<h;b+=4)c=Da.indexOf(a[b]),d=Da.indexOf(a[b+1]),e=
Da.indexOf(a[b+2]),f=Da.indexOf(a[b+3]),k[i++]=c < 2|d>>4, k[i++]=(15\&d) < 2|d>>4
                                        j}function
<4|e>>2,k[i++]=(3\&e)<<6|63\&f;return
                                                      O(a){var
                                                                   b.c=new
Uint8Array(a),d="";for(b=0;b<c.length;b+=3)d+=Da[c[b]>>2],d+=Da[(3&c[b])
<<4|c[b+1]>>4],d+=Da[(15&c[b+1])<<2|c[b+2]>>6],d+=Da[63&c[b+2]];retur
                                    c.length%3==2?d=d.substring(0,d.length-
1)+"=":c.length\%3==1&&(d=d.substring(0,d.length-2)+"=="),d}function
                                    c="";if(a&&(c=Ua.call(a)),a&&("[object
P(a,b){ var
ArrayBuffer]"===c||a.buffer&&"[object
ArrayBuffer]"===Ua.call(a.buffer))){var
                                               d.e=Ga:a
                                                                 instanceof
ArrayBuffer?(d=a,e+=Ia):(d=a.buffer,"[object Int8Array]"===c?e+=Ka:"[object
Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
                                         Uint16Array]"===c?e+=Pa:"[object
Int16Array]"===c?e+=Na:"[object
Int32Array]"===c?e+=Oa:"[object
                                         Uint32Array]"===c?e+=Qa:"[object
Float32Array]"===c?e+=Ra:"[object
                                          Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))),b(e+O(d))}else if("[object
Blob]''===c){var}
                          f=new
                                          FileReader;f.onload=function(){var
c=Ea+a.type+"~"+O(this.result);b(Ga+Ja+c)},f.readAsArrayBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a
JSON string: ",a),b(null,c)}}function Q(a){if(a.substring(0,Ha)!==Ga)return
JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja\&\&Fa.test(c)){ var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var
                                                      f=N(c);switch(d){case
Ia:return f;case Ja:return g([f],{type:b});case Ka:return new Int8Array(f);case
La:return new Uint8Array(f);case Ma:return new Uint8ClampedArray(f);case
Na:return new Int16Array(f);case Pa:return new Uint16Array(f);case Oa:return
new Int32Array(f);case Qa:return new Uint32Array(f);case Ra:return new
Float32Array(f);case
                      Sa:return
                                        Float64Array(f);default:throw
                                 new
Error("Unkown
                         "+d)}}function
                                         R(a,b,c,d){a.executeSql("CREATE
                 type:
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key
unique, value)",[],c,d)function S(a)fvar b=this,c=fdb:nullf;if(a)for(var d in
                                a[d]?a[d].toString():a[d];var
a)c[d]="string"!=typeof
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,
c.size)}catch(a){return
d(a)\c.db.transaction(function(e)\{R(e,c,function()\}b.\dbInfo=c,a()\},function(a,
b)\{d(b)\},d)\};return
                                                  c.serializer=Va.e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g){g.code===g.SYNTAX_ERR?a.e}
xecuteSql("SELECT name FROM sqlite_master WHERE type='table' AND
name
?",[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.execute
Sql(c,d,e,f),f,f):f(a,g),f) function
                                                  c=this;a=j(a);var
                                     U(a,b){ var
                                                                     d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT
                                                                    FROM
```

```
"+e.storeName+" WHERE
                               key
                                     = ? LIMIT
                                                     1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(
d), function(a,b){d(b)})}).catch(d)});return
                                               h(d,b),d}function
                                                                   V(a,b){ var
c=this.d=new
                                 va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT
                                                                       FROM
"+e.storeName,[],function(c,d){for(var f=d.rows,g=f.length,h=0;h< g;h++){var
i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
0!==(j=a(j,i.key,h+1))return
                                                                          void
b(j)b()},function(a,b){d(b)})}).catch(d)});return
                                                             h(d,b),d}function
W(a,b,c,d){ var
                                   e=this;a=i(a);var
                                                                        f=new
va(function(f,g){e.ready().then(function(){void
                                                        0 == b\&\&(b=null);var
h=b,i=e._dbInfo;i.serializer.serialize(b,function(b,j){j?g(j):i.db.transaction(funct
ion(c){T(c,i,"INSERT OR REPLACE INTO "+i.storeName+" (key, value)
VALUES
?)",[a,b],function()\{f(h)\},function(a,b)\{g(b)\}),function(b)\{if(b.code===b.QU
OTA ERR){if(d>0)return
                                                          f(W.apply(e,[a,h,c,d-
1]));g(b)}})}).catch(g)});return
                                       h(f,c),f function
                                                               X(a,b,c){return
W.apply(this,[a,b,c,1]) function
                                   Y(a,b){ var
                                                   c=this;a=j(a);var
                                                                       d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"DELETE
                                                                       FROM
"+e.storeName+"
                                 WHERE
                                                         kev
?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});return
h(d,b),d}function
                                    Z(a){ var
                                                                 b=this,c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"DELETE
                                                                       FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})}).catch(c)});return
h(c,a),c}function
                                    $(a){ var
                                                                 b=this.c=new
va(function(a,c){b.ready().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(key) as c
FROM
                                            "+d.storeName,[],function(b,c){var
d=c.rows.item(0).c;a(d), function(a,b)\{c(b)\})\}).catch(c)\}); return
h(c,a),c function
                                   (a,b){ var
                                                                 c=this,d=new
va(function(b,d){c.ready().then(function(){var
e=c._dbInfo;e.db.transaction(function(c){T(c,e,"SELECT
                                                              key
                                                                       FROM
"+e.storeName+"
                   WHERE
                                          LIMIT
                              id
                                  = ?
                                                    1'',[a+1],function(a,c){var
d=c.rows.length?c.rows.item(0).key:null;b(d){,function(a,b){d(b)}}).catch(d)
                  h(d,b),d}function
                                             aa(a){var
                                                                 b=this,c=new
});return
va(function(a,c){b.ready().then(function(){var
d=b._dbInfo;d.db.transaction(function(b){T(b,d,"SELECT
                                                                       FROM
                                                              key
"+d.storeName,[],function(b,c){for(var
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).key);a(d)\},function(a,b)\{c(a,b),c(a,b),c(a,b)\},function(a,b)\}
b)})}).catch(c)});return
                               h(c,a),c}function
                                                       ba(a){return
                                                                          new
va(function(b,c){a.transaction(function(d){d.executeSql("SELECT
                                                                         name
```

```
FROM
           sqlite master
                            WHERE
                                         type='table'
                                                        AND
                                                                  name
                                                                           <>
'__WebKitDatabaseInfoTable__'",[],function(c,d){for(var
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeNames:}
e})},function(a,b){c(b)})},function(a){c(a)})})function
ca(a,b){b=k.apply(this,arguments);var
                                          c=this.config();a="function"!=typeof
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeN
                                                            va(function(b){var
ame);var
                d,e=this:return
                                      d=a.name?new
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"","",0),b(a.storeNa
me?{db:d,storeNames:[a.storeName]}:ba(d))}).then(function(a){return
                                                                          new
va(function(b,c){a.db.transaction(function(d){function
                                                          e(a){return
                                                                          new
va(function(b,c){d.executeSql("DROP
                                                            IF
                                                                      EXISTS
"+a,[],function()\{b()\},function(a,b)\{c(b)\})\})for(var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).t
hen(function()\{b()\}).catch(function(a)\{c(a)\})\}, function(a)\{c(a)\})\})):va.reject(
           arguments"),h(d,b),d}function
                                           da(){try{return"undefined"!=typeof
localStorage&&"setItem"in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function ea(a,b){var
c=a.name+"/";return
a.storeName!==b.storeName&&(c+=a.storeName+"/"),c}function
                                                                      fa(){var
a="_localforage_support_test";try{return
localStorage.setItem(a,!0),localStorage.removeItem(a),!1}catch(a){return!0}}fu
              ga(){return!fa()||localStorage.length>0}function
nction
                                                                     ha(a){var
b=this,c={};if(a)for(var
                                                             a)c[d]=a[d]:return
                                  d
c.keyPrefix=ea(a,b._defaultConfig),ga()?(b._dbInfo=c,c.serializer=Va,va.resolv
e()):va.reject()}function ia(a){var b=this,c=b.ready().then(function()){for(var
a=b._dbInfo.keyPrefix,c=localStorage.length-1;c>=0;c--){var
d=localStorage.key(c);0===d.indexOf(a)&&localStorage.removeItem(d)}});ret
             h(c,a),c function
                                        ja(a,b){ var
                                                              c=this;a=i(a);var
urn
d=c.ready().then(function(){var
b=c._dbInfo,d=localStorage.getItem(b.keyPrefix+a);return
d&&(d=b.serializer.deserialize(d)),d});return
                                               h(d,b),d}function
                                                                   ka(a,b){var
c=this,d=c.ready().then(function(){for(var
b=c. dbInfo,d=b.keyPrefix,e=d.length,f=localStorage.length,g=1,h=0;h<f;h++)
{var
                               i=localStorage.key(h);if(0===i.indexOf(d)){var
j=localStorage.getItem(i);if(j&&(j=b.serializer.deserialize(j)),void
0!==(j=a(j,i.substring(e),g++)))return j}});return h(d,b),dfunction la(a,b){var
c=this,d=c.ready().then(function(){ var
b,d=c._dbInfo;try{b=localStorage.key(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this,c=b.ready().then(function(){for(var
a=b._dbInfo,c=localStorage.length,d=[],e=0;e<c;e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyP
                           d});return
refix.length))}return
                                             h(c,a),c}function
                                                                     na(a){var
```

```
b=this,c=b.keys().then(function(a){return
                                         a.length});return
                                                           h(c,a),c}function
                                              d=c.ready().then(function(){var
                    c=this;a=i(a);var
oa(a,b){var}
b=c. dbInfo;localStorage.removeItem(b.keyPrefix+a)});return
h(d,b),d}function
                                pa(a,b,c){ var
                                                            d=this;a=i(a);var
e=d.ready().then(function(){void
                                  0 == b\&\&(b=null);var
                                                           c=b;return
                                                                        new
va(function(e,f){var
g=d._dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.keyPrefix+a,b),e(c)}catch(a){"QuotaExceededError"
!==a.name\&\&"NS\_ERROR\_DOM\_QUOTA\_REACHED"!==a.name||f(a),f(a)|
                                                            h(e,c),e}function
})}));;return
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof
a\&\&a||\{\},!a.name)\{var\}
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName
}var
                          d.e=this:return
                                                              d=a.name?new
va(function(b){b(a.storeName?ea(a,e._defaultConfig):a.name+"/")}).then(functi
on(a){for(var
                                       b=localStorage.length-1;b>=0;b--){var
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.
reject("Invalid
                 arguments"),h(d,b),d}function
                                                  ra(a,b){a[b]=function(){var
c=arguments;return a.ready().then(function(){return a[b].apply(a,c)})}}function
sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0]
                          arguments[0]}var
[c]=b[c]return
                                                       ta="function"==typeof
                                 Symbol.iterator?function(a){return
Symbol&&"symbol"==typeof
                                                                      typeof
a}:function(a){return
                                                     a&&"function"==typeof
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeo
f a},ua=e();"undefined"==typeof Promise&&a(3);var va=Promise,wa="local-
forage-detect-blob-support",xa=void
0,ya={},za=Object.prototype.toString,Aa="readonly",Ba="readwrite",Ca={_dri
ver: "asyncStorage",_initStorage:C,_support:f(),iterate:E,getItem:D,setItem:F,re
moveItem:G,clear:H,length:I,key:J,keys:K,dropInstance:L},Da="ABCDEFGHI
JKLMNOPORSTUVWXYZabcdefghijklmnopgrstuvwxyz0123456789+/",Ea="
\simlocal_forage_type\sim",Fa=/\simlocal_forage_type\sim([^\sim]+)\sim/,Ga="__lfsc__:",H
a=Ga.length,Ia="arbf",Ja="blob",Ka="si08",La="ui08",Ma="uic8",Na="si16",O
a="si32",Pa="ur16",Qa="ui32",Ra="fl32",Sa="fl64",Ta=Ha+Ia.length,Ua=Obje
ct.prototype.toString,Va={serialize:P,deserialize:Q,stringToBuffer:N,bufferToS
tring:O},Wa={_driver:"webSQLStorage",_initStorage:S,_support:M(),iterate:V,
getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,key:_,keys:aa,dropInstance
:ca},Xa={_driver:"localStorageWrapper",_initStorage:ha,_support:da(),iterate:k
a,getItem:ja,setItem:pa,removeItem:oa,clear:ia,length:na,key:la,keys:ma,dropIns
tance:qa},Ya=function(a,b){return
                                                   a===b||"number"==typeof
a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d< c; { if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||f
unction(a){return"[object
```

```
Array]"===Object.prototype.toString.call(a)},_a={},ab={},bb={INDEXEDDB:
Ca, WEBSQL: Wa, LOCALSTORAGE: Xa}, cb=[bb.INDEXEDDB. driver, bb.W
EBSQL. driver,bb.LOCALSTORAGE. driver],db=["dropInstance"],eb=["clear
","getItem","iterate","key","keys","length","removeItem","setItem"].concat(db),
fb={description:"",driver:cb.slice(),name:"localforage",size:4980736,storeName
:"keyvaluepairs", version:1}, gb=function(){function a(b){d(this,a);for(var c in
bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e. driver;this[c]=f, a[f]||this.defineDriver(e)}this. defaultConfig=sa(
{},fb),this._config=sa({},this._defaultConfig,b),this._driverSet=null,this._initDr
iver=null,this. ready=!1,this. dbInfo=null,this. wrapLibraryMethodsWithRead
y(),this.setDriver(this._config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void
0===a?"undefined":ta(a))){if(this._ready)return new Error("Can't call config()
after
          localforage
                            has
                                     been
                                                used."):for(var
a){if("storeName"===b&&(a[b]=a[b].replace(\Ny/g,"_")),"version"===b&&"n
umber"!=typeof a[b])return new Error("Database version
                                                                must
number.");this._config[b]=a[b]}return!("driver"in
a&&a.driver)||this.setDriver(this._config.driver)}return"string"==typeof
a?this._config[a]:this._config},a.prototype.defineDriver=function(a,b,c){var
d=new va(function(b,c){try{var d=a._driver,e=new Error("Custom driver not
compliant;
                                                                           see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return
                                                                          void
c(e):for(var
                       f=eb.concat("_initStorage"),g=0,i=f.length;g<i;g++){var
j=f[g];if((!Za(db,j)||a[j])\&\&"function"!=typeof
                                                       a[i])return
                                                                          void
c(e)}(function(){for(var
                            b=function(a){return
                                                     function(){var
                                                                        b=new
Error("Method
                            is
                                         implemented
                                  not
                                                          by
                                                                the
                                                                       current
driver"),c=va.reject(b);return
                                              h(c, arguments [arguments.length-
1]),c}},c=0,d=db.length;c<d;c++){var
                                              e=db[c];a[e]||(a[e]=b(e))\})();var
k=function(c){ a[d]&&console.info("Redefining
                                                     LocalForage
''+d),_a[d]=a,ab[d]=c,b()};"_support"in
                                           a?a._support&&"function"==typeof
a.\_support?a.\_support().then(k,c):k(!!a.\_support):k(!0)}catch(a){c(a)});return
i(d,b,c),d},a.prototype.driver=function(){return
this. driver||null},a.prototype.getDriver=function(a,b,c){var
d=_a[a]?va.resolve(_a[a]):va.reject(new
                                         Error("Driver
                                                         not found."));return
i(d,b,c),d},a.prototype.getSerializer=function(a){var
                                                      b=va.resolve(Va);return
i(b,a),b},a.prototype.ready=function(a){var
b=this,c=b._driverSet.then(function(){return
null===b._ready&&(b._ready=b._initDriver()),b._ready});return
i(c,a,a),c},a.prototype.setDriver=function(a,b,c){function
d(){g._config.driver=g.driver()}function
                                                                   e(a){return
g._extend(a),d(),g._ready=g._initStorage(g._config),g._ready}function
              function(){function
                                     b(){for(;c<a.length;){var
f(a){return
                                                                  f=a[c];return
c++,g._dbInfo=null,g._ready=null,g.getDriver(f).then(e).catch(b)}d();var
```

```
found.");return
h=new
           Error("No
                          available
                                                   method
                                       storage
g. driverSet=va.reject(h),g. driverSet}var
                                                  c=0:return
                                                                      b()} \rangle var
g=this;$a(a)||(a=[a]);var
h=this. getSupportedDrivers(a),j=null!==this. driverSet?this. driverSet.catch(f
unction(){return
                                              va.resolve()}):va.resolve();return
this. driverSet=i.then(function(){var
                                                                 a=h[0];return
g._dbInfo=null,g._ready=null,g.getDriver(a).then(function(a){g._driver=a._driv
er,d(),g. wrapLibraryMethodsWithReady(),g. initDriver=f(h)})}).catch(functio
n(){d();var a=new Error("No available storage method found.");return
g. driverSet=va.reject(a),g. driverSet}),i(this. driverSet,b,c),this. driverSet},a.
prototype.supports=function(a){return!!ab[a]},a.prototype._extend=function(a){
sa(this,a)},a.prototype. getSupportedDrivers=function(a){for(var
b=[].c=0.d=a.length;c< d;c++){var}
                                    e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype. wrapLibraryMethodsWithReady=function(){for(var
a=0,b=eb.length;a<b;a++)ra(this,eb[a])},a.prototype.createInstance=function(b)
\{\text{return new a(b)},a\}(),\text{hb=new gb;b.exports=hb},\{3:3\}\},\{\},[4])(4)\}\}
Confirmation Email:
Index:
<!DOCTYPE html>
<a href="height: 100%; margin: 0;">
      <head>
            <meta charset="UTF-8"/>
            <meta name="description" content="The Home Page after Logged
In" />
            <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0" />
            <title>IOT Based Safety Gadget for Child Safety Monitoring and
Notification</title>
    <script src="./localforage.js"></script>
            <script>
                  if (window.location.hostname !== "localhost") {
```

```
if (location.protocol !== "https:") {
                          location.replace(
                                `https:${location.href.substring(
                                       location.protocol.length
                                )}`
                          )
                   }
             }
             async function check() {
   let data = localforage.getItem("userData")
   if (data == null) {
      window.location.href = "/login"
    }
 }
 check()
      </script>
</head>
<body
      style="
             height: 100%;
             margin: 0;
             font-weight: 300;
```

```
font-family: -apple-system, BlinkMacSystemFont, 'Segoe
UI', Roboto,
                         Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica
Neue',
                         sans-serif;
      >
            <div
                  class="wrapper"
                  style="
                         height: 90%;
                         display: flex;
                         flex-direction: column;
                         align-items: center;
                         justify-content: center;
         text-align: center;
            >
                   <div
                         class="details"
                         style="
                               display: flex;
                               flex-direction: column;
                               align-items: center;
```

```
gap: 20px;
                              padding: 1rem;
                              border-radius: 5px;
                              box-shadow: 0 0 8px 0px #44444444;
           max-width: 80%;
                 >
                        <h1 class="name" style="margin: 0"></h1>
                        <div
                              class="imageContainer"
                              style="padding: 10px; height: 10rem; width:
10rem"
                        >
                              <img class="image" alt="profile picture" />
                        </div>
                        <h2 class="email" style="margin: 0"></h2>
               style="text-decoration:
                                         none;text-align:
                                                            center;font-size:
1.2rem;color: #0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard
/</a>
                  </div>
            </div>
            <script>
                  async function main() {
         let name = document.querySelector(".name")
```

```
let image = document.querySelector(".image")
         let email = document.querySelector(".email")
         let userData = await localforage.getItem("userData")
         if(userData == null) {
           window.location.href = "/login"
         }
                                                     ${userData.firstName}
         name.innerHTML
                                      `Welcome
${userData.lastName}!`
         image.src = userData.profilePic
         email.innerHTML = `Your email is: <a style="text-decoration:
                                                                #0072B5;"
none;color:
href="mailto:${userData.email}">${userData.email}</a>`
       }
      main()
            </script>
     </body>
</html>
Output:
```

