

Assignment - 4



wokwi for the ultrasonic sensor

Date	01 November 2022
Student Name	Manoj Kumar S
Student Roll No	911719104002
Maximum Marks	2 Marks

Question - 4:

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document with wokwi share link and images of IBM cloud.

Output :



Recent Events			
The recent events listed show the live stream of data that is coming and going from this device.			
Event	Value	Format	Last Received
Manojkumar	{"Alert Distance":89.95}	json	a few seconds ago
Manojkumar	{"Alert Distance":89.95}	json	a few seconds ago

Code :

```
/*
```

Done By Manoj Kumar S

Assignment 4

Write code and connections in wokwi for the ultrasonic sensor.

Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events.

Upload document with wokwi share link and images of IBM cloud

```
*/
```

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "oaudgp"
#define DEVICE_TYPE "NodeMCU"
#define DEVICE_ID "Assignment4"
#define TOKEN "911719104031"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Manojkumar/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
```

```
const int trigpin=5;
const int echopin=18;
String command;
String data="";
```

```
long duration;  
float dist;
```

```
void setup()  
{  
  Serial.begin(115200);  
  pinMode(led, OUTPUT);  
  pinMode(trigpin, OUTPUT);  
  pinMode(echopin, INPUT);  
  wifiConnect();  
  mqttConnect();  
}
```

```
void loop() {  
  bool isNearby = dist < 100;  
  digitalWrite(led, isNearby);
```

```
  publishData();  
  delay(500);
```

```
  if (!client.loop()) {  
    mqttConnect();  
  }  
}
```

```
void wifiConnect() {  
  Serial.print("Connecting to "); Serial.print("Wifi");  
  WiFi.begin("Wokwi-GUEST", "", 6);  
  while (WiFi.status() != WL_CONNECTED) {  
    delay(500);  
    Serial.print(".");  
  }  
  Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());  
}
```

```
void mqttConnect() {  
  if (!client.connected()) {  
    Serial.print("Reconnecting MQTT client to "); Serial.println(server);  
    while (!client.connect(clientId, authMethod, token)) {  
      Serial.print(".");  
      delay(500);  
    }  
    initManagedDevice();  
    Serial.println();  
  }  
}
```

```
void initManagedDevice() {  
  if (client.subscribe(topic)) {  
  
    Serial.println("IBM subscribe to cmd OK");  
  } else {  
    Serial.println("subscribe to cmd FAILED");  
  }  
}
```

```
void publishData()  
{  
  digitalWrite(trigpin, LOW);  
  digitalWrite(trigpin, HIGH);  
  delayMicroseconds(10);
```

```

digitalWrite(trigpin,LOW);
duration=pulseIn(echopin,HIGH);
dist=duration*speed/2;
if(dist<100){
    String payload = "{\"Alert Distance\":";
    payload += dist;
    payload += "}";

    Serial.print("\n");
    Serial.print("Sending payload: ");
    Serial.println(payload);
    if(client.publish(publishTopic, (char*) payload.c_str())) {
        Serial.println("Warning crosses 110cm -- it automaticaly of the loop");
        digitalWrite(led,HIGH);
    }
}

if(dist>101 && dist<111){
    String payload = "{\"Normal Distance\":";
    payload += dist;
    payload += "}";

    Serial.print("\n");
    Serial.print("Sending payload: ");
    Serial.println(payload);

}

}

```

```

void callback(char* subscribeTopic, byte* payload, unsigned int payloadLength){
    Serial.print("callback invoked for topic:");
    Serial.println(subscribeTopic);
    for(int i=0; i<payloadLength; i++){
        dist += (char)payload[i];
    }
    Serial.println("data:"+ data3);
    if(data3=="lighton"){
        Serial.println(data3);
        digitalWrite(led,HIGH);
    }
    data3="";
}

```