Team ID	PNT2022TMID51723
Project Name	Estimate the crop yield using data analytics

1. Index.html:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { margin: 0; font-
family: Arial, Helvetica, sans-serif;
}
.topnav { overflow:
hidden; background-
color: #333;
}
.topnav a {
float: left;
color: #f2f2f2; text-
align: center; padding:
14px 16px; text-
decoration: none; font-
size: 17px;
}
.topnav a:hover {
background-color: #ddd;
color: black;
}
```

```
</style>
</head>
<body>
<div class="topnav">
 <a href="index.html">Home</a>
 <a href="Visualization_Page.html">Visualization</a>
 <a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
</div>
</br></br></br></br></br>
<center><h2>Estimate the crop yield production using Data Analytics</h2></center>
<center><img src="crop.png" width="200px" height="195px"></center>
</body>
</html> <!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { margin: 0; font-
family: Arial, Helvetica, sans-serif;
}
.topnav { overflow:
hidden; background-
color: #333;
}
```

```
.topnav a {
float: left;
color: #f2f2f2; text-
align: center; padding:
14px 16px; text-
decoration: none; font-
size: 17px;
}
           a:hover
.topnav
                       {
background-color: #ddd;
color: black;
}
</style>
</head>
<body>
<div class="topnav">
 <a href="index.html">Home</a>
 <a href="Visualization_Page.html">Visualization</a>
 <a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
</div>
</br></br></br></br>
<center><h2>Estimate the crop yield production using Data Analytics</h2></center>
<center><img src="crop.png" width="200px" height="195px"></center>
</body>
```

2. Visualization.html:

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { font-family: Arial,
Helvetica, sans-serif; margin: 0;
}
.navbar { overflow:
hidden; background-
color: #333;
}
.navbar a {
float: left; font-size:
17px; color: white;
text-align: center;
padding: 14px 16px;
text-decoration: none;
}
.subnav {
float: left;
overflow: hidden;
}
.subnav .subnavbtn {
```

```
font-size: 17px; border:
none; outline: none;
color: white; padding:
14px 16px; background-
color: inherit; font-family:
inherit; margin: 0;
}
.navbar a:hover, .subnav:hover .subnavbtn { background-
color: gray;
}
.subnav-content { display: none; position:
absolute; background-color: gray; min-width:
160px; box-shadow: 0px 8px 16px 0px
rgba(0,0,0,0.2);
z-index: 1;
.subnav-content a {
float: none; color:
white; padding: 12px
16px; text-decoration:
none; display: block;
text-align: left;
}
.subnav-content a:hover { background-
color: #eee;
color: black;
}
```

```
.subnav:hover .subnav-content {
display: block;
}
</style>
</head>
<body>
<div class="navbar">
 <a href="index.html">Home</a>
 <div class="subnay">
  <button class="subnavbtn">Visualization<i class="fa fa-caret-down"></i></button>
  <div class="subnav-content">
   <a href="vis1.html">1. Season with average production</a>
   <a href="vis2.html">2. With year usage of area and production</a>
   <a href="vis3.html">3. Top 10 State with most area</a>
   <a href="vis4.html">4. State with crop production</a>
   <a href="vis5.html">5. State with the crop production with season</a>
  </div>
 </div>
 <a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
  </div>
</br></br></br></br></br>
<div class="div1">
  <center><h2>Estimate the crop yield production using Data Analytics</h2></center> </br>
<center><img src="visuali.png" width="320px" height="155px"></center>
```

```
</br>
</div>
</body>
</html>
   3. Vis1.html:
<html>
<head>
<title>Seasons With Average Productions</title>
</head>
<body>
  </br>
  <center><h2 style="font-family:sans-serif; font-weight: bolder;">Seasons With Average
Productions</h2>
  <iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI
NAL%2Fdashboard-
making&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&sha
reMode=embedded&action=view&mode=dashboard&subView=model000001847b9
4f108_00000000" width="850" height="550" frameborder="0" gesture="media"
allow="encryptedmedia" allowfullscreen=""></iframe></center>
</body>
</html>
   4. Visu2.html:
<html>
<head>
<title>With Years Usage Of Area And Production</title>
</head>
<body>
  </br>
  <center><h2 style="font-family:sans-serif; font-weight: bolder;">With Years Usage Of Area And
Production</h2>
<iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI
NAL%2Fdashboard-making-
```

de=embedded&action=view&mode=dashboard&subView=model000001847bb62a3a _00000000" width="850" height="550" frameborder="0" gesture="media" allow="encrypted-media" allowfullscreen="">
5. Visu3.html:
<html></html>
<head></head>
<title>Top 10 States With Most Area</title>
<body></body>
$<\!\!\!\!\!<\!\!\!\!<\!\!\!\!<\!\!\!\!<\!\!\!\!<\!\!\!\!<\!\!\!\!<$
<pre><center><iframe allow="encrypted-media" allowfullscreen="" frameborder="0" gesture="media" height="550" src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI NAL%2Fdashboard- making2&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&s hareMo de=embedded&action=view&mode=dashboard&subView=model000001847bbb8d41 _00000002" width="850"></iframe></center></pre>
6. Vius4.html:
<html></html>
<head></head>
<title>State With Crop Production</title>
<body></body>

 $1\& amp; close Window On Last View = true \& amp; ui_app bar = false \& amp; ui_nav bar = false \& amp; share Month of the false \& amp; ui_nav bar = f$

```
<center><h2 style="font-family:sans-serif; font-weight: bolder;">State With Crop Production</h2>
    <center><iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI
NAL%2Fdashboard-making-
3&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&shareMo
de=embedded&action=view&mode=dashboard&subView=model000001847bc15701
_00000002" width="850" height="550" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
    </center>
  </body>
</html>
   7. Visu5.html:
<html>
<head>
<title>States With The Crop Production Along With Season (Text Table)</title>
</head>
<body>
</br>
  <center><h2 style="font-family:sans-serif; font-weight: bolder;">States With The Crop Production
Along With Season (Text Table)</h2>
  <center>
<iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI
NAL%2Fdashboard-making-
4&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&shareMo
de=embedded&action=view&mode=dashboard&subView=model000001847bc79c33
_00000000" width="850" height="550" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
</center>
</body>
</html>
   8. Dashboard.html:
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<style> body { margin: 0; font-
family: Arial, Helvetica, sans-serif;
}
.topnav { overflow:
hidden; background-
color: #333;
}
.topnav a {
float: left;
color: #f2f2f2;
                    text-
align: center;
                padding:
14px 16px;
                    text-
decoration: none;
                    font-
size: 17px;
}
.topnav a:hover { background-
color: #ddd;
color: black;
}
</style>
</head>
<body>
<div class="topnav">
<a href="index.html">Home</a>
<a href="Visualization_Page.html">Visualization</a>
 <a href="dash.html">Dashboard</a>
```

```
<a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
</div>
</br>
<center><h2 style="font-family:sans-serif; font-weight: bolder;">Dashboard-Visualization</h2>
  <iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FFI
NAL%2FFINAL-
DASHBOARD&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&
p;shareMode=embedded&action=view&mode=dashboard&subView=model0000018
47bce849d 00000001" width="850" height="550" frameborder="0" gesture="media"
allow="encrypted-media" allowfullscreen=""></iframe>
  </center>
</body>
</html>
   9. Report.html:
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { margin: 0; font-
family: Arial, Helvetica, sans-serif;
}
.topnav { overflow:
hidden; background-
color: #333;
}
.topnav a {
float: left:
```

```
color: #f2f2f2; text-
align: center; padding:
14px 16px; text-
decoration: none; font-
size: 17px;
}
.topnav a:hover { background-
color: #ddd:
color: black:
}
</style>
</head>
<body>
<div class="topnav">
 <a href="index.html">Home</a>
 <a href="Visualization_Page.html">Visualization</a>
 <a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
</div>
</br>
<center><h2 style="font-family:Arial, Helvetica, sans-serif; font-weight: bolder;">Report-Final</h2>
  <iframe
src="https://us1.ca.analytics.ibm.com/bi/?pathRef=.my_folders%2FFINAL%2FReportFinal&clo
seWindowOnLastView=true&ui_appbar=false&ui_navbar=false&share
Mode=embedded&action=run&format=HTML&prompt=false" width="950"
height="550" frameborder="0" gesture="media" allow="encrypted-media"
allowfullscreen=""></iframe>
</center>
</body>
</html>
```

```
10. Story.html:
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { margin: 0; font-
family: Arial, Helvetica, sans-serif;
}
.topnav {
overflow: hidden; background-
color: #333;
}
.topnav a {
float: left;
color: #f2f2f2; text-
align: center; padding:
14px 16px; text-
decoration: none; font-
size: 17px;
.topnav a:hover { background-
color: #ddd;
color: black;
</style>
</head>
<body>
<div class="topnav">
<a href="index.html">Home</a>
<a href="Visualization_Page.html">Visualization</a>
```

```
<a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
 <a href="crop_production.csv">Dataset</a>
 <a href="about.html">About us</a>
</div>
</br>
<center><h2 style="font-family:Arial, Helvetica, sans-serif; font-weight:</pre>
bolder;">StoryVisualization</h2>
  <iframe
src="https://us1.ca.analytics.ibm.com/bi/?perspective=story&pathRef=.my_folders%2FFINAL%
2FSTORY-
DASHBOARD&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&
p;shareMode=embedded&action=view&sceneId=model000001847bdb24a5_00000000&a
mp;sceneTime=850" width="850" height="550" frameborder="0" gesture="media"
allow="encrypted-media" allowfullscreen=""></iframe>
  </center>
</body>
</html>
    11. Aboutus.html:
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style> body { font-family: Arial,
Helvetica, sans-serif; margin: 0;
}
html { box-sizing:
border-box:
}
```

```
*, *:before, *:after { box-
sizing: inherit;
}
.column {
 float: left;
width: 33.3%; margin-
left: 450px; margin-
bottom: 16px; padding:
10 8px;
}
.card { box-shadow: 0 4px 8px 0 rgba(0, 0,
0, 0.2); margin: 8px;
}
.about-section {
padding: 50px; text-
align: center;
 background-color: #474e5d;
 color: white;
.container {
padding: 0 16px;
.container::after, .row::after {
content: ""; clear: both;
display: table;
}
```

```
.topnav { overflow:
hidden; background-
color: #333;
}
.topnav a {
float: left; color:
#f2f2f2; text-align:
center; padding: 14px
16px; text-decoration:
none; font-size: 17px;
}
.topnav
           a:hover
                       {
background-color: #ddd;
color: black;
}
.title {
color: grey;
}
</style>
</head>
<body>
<div class="topnav">
<a href="index.html">Home</a>
<a href="Visualization_Page.html">Visualization</a>
 <a href="dash.html">Dashboard</a>
 <a href="story.html">Story</a>
 <a href="report.html">Report</a>
```

```
<a href="crop_production.csv">Dataset</a>
<a href="about.html">About us</a>
</div>
<h2 style="text-align:center">About us</h2>
</br><div class="row">
<div class="column">
 <div class="card">
  <div class="container">
  </br>
   TEAM GUIDE: MR.R.PALANI KUMAR
 </br>
  </div>
 </div>
</div>
</div>
<div class="row">
 <div class="column">
 <div class="card">
  <div class="container">
  </br>
   TEAM LEAD:RAGUL S
   TEAM MEMBER 1:MOHANRAJ S
   TEAM MEMBER 2:NITHESH A
   TEAM MEMBER 3:SUGUMARAN S
   TEAM MEMBER 4:TAMIZH SELVAN N
 </br>
  </div>
 </div>
</div>
```

</body>

</html>