

SMART FARMER -IOT ENABLED SMART FARMING APPLICATION

TEAM ID : PNT2022TMID03690

Project Report

1.Introduction:

1.1 Project overview:

Internet of Things Smart technology enables new digital agriculture. Today technology has become a necessity to meet current challenges and several sectors are using the latest technologies to automate their tasks. Advanced agriculture, based on [Internet of Things](#) technologies, is envisioned to enable producers and farmers to reduce waste and improve productivity by optimizing the usage of fertilizers to boost the efficiency of plants. It gives better control to the farmers for their livestock, growing crops, cutting costs, and resources.

1.2 Purpose:

We have tried to focus on different scientific applications which could be put together in the agricultural field for better accuracy with better productivity using less manpower. Moreover, we include a method for monitoring the agricultural fields from any remote location and assessing the basic condition of the field. This is the project from the motivation of the farmers working in the farmlands who are solely dependent on the rains and bore wells for irrigation of their land. In recent times, the farmers have been using irrigation techniques through manual control in which the farmers irrigate the land at regular intervals by turning the water-pump ON/OFF when required.

2.literature survey:

2.1 Existing Problem:

Agriculture is the foundation of our Nation. In the past, agriculturists used to figure out the ripeness of soil and influenced presumptions to develop which kind of product. They didn't think about the dampness, level of water and especially climate conditions which are more horrifying to an agriculturist. They utilize pesticides in view of a few suspicions which lead a genuine impact to the yield if the supposition isn't right. Profitability relies upon the last phase of the harvest on which agriculturists depend.

2.2 References:

- [1] S. S. Gill, I. Chana, C. Science, and R. Buyya, "IoT Based Agriculture as aCloud and Big Data Service: The Beginning of Digital India," vol. 29, no. 4, pp. 1–23, 2017.
- [2] R. K. Kodali and A. Sahu, "An IoT based Weather Information Prototype Using WeMos," no. 1, pp. 612–616, 2016.
- [3] I. Mat, M. Rawidean, M. Kassim, A. N. Harun, I. M. Yusoff, and M. Berhad, "Smart Agriculture Using Internet of Things," 2018 IEEE Conf. Open Syst., pp. 54–59, 2018.
- [4] S. R. Prathibha, A. Hongal, and M. P. Jyothi, "IOT BASED MONITORING SYSTEM IN SMART AGRICULTURE," pp. 5–8, 2017.
- [5] Y. Bo and H. Wang, "The Application of Cloud Computing and The Internet of Things in Agriculture and Forestry," pp. 168–172, 2011.
- [6] Tien Cao Huang and Can Nguyen Duy, "Environment Monitoring for Agricultural Application Based on Wireless Sensor Network.," April 16-17.

- [7] M. K. Gayatri, "Providing Smart Agricultural Solutions to Farmers for better yielding using IoT," no. Tiar, pp. 40–43, 2015.
- [8] S. V. Mukherji, R. Sinha, S. Basak, and S. P. Kar, "Smart Agriculture using Internet of Things and MQTT Protocol," 2019 Int. Co


2.3 Problem Statement Definition:

The researcher is supposed to implement an "IoT Based Smart Farming System" with various sensors, which will help to collect the data and analyse it. The proposed system collects information about different agricultural parameters (temperature, humidity, moisture) using an IoT sensor. These values collected are then sent over the mobile via SMS. Farmers can view all the parameters required for a smart farming system through the webpage.


3. IDEATION AND PROPOSED SOLUTION:

3.1 Empathy Map Canvas:

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes.



3.2 Ideation & Brainstorming:



3.3 Proposed Solution:

To improve the efficiency of the product thereby supporting both rancher and country we need to utilize the innovation which appraises the nature of harvest and gives recommendations. The Internet of things (IOT) is revamping agribusiness, engaging farmers by a broad assortment of techniques, for instance, accuracy and conservative cultivation to go up against challenges in the field.

In this project, on a farm, management can monitor different environmental parameters effectively using sensor devices such as temperature sensor, relative humidity sensor and soil moisture sensor. Periodically (30 seconds) the sensors are collecting information of the agriculture field area and are being logged and stored online using cloud computing and Internet of Things. By using wireless transmission, the sensed data is forwarded towards the web server database. If irrigation is automated, then that means if the moisture and temperature fields fall below the potential range. The user can monitor and control the system remotely with the help of an application which provides a web interface to the user.

3.4 Problem Solution fit:

Define CS, fit into CC	<p>1. CUSTOMER SEGMENT(S) CS</p> <p>Who is your customer? i.e. working parents of 0-5 y.o. kids</p> <p>The customer for this product is a farmer who grows crops. Our goal is to help them, monitor field parameters remotely. This product saves agriculture from extinction.</p>	<p>6. CUSTOMER CONSTRAINTS CC</p> <p>What constraints prevent your customers from taking action or limit their choices of solutions? (i.e. spending power, budget, no cash, network connection, available devices)</p> <p>Using a large number of sensors is difficult. An unlimited or continuous internet connection is required for success.</p>	<p>5. AVAILABLE SOLUTIONS AS</p> <p>Which solutions are available to the customers when they face the problem</p> <p>or need to get the job done? What have they tried in the past? What pros & cons do these solutions have? (i.e. pen and paper)</p> <p>The irrigation process is automated using IoT. Meteorological data and field parameters were collected and processed to automate the irrigation process. Disadvantages are efficiency only over short distances, and difficult data storage.</p>	Explore AS, differentiate		
	Focus on J&P, tap into BE, understand RC	<p>2. JOBS-TO-BE-DONE / PROBLEMS J&P</p> <p>Which jobs-to-be-done (or problems) do you address for your customers? There could be more than one, explore different sides.</p> <p>The purpose of this product is to use sensors to acquire various field parameters and process them using a central processing system. The cloud is used to store and transmit data using IoT. The Weather API is used to help farmers make decisions. Farmers can make decisions through mobile applications.</p>	<p>9. PROBLEM ROOT CAUSE RC</p> <p>What is the real reason that this problem exists? What is the back story behind the need to do this job?</p> <p>Frequent changes and unpredictable weather and climate made it difficult for farmers to engage in agriculture. These factors play an important role in deciding whether to water your plants. Fields are difficult to monitor when the farmer is not at the field, leading to crop damage.</p>		<p>7. BEHAVIOUR BE</p> <p>What does your customer do to address the problem and get the job done? i.e. directly related: find the right solar panel installer, calculate usage and benefits; indirectly associated: customers spend free time on volunteering work (i.e. Greenpeace)</p> <p>Use a proper drainage system to overcome the effects of excess water from heavy rain. Use of hybrid plants that are resistant to pests.</p>	Focus on J&P, tap into BE, understand RC

4. REQUIREMENT ANALYSIS

4.1 Functional requirement:

Following are the functional requirements of the proposed solution.


FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Sensor Function for framing System	Measure the Temperature and Humidity Measure the Soil Monitoring Check the crop diseases
FR-4	Manage Modules	Manage Roles of User Manage User permission
FR-5	Check whether details	Temperature details Humidity details
FR-6	Data Management	Manage the data of weather conditions Manage the data of crop conditions Manage the data of live stock conditions

4.2 Non-Functional requirements:

FR No.	Non-Functional Requirement	Description
FR-1	Usability	The application must be useful to all sorts of people, Its complexity level should be low and should be usable by uneducated farmers. It should be simple rather than confusing
FR-2	Security	Since it involves cloud storage of gathered sensor data, which could be misused, Data handling must be highly secure.
FR-3	Reliability	Since it is used for remote monitoring, It can be used in cases where a single farmer is managing the entire farm, Data should be more accurate and should not be misleading.
FR-4	Performance	Highly effective monitoring, tracking, and recovery of farm assets, tracking range should be greater than at least 5km. Continuous readings on temperature,gas,humidity,pH,smoke detection ,water and fuel levels are necessary.
FR-5	Availability	It should monitor water level, fuel level, electric fence-theft monitoring, temperature, humidity, tractor guidance, GPS tags, soil moisture, and toxic gases.
FR-6	Scalability	It should be made used in remote areas where technological

5. PROJECT DESIGN

5.1 Data Flow Diagrams:




5.2 Solution & Technical Architecture:

- IoT-based agriculture systems help the farmer in monitoring different parameters of his field like soil moisture, temperature, and humidity using some sensors.
- Farmers can monitor all the sensor parameters by using a web or mobile application even if the farmer is not near his field. Watering the crop is one of the important tasks for farmers.
- They can make the decision whether to water the crop or postpone it by monitoring the sensor parameters and controlling the motor pumps from the mobile application itself.

Technical Architecture

Project Flow:



- The parameters like temperature, humidity, and soil moisture are updated to the Watson IoT platform
- The device will subscribe to the commands from the mobile application and control the motors accordingly
- APIs are developed using Node-RED service for communicating with Mobile Application
- A mobile application is developed using the MIT App inventor to monitor the sensor parameters and control the motors.
- To accomplish this, we must complete all the activities and tasks listed below:
- Create and configure IBM Cloud Services

- Create a device & configure the IBM IoT Platform
- Create Node-RED service
- Create a database in Cloudant DB to store all the sensor parameters
- Develop a python script to publish and subscribe to the IBM IoT platform
- Configure the Node-RED and create APIs for communicating with mobile application
- Develop a mobile application to display the sensor parameters and control the motors

5.3 User Stories:

List of all the user stories for the Smart farming application are as follows:

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Farmer-Mobile user	End User-Mobile app	USN-1	I have to check the temperature value of my field.	Click on the button to view the temperature.	High	Sprint-1
		USN-2 I	I have to monitor the soil moisture content near my crops.	Click on the button to view the moisture content	High	Sprint-1
		USN-3 I	I have to measure the humidity conditions for crop storage.	Click on the button to view the crop storage..	Low	Sprint-2
		USN-4 I	I have to measure the current temperature and compare it with previous temperature.	Click on the option to compare results.	Medium	Sprint-1
		USN-5	I have to visualize the graph of crop production.	Click on the graph button to visualize the results.	High	Sprint-1

6. PROJECT PLANNING & SCHEDULING6.1 Sprint

Planning & Estimation:

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Sprint	Functional Requirement (Epic)	User Story Number	User Story /Task	Story Points	Priority	Team Member
Sprint-1	Registration (Farmer Mobile User)	UNS-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	Roselin Sneha P (Team lead)
Sprint-1	Login	UNS-2	As a user, I will receive confirmation email once I have registered for the application	1	High	R Sai Prasad (Member2)

Sprint-2	User Interface	UNS-3	As a user, I can register for the application through Facebook	3	Low	Sathya Roobika S (Member 3)
Sprint-1	Data Visualization	UNS-4	As a user, I can register for the application through GMAIL	2	Medium	Rithick(Member4)
Sprint-3	Registration (Farmer -Web User)	USN - 1	As a user, I can log into the application by entering email and password	3	High	R Sai Prasad (Member 2)
Sprint - 2	Login	USN - 2	As a registered user, I need to easily login log into my registered account via the web page in minimum time	3	High	Roselin SnehaP (Team Lead)
Sprint - 4	Web UI	USN - 3	As a user, I need to have a friendly user interface to easily view and access the resources	3	Medium	Rithick(Member4)
Sprint - 1	Registration (Chemical Manufacturer - Web user)	USN - 1	As a new user, I want to first register using my organization email and create a password for the account.	2	High	Sathya Roobika A (Member 3)

6.2 Sprint Delivery Schedule:

S.NO	ACTIVITY TITLE	ACTIVITY DESCRIPTION	DURATION
1	Understanding the project	Assign ed the team Members after that create repository in the GitHub and then assign task to each member and guide them how to access the GitHub while submitting the assignments	1 week
2	Staring The Project	We the Team Members were Assigned all the Tasks Based on Sprints and Work on It Accordingly	1 week
3	Completing Every Task	Team Leader should ensure that whether every team member have completed the assigned task or not	1 week
4	Stand Up Meetings	Team Lead Must Have a Stand-Up Meeting with The Team and Work on The Updates and Requirement Session	1 week
5	Deadline	Ensure that team members are completing every task within the deadline	1 week
6	Budget and Scope of project	Analyze the overall budget which must be 1 week within certain limit it should be favorable to every person	1 week

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

PYTHON CODE:

To develop the python code to publish and subscribe to the commands from the IBM cloud.

PROGRAM

```
import time
```

```
import sys
```

```
import ibmiotf.application
```

```
import ibmiotf.device
```

```
import random
```

```
#Provide your IBM Watson Device
```

```
Credentials organization = "olwipo"
```

```
deviceType = "abcd" deviceId = "12345"
```

```
authMethod = "token" authToken =
```

```
"12345678"
```

```
# Initialize GPIO
```

```
def myCommandCallback(cmd): print("Command received:
```

```
%s" % cmd.data['command']) m=cmd.data['command']
```

```
if (m=="motoron"):
```

```
print ("motor is switched on") elif
```

```
(m=="motoroff"):
```

```
print ("motor is switched off") else :
```

```
print ("please send proper
```

```
command")
```

```
try: deviceOptions = {"org": organization, "type": deviceType, "id":
```

```
deviceId, "auth-method": authMethod, "auth-token": authToken}

deviceCli = ibmiotf.device.Client(deviceOptions)

#.....
```

```
except Exception as e:
```

```
    print("Caught exception connecting device: %s" % str(e)) sys.exit()
```

```
# Connect and send a datapoint "hello" with value "world" into the
cloud as an event of type "greeting" 10 times deviceCli.connect()
```

```
while True:
```

```
    #Get Sensor Data from DHT11
```

```
    moist=random.randint(0,100)
```

```
    temp=random.randint(-20,125)
```

```
    Humid=random.randint(0,100)
```

```
    data = { 'moist' : moist , 'temp' : temp , 'Humid': Humid }
```

```
    #print      data      def
```

```
    myOnPublishCallback():
```

```
        print ("Published moist = %s C" % moist, "temp= %s %" %
temp, "Humid = %s %" % Humid, "to IBM Watson")
```

```
        success  =  deviceCli.publishEvent("IoTSensor", "json", data,
```




```
qos=0, on_publish=myOnPublishCallback)
```

```
if not success: print("Not connected  
to IoTSensor") time.sleep(10)
```


```
deviceCli.commandCallback = myCommandCallback
```

```
# Disconnect the device and application from the cloud  
deviceCli.disconnect()
```


7.1 Feature 1 - SOIL MOISTURE DETECTION




7.2 Feature 2 - HUMIDITY DETECTION



7.3 Feature 3 - TEMPERATURE DETECTION



7.4 Feature 4 - MOTOR ON AND OFF



8. TESTING

8.1 Test Cases:

1. IBM Watson IOT service:

To create an IBM Watson IOT service Steps to create an IBM Watson IOT service: and create a device using it.

- Click on catalog in IBM cloud account.
- Click on services.
- Enter as an Internet of things platform.
- Enter region and pricing plan.
- Enter service name and click create.
- Click on launch.
- Then IBM Watson OT platform opens.
- Click on sign in.

- Enter IBM Id.
- Enter Password.
- Then you can access IBM Watson IOT platform.

Steps to create a device:

- Click on devices in IBM Watson IOT platform.
- Choose to create a device● Enter the device type as abcd.
- Enter the device ID as 12345.
- Click next.
- Enter device credentials (optional).
- Click next.
- Enter the authentication token as 12345678.
- Click on continue.
- Click on next.
- Click finish Device is created successfully, and we can see device credential

2. Creation of Node – Red Service:

To create a Node Red service.

Steps to create a Node-Red service:

- Click on catalog in IBM cloud account.
- Click on services.
- Enter the Node red service.
- Node red app opens click on get started.
- Enter app name as default.
- Enter the region as London.
- Choose a pricing plan as lite.
- Click create.
- You will be redirected to a new page.
- Click on deploy your app.
- Choose cloud foundry.
- Enter IBM API key (by clicking new+).
- Choose memory size as default.
- Enter the region as London.
- Click next.
- Click create.
- Status will be updated after creation.
- Click on App URL.
- Click next.
- Choose not recommended.
- Click next.
- You will see the Node red page.

- Go to your node red flow editor.
- In the left panel choose nodes

8.2 User Acceptance Testing:

Enforce	Enter	Engage
Manual monitor The farmer is merely present in the farm. Farmer can download the app from application store. From appstore	Backup for application Farmer should allow necessary permissions for app to be installed. Live sensor and setup installation Farmer should get the sensors and required setup installed in farm.	Application permissions Location and All storage permissions enabled. Entry option selection Farmer should select the type of farm from options. Data provision Farmer should mention the dimension of the farm. Requirement specification Farmer should specify the type of data about farm which he wants to access.
Smart farming app installed in user mobile phone. Smart farming app installed in any android or ios device. Smart farming app can be accessed by the user from an website.	Technical person can install the setup in the farm.	Farmer can select the options through app interface. Farmer can ask for comparative analysis of data. Farmers can ask for monthly report of data.
Help me monitor my farm	Help me install the application	Help me to get this soil moisture data. Help me to get this crop data. Help me to get the temperature data.
It reduces my work in monitoring the farm. The farm could be managed from a distance.	Helps me obtain the plot of data I gathered. Helps me check the conditions of farm like temperature, pressure and humidity.	It helps me maintain a safe workplace. Makes life simple and hassle free. Keeps up to date on farming technologies.
I don't use smart phone and cannot own it. I don't feel confident using smartphone app. Introduction of new technology makes me feel left behind.	I don't trust technology or the application. I feel smart phones are distraction for the farms.	My farm has poor internet connection. The app is complex to use and contains errors. It doesn't interest me.
Easy to access and navigate. Visual/colorful submission with save feature. Contact/helpline simple login, offline options. Tracking and status updates.	Verification text and clear instructions and action buttons. User friendly support option good visual interface.	Shows advisors how to use it. Long lead in time between lunch and usage. No persona or personal data in photos. Dedicated helpline.

9. RESULTS:


The yield appearing beneath signifies the temperature, soil moisture and humidity data received from the IoT simulator sensor and open weather API. The web app displays all this data for the past one hour. There are a set of buttons on the web application that can be used to control the motor and light on the farm to turn them ON/OFF remotely.

9.1 Performance Metrics:


Python code Results:

```
Python 3.6.6 Shell
File Edit Shell Debug Options Window Help
Python 3.6.6 (tags/v3.6.6:4f1f144eb7, Jun 27 2018, 03:37:03) [MSC v.1900 64 bit (AMD64)] on win32
Type "copyright()", "credits()" or "license()" for more information.
>>>
----- RESTART: C:\Users\ank\Downloads\MainnodeforProject2.py -----
2022-11-19 07:12:24.687          INFO      Connected successfully! d1c1wiporahod12345
Published moist = 34 C temp= 19 % Humid = 7 % to IBM Watson
Published moist = 23 C temp= 27 % Humid = 49 % to IBM Watson
Published moist = 62 C temp= 19 % Humid = 27 % to IBM Watson
Published moist = 98 C temp= 110 % Humid = 64 % to IBM Watson
Published moist = 94 C temp= 106 % Humid = 39 % to IBM Watson
Published moist = 50 C temp= -5 % Humid = 11 % to IBM Watson
Published moist = 54 C temp= -10 % Humid = 74 % to IBM Watson
Published moist = 24 C temp= 36 % Humid = 25 % to IBM Watson
Published moist = 30 C temp= -9 % Humid = 4 % to IBM Watson
Published moist = 70 C temp= 49 % Humid = 69 % to IBM Watson
Published moist = 2 C temp= 36 % Humid = 79 % to IBM Watson
Published moist = 35 C temp= 71 % Humid = 39 % to IBM Watson
Published moist = 14 C temp= -8 % Humid = 5 % to IBM Watson
Published moist = 34 C temp= 7 % Humid = 64 % to IBM Watson
Published moist = 32 C temp= 69 % Humid = 23 % to IBM Watson
Published moist = 14 C temp= 43 % Humid = 73 % to IBM Watson
Published moist = 91 C temp= 76 % Humid = 88 % to IBM Watson
Published moist = 19 C temp= 0 % Humid = 50 % to IBM Watson
Published moist = 53 C temp= -14 % Humid = 24 % to IBM Watson
Published moist = 77 C temp= -4 % Humid = 93 % to IBM Watson
Published moist = 93 C temp= 107 % Humid = 86 % to IBM Watson
Published moist = 65 C temp= 11 % Humid = 38 % to IBM Watson
Published moist = 77 C temp= 76 % Humid = 96 % to IBM Watson
Published moist = 39 C temp= 54 % Humid = 2 % to IBM Watson
Published moist = 3 C temp= 11 % Humid = 90 % to IBM Watson
Published moist = 29 C temp= 72 % Humid = 72 % to IBM Watson
Published moist = 6 C temp= 78 % Humid = 69 % to IBM Watson
Published moist = 99 C temp= 44 % Humid = 22 % to IBM Watson
Published moist = 41 C temp= 23 % Humid = 97 % to IBM Watson
Published moist = 15 C temp= 16 % Humid = 50 % to IBM Watson
Published moist = 22 C temp= 74 % Humid = 52 % to IBM Watson
Published moist = 24 C temp= 46 % Humid = 52 % to IBM Watson
Published moist = 49 C temp= 2 % Humid = 46 % to IBM Watson
Published moist = 14 C temp= 92 % Humid = 39 % to IBM Watson
Published moist = 62 C temp= -19 % Humid = 91 % to IBM Watson
Published moist = 25 C temp= 37 % Humid = 12 % to IBM Watson
Published moist = 44 C temp= 78 % Humid = 89 % to IBM Watson
Published moist = 34 C temp= 30 % Humid = 31 % to IBM Watson
Published moist = 79 C temp= 23 % Humid = 2 % to IBM Watson
Published moist = 37 C temp= 19 % Humid = 60 % to IBM Watson
Published moist = 41 C temp= -15 % Humid = 72 % to IBM Watson
Published moist = 47 C temp= 65 % Humid = 69 % to IBM Watson
Published moist = 93 C temp= 125 % Humid = 84 % to IBM Watson
Published moist = 11 C temp= 125 % Humid = 67 % to IBM Watson
Published moist = 31 C temp= 44 % Humid = 48 % to IBM Watson
Published moist = 54 C temp= 92 % Humid = 45 % to IBM Watson
Published moist = 17 C temp= 89 % Humid = 51 % to IBM Watson
Published moist = 53 C temp= 44 % Humid = 37 % to IBM Watson
Published moist = 27 C temp= 83 % Humid = 13 % to IBM Watson
Published moist = 1 C temp= 20 % Humid = 41 % to IBM Watson
Published moist = 69 C temp= 11 % Humid = 24 % to IBM Watson
Published moist = 34 C temp= 111 % Humid = 75 % to IBM Watson
Published moist = 43 C temp= 82 % Humid = 10 % to IBM Watson
Published moist = 71 C temp= 111 % Humid = 56 % to IBM Watson
Published moist = 46 C temp= 8 % Humid = 69 % to IBM Watson
Published moist = 25 C temp= -2 % Humid = 52 % to IBM Watson
```


IBM Watson-IOT Platform:




NODE-RED Flow:



MIT App Inventor:



Blocks:



10. ADVANTAGES & DISADVANTAGES:

ADVANTAGES:

1. Communicating the device at a larger distance through web application. It will play an important role in reducing the manpower and traveling expenses of a farmer.
2. Monitoring parameters like temperature, humidity etc. will play an important role in improving the growth of the plant.
3. Integrating the weather station to the web browser will provide the details of status of the cloud, wind speed etc. It will allow the farmer to protect their plants from natural calamities.

DISADVANTAGE:

1. Since the real time sensor will be connected to the controller, the controller requires continuous supply of the internet to transfer the data.

2. Non availability of weather prediction for a long period of time. Since the long weather prediction requires additional payment to open weather.

11. CONCLUSION:

IoT based SMART AGRICULTURE SYSTEM for Live Monitoring of Temperature and Soil Moisture and to control motor and light remotely have been proposed using Node Red and IBM Cloud Platform. The System has high efficiency and accuracy in fetching the live data of temperature and soil moisture. The IoT based smart farming System being proposed via this project will assist farmers in increasing the agriculture yield and take efficient care of food production as the System will always provide a helping hand to farmers for getting accurate live feed of environmental temperature and soil moisture with more than 99% accurate results. Therefore, the project proposes a thought of consolidating the most recent innovation into the agrarian field to turn the customary techniques for water systems to current strategies in this way making simple profitable and temperate trimming.

12. FUTURE SCOPE:

The project has vast scope in developing the system and making it more user friendly and the additional features of the system like:

- By installing a webcam in the system, photos of the crops can be captured and the data can be sent to a database.
- Speech based options can be implemented in the system for the people who are less literate.
- GPS (Global Positioning System) can be integrated to provide specific location of the farmer and more accurate weather reports of agriculture fields and gardens.
- Regional language features can be implemented to make it easy for the farmers who are aware of only their regional language.

13. APPENDIX:

```
Import      time
import sys
import ibmiotf.application
import ibmiotf.device
import random

#Provide your IBM Watson Device
Credentials organization = " olwipo "
deviceType = "abcd" deviceId = "12345"
authMethod = "token" authToken =
"12345678"

# Initialize GPIO
def myCommandCallback(cmd): print("Command
    received: %s" % cmd.data['command'])
    status=cmd.data['command'] if status=="motoron":
        print ("motor is on")
    elif status == "motoroff":
        print ("motor is off")
    else : print ("please send proper
        command")

try:
    deviceOptions = {"org": organization, "type": deviceType, "id":
deviceId, "auth-method": authMethod, "auth-token": authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)

#.....

except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
```

```
sys.exit()
```

```
# Connect and send a datapoint "hello" with value "world" into  
the cloud as an event of type "greeting" 10 times
```

```
deviceCli.connect()
```

```
while True:
```

```
    #Get Sensor Data from DHT11
```

```
    temp=random.randint(90,110)
```

```
    Humid=random.randint(60,100)
```

```
    moist=random.randint(10,80)
```

```
    data = { 'temp' : temp, 'Humid': Humid, 'moist' : moist}
```

```
    #print      data      def
```

```
    myOnPublishCallback():
```

```
    print ("Published Temperature = %s C" % temp, "Humidity = %s  
%%"      % Humid, "moisture = %s %%" % moist, "to IBM  
Watson")
```

```
    success = deviceCli.publishEvent("IoTSensor", "json", data,  
qos=0, on_publish=myOnPublishCallback)
```

```
    if not success:
```

```
        print("Not connected to IoT")
```

```
    time.sleep(10)    deviceCli.commandCallback    =
```

```
    myCommandCallback
```

```
# Disconnect the device and application from the cloud  
deviceCli.disconnect()
```

1. IBM LINK :

**[https://careereducation.smartinternz.com/
/Student/guided_project_workspace/4351](https://careereducation.smartinternz.com/Student/guided_project_workspace/4351)**

2. GITHUB:

**[https://github.com/IBM-EPBL/IBM-Project-IBM-Project-4351-
1658729401/tree/main/Final%20Deliverables](https://github.com/IBM-EPBL/IBM-Project-IBM-Project-4351-1658729401/tree/main/Final%20Deliverables)**
