Sprint-3

Team ID: PNT2022TMID38337

Project Title: Industry-specific intelligent fire management system


Project Development

```
CODE:
#include <WiFi.h>//library for wifi
#include <PubSubClient.h>
#include "DHT.h"// Library for dht11
#define DHTPIN 15 // what pin we're connected to
#define DHTTYPE DHT22
DHT dht (DHTPIN, DHTTYPE); // creating the instance by passing pin and typr of dht
connected
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);
//----credentials of IBM Accounts-----
#define ORG "vg9s67"//IBM ORGANITION ID
#define DEVICE_TYPE "sprint003"//Device type mentioned in ibm watson IOT Platform
#define DEVICE_ID "spsprint003"//Device ID mentioned in ibm watson IOT Platform
#define TOKEN "1234567890" //Token
String data3;
float Humidity, Temp;
//----- Customise the above values ------
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";// Server Name
char publishTopic[] = "iot-2/evt/Data/fmt/json";// topic name and type of event perform and
format in which data to be send
char subscribetopic[] = "iot-2/cmd/command/fmt/String";// cmd REPRESENT command
type AND COMMAND IS TEST OF FORMAT STRING
char authMethod[] = "use-token-auth";// authentication method
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_ID;//client id
WiFiClient wifiClient; // creating the instance for wificlient
PubSubClient client(server, 1883, callback, wifiClient); //calling the predefined client id by
passing parameter like server id, portand wificredential
void setup()// configureing the ESP32
{
Serial.begin(115200);
```


```
dht.begin();
delay(10);
Serial.println();
wificonnect();
mqttconnect();
}
void loop()// Recursive Function
Humidity = dht.readHumidity();
Temp = dht.readTemperature();
Serial.print("Temp:");
Serial.println(Temp);
Serial.print("Humidity:");
Serial.println(Humidity);
PublishData(Temp,Humidity);
delay(1000);
if (!client.loop()) {
mqttconnect();
}
}
/*.....*/
void PublishData(float Temp, float Humidity) {
mqttconnect();//function call for connecting to ibm
/*
creating the String in in form JSon to update the data to ibm cloud
String payload = "{\"Temp\":";
payload += Temp;
payload += "," "\"Humidity\":";
payload += Humidity;
payload += "}";
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
Serial println("Publish ok");// if it sucessfully upload data on the cloud then it will print
publish ok in Serial monitor or else it will print publish failed
} else {
Serial.println("Publish failed");
}
}
void mqttconnect() {
if (!client.connected()) {
```

```
Serial.print("Reconnecting client to ");
Serial.println(server);
while (!!!client.connect(clientId, authMethod, token)) {
Serial.print(".");
delay(500);
}
initManagedDevice();
Serial.println();
}
}
void wificonnect() //function defination for wificonnect
Serial.println();
Serial.print("Connecting to");
WiFi.begin("Wokwi-GUEST", "", 6);//passing the wifi credentials to establish the connection
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
}
Serial.println("");
Serial.println("WiFi connected");
Serial.println("IP address: ");
Serial.println(WiFi.localIP());
}
void initManagedDevice() {
if (client.subscribe(subscribetopic)) {
Serial.println((subscribetopic));
Serial.println("subscribe to cmd OK");
} else {
Serial.println("subscribe to cmd FAILED");
}
}
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
Serial.print("callback invoked for topic: ");
Serial.println(subscribetopic);
for (int i = 0; i < payloadLength; i++) {</pre>
//Serial.print((char)payload[i]);
data3 += (char)payload[i];
}
}
```

Simulation:



ibm cloud connection:



output in ibm cloud:

