

ASSIGNMENT - III

Assignment Questions:

1. Create a Bucket in IBM object storage.
2. Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.
3. Upload a CSS page to the object storage and use the same page in your HTML code.
4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.
5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Assignment3.py

```
from flask import Flask, render_template, request, redirect, url_for, session

import ibm_db
import bcrypt

conn =

ibm_db.connect("DATABASE=bludb;HOSTNAME=;PORT=;SECURITY=SSL;SSLServer
Certificate=DigiCertGlobalRootCA.crt;UID=;PWD=\",\"")

# url_for('static', filename='style.css')

app = Flask(__name_)
app.secret_key = b'_5#y2L"F4Q8z\n\xec]/'

@app.route("/", methods=['GET'])
def home():
    if 'email' not in session:
        return redirect(url_for('login'))
    return render_template('home.html', name='Home')
```

```
@app.route("/register",methods=['GET','POST'])

def register(): if
    request.method == 'POST':
        email = request.form['email']
        username =
        request.form['username']
        rollNo =
        request.form['rollNo']

        password = request.form['password']

if not email or not username or not rollNo or not password:

    return render_template('register.html',error='Please fill all fields')


hash=bcrypt.hashpw(password.encode('utf-8'),bcrypt.gensalt())


query = "SELECT * FROM USER WHERE email=? OR rollNo=?"
stmt = ibm_db.prepare(conn, query)
ibm_db.bind_param(stmt,1,email)
ibm_db.bind_param(stmt,2,rollNo)
ibm_db.execute(stmt)

isUser = ibm_db.fetch_assoc(stmt)


if not isUser:

    insert_sql = "INSERT INTO User(username,email,PASSWORD,rollNo) VALUES
```

(?,?,?,?)"

```
prep_stmt = ibm_db.prepare(conn, insert_sql)
```

```
ibm_db.bind_param(prepare_stmt, 1, username)
```

```
ibm_db.bind_param(prepare_stmt, 2, email)
```

```
ibm_db.bind_param(prepare_stmt, 3, hash)
```

```
ibm_db.bind_param(prepare_stmt, 4, rollNo)
```

```
ibm_db.execute(prepare_stmt) return
```

```
render_template('register.html',success="You can login")
```

else:

```
return render_template('register.html',error='Invalid Credentials')
```

```
return render_template('register.html',name='Home')
```

```
@app.route("/login",methods=['GET','POST'])
```

```
def login():
```

```
if request.method == 'POST':
```

```
email = request.form['email']
```

```
password = request.form['password']
```

```
if not email or not password:
```

```
return render_template('login.html',error='Please fill all fields')
```

```
query = "SELECT * FROM USER WHERE email=?"
```

```
stmt = ibm_db.prepare(conn, query)
```

```
ibm_db.bind_param(stmt,1,email)
```

```
ibm_db.execute(stmt) isUser =
```

```
ibm_db.fetch_assoc(stmt)
```

```
print(isUser,password)

if not isUser:

    return render_template('login.html',error='Invalid Credentials')


isPasswordMatch = bcrypt.checkpw(password.encode('utf-8'),isUser['PASSWORD'].encode('utf-8'))

if not isPasswordMatch:

    return render_template('login.html',error='Invalid Credentials')
    session['email'] = isUser['EMAIL']

return redirect(url_for('home'))


return render_template('login.html',name='Home')


@app.route('/logout') def
logout():

    session.pop('email', None) return
    redirect(url_for('login'))
```

Homepage.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body>
    WELCOME

    <button><a href="/logout">LOGOUT</a></button>
  </body>
</html>
```

Loginpage.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Login</title>
  </head>
  <body>
    <h3>Login</h3>
    <form method="POST">
      <input type="email" name="email" placeholder="Email" required />
      <input type="password" name="password" placeholder="Password" required />
      <button type="submit">Login</button>
    </form>
    <p>{{ success }}</p>
    <p style="color: red">{{ error }}</p>

    <a href="/register">Don't have an account? Register</a> </body>
</html>
```

Registerpage.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Login</title>
  </head>
  <body>
```

```
<h3>Login</h3>
```

```
<form method="POST">
```

```
  <input type="email" name="email" placeholder="Email" required />
```

```
  <input type="password" name="password" placeholder="Password" required />
```

```
  <button type="submit">Login</button>
```

```
</form>
```

```
<p>{{ success }}</p>
```

```
<p style="color: red">{{ error }}</p>
```

```
  <a href="/register">Don't have an account? Register</a> </body>
```

```
</html>
```