

## PROJECT PLANNING PHASE – SPRINT 2

|              |  |
|--------------|--|
| Date         | 5 NOVEMBER 2022  |
| Team ID      | PNT2022TMID48154   |
| Project Name | IOT BASED SAFETY GADGET FOR CHILD SAFETY MONITORING AND NOTIFICATION |

**USN 7:** As a user, I can create Node-red by app deployment

```
node-red
15 Nov 15:26:24 - [info] Settings file : C:\Users\jalban\.node-red\settings.js
15 Nov 15:26:24 - [info] Context store : 'default' [module=memory]
15 Nov 15:26:24 - [info] User directory : C:\Users\jalban\.node-red
15 Nov 15:26:24 - [warn] Projects disabled : editorTheme.projects.enabled=false
15 Nov 15:26:24 - [info] Flows file : C:\Users\jalban\.node-red\flows.json
15 Nov 15:26:24 - [info] Creating new flow file
15 Nov 15:26:24 - [warn]


-----
Your flow credentials file is encrypted using a system-generated key.



If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
your settings file. Node-RED will then re-encrypt your credentials
file using your chosen key the next time you deploy a change.
-----


15 Nov 15:26:24 - [info] Server now running at http://127.0.0.1:1880/
15 Nov 15:26:24 - [warn] Encrypted credentials not found
15 Nov 15:26:24 - [info] Starting flows
15 Nov 15:26:24 - [info] Started flows
```

**USN 8:** Connect IBM Watson with node red through API key







## USN 9 : Design the project flow using Node-Red




## USN 10: Check for the proper connections and the output in the node red application



## ROADMAP:



## BURNUP REPORT:



# SPRINT BURNDOWN CHART:

