Containerize The App – News Tracking Application

Build an image from the Dockerfile:

Open the terminal and this command is used to build image from docker file : `docker build -t <image_name>:<tag>`

```
kunals-mbp:web kunalmalhotra$ docker build -t app:latest .
Sending build context to Docker daemon  348.2kB
Step 1/8 : FROM python:2.7
 ---> 6c76e39e7cfe
Step 2/8 : LABEL maintainer="Kunal Malhotra, kunal.malhotra1@ibm.com"
 ---> Using cache
 ---> d8b57d41591c
Step 3/8 : RUN apt-get update
 ---> Using cache
 ---> 6262a134e40e
Step 4/8 : COPY . /app
 ---> f07f7377099f
Step 5/8 : WORKDIR /app
Removing intermediate container f9010b99d2fe
 ---> 0bcc6af20e3d
Step 6/8 : RUN pip install -r requirements.txt
 ---> Running in 8153040b00b7
Collecting click==6.7 (from -r requirements.txt (line 1))
  Downloading https://files.pythonhosted.org/packages/34/c1/8806f99713ddb993c5366c362b2f908f18269f8d792aff1abfd700775a77/click-6.7-py2.py3-none-any.whl (71kB)
Collecting Flask==1.0.2 (from -r requirements.txt (line 2))
  Downloading https://files.pythonhosted.org/packages/7f/e7/08578774ed4536d3242b14dacb4696386634607af824ea997202cd0edb4b/Flask-1.0.2-py2.py3-none-any.whl (91kB)
Collecting itsdangerous==0.24 (from -r requirements.txt (line 3))
  Downloading https://files.pythonhosted.org/packages/dc/b4/a60bcdba945c00f6d608d8975131ab3f25b22f2bcfe1dab221165194b2d4/itsdangerous-0.24.tar.gz (46kB)
Collecting Jinja2==2.10 (from -r requirements.txt (line 4))
  Downloading https://files.pythonhosted.org/packages/7f/ff/ae64bacdfc95f27a016a7bed8e8686763ba4d277a78ca76f32659220a731/Jinja2-2.10-py2.py3-none-any.whl (126kB)
Collecting MarkupSafe==1.0 (from -r requirements.txt (line 5))
  Downloading https://files.pythonhosted.org/packages/4d/de/32d741db316d8fdb7680822dd37001ef7a448255de9699ab4bfcbdf4172b/MarkupSafe-1.0.tar.gz
Collecting Werkzeug==0.14.1 (from -r requirements.txt (line 6))
  Downloading https://files.pythonhosted.org/packages/20/c4/12e3e56473e52375aa29c4764e70d1b8f3efa6682bef8d0aae04fe335243/Werkzeug-0.14.1-py2.py3-none-any.whl (322kB)
Building wheels for collected packages: itsdangerous, MarkupSafe
  Running setup.py bdist_wheel for itsdangerous: started
  Running setup.py bdist_wheel for itsdangerous: finished with status 'done'
  Stored in directory: /root/.cache/pip/wheels/2c/4a/61/5599631c1554768c6290b08c02c72d7317910374ca602ff1e5
  Running setup.py bdist_wheel for MarkupSafe: started
  Running setup.py bdist_wheel for MarkupSafe: finished with status 'done'
  Stored in directory: /root/.cache/pip/wheels/33/56/20/ebe49a5c612fffe1c5a632146b16596f9e6467676866le4e46
Successfully built itsdangerous MarkupSafe
Installing collected packages: click, itsdangerous, MarkupSafe, Jinja2, Werkzeug, Flask
Successfully installed Flask-1.0.2 Jinja2-2.10 MarkupSafe-1.0 Werkzeug-0.14.1 click-6.7 itsdangerous-0.24
Removing intermediate container 8153040b00b7
 ---> 66d2636b97bc
Step 7/8 : ENTRYPOINT [ "python" ]
 ---> Running in bdc1c83815e1
Removing intermediate container bdc1c83815e1
 ---> 73cefc38ac1c
Step 8/8 : CMD [ "app.py" ]
 ---> Running in a784d430dd6f
Removing intermediate container a784d430dd6f
 ---> d8b6b83763a5
Successfully built d8b6b83763a5
Successfully tagged app:latest
kunals-mbp:web kunalmalhotra$
```

Run container locally and test :

Creating docker image for flask app

```python
from flask import Flask

app = Flask(__name__)


@app.route('/')
def hello():
            return "welcome to the flask tutorials"



if __name__ == "__main__":
            app.run(host ='0.0.0.0', port = 5001, debug = True)
```

Creating a docker image of the project


```
Activities    Terminal ▾                              Sun 21:25 ●

                        rgunkar@rgunkar-Inspiron-3551: ~/Desktop/flask_docker_demo

File  Edit  View  Search  Terminal  Help
Collecting Jinja2>=2.10.1 (from flask->-r requirements.txt (line 1))
  Downloading https://files.pythonhosted.org/packages/65/e0/eb35e762802015cab1ccee04e8a277b03f1d8e53da3ec3106882ec42558b/Jinja2-2.10.3-py2.py3
-none-any.whl (125kB)
Collecting itsdangerous>=0.24 (from flask->-r requirements.txt (line 1))
  Downloading https://files.pythonhosted.org/packages/76/ae/44b03b253d6fade317f32c24d100b3b35c2239807046a4c953c7b89fa49e/itsdangerous-1.1.0-py
2.py3-none-any.whl
Collecting click>=5.1 (from flask->-r requirements.txt (line 1))
  Downloading https://files.pythonhosted.org/packages/fa/37/45185cb5abbc30d7257104c434fe0b07e5a195a6847506c074527aa599ec/Click-7.0-py2.py3-non
e-any.whl (81kB)
Collecting MarkupSafe>=0.23 (from Jinja2>=2.10.1->flask->-r requirements.txt (line 1))
  Downloading https://files.pythonhosted.org/packages/b9/2e/64db92e53b86efccfaea71321f597fa2e1b2bd3853d8ce658568f7a13094/MarkupSafe-1.1.1.tar.
gz
Building wheels for collected packages: MarkupSafe
  Building wheel for MarkupSafe (setup.py): started
  Building wheel for MarkupSafe (setup.py): finished with status 'done'
  Stored in directory: /root/.cache/pip/wheels/f2/aa/04/0edf07a1b8a5f5f1aed7580fffb69ce8972edc16a505916a77
Successfully built MarkupSafe
Installing collected packages: Werkzeug, MarkupSafe, Jinja2, itsdangerous, click, flask
Successfully installed Jinja2-2.10.3 MarkupSafe-1.1.1 Werkzeug-0.16.0 click-7.0 flask-1.1.1 itsdangerous-1.1.0
You are using pip version 19.0.1, however version 19.3.1 is available.
You should consider upgrading via the 'pip install --upgrade pip' command.
Removing intermediate container 4dfb0c38b166
 ---> 9d770042eaa4
Step 5/7 : EXPOSE 5001
 ---> Running in fb71c5bc1336
Removing intermediate container fb71c5bc1336
 ---> f1a4f6e0259f
Step 6/7 : ENTRYPOINT [ "python" ]
 ---> Running in e2dea689ae42
Removing intermediate container e2dea689ae42
 ---> 8d73c854809a
Step 7/7 : CMD [ "demo.py" ]
 ---> Running in 4cc028df4bd6
Removing intermediate container 4cc028df4bd6
 ---> f53a787f955b
Successfully built f53a787f955b
Successfully tagged flask-docker-demo-app:latest
(base) rgunkar@rgunkar-Inspiron-3551:~/Desktop/flask_docker_demo$ ▯
```

Run the docker image

File Edit View Search Terminal Help

```
(base) rgunkar@rgunkar-Inspiron-3551:~/Desktop/flask_docker_demo$ sudo docker run --name flask-docker-demo -p 5001:5001 flask-docker-demo-app
 * Serving Flask app "demo" (lazy loading)
 * Environment: production
   WARNING: This is a development server. Do not use it in a production deployment.
   Use a production WSGI server instead.
 * Debug mode: on
 * Running on http://0.0.0.0:5001/ (Press CTRL+C to quit)
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 133-709-128
```