
Assignment -2 IBM CLOUD DB2

Assignment Date	1 OCTOBER 2022
Student Name	GOWSEELAN K
Student Roll Number	812019205012
Maximum Marks	2 Marks


Questions:


• Create User table with user with email, username, roll number, password.




• Perform UPDATE, DELETE Queries with user table.


UPDATE TABLE:-





DELETE TABLE:-





3. CONNECT PYTHON CODE TO DB2.

NOTE:- Question 4 contains Question 3 answer

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

Answers

App.py

```
from flask import Flask, render_template, request,
redirect, url for, session import ibm db import re app =
Flask(__name__) app.secret_key =
'a' conn
ibm db.connect(
    "DATABASE=Db2New; HOSTNAME=19af6446-6171-4641-8aba-
9dcff8e1b6ff.clogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=30699;USERNAM
E=kgb92696;PASSWORD=31lWyGYU3bMIvwnX;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")
@app.route("/", methods=['GET', 'POST'])
def register(): msg = ''
request.method == 'POST':
       username = request.form['username']
email = request.form['email']
                                    password =
                          sql = "SELECT * FROM
stmt =
request.form['password']
users WHERE username =?"
ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.execute(stmt)
       account = ibm_db.fetch_assoc(stmt)
print(account)
                     if account:
msg = 'Account already exists !'
not re.match(r'[^{0}]+@[^{0}]+\.[^{0}]+, email):
           not re.match(r'[A-Za-z0-9]+', username):
           msg = 'name must contain only characters and numbers !'
```

```
else:
          insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
prep_stmt = ibm_db.prepare(conn, insert_sql)
ibm_db.bind_param(prep_stmt, 1, username)
ibm_db.bind_param(prep_stmt, 2, email)
ibm_db.bind_param(prep_stmt, 3, password)
ibm db.execute(prep stmt)
                                  msg = 'You have successfully registered
      elif request.method == 'POST':
       msg = 'Please fill out the form !'
   return render_template('register.html', msg=msg)
@app.route('/login', methods=['GET', 'POST']) def login():
                                                        global userid
             if request.method == 'POST':
username = request.form['username']
                                       password =
request.form['password']
                             sql = "SELECT * FROM users WHERE username =?
AND password=?" stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
                                        ibm db.bind param(stmt,
account =
                                                  if account:
ibm_db.fetch_assoc(stmt)
                            print(account)
          session['loggedin'] = True
                                             session['id']
                            userid
= account['USERNAME']
                           session['username'] =
= account['USERNAME']
account['USERNAME'] msg = 'Logged in successfully
          msg = 'Logged in successfully !'
                                                   return
render_template('dashboard.html', msg=msg)
                                             else:
          render_template('login.html', msg=msg)
if __name__ == '__main__':
app.run(host='0.0.0.0')
   # app.run(debug=True)
```

Signup.html

```
<!DOCTYPE html>
<head>
<title>signup page</title>
<link href={{url_for('static',filename='signup.css')}} rel="stylesheet">
</head>
<body >
```

```
<div id="form">
<form action="/login" method="post" style="border:1px solid #ccc">
   <div class="container">
     <h1>Sign Up</h1>
     <hr>
     <label for="uname"><b>Username</b></label>
     <input type="text" placeholder="Enter username" name="uname" required>
     <label for="roll"><b>Roll Number</b></label>
     <input type="text" placeholder="Enter roll number" name="roll" required>
     <label for="email"><b>Email</b></label>
     <input type="text" placeholder="Enter Email" name="email" required>
     <label for="psw"><b>Password</b></label>
     <input type="password" placeholder="Enter Password" name="psw" required>
     <label>
       <input type="checkbox" checked="checked" name="remember" style="margin-bottom:15px">
     </label>
     <div class="clearfix">
       <button type="button" class="cancelbtn">Cancel</button>
       <button type="submit" class="signupbtn">Sign Up</button><br><br</pre>
       Already registered user <a href="{{ url_for('signin') }}">signin</a>
     </div>
   </div>
 </form></div></body>
```

Login.html


Style.css

```
* {box-sizing: border-box}
/* Full-width input fields */
input[type=text], input[type=password] {
width: 100%; padding: 15px; margin:
5px 0 22px 0; display: inline-block;
border: none; background: #f1f1f1;
} input[type=text]:focus,
input[type=password]:focus { background-color:
#ddd;
       outline: none;
} hr { border: 1px solid
#f1f1f1; margin-bottom:
25px;
*/ button { background-color:
#04AA6D; color: white;
padding: 14px 20px; margin:
8px 0; border: none; cursor:
pointer; width: 50%;
opacity: 0.9;
```


```
button:hover {
opacity:1;
/* Extra styles for the cancel button */
.cancelbtn { padding:
14px 20px;
           background-
color: #f44336;
/* Float cancel and signup buttons and add an equal width */
.cancelbtn, .signupbtn
{ float: left;
width: 50%;
.container {
padding: 16px;
/* Clear floats */
.clearfix::after {
content: ""; clear:
both;
       display:
table;
/* Change styles for cancel button and signup button on extra small screens */
@media screen and (max-width: 300px) {
.cancelbtn, .signupbtn {
width: 50%;
/* Bordered form */ form {
border: 3px solid #f1f1f1;
}
/* Extra style for the cancel button (red) */ .cancelbtn
```

```
width: 50%;
                  padding:
10px 18px; background-
color: #f44336;
 }
/* Add padding to containers */
.container {
padding: 16px;
/* Change styles for span and cancel button on extra small screens */
 @media screen and (max-width: 300px)
{ span.psw { display: block;
float: none;
   .cancelbtn {
width: 50%;
} #form{
              padding: 25%;
background-color: rgb(172, 223, 223);
} #forme {
padding: 25%;
```

OUTPUT:- SIGNUP PAGE:-



SIGNIN PAGE:-





WELCOME PAGE:-

