
## **Team ID :PNT2022TMID45172**

DevelopTheWebApplicationUsingNode-RED

Aim: Develop the webapplication using Node-REDS teps Followed:


• OpenedaNode-REDproject




• Addedcodetogetchildlocationinpython

```
import json
import wiotp.sdk.device
import time
myConfig = {
     "identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMCU",
    "deviceId": "12345"
     },
"auth": {
          "token": "12345678"
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
While True:
         name= "Smartbridge"
         #in area location
         latitude= 17.4225176
         longitude= 78.5458842
          #out area location
         #latitude= 17.4219272
          #longitude= 78.5488783
         myData={'name': name, 'lat':latitude,'lon':longitude}
client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
         print("Data published to IBM IoT platfrom: ",myData)
          time.sleep(5)
client.disconnect()
```


## • CreatedtheGeoFence




## • EditingtheHTTPRequestURL



## Locatedthechild




Createdthegeofencenode



PythonscriptsendingrequeststoIBMCloud

```
Editor - C:\Users\HP\Desktop\child.py
                                                                                                 ₽ × IPython console
child.py
                                                                                                 Console 2/A 🗵
                                                                                                      Data published to IBM IoT platfrom:
  1 import json
                                                                                                     Data published to IBM IoT platfrom:
   2 import wiotp.sdk.device
                                                                                                     Data published to IBM IoT platfrom:
   3 import time
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
   5 myConfig = {
                                                                                                     Data published to IBM IoT platfrom:
         "identity": {
    "orgId": "hj5fmy",
    "typeId": "NodeMCU",
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
             "deviceId": "12345"
                                                                                                     Data published to IBM IoT platfrom:
          'auth": {
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
              "token": "12345678"
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
  14 }
                                                                                                     Data published to IBM IoT platfrom:
  15 client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
                                                                                                     Data published to IBM IoT platfrom:
  16 client.connect()
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
  18 while True:
19 name= "Smartbridge"
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
         #in area location
  20
                                                                                                     Data published to IBM IoT platfrom:
  21
                                                                                                     Data published to IBM IoT platfrom:
         #Latitude= 17.4225176
                                                                                                     Data published to IBM IoT platfrom:
  23
         #Longitude= 78.5458842
                                                                                                      Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
  25
         #out area location
                                                                                                     Data published to IBM IoT platfrom:
  26
                                                                                                     Data published to IBM IoT platfrom:
         latitude= 17.4219272
                                                                                                     Data published to IBM IoT platfrom:
  28
         longitude= 78.5488783
                                                                                                     Data published to IBM IoT platfrom:
         myData={'name': name, 'lat':latitude,'lon':longitude}
client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPub
print("Data published to IBM IoT platfrom: ",myData)
  29
30
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                      Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
  34 client.disconnect()
                                                                                                     Data published to IBM IoT platfrom:
                                                                                                     Data published to IBM IoT platfrom:
```

• Afterrunningthescript,thewebUIshows"Personisnotintheparticularar ea"



Result: Successfully developed the web application using Node-RED