

# Project Development Phase

## Sprint-04

Date	19 November 2022
Team ID	PNT2022TMID522013
Project Name	Machine Learning-Based Predictive Analytics for Aircraft Engine

### AIRCRAFT ENGINE ANALAYSIS:

```
Imports Microsoft.VisualBasic
Imports System
Imports System.Data
Imports System.Data.Common
Imports System.Data.OleDb
Imports System.Configuration
Imports System.Collections.Specialized
Imports SampleApps.ValGnES.GlobalVariables
Imports System.Web.HttpContext
Imports System.Drawing
Imports System.IO
Imports System.Data.OracleClient
Imports System.Web
Imports System.Web.UI.WebControls
Imports System.Net.Sockets
Imports System.Net
Imports System.Configuration.ConfigurationManager
```

```
Namespace GL
    Public Class DAL
        Public Enum Transaction
            None
            Start
            Finish
        End Enum

        Public Enum QueryType
            SelectQuery
            InsertQuery
            UpdateQuery
            DeleteQuery
            Adapter
            UpdateDeleteAdapter
            spSelect
            spInsert
            spUpdate
            spDelete
        End Enum
    End Class
End Namespace
```

```

Public Enum Returntype
    None
    Scalar
    Field
    Collection
    Sortedlist
    ListItem
    Dataset
    Datarow
    RefCursor
    spCollection
    spSortedlist
    spDataset
    spOutPut
    spListItem
End Enum

#Region "Get Connection String From Session"
Public Shared Function ConString() As String
    Dim ConnectionString As String = ""
    'ConnectionString = ConfigurationSettings.AppSettings("ConnStr")
    '    ConnectionString =
System.Configuration.ConfigurationManager.AppSettings("tamConnectionString1")
    ConnectionString =
System.Configuration.ConfigurationManager.ConnectionStrings("CString").ConnectionString

    'ConnectionString = "Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=GLPGDMDB"
    'ConnectionString = "Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=C:\tamil\tam.mdb"
    'ConnectionString = "Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=E:\tam.mdb"
    'ConnectionString = "Provider=Microsoft.Jet.OLEDB.6.0;Data
Source=E:\tam.mdb"

    'ConnectionString = "Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs"
    Return ConnectionString
End Function
#End Region

#Region "Get Connection Instance"
Protected Shared Function CreateOleDbConnection(ByVal provFlag As Integer) As
ConObject
    Dim conObj As ConObject = New ConObject
    Dim Cmd As OleDbCommand = New OleDbCommand
    Dim Conn As OleDbConnection = New OleDbConnection
    Try
        Dim ConnString As String = ConString()
        Dim ErrMsg As String = ""
        Conn = Nothing
        If provFlag = 0 Then
            Conn = New OleDbConnection(ConnString)
        Else
            Dim provInd As Integer = ConnString.ToLower().IndexOf("provider=")
            If provInd <> -1 Then
                ConnString = "Provider=OraOLEDB.Oracle.1" &
ConnString.Substring(ConnString.ToLower().IndexOf("; ", provInd))
            End If
        End If
    Catch ex As Exception
        ErrMsg = ex.Message
    End Try
    Return Conn
End Function

```

```

        End If
        Conn = New OleDbConnection(ConnString)
    End If
    If Conn Is Nothing Then
        Throw New Exception("Error in connection")
    End If
    Conn.Open()
    Cmd.Connection = Conn
    Return New ConObject(Cmd, Conn, ErrMsg)
Catch ex As Exception
    Return New ConObject(Cmd, Conn, ex.Message)
End Try
End Function
#End Region

#Region "ExecuteQuery"
Public Overloads Shared Sub ExecuteQuery(ByVal QueryStr() As String, Optional
ByVal TransStart As Transaction = Transaction.None, Optional ByVal TransFinish As
Transaction = Transaction.None, Optional ByVal conFlag As Integer = 0, Optional ByVal
oracleFlag As Integer = 0)
    Dim conObj As ConObject = GetConnection(conFlag, oracleFlag)
    Dim ErrMsg As String = conObj.ErrMsg
    If ErrMsg <> "" Then
        Throw New Exception(ErrMsg) : Exit Sub
    ElseIf conObj.Conn Is Nothing And conObj.Conn0 Is Nothing Then
        Throw New Exception("Oracle Connection can not be Established.Please
Check Network/ Oracle Connectivity") : Exit Sub
    End If
    Dim QryStr As String
    Try
        If TransStart = Transaction.Start Then
            If Not conObj.Cmd Is Nothing Then
                conObj.Cmd.Transaction =
conObj.Cmd.Connection.BeginTransaction
            Else
                conObj.Cmd0.Transaction =
conObj.Cmd0.Connection.BeginTransaction
            End If
        End If
        If QueryStr.Length > 0 Then
            For Each QryStr In QueryStr
                If Not QryStr = "" Then
                    If Not conObj.Cmd Is Nothing Then
                        conObj.Cmd.CommandText = QryStr
                        conObj.Cmd.ExecuteNonQuery()
                    Else
                        conObj.Cmd0.CommandText = QryStr
                        conObj.Cmd0.ExecuteNonQuery()
                    End If
                End If
            Next
        End If
        If TransFinish = Transaction.Finish Then
            If Not conObj.Cmd Is Nothing Then
                conObj.Cmd.Transaction.Commit()
            Else
                conObj.Cmd0.Transaction.Commit()
            End If
        End If
    Catch en As OleDbException
        HttpContext.Current.Session("ErrorMsg") = en.ErrorCode
        g_Save_Failed = ""
    End Try
End Sub

```

```

        If HttpContext.Current.Session("ErrorMsg") = -2147217900 Then
            g_Save_Failed = "Attempt to Save Record Failed due to One or more
errors occurred during " + _
                                "processing of command. ORA-00933 SQL command not
properly ended."
        Else
            g_Save_Failed = "Attempt to Save Record Failed due to "
            g_Save_Failed = g_Save_Failed &
HttpContext.Current.Session("ErrorMsg")
        End If

        If TransStart Then
            If Not conObj.Cmd Is Nothing Then
                conObj.Cmd.Transaction.Rollback()
            ElseIf Not conObj.Cmd0 Is Nothing Then
                conObj.Cmd0.Transaction.Rollback()
            End If
        End If
        Throw New Exception(en.ToString)

    Finally
        DestroyConObj(conObj)
    End Try
End Sub
#End Region

#Region "DestroyConObj"
Protected Shared Sub DestroyConObj(ByVal argConObj As ConObject)
    If Not argConObj Is Nothing Then
        If Not argConObj.Cmd Is Nothing Then
            Try
                argConObj.Cmd.Dispose()
            Catch ex As Exception

            End Try
        End If

        If Not argConObj.Conn Is Nothing Then
            Try
                If Not argConObj.Conn.State = ConnectionState.Closed Then
                    argConObj.Conn.Close()
                End If
                argConObj.Conn.Dispose()
            Catch ex As Exception

            End Try
        End If
    End If
End Sub
#End Region

Public Shared Function GetConnection(Optional ByVal oracleFlag As Integer = 0,
Optional ByVal oracleClientFlag As Integer = 0) As ConObject
    Dim conObj As ConObject = New ConObject()
    Dim ErrMsg As String = ""
    Try
        If oracleClientFlag = 0 Then
            conObj = CreateOleDbConnection(oracleFlag)
        Else
            ' conObj = CreateOracleConnection()
        End If
    End If

```

```

        Catch en As Exception
            If en.Message.Contains("ORA-12560") = True Or
en.Message.Contains("ORA-12571") = True Then
                ErrMsg = "Oracle is not Connected.Either Network is disconnected
or Oracle Listener Problem!(" & en.Message & ")"
                ElseIf en.Message.Contains("The ConnectionString property has not been
initialized") = True Or en.Message.ToUpper.Contains("TIMEOUT") = True Then
                    Try
                        For I As Integer = 0 To 1
                            Try
                                If oracleClientFlag = 0 Then
                                    conObj = CreateOleDbConnection(oracleFlag)
                                Else
                                    ' conObj = CreateOracleConnection()
                                End If
                                Catch ex1 As OleDbException
                                    If ex1.Message.Contains("ORA-12560") = True Or
ex1.Message.Contains("ORA-12571") = True Then
                                        ErrMsg = "Oracle is not Connected.Either Network
is disconnected or Oracle Listener Problem!(" & ex1.Message & ")"
                                        ElseIf ex1.Message.ToUpper.Contains("TIMEOUT") = True
Then
                                            ErrMsg = "Oracle Connection Timeout"
                                        Else
                                            ErrMsg = ex1.Message
                                        End If
                                    Catch ex1 As Exception
                                        ErrMsg = ex1.Message
                                    End Try
                                Next
                                Catch ex As OleDbException
                                    If ex.Message.Contains("ORA-12560") = True Or
ex.Message.Contains("ORA-12571") = True Then
                                        ErrMsg = "Oracle is not Connected.Either Network is
disconnected or Oracle Listener Problem!(" & en.Message & ")"
                                        ElseIf ex.Message.ToUpper.Contains("TIMEOUT") = True Then
                                            ErrMsg = "Oracle Connection Timeout"
                                        Else
                                            ErrMsg = ex.Message
                                        End If
                                    Catch ex As Exception
                                        ErrMsg = ex.Message
                                    End Try
                                Else
                                    ErrMsg = en.Message
                                End If
                            End Try
                        Return conObj
                    End Function

```

```

#Region "ExecuteQueryForReturnType"

```

```

    Public Overloads Shared Function ExecuteQuery(ByVal QueryStr As String, ByVal
QryType As QueryType, Optional ByVal RetType As ReturnType = ReturnType.None, Optional
ByVal TransStart As Transaction = Transaction.None, Optional ByVal TransFinish As
Transaction = Transaction.None, Optional ByVal TName As String = Nothing, Optional
ByVal key As Boolean = False, Optional ByVal ds As DataSet = Nothing, Optional ByVal
conFlag As Integer = 0, Optional ByVal oracleFlag As Integer = 0) As Object
        Dim Sortedorder As Boolean = key
        Dim conObj As ConObject = Nothing

```

```

Dim ErrMsg As String
Try
    conObj = GetConnection(conFlag, oracleFlag)
    ErrMsg = conObj.ErrMsg
    If ErrMsg <> "" Then
        Throw New Exception(ErrMsg) : Exit Function
    ElseIf conObj.Conn Is Nothing And conObj.Conn0 Is Nothing Then
        Throw New Exception("Oracle Connection can not be
Established.Please Check Network/ Oracle Connectivity") : Exit Function
    End If
    If TransStart = Transaction.Start Then
        If Not conObj.Cmd Is Nothing Then
            conObj.Cmd.Transaction = conObj.Conn.BeginTransaction
        ElseIf Not conObj.Cmd0 Is Nothing Then
            conObj.Cmd0.Transaction = conObj.Conn0.BeginTransaction
        End If
    End If
    Select Case QryType
        Case QueryType.SelectQuery
            If QueryStr = "" Then
                Exit Select
            Else
                If Not conObj.Cmd Is Nothing Then
                    conObj.Cmd.CommandText = QueryStr
                    Return (ExecuteSelect(RetType, TName, conObj.Cmd))
                ElseIf Not conObj.Cmd0 Is Nothing Then
                    conObj.Cmd0.CommandText = QueryStr
                    Return (ExecuteSelect(RetType, TName, conObj.Cmd0))
                End If
            End If
        Case QueryType.InsertQuery, QueryType.UpdateQuery,
QueryType.DeleteQuery
            If Not conObj.Cmd Is Nothing Then
                conObj.Cmd.CommandText = QueryStr
                conObj.Cmd.ExecuteNonQuery()
            ElseIf Not conObj.Cmd0 Is Nothing Then
                conObj.Cmd0.CommandText = QueryStr
                conObj.Cmd0.ExecuteNonQuery()
            End If
        Case QueryType.Adapter
            If Not conObj.Cmd Is Nothing Then
                Dim adapter As New OleDbDataAdapter(QueryStr, conObj.Conn)
                adapter.Update(ds, ds.Tables(0).TableName)
                adapter.Dispose()
            ElseIf Not conObj.Cmd0 Is Nothing Then
                ds = New DataSet
                Dim adapter As New OracleDataAdapter(QueryStr,
conObj.Conn0)
                adapter.Update(ds, ds.Tables(0).TableName)
                adapter.Dispose()
            End If
        Case QueryType.UpdateDeleteAdapter
            If QueryStr = "" Then
                If Not conObj.Cmd Is Nothing Then
                    ds = New DataSet
                    Dim adapter As New OleDbDataAdapter("", conObj.Conn)
                    adapter.Update(ds)
                    adapter.Dispose()
                ElseIf Not conObj.Cmd0 Is Nothing Then
                    ds = New DataSet
                    Dim adapter As New OracleDataAdapter("", conObj.Conn0)
                    adapter.Update(ds)

```

```

        adapter.Dispose()
    End If
End If
End Select
If TransFinish = Transaction.Finish Then
    conObj.Cmd.Transaction.Commit()
End If
Catch en As OleDbException

    If TransStart Then
        If Not conObj.Cmd Is Nothing Then
            conObj.Cmd.Transaction.Rollback()
        ElseIf Not conObj.Cmd0 Is Nothing Then
            conObj.Cmd0.Transaction.Rollback()
        End If
    End If
    Throw en
Finally
    DestroyConObj(conObj)
End Try
Return Nothing
End Function
#End Region

Public Overloads Shared Function GetRecordsetFromSQL(ByRef sSQL As String) As
Data.DataTable
    'Public Function GetRecordsetFromSQL(ByRef sSQL As String) As
Data.DataTable
        Dim oDT As New Data.DataTable
        Dim oCmd As OleDbCommand
        Dim oDA As OleDbDataAdapter
        Dim DBConn As OleDbConnection
        ' DBConn = New OleDbConnection("Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs")
        DBConn = New OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=C:\tamil\tam.mdb")

        oDA = New OleDbDataAdapter(sSQL, DBConn)
        'Dim conObj As ConObject = Nothing
        'conObj = GetConnection(0, 0)
        'If conObj Is Nothing Then
        '    'As got the error in HRESULT - COM exception while executing
ERR.RAISE
        '    'In order to achieve the same functionality in ported as like
baseline...introduced VB6.0 interop to raise the error message to COM
        '    'ManagedCOMError.GetManagedErrorInfo(vbObjectError +
ppErrorCodes.ppDALErrNoOpenConnection, "ProPrimaDAL.DataAccess.GetRecordsetFromSQL",
"No Connection Open")
        '    'Err.Raise(vbObjectError + ppErrorCodes.ppDALErrNoOpenConnection,
"ProPrimaDAL.DataAccess.GetRecordsetFromSQL", "No Connection Open")
        '    'PGC Migration ID:002 to fix warning Null Reference Exception
        '    GetRecordsetFromSQL = Nothing
        'Else
        '    conObj.Cmd.Transaction = conObj.Conn.BeginTransaction
        '    oCmd = New OleDbCommand(sSQL, conObj.Conn)

        '    ' Dim adapter As New OleDbDataAdapter(QueryStr, conObj.Conn)
        '    oCmd.CommandType = Data.CommandType.Text
        '    oDA = New OleDbDataAdapter(oCmd)
        oDA.Fill(oDT)
        '    oCmd.Dispose()
        oCmd = Nothing
    End Function

```

```

        oDA = Nothing
        GetRecordsetFromSQL = oDT
    ' End If
End Function
Public Overloads Shared Function UpdateData(ByVal dt As DataTable, ByVal
TableName As String) As Boolean
    Dim oCmd As OleDbCommand = Nothing
    Dim oDataAdap As OleDbDataAdapter = Nothing
    Dim oCmdBuilder As OleDbCommandBuilder = Nothing
    'Dim oDA As OleDbDataAdapter
    Dim DBConn As OleDbConnection
    DBConn = New OleDbConnection("Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs")
    '*****

    ' If moConnection Is Nothing Then
    'As got the error in HRESULT - COM exception while executing ERR.RAISE
    'In order to achieve the same functionality in ported as like
baseline...introduced VB6.0 interop to raise the error message to COM
    'ManagedCOMError.GetManagedErrorInfo(vbObjectError +
ppErrorCodes.ppDALErrNoOpenConnection, "ProPrimaDAL.DataAccess.UpdateData", "No
Connection Open")
    ' Err.Raise(vbObjectError + ppErrorCodes.ppDALErrNoOpenConnection,
"ProPrimaDAL.DataAccess.UpdateData", "No Connection Open")
    ' Else
    ' oCmd = New OleDbCommand("Select * from " & TableName, DBConn, trn)
    DBConn.Open()

    oCmd = New OleDbCommand("Select * from " & TableName, DBConn,
DBConn.BeginTransaction)
    oCmd.Connection = DBConn
    oDataAdap = New OleDbDataAdapter(oCmd)
    oCmdBuilder = New OleDbCommandBuilder(oDataAdap)
    oCmdBuilder.QuotePrefix = "["
    oCmdBuilder.QuoteSuffix = "]"
    oDataAdap.TableMappings.Add("Table", TableName)
    dt.TableName = TableName
    oDataAdap.Update(dt)
    oCmd.Transaction.Commit()
    oCmdBuilder.Dispose()
    oCmdBuilder = Nothing
    oDataAdap.Dispose()
    oDataAdap = Nothing
    oCmd.Dispose()
    oCmd = Nothing
    Return True
Exit Function

End Function

```



# WEB PAGE OUTPUT

Process    Exit

Engine manufacture

Engine model

Power

Power type

Fuel injection type

Propeller type

Save

Engine Manufacture	Engine Model	Power	Power Type	Fuel Injection Type	Propeller Type
Zsi	460-L50	50	HP	CARB	FIXP
Zsi	67L-70	70	HP	CARB	FIXP
a	IO-550-B4F	300	HP	FINJ	CONP
a/o	O-320-H2AD	180	HP	CARB	FIXP
aero engines	IO-360-B1F6	180	HP	FINJ	FIXP
aero engines	IO-360-L2A	180	HP	CARB	FIXP
aero engines	MP14-PXDK	360	HP	CARB	FIXP
aero engines	O-200	100	HP	CARB	FIXP
aero engines	O-360-D3G	160	HP	CARB	FIXP
aero engines	O-470	230	HP	CARB	CONP