

## Assignment -2

### IBM CLOUD DB2

Assignment Date	26 October 2022
Student Name	LITHISH
Student Roll Number	713319CS069
Maximum Marks	2 Marks

#### Questions:

1. Create User table with user with email, username, roll number, password.

The screenshot displays the IBM Db2 on Cloud console interface. The top navigation bar includes 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is selected, showing a list of tables under the schema 'DTP46044'. The table 'USERTABLE' is listed with a 'New table' button next to it. The 'Table definition' panel on the right shows the structure of 'USERTABLE' with the following columns:

Name	Data type	Nullable	Length	Scale
USERNAME	CHAR	Y	5	0
ROLLNUMBER	INTEGER	Y		0
EMAIL	CHAR	Y	5	0
PASSWORD	VARCHAR	Y	32	0

Below the table definition, a message states 'There is no data here yet'.

2. Perform UPDATE,DELETE Queries with user table.

### UPDATE TABLE:-

The screenshot shows the IBM Db2 on Cloud SQL editor interface. On the left, the 'Data objects' pane shows a database named 'DTP46044'. The main editor area shows a script titled '\*Untitled - 1' with the following SQL query:

```
1 INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')
```

The query has been executed successfully. The 'History' pane at the bottom shows the execution details:

Script	Date	Status	Runtime
Untitled - 1	Oct 10, 2022 12:51:13 PM	✓ 1	0.018 s
INSERT INTO USERTABLE VALUES ('VK',21,'VK@gamil.com','1234')		✓	0.018 s

The screenshot shows the IBM Db2 on Cloud 'Tables' view for the database 'DTP46044'. The table 'USERTABLE' is selected. The table structure and data are as follows:

USERNAME	ROLLNO	EMAIL	PASSWORD
VK	21	VK@gamil.com	1234

Buttons for 'Back' and 'Export to CSV' are visible in the top right corner.

DELETE TABLE:-

IBM Db2 on Cloud

Load DataLoad HistoryTablesViewsIndexesAliasesMQTsSequencesApplication objects

DTP46044.USERTABLE

Back

Export to CSV

USERNAME	ROLLNO	EMAIL	PASSWORD
MRIDHUL M	21	VK@gamil.com	1234
VK	23	VK@gamil.com	12034

IBM Db2 on Cloud

Data objectsMy script

Filter objects

DTP46044

\*Untitled - 1

BetaClassic

Run all

```
1 DELETE FROM USERTABLE WHERE ROLLNO = 23 ;
```

HistoryResults

Find history

Script	Date	Status	Runtime
^ Untitled - 1	Oct 10, 2022 1:02:49 PM	✓ 1	0.006 s
DELETE FROM USERTABLE WHERE ROLLNO = 23		✓	0.006 s
^ Untitled - 1	Oct 10, 2022 1:00:11 PM	✓ 1	0.007 s
INSERT INTO USERTABLE VALUES ('VK',23,'VK@gamil.com','12034')		✓	0.007 s
^ Untitled - 1	Oct 10, 2022 12:59:55 PM	✗ 1	0.044 s

The screenshot shows the IBM Db2 on Cloud web interface. The top navigation bar includes 'Load Data', 'Load History', 'Tables', 'Views', 'Indexes', 'Aliases', 'MQTs', 'Sequences', and 'Application objects'. The 'Tables' tab is selected, displaying a table named 'DTP46044.USERTABLE'. The table has four columns: 'USERNAME', 'ROLLNO', 'EMAIL', and 'PASSWORD'. A single record is visible with the values: 'MRIDHUL M', '21', 'VK@gamil.com', and '1234'. There are buttons for 'Back', 'Export to CSV', and a download icon.

USERNAME	ROLLNO	EMAIL	PASSWORD
MRIDHUL M	21	VK@gamil.com	1234

3.Connect python code to db2.

**NOTE:- Question 4 contains Question 3 answer**

4. Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page authenticate user username and password. If the user is valid show the welcome page

## Answers

### App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

app = Flask(__name__)

app.secret_key = 'a'

conn = ibm_db.connect(
    "DATABASE=bludb;HOSTNAME=fbd88901-ebdb-4a4f-a32e-9822b9fb237b.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32731;USERNAM
E=dtp46044;PASSWORD=95soX0sZGhb4ToUj;SECURITY=SSL;SSLSERVERCERTIFICATE=DigiCer
tGlobalRootCA.crt;", "", "")

@app.route("/", methods=['GET', 'POST'])
def register():
    msg = ''
    if request.method == 'POST':
        username = request.form['username']
        email = request.form['email']
        password = request.form['password']
```

```

sql = "SELECT * FROM users WHERE username =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt, 1, username)
ibm_db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
print(account)
if account:
    msg = 'Account already exists !'
elif not re.match(r'^@+@[^@]+\.[^@]+', email):
    msg = 'Invalid email address !'
elif not re.match(r'[A-Za-z0-9]+', username):
    msg = 'name must contain only characters and numbers !'
else:
    insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
    prep_stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(prepare_stmt, 1, username)
    ibm_db.bind_param(prepare_stmt, 2, email)
    ibm_db.bind_param(prepare_stmt, 3, password)
    ibm_db.execute(prepare_stmt)
    msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'
return render_template('register.html', msg=msg)

```

```

@app.route('/login', methods=['GET', 'POST'])
def login():
    global userid
    msg = ''

    if request.method == 'POST':
        username = request.form['username']
        password = request.form['password']
        sql = "SELECT * FROM users WHERE username =? AND password=?"
        stmt = ibm_db.prepare(conn, sql)
        ibm_db.bind_param(stmt, 1, username)
        ibm_db.bind_param(stmt, 2, password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            session['loggedin'] = True
            session['id'] = account['USERNAME']
            userid = account['USERNAME']
            session['username'] = account['USERNAME']
            msg = 'Logged in successfully !'

            msg = 'Logged in successfully !'
            return render_template('dashboard.html', msg=msg)

```

```

        else:
            msg = 'Incorrect username / password !'
            return render_template('login.html', msg=msg)

if __name__ == '__main__':
    app.run(host='0.0.0.0')
    # app.run(debug=True)

```

## Register.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion register</title>

    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
"
        integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpsSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>
    <!-- bootstrap navbar -->
    <!-- navbar ends -->
    <!-- Login form -->
    <div class="login text-center mt-5">

        <form action="/" method="post">

```

```

        <h2 class="form-text-h2"> Register Form </h2>
        <div class="msg">{{ msg }}</div>
        <input type="text" class="form-control" name="username"
placeholder="Enter Your Username" id="username"
        required>
        <input type="email" class="form-control" name="email"
placeholder="Enter Your Email ID" id="email" required>
        <input type="password" class="form-control" name="password"
placeholder="Enter Your Password" id="password"
        required>
        <button type="submit" id="button" class="btn btn-primary">
Register </button>
        <div class="note mt-3 text-center">
            <!--Register form -->
            <p> already have an account ? please login <a
href="/login">login! </a> </p>

        </div>
    </form>

</div>

</body>

</html>

```

### Login.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smart Fashion Login</title>
    <!-- favicon -->
    <!-- <link rel="shortcut icon" href="/assets/img/favicon.ico"
type="image/x-icon"> -->
    <!-- <link rel="icon" href="/assets/img/favicon.ico" type="image/x-icon">
-->
    <link rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-
32x32.png">
    <!-- bootstrap css cdn -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css
"

```

```

        integrity="sha384-
JcKb8q3iqJ61gNV9KgB8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css">
    <!-- css stylesheet -->
    <link rel="stylesheet" href="/static/css/style2.css">
    <!-- font styles cdn -->
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap"
rel="stylesheet">
    <link
href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"
rel="stylesheet">
</head>

<body>

    <div class="login text-center mt-5">

        <form action="/login" method="post">
            <h2 class="form-text-h2"> Login Form </h2>
            <div class="msg">{{ msg }}</div>
            <div class="form-group mb-3">
                <label class="label" for="username">Username</label>
                <input type="text" class="form-control" placeholder="Username"
name="username" required>
            </div>
            <div class="form-group mb-3">
                <label class="label" for="password">Password</label>
                <input type="password" class="form-control"
placeholder="Password" name="password" required>
            </div>

            <button type="submit" id="button" class="btn btn-primary"> Login
</button>

            <div class="note mt-3 text-center">
                <!--Register form -->
                <p> Don't have an account yet? Click here to <a
href="/">register! </a> </p>
            </div>
        </form>
    </div>

</body>

</html>

```



## Style.css

```
* {
  margin: 0;
  padding: 0;
}

body {
  background-color: aqua !important;
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

form {
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
  background-color: white;
  width: 40%;
  height: 450px;
  border-radius: 50px;
  margin: 100px;
  gap: 25px;
}

h2 {
  font-size: large;
  font-weight: bolder;
}

input {
  width: 80% !important;
}


div {
  display: flex;
  align-items: center;
  justify-content: center;
  flex-direction: column;
  width: 90%;
}

.form-text-vk {
  font-size: small;
  padding-bottom: 10px;
}
```

```
}  
  
.form-text-h2 {  
  font-size: x-large;  
  padding-top: 10px;  
}
```


**Output:-**

**registration page:-**




A registration form titled "Register Form" is centered on a light blue background. The form is a white rounded rectangle containing three input fields: a text field with "Mridhul M", an email field with "mridhulvinu123@gmail.com", and a password field with the placeholder "Enter Your Password". Below the fields is a blue "Register" button. At the bottom, a link says "already have an account ? please login [login!](#)".

**Login Page:-**



A login form titled "Login Form" is centered on a light blue background. The form is a white rounded rectangle containing two input fields: a text field labeled "Username" with "Mridhul M" and a password field labeled "Password" with masked characters and a toggle icon. Below the fields is a blue "Login" button. At the bottom, a link says "Don't have an account yet? Click here to [register!](#)".

## Welcome Page:-



## Data Base Table :-

IBM Db2 on Cloud			
<div>Load DataLoad History<b>Tables</b>ViewsIndexesAliasesMQTsSequencesApplication objects</div>			
DTP46044.USERS		Back	
		Export to CSV	
USERNAME		EMAIL	PASSWORD
Mridhul M		mridhulvinu123@gmail.com	123432