


## ASSIGNMENT 3

### CLOUD APPLICATION DEVELOPMENT


Assignment Date	9 October 2022
Student Name	B.Sandhiya
Student Roll Number	912619104022
Maximum Marks	2 Marks

#### 1. Create a Bucket in IBM object storage.



Thus a bucket is created with an unique name sanrasheed29.

#### 2. Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.



Thus, Five images are uploaded and access is made public.

#### PYTHON CODE:

```
from flask import Flask,render_template,request,redirect,url_for
from connect import *
from objstorage import *
app= Flask(__name__)
```

```
@app.route("/assign3")
def objstorage():
    for i in range(0,len(imagearr)):
        imagearr[i]="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/sanrasheed29/"+imagearr[i]
    print("objstorage ", imagearr)
    return render_template('assign3.html',arr=imagearr)
```


```
@app.route('/redirect_to')
def redirect_to():
    link = request.args.get('link', '/')
    return redirect(link), 301
```

```
if(__name__=='__main__'):
    app.run()
```

#### HTML CODE TO DISPLAY IMAGES:


```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>ASSIGNMENT</title>
    <link rel="stylesheet" href="{ { url_for('redirect_to',link='https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/sanrasheedcss/assign3.css') } } " type="text/css">
</head>
<body >
<h1>DISPLAYING IMAGES FROM CLOUD OBJECT STORAGE</h1>
{% for image in arr: %}

{% endfor %}
</body>
</html>
```




Thus the 5 images stored in cloud object storage has been displayed in the website.

3. Upload a css page to the object storage and use the same page in your HTML code.



A CSS page is uploaded in object storage.




```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <title>ASSIGNMENT</title>
6 <link rel="stylesheet" href="{{url_for('redirect_to', link='https://s3.jp-tok.cloud-object-storage.appdomain.cloud/sanrasheedcss/assign3.css')}}" type="text/css">
7 </head>
8 <body>
9 <h1>DISPLAYING IMAGES FROM CLOUD OBJECT STORAGE</h1>
10 {% for image in arr: %}
11 
12 {% endfor %}
13 </body>
14 </html>
```


The same CSS file is used inside the HTML Code.

4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

A chatbot using IBM Watson assistant for hospital has been designed.



Now the user comes with query to know the branches for that hospital in the city.





### **WEB URL OF ASSISTANT :**


```
<script>
window.watsonAssistantChatOptions = {
  integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});</script>
```

5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

The user is coming up with a query of vaccination details.








A Watson assistant with 3 conditions is given.

### GREETINGS ACTION:



## BRANCHES QUERY ACTION:

The screenshot shows the IBM Watson Assistant interface for a project named 'Sasha'. The left sidebar displays the 'branches' action with four steps:

- Step 1: 'yes we have branches in Thilla Nagar, Kattur.' with a 'Continue to next step' button.
- Step 2: 'Do you want their contact information?' with a 'Confirmation' button and a 'Continue to next step' button.
- Step 3: 'Thilla Nagar: 0431-1898215 Kattur: 0431-2457881' with an 'Action complete' status.
- Step 4: 'Thank You :)' with an 'Action complete' status.

The main area shows the 'Customer starts with' section, which includes instructions and a list of phrases to start the conversation:

- Enter phrases your customer might use to start this action (Total: 5)
- Enter a phrase
- does your hospital has any other branches in the city?
- is there any branch near me
- Branches please
- May i know your other branches in this city?
- Where are your branches?

A 'Preview' button is located at the bottom right of the main area.

## VACCINATION QUERY ACTION:

The screenshot shows the IBM Watson Assistant interface for a project named 'Sasha'. The left sidebar displays the 'vaccination' action with four steps:

- Step 1: 'vaccines, Covishield Covaxin' with a 'Continue to next step' button.
- Step 2: 'Do you want to register for the vaccination?' with a 'Confirmation' button and a 'Continue to next step' button.
- Step 3: 'Please share your email id.' with a 'Register' button and a 'Continue to next step' button.
- Step 4: 'We'll inform you shortly. Stay updated!' with an 'Action complete' status.

The main area shows the 'Customer starts with' section, which includes instructions and a list of phrases to start the conversation:

- Enter phrases your customer might use to start this action (Total: 2)
- Enter a phrase
- is vaccination available for covid
- vaccination

A 'Preview' button is located at the bottom right of the main area.



## HTML CODE WITH ASSISTANT EMBEDDED:

```
<!DOCTYPE html>
<html><head>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Chatbot </title>
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css" integrity="sha384-
xOoIHfLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
  <link rel="stylesheet" href="{ { url_for('static',filename='styles/login.css') } }" type="text/css">
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <script defer src="https://use.fontawesome.com/releases/v5.13.1/js/all.js"></script>
  <link
href="https://fonts.googleapis.com/css2?family=Alex+Brush&family=Quicksand:wght@300&displ
ay=swap" rel="stylesheet">
  </head>
  <body style="background:rgba(128,0,128,0.2)">
  <h1 style="font-weight: bolder;
margin: 12%;
font-size: xxx-large;">Building Chatbot For Hospital</h1>
  <script>
window.watsonAssistantChatOptions = {
  integrationID: "cba0c163-9f9a-42ce-b6e9-979ac6318cc0", // The ID of this integration.
  region: "au-syd", // The region your integration is hosted in.
  serviceInstanceID: "245858a6-01a2-41fc-8707-d603be17b8f0", // The ID of your service
instance.
  onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
  const t=document.createElement('script');
  t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
  document.head.appendChild(t);
});</script>
</body>
</html>
```