CODE:

```
Python Script:
import wiotp.sdk.device
import time
import os
import random
myconfig = {
  "identity": {
     "orgld": "3InItf",
     "typeId": "NodeMCU",
     "deviceId":"12345"
  },
  "auth":{
     "token":"12345678"
  }
client = wiotp.sdk.device.DeviceClient(config=myconfig,
logHandlers=None)
client.connect()
def myCommandCallback(cmd):
  print("Messure recived from IBM ToT Platform: %s" %
cmd.data['command'])
  m=cmd.data['command']
  if(m=="Motor is switched on"):
   print("Motoris switched on")
  elif(m=="motoroff"):
     print("Motor is switched OFF")
    print("")
while True:
  soil=random.randint(22, 100)
  temp=random.randint(-20, 125)
  hum=random.randint(0, 100)
  myData={'soil_moisture':soil, 'temperature':temp,'humidity':hum}
  client.publishEvent(eventId="status",msgFormat="json",
data=myData,qos=0, onPublish=None)
  print ("Published data Successfully: %s",myData)
  time.sleep(2)
  client.commandCallback= myCommandCallback
```

client.disconnect()

```
Node RED:
[{"id":"55532a3a9414ada1","type":"tab","label":"Flow
1","disabled":false,"info":"","env":[]},{"id":"dd8948acf63987d6","type":"ibm
iot
in","z":"55532a3a9414ada1","authentication":"apiKey","apiKey":"640094
16e5d88d75", "inputType": "evt", "logicalInterface": "", "ruleId": "", "deviceId": "
12345", "applicationId": "", "deviceType": "NodeMCU", "eventType": "+", "com
mandType":"","format":"json","name":"IBM
IoT", "service": "registered", "allDevices": "", "allApplications": "", "allDeviceTy
pes":false,"allLogicalInterfaces":"","allEvents":true,"allCommands":"","all
Formats":"","qos":0,"x":90,"y":200,"wires":[["cc5ee96d1fe8c0ec","4640bf
220608c2b5", "8878c5a96c8bd6c7"]]}, {"id": "cc5ee96d1fe8c0ec", "type": "f
unction","z":"55532a3a9414ada1","name":"Soil
Moisture", "func": "global.set('moist', msg.payload.soil_moisture)\nmsg.pay
load=msq.payload.soil moisture\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":330,"y":14
0,"wires":[["be4ecfdbd3805c1c","234da12208d57a19","823ed8368aa8fa
6a"]]},{"id":"4640bf220608c2b5","type":"function","z":"55532a3a9414ada
1","name":"humidity","func":"global.set('hum',msg.payload.humidity)\nms
g.payload=msg.payload.humidity\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":300,"y":20
0,"wires":[["42e41d121e826584","234da12208d57a19"]]},{"id":"8878c5a9
6c8bd6c7","type":"function","z":"55532a3a9414ada1","name":"Temperat
ure", "func": "global.set('temp', msg.payload.temperature) \nmsg.payload=
msg.payload.temperature\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":310,"y":26
0,"wires":[["e006a1f31e1084f2","234da12208d57a19"]]},{"id":"42e41d12
1e826584","type":"ui_chart","z":"55532a3a9414ada1","name":"","group":
"32c77595865857f1","order":1,"width":"0","height":"0","label":"Humidity","
chartType":"line","legend":"false","xformat":"HH:mm:ss","interpolate":"lin
ear","nodata":"","dot":false,"ymin":"","ymax":"","removeOlder":1,"remove
OlderPoints":"","removeOlderUnit":"3600","cutout":0,"useOneColor":false
","useUTC":false,"colors":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c","#98d
f8a","#d62728","#ff9896","#9467bd","#c5b0d5"],"outputs":1,"useDifferent
Color":false,"x":640,"y":200,"wires":[[]]},{"id":"e006a1f31e1084f2","type":"
ui_chart","z":"55532a3a9414ada1","name":"","group":"32c77595865857f
```

1","order":2,"width":"0","height":"0","label":"Temperature","chartType":"line","legend":"false","xformat":"HH:mm:ss","interpolate":"linear","nodata":"","dot":false,"ymin":"","ymax":"","removeOlder":1,"removeOlderPoints":"","removeOlderUnit":"3600","cutout":0,"useOneColor":false,"useUTC":false,"colors":["#1f77b4","#aec7e8","#ff7f0e","#2ca02c","#98df8a","#d62728",

```
"#ff9896","#9467bd","#c5b0d5"],"outputs":1,"useDifferentColor":false,"x":
630,"y":260,"wires":[[]]},{"id":"be4ecfdbd3805c1c","type":"switch","z":"555
32a3a9414ada1","name":"","property":"payload","propertyType":"msg","r
ules":[{"t":"eq","v":"20","vt":"str"}],"checkall":"true","repair":false,"outputs":
1,"x":150,"y":360,"wires":[["6cc86205e44277fb"]]},{"id":"0215325ab54b8d
51","type":"debug","z":"55532a3a9414ada1","name":"","active":true,"tosi
debar":true, "console":false, "tostatus":false, "complete": "payload", "targetT
ype":"msg","statusVal":"","statusType":"auto","x":650,"y":440,"wires":[]},{"
id":"6cc86205e44277fb","type":"http
request","z":"55532a3a9414ada1","name":"","method":"GET","ret":"txt","
paytogs": "ignore", "url": "https://www.fast2sms.com/dev/bulkV2?authorizat
ion=w3caxunBXmh5pO4KYsbdQEvAoS96UZ7tegHiGIN0yflLWr8JkjXAb
mHyVvoj5SJGMlls419xckpi0rwf&route=q&message=low%20soil%20moi
sture%20level&language=english&flash=1&numbers=8870252283","tls":
"","persist":false,"proxy":"","authType":"","senderr":false,"x":370,"y":440,"
wires":[["0215325ab54b8d51"]]},{"id":"234da12208d57a19","type":"debu
g","z":"55532a3a9414ada1","name":"","active":false,"tosidebar":true,"con
sole":false,"tostatus":false,"complete":"false","statusVal":"","statusType":"
auto","x":630,"y":340,"wires":[]},{"id":"3ddbcc7ae9c17a4e","type":"functio
n","z":"55532a3a9414ada1","name":"data","func":"msg.payload = {\n
\"temperature\":global.get('temp'),\n \"humidity\": global.get('hum'),\n
\"moisture\": global.get('moist')\n}\nreturn
msg;","outputs":1,"noerr":0,"initialize":"","finalize":"","libs":[],"x":370,"y":52
0,"wires":[["72cb90bf9a4ea129"]]},{"id":"72cb90bf9a4ea129","type":"http
response","z":"55532a3a9414ada1","name":"","statusCode":"","headers":
{},"x":650,"y":520,"wires":[]},{"id":"a32037baad643597","type":"http
in","z":"55532a3a9414ada1","name":"","url":"/DATA","method":"get","upl
oad":false,"swaggerDoc":"","x":180,"y":520,"wires":[["3ddbcc7ae9c17a4e
"]]},{"id":"e9c894340e352161","type":"ui_button","z":"55532a3a9414ada1
","name":"","group":"5a9be2a7.35e99c","order":0,"width":"3","height":"2",
"passthru":false."label":"Motor
on","tooltip":"","color":"","bgcolor":"","icon":"","payload":"{\"command\":\"m
otoron\"}","payloadType":"json","topic":"","topicType":"str","x":300,"y":580
","wires":[["e00aec1775ab7ba1","af4693e1abeca7a2"]]},{"id":"e00aec177
5ab7ba1", "type": "ibmiot
out","z":"55532a3a9414ada1","authentication":"apiKey","apiKey":"64009
416e5d88d75", "outputType": "cmd", "deviceId": "12345", "deviceType": "No
deMCU", "eventCommandType": "cmd", "format": "json", "data": "data", "gos"
:0,"name":"IBM
IoT", "service": "registered", "x":540, "y":580, "wires": []}, {"id": "436ec2969a88
e928","type":"ui_button","z":"55532a3a9414ada1","name":"","group":"5a
9be2a7.35e99c","order":1,"width":"3","height":"2","passthru":false,"label":
```

"mortor

```
off","tooltip":"","color":"","bgcolor":"","icon":"","payload":"{\"command\":\"m
otoroff\"}","payloadType":"json","topic":"topic","topicType":"str","x":300,"y
":640,"wires":[["af4693e1abeca7a2","e00aec1775ab7ba1"]]},{"id":"af469
3e1abeca7a2", "type": "debug", "z": "55532a3a9414ada1", "name": "", "active
":true, "tosidebar":true, "console":false, "tostatus":false, "complete": "payloa"
d","targetType":"msg","statusVal":"","statusType":"auto","x":530,"y":640,"
wires":[]},{"id":"dd8a9df81aaebedf","type":"http
in","z":"55532a3a9414ada1","name":"","url":"/command","method":"get","
upload":false,"swaggerDoc":"","x":320,"y":700,"wires":[["05c851ba0d5bf5
de","af4693e1abeca7a2","e00aec1775ab7ba1"]]},{"id":"05c851ba0d5bf5
de", "type": "http
response","z":"55532a3a9414ada1","name":"","statusCode":"","headers":
{},"x":530,"y":700,"wires":[]},{"id":"823ed8368aa8fa6a","type":"ui_gauge",
"z":"55532a3a9414ada1","name":"","group":"2a4abd11.a253a2","order":
0,"width":0,"height":0,"gtype":"gage","title":"Soil
Moisture", "label": "units", "format": "{{value}}", "min": 0, "max": "100", "colors": [
"#00b500","#e6e600","#ca3838"],"seg1":"","seg2":"","x":650,"y":140,"wire
s":[]},{"id":"64009416e5d88d75","type":"ibmiot","name":"API","keepalive":
"60", "serverName": "", "cleansession": true, "appId": "", "shared": false }, {"id": "
32c77595865857f1","type":"ui_group","name":"Default","tab":"5f4c2ea5.
dc4e3","order":3,"disp":true,"width":"6","collapse":false},{"id":"5a9be2a7.
35e99c", "type": "ui_group", "name": "Default", "tab": "5f4c2ea5.dc4e3", "orde
r":2,"disp":true,"width":"6","collapse":false},{"id":"2a4abd11.a253a2","typ
e":"ui_group","name":"Soil
moisture", "tab": "513e92a0.840a9c", "order": 1, "disp": true, "width": "8", "colla
pse":true},{"id":"5f4c2ea5.dc4e3","type":"ui_tab","name":"Home","icon":"
dashboard", "disabled": false, "hidden": false }, {"id": "513e92a0.840a9c", "typ
e":"ui_tab","name":"Home","icon":"dashboard","order":1,"disabled":false,"
hidden":false}]
```

MIT App: <!DOCTYPE html>

<!-- saved from

url=(0048)http://ai2.appinventor.mit.edu/#5592391764279296 --> <html style="overflow: auto;"><head><meta http-equiv="Content-Type" content="text/html; charset=UTF-8"><style>HTML{margin:0 !important;border:none !important;}.dragdrop-handle{cursor:move;user-select:none;-khtml-user-select:none;-moz-user-select:none;}.dragdrop-draggable{zoom:1;}.dragdrop-dragging{zoom:normal;}.dragdrop-positioner{border:1px dashed #1e90ff;margin:0 !important;zoom:1;z-index:100;}.dragdrop-flow-panel-positioner{color:#1e90ff;display:inline;text-align:center;vertical-align:middle;}.dragdrop-proxy{background-color:#7af;}.dragdrop-

```
selected,.dragdrop-dragging,.dragdrop-proxy{filter:alpha(opacity \=
30);opacity:0.3;}.dragdrop-movable-panel{z-index:200;margin:0
!important;border:none !important;}</style>
  <meta http-equiv="X-UA-Compatible" content="IE=10">
  <!--meta name="gwt:property" content="locale=en_US"-->
  <!-- Title is set at runtime. -->
  <title>MIT App Inventor</title>
      <!-- Google Analytics. -->
      <script type="text/javascript" async="" src="./MIT App</pre>
Inventor_files/ga.js.download"></script><script type="text/javascript">
       var _gaq = _gaq || [];
       _gaq.push(['_setAccount', 'UA-28621056-1']);
       _gaq.push(['_setDomainName', 'ai2.appinventor.mit.edu']);
       _gaq.push(['_setAllowLinker', true]);
        gag.push(['_trackPageview']);
       (function() {
        var ga = document.createElement('script'); ga.type =
'text/javascript'; ga.async = true;
        ga.src = ('https:' == document.location.protocol ? 'https://ssl' :
'http://www') + '.google-analytics.com/ga.js';
        var s = document.getElementsByTagName('script')[0];
s.parentNode.insertBefore(ga, s);
       })();
      </script>
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor_files/gwt.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/blockly.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor files/ai2blockly.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor files/dialog.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor_files/hsvapalette.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor_files/font-awesome.min.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor files/leaflet.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor_files/leaflet.toolbar.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/leaflet-vector-markers.css">
```

```
k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/Ya.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/android holo.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/android material.css">
  <link type="text/css" rel="stylesheet" href="./MIT App</pre>
Inventor files/iOS.css">
  k type="text/css" rel="stylesheet" href="./MIT App
Inventor files/DarkTheme.css">
  <noscript>
   <div class="floatingBox">
     <h2> App Inventor needs JavaScript enabled to run.</h2>
   </div>
  </noscript>
 <script src="./MIT App</pre>
Inventor files/07550E3C801A777506EB0AD54C97601D.cache.js.downl
oad"></script><style type="text/css">/* Chart.js */
@keyframes chartis-render-
animation{from{opacity:.99}to{opacity:1}}.chartjs-render-
monitor{animation:chartis-render-animation 1ms}.chartis-size-
monitor,.chartjs-size-monitor-expand,.chartjs-size-monitor-
shrink{position:absolute;direction:ltr;left:0;top:0;right:0;bottom:0;overflow:
hidden;pointer-events:none;visibility:hidden;z-index:-1}.chartjs-size-
monitor-
expand>div{position:absolute;width:1000000px;height:1000000px;left:0;t
op:0}.chartjs-size-monitor-
shrink>div{position:absolute;width:200%;height:200%;left:0;top:0}</style
><style>.blocklyDraggable {}
.blocklySvg {
background-color: #fff;
outline: none;
overflow: hidden;
position: absolute;
display: block;
.blocklyWidgetDiv {
display: none;
position: absolute;
z-index: 99999;
.injectionDiv {
height: 100%;
```

```
position: relative;
overflow: hidden;
}
* [lyn, 10/08/13] Control parameter fields with flydown getter/setter
blocks.
* Brightening factors for variable color rgb(208,95,45):
* 10%: rgb(212, 111, 66)
* 20%: rgb(217, 127, 87)
* 30%: rgb(222, 143, 108)
* 40%: rgb(226, 159, 129)
* 50%: rgb(231, 175, 150)
* 60%: rgb(236, 191, 171)
* 70%: rgb(240, 207, 192)
* 80%: rgb(245, 223, 213)
* 90%: rgb(250, 239, 234)
*/
.blocklyFieldParameter>rect {
 /* fill: rgb(231,175,150);/ / This looks too much like getter/setter var */
 fill: rgb(222, 143, 108);
 fill-opacity: 1.0;
 stroke-width: 2;
 stroke: rgb(231, 175, 150);
.blocklyFieldParameter>text {
/* fill: #000; / / Use white rather than black on dark orange */
 stroke-width: 1;
 fill: #000;
.blocklyFieldParameter:hover>rect {
 stroke-width: 2:
 stroke: rgb(231,175,150);
 fill: rgb(231,175,150);
 fill-opacity: 1.0;
}
* [lyn, 10/08/13] Control flydown with the getter/setter blocks.
.blocklyFieldParameterFlydown {
 fill: rgb(231,175,150);
 fill-opacity: 0.8;
}
```

```
* [lyn, 10/08/13] Control parameter fields with flydown procedure caller
block.
*/
.blocklyFieldProcedure>rect {
 /* rgb(231,175,150) is procedure color rgb(124,83,133) brightened by
70% */
 fill: rgb(215,203,218);
 fill-opacity: 1.0;
 stroke-width: 0;
 stroke: #000;
.blocklyFieldProcedure>text {
 fill: #000;
.blocklyFieldProcedure:hover>rect {
 stroke-width: 2;
 stroke: #fff;
 fill: rgb(215,203,218);
 fill-opacity: 1.0;
}
* [lyn, 10/08/13] Control flydown with the procedure caller block.
.blocklyFieldProcedureFlydown {
 fill: rgb(215,203,218);
 fill-opacity: 0.8;
}
* Don't allow users to select text. It gets annoying when trying to
* drag a block and selected text moves instead.
*/
.blocklyNonSelectable {
user-select: none;
-moz-user-select: none;
-webkit-user-select: none:
-ms-user-select: none;
}
.blocklyWsDragSurface {
display: none;
position: absolute;
overflow: visible;
top: 0;
left: 0;
```

```
.blocklyBlockDragSurface {
display: none;
position: absolute;
top: 0;
left: 0;
right: 0;
bottom: 0;
overflow: visible !important;
z-index: 50;
.blocklyTooltipDiv {
background-color: #ffffc7;
border: 1px solid #ddc;
box-shadow: 4px 4px 20px 1px rgba(0,0,0,.15);
color: #000;
display: none;
font-family: sans-serif;
font-size: 9pt;
opacity: 0.9;
padding: 2px;
position: absolute;
z-index: 100000;
.blocklyResizeSE {
cursor: se-resize;
fill: #aaa:
.blocklyResizeSW {
cursor: sw-resize;
fill: #aaa;
.blocklyResizeLine {
stroke: #888;
stroke-width: 1;
.blocklyHighlightedConnectionPath {
fill: none;
stroke: #fc3;
stroke-width: 4px;
.blocklyPathLight {
fill: none;
```

```
stroke-linecap: round;
stroke-width: 1;
.blocklySelected>.blocklyPath {
stroke: #fc3;
stroke-width: 3px;
.blocklySelected>.blocklyPathLight {
display: none;
.badBlock>.blocklyPath {
 stroke-width: 3px;
 stroke: #f00;
}
.badBlock>.blocklyPathLight {
 display: none;
.blocklyDragging>.blocklyPath,
.blocklyDragging>.blocklyPathLight {
fill-opacity: .8;
stroke-opacity: .8;
.blocklyDragging>.blocklyPathDark {
display: none;
.blocklyDisabled>.blocklyPath {
fill-opacity: .5;
stroke-opacity: .5;
.blocklyDisabled>.blocklyPathLight,
.blocklyDisabled>.blocklyPathDark {
display: none;
.blocklyText {
cursor: default;
fill: #fff;
font-family: sans-serif;
font-size: 11pt;
.blocklyNonEditableText>text {
pointer-events: none;
.blocklyNonEditableText>rect,
```

```
.blocklyEditableText>rect {
fill: #fff;
fill-opacity: .6;
.blocklyNonEditableText>text,
.blocklyEditableText>text {
fill: #000;
.blocklyEditableText:hover>rect {
stroke: #fff;
stroke-width: 2;
.blocklyBubbleText {
fill: #000:
.blocklyFlyout {
position: absolute;
z-index: 20;
.blocklyFlyoutButton {
fill: #888;
cursor: default;
.blocklyFlyoutButtonShadow {
fill: #666;
.blocklyFlyoutButton:hover {
fill: #aaa;
.blocklyFlyoutLabel {
cursor: default;
.blocklyFlyoutLabelBackground {
opacity: 0;
.blocklyFlyoutLabelText {
fill: #000;
.blocklySvg text, .blocklyBlockDragSurface text {
user-select: none;
-moz-user-select: none;
-webkit-user-select: none;
cursor: inherit;
```

```
* Selecting text for Errors and Warnings is allowed though.
.blocklySvg text.blocklyErrorWarningText {
 -moz-user-select: text;
 -webkit-user-select: text;
 user-select: text;
}
.blocklyHidden {
display: none;
.blocklyFieldDropdown:not(.blocklyHidden) {
display: block;
.blocklylconGroup {
cursor: default;
.blocklylconGroup:not(:hover),
.blocklyIconGroupReadonly {
opacity: .6;
.blocklylconShape {
fill: #00f;
stroke: #fff;
stroke-width: 1px;
}
.blocklylconSymbol {
fill: #fff;
}
.blocklyMinimalBody {
margin: 0;
padding: 0;
.blocklyCommentTextarea {
background-color: #ffc;
border: 0;
margin: 0;
padding: 2px;
resize: none;
.blocklyHtmlInput {
border: none:
```

```
border-radius: 4px;
font-family: sans-serif;
height: 100%;
margin: 0;
outline: none;
padding: 0 1px;
width: 100%
.blocklyMainBackground {
stroke-width: 1:
stroke: #c6c6c6;
.blocklyContextMenuBackground,
.blocklyMutatorBackground {
fill: #fff:
stroke: #ddd;
stroke-width: 1;
.blocklyContextMenuOptions>.blocklyMenuDiv,
.blocklyContextMenuOptions>.blocklyMenuDivDisabled,
.blocklyDropdownMenuOptions>.blocklyMenuDiv {
 fill: #fff;
}
.blocklyContextMenuOptions>.blocklyMenuDiv:hover>rect,
.blocklyDropdownMenuOptions>.blocklyMenuDiv:hover>rect {
 fill: #57e;
.blocklyMenuSelected>rect {
 fill: #57e:
}
.blocklyMenuText {
 cursor: default !important;
 font-family: sans-serif;
 font-size: 15px; /* All context menu sizes are based on pixels. */
 fill: #000;
.blocklyContextMenuOptions>.blocklyMenuDiv:hover>.blocklyMenuText,
.blocklyDropdownMenuOptions>.blocklyMenuDiv:hover>.blocklyMenuTe
xt {
 fill: #fff;
.blocklyMenuSelected>.blocklyMenuText {
 fill: #fff;
```

```
.blocklyMenuDivDisabled>.blocklyMenuText {
 fill: #ccc;
.blocklyFlyoutBackground {
fill: #ddd;
fill-opacity: .8;
.blocklyScrollbarHorizontal, .blocklyScrollbarVertical {
position: absolute;
outline: none;
z-index: 30;
.blocklyScrollbarBackground {
opacity: 0;
}
.blocklyScrollbarHandle {
fill: #ccc;
.blocklyScrollbarBackground:hover+.blocklyScrollbarHandle,
.blocklyScrollbarHandle:hover {
fill: #bbb;
}
.blocklyZoom>image {
opacity: 0.9;
.blocklyZoom>image:hover {
opacity: 1;
.blocklyZoom>image:active {
opacity: 1;
.blocklyFlyout .blocklyScrollbarHandle {
fill: #bbb;
}
.blocklyFlyout
.blocklyScrollbarBackground:hover+.blocklyScrollbarHandle,
.blocklyFlyout .blocklyScrollbarHandle:hover {
fill: #aaa;
.blocklyInvalidInput {
background: #faa;
```

```
.blocklyAngleCircle {
stroke: #444;
stroke-width: 1;
fill: #ddd;
fill-opacity: .8;
.blocklyAngleMarks {
stroke: #444:
stroke-width: 1;
.blocklyAngleGauge {
fill: #f88;
fill-opacity: .8;
.blocklyAngleLine {
stroke: #f00;
stroke-width: 2;
stroke-linecap: round;
.blocklyContextMenu {
border-radius: 4px;
.blocklyDropdownMenu {
padding: 0 !important;
.blocklyWidgetDiv .goog-option-selected .goog-menuitem-checkbox,
.blocklyWidgetDiv .goog-option-selected .goog-menuitem-icon {
background: url(./static/media/sprites.png) no-repeat -48px -16px
!important;
}
.blocklyToolboxDiv {
background-color: #ddd;
overflow-x: visible;
overflow-y: auto;
position: absolute;
z-index: 70;
.blocklyTreeRoot {
padding: 4px 0;
.blocklyTreeRoot:focus {
outline: none;
```

```
.blocklyTreeRow {
height: 22px;
line-height: 22px;
margin-bottom: 3px;
padding-right: 8px;
white-space: nowrap;
.blocklyHorizontalTree {
float: left;
margin: 1px 5px 8px 0;
.blocklyHorizontalTreeRtl {
float: right;
margin: 1px 0 8px 5px;
.blocklyToolboxDiv[dir="RTL"] .blocklyTreeRow {
margin-left: 8px;
.blocklyTreeRow:not(.blocklyTreeSelected):hover {
background-color: #e4e4e4;
.blocklyTreeSeparator {
border-bottom: solid #e5e5e5 1px;
height: 0;
margin: 5px 0;
.blocklyTreeSeparatorHorizontal {
border-right: solid #e5e5e5 1px;
width: 0:
padding: 5px 0;
margin: 0 5px;
.blocklyTreeIcon {
background-image: url(./static/media/sprites.png);
height: 16px;
vertical-align: middle;
width: 16px;
.blocklyTreeIconClosedLtr {
background-position: -32px -1px;
.blocklyTreeIconClosedRtl {
background-position: 0px -1px;
```

```
.blocklyTreelconOpen {
background-position: -16px -1px;
.blocklyTreeSelected>.blocklyTreeIconClosedLtr {
background-position: -32px -17px;
.blocklyTreeSelected>.blocklyTreeIconClosedRtl {
background-position: 0px -17px;
.blocklyTreeSelected>.blocklyTreeIconOpen {
background-position: -16px -17px;
}
.blocklyTreelconNone,
.blocklyTreeSelected>.blocklyTreeIconNone {
background-position: -48px -1px;
.blocklyTreeLabel {
cursor: default;
font-family: sans-serif;
font-size: 16px;
padding: 0 3px;
vertical-align: middle;
.blocklyTreeSelected .blocklyTreeLabel {
color: #fff;
}
.blocklyWidgetDiv .goog-palette {
outline: none:
cursor: default;
.blocklyWidgetDiv .goog-palette-table {
border: 1px solid #666;
border-collapse: collapse;
.blocklyWidgetDiv .goog-palette-cell {
height: 13px;
width: 15px;
margin: 0;
border: 0;
text-align: center;
vertical-align: middle;
border-right: 1px solid #666;
```

```
font-size: 1px;
}
.blocklyWidgetDiv .goog-palette-colorswatch {
position: relative;
height: 13px;
width: 15px;
border: 1px solid #666;
.blocklyWidgetDiv .goog-palette-cell-hover .goog-palette-colorswatch {
border: 1px solid #FFF;
.blocklyWidgetDiv .goog-palette-cell-selected .goog-palette-colorswatch
border: 1px solid #000;
color: #fff;
}
.blocklyWidgetDiv .goog-menu {
background: #fff;
border-color: #ccc #666 #666 #ccc;
border-style: solid;
border-width: 1px;
cursor: default;
font: normal 13px Arial, sans-serif;
margin: 0;
outline: none;
padding: 4px 0;
position: absolute;
overflow-y: auto;
overflow-x: hidden;
max-height: 100%;
z-index: 20000:
.blocklyWidgetDiv .goog-menuitem {
color: #000;
font: normal 13px Arial, sans-serif;
list-style: none;
margin: 0;
padding: 4px 7em 4px 28px;
white-space: nowrap;
.blocklyWidgetDiv .goog-menuitem.goog-menuitem-rtl {
padding-left: 7em;
padding-right: 28px;
```

```
.blocklyWidgetDiv .goog-menu-nocheckbox .goog-menuitem,
.blocklyWidgetDiv .goog-menu-noicon .goog-menuitem {
padding-left: 12px;
.blocklyWidgetDiv .goog-menu-noaccel .goog-menuitem {
padding-right: 20px;
.blocklyWidgetDiv .goog-menuitem-content {
color: #000:
font: normal 13px Arial, sans-serif;
.blocklyWidgetDiv .goog-menuitem-disabled .goog-menuitem-accel,
.blocklyWidgetDiv .goog-menuitem-disabled .goog-menuitem-content {
color: #ccc !important;
}
.blocklyWidgetDiv .goog-menuitem-disabled .goog-menuitem-icon {
opacity: 0.3;
-moz-opacity: 0.3;
filter: alpha(opacity=30);
.blocklyWidgetDiv .goog-menuitem-highlight,
.blocklyWidgetDiv .goog-menuitem-hover {
background-color: #d6e9f8;
border-color: #d6e9f8;
border-style: dotted;
border-width: 1px 0;
padding-bottom: 3px;
padding-top: 3px;
.blocklyWidgetDiv .goog-menuitem-checkbox,
.blocklyWidgetDiv .goog-menuitem-icon {
background-repeat: no-repeat;
height: 16px;
left: 6px;
position: absolute;
right: auto;
vertical-align: middle;
width: 16px;
.blocklyWidgetDiv .goog-menuitem-rtl .goog-menuitem-checkbox,
.blocklyWidgetDiv .goog-menuitem-rtl .goog-menuitem-icon {
left: auto:
```

```
right: 6px;
.blocklyWidgetDiv .goog-option-selected .goog-menuitem-checkbox,
.blocklyWidgetDiv .goog-option-selected .goog-menuitem-icon {
background: url(//ssl.gstatic.com/editor/editortoolbar.png) no-repeat -
512px 0;
.blocklyWidgetDiv .goog-menuitem-accel {
color: #999;
direction: Itr:
left: auto;
padding: 0 6px;
position: absolute;
right: 0;
text-align: right;
}
.blocklyWidgetDiv .goog-menuitem-rtl .goog-menuitem-accel {
left: 0;
right: auto;
text-align: left;
.blocklyWidgetDiv .goog-menuitem-mnemonic-hint {
text-decoration: underline;
.blocklyWidgetDiv .goog-menuitem-mnemonic-separator {
color: #999;
font-size: 12px;
padding-left: 4px;
.blocklyWidgetDiv .goog-menuseparator {
border-top: 1px solid #ccc;
margin: 4px 0;
padding: 0;
}
.blocklyWidgetDiv .goog-date-picker,
.blocklyWidgetDiv .goog-date-picker th,
.blocklyWidgetDiv .goog-date-picker td {
 font: 13px Arial, sans-serif;
.blocklyWidgetDiv .goog-date-picker {
 -moz-user-focus: normal;
 -moz-user-select: none:
 position: relative;
```

```
border: 1px solid #000;
 float: left;
 padding: 2px;
 color: #000;
 background: #c3d9ff;
 cursor: default;
.blocklyWidgetDiv .goog-date-picker th {
 text-align: center;
.blocklyWidgetDiv .goog-date-picker td {
 text-align: center;
 vertical-align: middle;
 padding: 1px 3px;
.blocklyWidgetDiv .goog-date-picker-menu {
 position: absolute;
 background: threedface;
 border: 1px solid gray;
 -moz-user-focus: normal;
 z-index: 1;
 outline: none;
}
.blocklyWidgetDiv .goog-date-picker-menu ul {
 list-style: none;
 margin: 0px;
 padding: 0px;
.blocklyWidgetDiv .goog-date-picker-menu ul li {
 cursor: default;
.blocklyWidgetDiv .goog-date-picker-menu-selected {
 background: #ccf;
.blocklyWidgetDiv .goog-date-picker th {
 font-size: .9em;
.blocklyWidgetDiv .goog-date-picker td div {
 float: left;
.blocklyWidgetDiv .goog-date-picker button {
 padding: 0px;
 margin: 1px 0;
```

```
border: 0;
 color: #20c;
 font-weight: bold;
 background: transparent;
}
.blocklyWidgetDiv .goog-date-picker-date {
 background: #fff;
.blocklyWidgetDiv .goog-date-picker-week,
.blocklyWidgetDiv .goog-date-picker-wday {
 padding: 1px 3px;
 border: 0:
 border-color: #a2bbdd;
 border-style: solid;
.blocklyWidgetDiv .goog-date-picker-week {
 border-right-width: 1px;
.blocklyWidgetDiv .goog-date-picker-wday {
 border-bottom-width: 1px;
.blocklyWidgetDiv .goog-date-picker-head td {
 text-align: center;
.blocklyWidgetDiv td.goog-date-picker-today-cont {
 text-align: center;
.blocklyWidgetDiv td.goog-date-picker-none-cont {
 text-align: center;
.blocklyWidgetDiv .goog-date-picker-month {
 min-width: 11ex;
 white-space: nowrap;
.blocklyWidgetDiv .goog-date-picker-year {
 min-width: 6ex;
 white-space: nowrap;
.blocklyWidgetDiv .goog-date-picker-monthyear {
 white-space: nowrap;
.blocklyWidgetDiv .goog-date-picker table {
 border-collapse: collapse;
```

```
.blocklyWidgetDiv .goog-date-picker-other-month {
 color: #888;
.blocklyWidgetDiv .goog-date-picker-wkend-start,
.blocklyWidgetDiv .goog-date-picker-wkend-end {
 background: #eee;
.blocklyWidgetDiv td.goog-date-picker-selected {
 background: #c3d9ff;
.blocklyWidgetDiv .goog-date-picker-today {
 background: #9ab;
 font-weight: bold !important;
 border-color: #246 #9bd #9bd #246;
 color: #fff;
}</style></head>
 <!-- ODE scripts -->
 <body class="gwt-bodyRob">
  <div class="floatingBox" style="display:none" id="unsupported">
   <h2> Your browser might not be compatible. </h2>
   To use App Inventor for Android, you must use a compatible
browser.<br>
   Currently the supported browsers are:
   <l
     Google Chrome 29+ 
     Safari 6.1+ 
     Firefox 23+ 
   </div>
  <script type="text/javascript" src="./MIT App</pre>
Inventor_files/base.js.download"></script><script src="./MIT App
Inventor files/deps.js.download"
onload="goog.Dependency.callback_('0.hoi9llmf0ng', this)"
type="text/javascript"></script>
  <script type="text/javascript" src="./MIT App</pre>
Inventor_files/ode.nocache.js.download"></script>
  <script src="./MIT App Inventor files/leaflet.js.download"></script>
  <script src="./MIT App</pre>
Inventor files/leaflet.toolbar.js.download"></script>
  <script src="./MIT App Inventor_files/leaflet-vector-</pre>
markers.min.js.download"></script>
```