
Project Development Phase

Date	08 November 2022
Team ID	PNT2022TMID17964
Project Name	SKILL / JOB RECOMMENDER APPLICATION

INTEGRATING CHATBOT WITH HTML PAGE (SOURCE CODE):

```
window.watsonAssistantChatOptions = {
    integrationID: "13f23c10-0747-4d32-96d2-3e71a6a7ccd7", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "1ca1a1b9-9186-4b84-8341-6508cd8301e7", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'lat document.head.appendChild(t);
});
```

INTEGRATING CHATBOT WITH HTML PAGE:



DOCKER PUSH:

```
C:\WINDOWS\system32\cmd. × + ~
Space:
C:\Users\mukul>docker tag app
"docker tag" requires exactly 2 arguments.
See 'docker tag --help'.
Usage: docker tag SOURCE_IMAGE[:TAG] TARGET_IMAGE[:TAG]
Create a tag TARGET_IMAGE that refers to SOURCE_IMAGE
C:\Users\mukul>docker tag app mridhulm/job-recommendation
C:\Users\mukul>docker push mridhulm/job-recommendation
Using default tag: latest
The push refers to repository [docker.io/mridhulm/job-recommendation]
1652ab59b9fc: Layer already exists
594c390991fd: Layer already exists
5f70bf18a086: Layer already exists
5994f3a5e1fa: Layer already exists
ca2d3db362e7: Layer already exists
e571d2d3c73c: Layer already exists
da7b0a80a4f2: Laver already exists
ceee8816bb96: Layer already exists
47458fb45d99: Layer already exists
46829331b1e4: Layer already exists
d35c5bda4793: Layer already exists
a3c1026c6bcc: Layer already exists
f1d420c2af1a: Layer already exists
461719022993: Layer already exists
```

CONTAINERIZING THE APPLICATION:

