

SPRINT_1

Web_Code

Date	02 / 11 / 2022
Team ID	PNT2022TMID06211
Project Name	Efficient Water Quality Analysis and Prediction Using Machine Learning
Maximum Marks	8 Marks

Index.php

```
<?php
session_start();
if (isset($_SESSION["SESSION_EMAIL"])) {
    header("Location: welcome.php");
    die();
}
include "config.php";
$msg = "";
if (isset($_GET["verification"])) {
    if (mysqli_num_rows(mysqli_query($conn,"SELECT * FROM users1 WHERE
code='{$_GET["verification"]}'")) > 0)
    {
        $query = mysqli_query($conn,"UPDATE users1 SET code='' WHERE
code='{$_GET["verification"]}'");
        if ($query) {
            $msg = "<div class='alert alert-success'>Account verification has
been successfully completed.</div>";
        }
    } else {
        header("Location: index.php");
    }
}
if (isset($_POST["submit"])) {

    $email = mysqli_real_escape_string($conn, $_POST["email"]);
    $password = mysqli_real_escape_string($conn, md5($_POST["password"]));
    $sql = "SELECT * FROM users1 WHERE email='{ $email}' AND
password='{ $password}'";
    $result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
        $row = mysqli_fetch_assoc($result);
        if (empty($row["code"])) {
            $_SESSION["SESSION_EMAIL"] = $email;
            header("Location: welcome.php");
        } else {
```

```

        $msg =
            "<div class='alert alert-info'>First verify your account and
try again.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>Email or password do not
match.</div>";
    }
}
?>
<!DOCTYPE html>
<html>
    <head>
        <title>Water Quality Analysis</title>
        <!-- Meta tag Keywords -->
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta charset="UTF-8" />
        <meta name="keywords" content="Login Form" />
        <!-- //Meta tag Keywords -->
        <link
href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=
swap" rel="stylesheet">
        <!--/Style-CSS -->
        <style>
            body{
                background-image: url("w4.jpg");
height: 100%;
background-position: center;
background-repeat: no-repeat;
background-size: cover;
                background-repeat: repeat;
                background-attachment: fixed;
                opacity: 0.9;
            }
        </style>
        <link rel="stylesheet" href="Style.css" type="text/css" media="all" />

        <!--//Style CSS -->
        <script src="https://kit.fontawesome.com/af562a2a63.js"
crossorigin="anonymous"></script>
    </head>
    <body>
        <!-- form section start -->
        <section class="w3l-mockup-form">
            <div class="container">
                <!-- /form -->
                <div class="workinghny-form-grid">
                    <div class="main-mockup">
                        <div class="alert-close">
                            <span class="fa fa-close"></span>
                        </div>

```

```

        <div class="w3l_form align-self">
            <div class="left_grid_info">
                <h2>Water Quality Analysis</h2>
                
            </div>
        </div>
        <div class="content-wthree">
            <h2>Login Now</h2>
            <?php echo $msg; ?> <form action="" method="post">
                <input type="email" class="email" name="email"
placeholder="Enter Your Email" required>
                <input type="password" class="password" name="password"
placeholder="Enter Your Password" style="margin-bottom: 2px;" required>
                <p>
                    <a href="forget-password.php" style="margin-bottom: 15px;
display: block; text-align: right;">Forgot Password?</a>
                </p>
                <button name="submit" name="submit" class="btn"
type="submit">Login</button>
            </form>
            <div class="social-icons">
                <p>Create Account! <a href="register.php">Register</a>. </p>
            </div>
        </div>
    </div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->
<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function(c) {
        $('.alert-close').on('click', function(c) {
            $('.main-mockup').fadeOut('slow', function(c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>
</body>
</html>

```

Register.php

```

<?php
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use PHPMailer\PHPMailer\PHPMailer;

```

```

use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
session_start();
if (isset($_SESSION["SESSION_EMAIL"])) {
    header("Location: welcome.php");
    die();
}
//Load Composer's autoloader require
require "vendor/autoload.php";
include "config.php";
$msg = "";
if (isset($_POST["submit"])) {
    $name = mysqli_real_escape_string($conn, $_POST["name"]);
    $email = mysqli_real_escape_string($conn, $_POST["email"]);
    $password = mysqli_real_escape_string($conn, md5($_POST["password"]));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST["confirm-
password"]));
    $code = mysqli_real_escape_string($conn, md5(rand()));
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users WHERE
email='{ $email}'")) > 0) {
        $msg = "<div class='alert alert-danger'>{ $email} - This email address
has been already exists.</div>";
    } else {
        if ($password === $confirm_password) { $sql = "INSERT INTO users1
(name, email, password, code) VALUES ('{ $name}', '{ $email}', '{ $password}',
'{ $code}');" ; $result = mysqli_query($conn, $sql);
        if ($result) {
            echo "<div style='display:none;'>";
            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);
            try {
                //Server settings
                $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose
debugoutput

                $mail->isSMTP(); //Send usingSMTP
                $mail->Host = "smtp.gmail.com"; //Set the SMTP server to
send through

                $mail->SMTPAuth = true; //Enable SMTP authentication
                $mail->Username = "waterqualityanalysis123@gmail.com";
//SMTPUsername

                $mail->Password = "xatdmdrjqpprghwb";
//xatdmdrjqpprghwb//WaterQualiy@123
                // $mail->Password = "logesh@3626";
tcgqdmmdmidzxbynq//SMTPpassword
                // $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
                // $mail->Port = 587;
                $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable
implicit TLS encryption
                $mail->Port = 465; //TCP port to connect to; use 587 if
you have set

                //$mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTT;
                //Recipients

```

```

        $mail->setFrom('waterqualityanalysis123@gmail.com','water
quality analysis');
        $mail->addAddress($email,$name);
        //Content
        $mail->isHTML(true); //Set email format to HTML
        $mail->Subject = "water quality register form";
        $mail->Body = 'click here to login <b><a
href="http://localhost/index.php?verification='.$code.'">http://localhost/inde
x.php?verification='.$code.'"</a></b>'; //<p>Your verification code is: <b
style="font-size: 30px;">' . $code . ' </b></p>';//<click here to login <b><a
href="http://localhost/index.php?verification='.$code.'">http://localhost/inde
x.php?verification='.$code.'"</a></b>';
        $mail->send();
        echo "Message has been sent";
    } catch (Exception $e) {
        echo "Message could not be sent. Mailer Error: {$mail-
>ErrorInfo}";
    }
    echo "</div>";
    $msg= "<div class='alert alert-info'>We've send a verification
link on your email address.</div>";
    } else {
        $msg = "<div class='alert alert-danger'>Something wrong
went.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>Password and Confirm
Password do not match</div>";
    }
}
}
?>
<!DOCTYPE html>
<html lang="">
    <head>
        <title>Water Quality Analysis</title>
        <!-- Meta tag Keywords -->
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta charset="UTF-8" />
        <meta name="keywords" content="Login Form" />
        <!-- //Meta tag Keywords -->
        <link
href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=
swap" rel="stylesheet">
        <!--/Style-CSS -->
        <link rel="stylesheet" href="Style.css" type="text/css" media="all" />
        <style>
            body{
                background-image: url("w4.jpg");
height: 100%;
background-position: center;
background-size: cover;

```

```

background-repeat: repeat;
background-attachment: fixed;
opacity: 0.9;
}
</style>
<!--//Style-CSS -->
<script src="https://kit.fontawesome.com/af562a2a63.js"
crossorigin="anonymous"></script>
</head>
<body>
<!-- form section start -->
<section class="w3l-mockup-form">
<div class="container">
<!-- /form -->
<div class="workinghny-form-grid">
<div class="main-mockup">
<div class="alert-close">
<span class="fa fa-close"></span>
</div>
<div class="w3l_form align-self">
<div class="left_grid_info">
<h2>Water Quality Analysis</h2>

</div>
</div>
<div class="content-wthree">
<h2>Register Now</h2> <?php echo $msg; ?>
<form action="" method="post">
<input type="text" class="name" name="name" placeholder="Enter
Your Name" value="<?php if (isset($_POST['submit'])) { echo $name; } ?>"
required>
<input type="email" class="email" name="email"
placeholder="Enter Your Email" value="<?php if (isset($_POST['submit'])) {
echo $email; } ?>" required>
<input type="password" class="password" name="password"
placeholder="Enter Your Password" required>
<input type="password" class="confirm-password" name="confirm-
password" placeholder="Enter Your Confirm Password" required>
<button name="submit" class="btn"
type="submit">Register</button>
</form>
<div class="social-icons">
<p>Have an account! <a href="index.php">Login</a>. </p>
</div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<script src="js/jquery.min.js">

```

```

        $(document).ready(function(c) {
            $('.alert-close').on('click', function(c) {
                $('.main-mockup').fadeOut('slow', function(c) {
                    $('.main-mockup').remove();
                });
            });
        });
    });
</script>
</body>
</html>

```

Welcome.php

```

<?php
session_start();
if (!isset($_SESSION["SESSION_EMAIL"])) {
    header("Location: index.php");
    die();
}
include "config.php";
$query = mysqli_query($conn,"SELECT * FROM users1 WHERE
email='{$_SESSION["SESSION_EMAIL"]}'"
);
if (mysqli_num_rows($query) > 0) {
    $row = mysqli_fetch_assoc($query);
    echo "Welcome " . $row["name"] ;
}
?>
<!DOCTYPE html>
<html>
    <head>
        <title>Water Quality Analysis</title>
        <!-- Meta tag Keywords -->
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta charset="UTF-8" />
        <meta name="keywords" content="Login Form" />
        <!-- //Meta tag Keywords -->
        <link
href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=
swap" rel="stylesheet">
        <!--//Style-CSS -->
        <link rel="stylesheet" href="Style.css" type="text/css" media="all" />
        <!--//Style-CSS -->
        <style>
            body{
                background-image: url("w4.jpg");
height: 100%;
background-position: center;
background-repeat: no-repeat;
background-size: cover;
                background-repeat: repeat;

```

```

background-attachment: fixed;
opacity: 0.9;
}
</style>
<script src="https://kit.fontawesome.com/af562a2a63.js"
crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
            <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
            <div class="left_grid_info">
              <h2>Water Quality Analysis</h2>
              
            </div>
          </div>
          <div class="content-wththree">
            <h2>Enter Water Quality Prediction Parameters</h2>
            <form action="" method="post">
              <input type="text" name="p1" placeholder="Enter parameter"
required>
              <input type="text" name="p2" placeholder="Enter parameter"
required>
              <input type="text" name="p3" placeholder="Enter parameter"
required>
              <input type="text" name="p4" placeholder="Enter parameter"
required>
              <button name="submit" class="btn" type="submit">Apply</button>
            </form>
            <div class="social-icons">
              <p><a href="logout.php">Logout</a>. </p>
            </div>
          </div>
        </div>
      </div>
    <!-- //form -->
  </div>
</section>
<!-- //form section start -->
<script src="js/jquery.min.js"></script>
<script>
$(document).ready(function(c) {
  $('.alert-close').on('click', function(c) {
    $('.main-mockup').fadeOut('slow', function(c) {

```



```

        $(' .main-mockup').remove();
    });
});
});
</script>
</body>
</html>

```

Forget-password

```

<?php
session_start();
if (isset($_SESSION["SESSION_EMAIL"])) {
    header("Location: welcome.php");
    die();
}
//Import PHPMailer classes into the global namespace //These must be at the
top of your script, not inside a function
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader require
require "vendor/autoload.php";
include "config.php";
$msg = "";
if (isset($_POST["submit"])) {
    $email = mysqli_real_escape_string($conn, $_POST["email"]);
    $code = mysqli_real_escape_string($conn, md5(rand()));
    if (
        mysqli_num_rows(
            mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email }'")
        ) > 0
    ) {
        $query = mysqli_query(
            $conn,
            "UPDATE users1 SET code='{ $code }' WHERE email='{ $email }'"
        );
        if ($query) {
            echo "<div style='display:none;'>";
            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);
            try {
                //Server settings
                $mail->SMTPDebug = SMTP::DEBUG_SERVER; //Enable verbose debug
                output
                $mail->isSMTP(); //Send using SMTP
                $mail->Host = "smtp.gmail.com"; //Set the SMTP server to send
                through
                $mail->SMTPAuth = true; //Enable SMTP authentication
                $mail->Username = "waterqualityanalysis123@gmail.com"; //SMTP
                username
            }

```

```

        $mail->Password = "xatdmdrjqpprghwb"; //SMTP password
        $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
//EnableimplicitTLS encryption
        $mail->Port = 465; //TCP port to connect to; use 587 if you
have set
        $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
        //Recipients
        $mail->setFrom('waterqualityanalysis123@gmail.com','water
quality analysis');
        $mail->addAddress($email,$name);
        //Content
        $mail->isHTML(true); //Set email format to HTML
        $mail->Subject = "waterqualityanalysis reset password";
        $mail->Body = 'reset link <b><a
href="http://localhost/login/changepassword.php?reset='.$code.'">http://localh
ost/login/changepassword.php?reset='.$code.'"</a></b>";
        $mail->send();
        echo 'Message has been sent';
    } catch (Exception $e) {
        echo "Message could not be sent. Mailer Error:
{$mail->ErrorInfo}";
    }
    echo "</div>";
    $msg = "<div class='alert alert-info'>We've send a verification
link on your email
address.</div>";
    }
    } else {
        $msg = "<div class='alert alert-danger'>$email - This email address do
not found.</div>";
    }
}
?>

<!DOCTYPE html>
<html lang="zxx">
    <head>
        <title>Water Quality Analysis</title>
        <!-- Meta tag Keywords -->
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <meta charset="UTF-8" />
        <meta name="keywords" content="Login Form" />
        <!-- //Meta tag Keywords -->
        <link
href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=
swap" rel="stylesheet">
        <!--/Style-CSS -->
        <link rel="stylesheet" href="Style.css" type="text/css" media="all" />
        <!--//Style-CSS -->
        <style>
            body{
                background-image: url("w4.jpg");

```

```

height: 100%;
background-position: center;
background-repeat: no-repeat;
background-size: cover;
    background-repeat: repeat;
    background-attachment: fixed;
    opacity: 0.9;
}
</style>
    <script src="https://kit.fontawesome.com/af562a2a63.js"
crossorigin="anonymous"></script>
</head>
<body>
    <!-- form section start -->
    <section class="w3l-mockup-form">
        <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
                <div class="main-mockup">
                    <div class="alert-close">
                        <span class="fa fa-close"></span>
                    </div>
                    <div class="w3l_form align-self">
                        <div class="left_grid_info">
                            <h2>Water Quality Analysis</h2>
                            
                        </div>
                    </div>
                    <div class="content-wthree">
                        <h2>Forgot Password</h2> <?php echo $msg; ?> <form
method="post">
                            <input type="email" class="email" name="email"
placeholder="Enter Your Email" required>
                            <button name="submit" class="btn" type="submit">Send Reset
Link</button>
                        </form>
                        <div class="social-icons">
                            <p>Back to! <a href="index.php">Login</a>. </p>
                        </div>
                    </div>
                </div>
            </div>
            <!-- //form -->
        </div>
    </section>
    <!-- //form section start -->
    <script src="js/jquery.min.js"></script>
    <script>
        $(document).ready(function(c) {
            $('.alert-close').on('click', function(c) {
                $('.main-mockup').fadeOut('slow', function(c) {

```

```

        $('.main-mockup').remove();
    });
});
});
</script>
</body>
</html>

```

Logout.php

```

<?php
session_start();
session_unset();
session_destroy();
header("Location: index.php");
?>

```

Config.php

```

<?php

$servername = "localhost:3306";

$username = "root"; // user name for the server

$password = "";
$db1="test"; // password for the server

$conn = mysqli_connect($servername, $username, $password,$db1);

if (!$conn) {

    die("Connection failed: " . mysqli_connect_error());
}
?>

```

Style.css

```

html {
    scroll-behavior: smooth;
    margin: 0;
    padding: 0;
    font-family: "Poppins", sans-serif;
}
* {

```

```
    box-sizing: border-box;
}
.d-grid {
    display: grid;
}
.d-flex {
    display: flex;
    display: -webkit flex;
}
.text-center {
    text-align: center;
}
.text-left {
    text-align: left;
}
.text-right {
    text-align: right;
}
button,
input,
select { -webkit-appearance: none;
    outline: none;
    font-family: "Poppins", sans-serif;
}
button,
.btn,
select {
    cursor: pointer;
}
a {
    text-decoration: none;
}
img {
    max-width: 100%;
}
ul {
    margin: 0;
    padding: 0;
}
h1,
h2,
h3,
h4,
h5,
h6,
p {
    margin: 0;
    padding: 0;
}
p {
    color: #666;
    font-size: 16px;
```

```
    line-height: 25px;
    opacity: 0.6;
}
.p-relative {
    position: relative;
}
.p-absolute {
    position: absolute;
}
.p-fixed {
    position: fixed;
}
.p-sticky {
    position: sticky;
}
.btn,
button,
.actionbg,
input {
    border-radius: 4px;
    -webkit-border-radius: 4px;
    -moz-border-radius: 4px;
    -o-border-radius: 4px;
    -ms-border-radius: 4px;
}
.btn:hover,
button:hover {
    transition: 0.5s ease;
    -webkit-transition: 0.5s ease;
    -o-transition: 0.5s ease;
    -ms-transition: 0.5s ease;
    -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper {
    width: 100%;
    padding-right: 15px;
    padding-left: 15px;
    margin-right: auto;
    margin-left: auto;
}
@media (min-width: 576px) {
    .wrapper {
        max-width: 540px;
    }
}
@media (min-width: 768px) {
    .wrapper {
        max-width: 720px;
    }
}
@media (min-width: 992px) {
```

```

.wrapper {
  max-width: 960px;
}
}
@media (min-width: 1200px) {
  .wrapper {
    max-width: 1140px;
  }
}
.wrapper-full {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
}
/*-- //wrapper start --*/
/*-- form styling --*/
.w3l-mockup-form {
  position: relative;
  min-height: 100vh;
  z-index: 0;
  background: rgba(99, 194, 110, 0.1);/*rgba(99, 194, 110, 0.1);*/
  padding: 40px 40px;
}
.container {
  max-width: 890px;
  margin: 0 auto;
}
.w3l_form {
  padding: 0px;
  flex-basis: 50%;
  -webkit-flex-basis: 50%;
  background: #03cafc;/*#03cafc*/
  padding: 100px 50px;
  border-top-left-radius: 8px;
  border-bottom-left-radius: 8px;
  display: flex;
  justify-content: center;
  align-items: center;
}
.content-wthree {
  flex-basis: 60%;
  -webkit-flex-basis: 60%;
  box-sizing: border-box;
  padding: 3em 3.5em;
  background: rgb(255, 255, 255);
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
  border-top-right-radius: 8px;
  border-bottom-right-radius: 8px;
}
.w3l-workinghny-form .logo {

```

```
    text-align: center;
}
.w3l-mockup-form .main-mockup {
    position: relative;
    display: -webkit-box;
    display: -moz-box;
    display: -ms-flexbox;
    display: -webkit-flex;
    display: flex;
    margin: 40px 0;
}

.w3l-mockup-form .alert-close {
    cursor: pointer;
    height: 35px;
    width: 35px;
    line-height: 35px;
    position: absolute;
    right: -5px;
    top: -5px;
    background: #03cafc;
    border-radius: 50px;
    color: #fff;
    text-align: center;
}

.w3l-mockup-form form {
    margin-top: 30px;
    margin-bottom: 30px;
}

.social-icons {
    text-align: center;
}

.w3l-mockup-form h1 {
    text-align: center;
    font-size: 40px;
    font-weight: 500;
    color: #3b3663;
}

.w3l-mockup-form h2 {
    display: inline-block;
    font-size: 25px;
    line-height: 35px;
    margin-bottom: 5px;
    font-weight: 600;
    color: #3b3663;
}

.w3l-mockup-form input {
    outline: none;
    margin-bottom: 15px;
    font-size: 16px;
    color: #999;
```



```
text-align: left;
padding: 14px 20px;
width: 100%;
display: inline-block;
box-sizing: border-box;
border: none;
outline: none;
background: transparent;
border: 1px solid #e5e5e5;
transition: 0.3s all ease;
}
.w3l-mockup-form input:focus {
border-color: #00c16e;
}
.w3l-mockup-form button {
font-size: 18px;
color: #fff;
width: 100%;
background: #007bff;
border: none;
padding: 14px 15px;
font-weight: 500;
transition: 0.3s ease;
-webkit-transition: 0.3s ease;
-moz-transition: 0.3s ease;
-ms-transition: 0.3s ease;
-o-transition: 0.3s ease;
}
.w3l-mockup-form button:hover {
background: #4ca356;
}
.w3l-mockup-form .social-icons ul li {
list-style: none;
display: inline-block;
}
.w3l-mockup-form .social-icons ul li a {
padding: 8px;
}
.w3l-mockup-form .social-icons ul li a:hover {
opacity: 0.8;
transition: 0.5s ease;
-webkit-transition: 0.5s ease;
-o-transition: 0.5s ease;
-ms-transition: 0.5s ease;
-moz-transition: 0.5s ease;
}
.w3l-mockup-form .social-icons ul span.fa {
color: #696687;
font-size: 18px;
opacity: 0.8;
}
.w3l-mockup-form .social-icons ul li a.facebook span {
```

```

    color: #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span {
    color: #1da1f2;
}
.w3l-mockup-form .social-icons ul li a.pinterest span {
    color: #e60023;
}
}
.copyright p {
    text-align: center;
    font-size: 17px;
    line-height: 26px;
    color: #607863;
    opacity: 1;
}
p.copy-footer-29 a {
    color: #517856;
}
p.copy-footer-29 a:hover {
    color: #00c16e;
    transition: 0.5s ease;
    -webkit-transition: 0.5s ease;
    -o-transition: 0.5s ease;
    -ms-transition: 0.5s ease;
    -moz-transition: 0.5s ease;
}
.alert {
    padding: 1rem;
    border-radius: 5px;
    color: white;
    margin: 1rem 0;
}
.alert-success {
    background-color: #42ba96;
}
.alert-danger {
    background-color: #fc5555;
}
.alert-info {
    background-color: #2e9afe; /*#2e9afe;*/
}
.alert-warning {
    background-color: #ff9966;
}
/*-- responsive design --*/
@media (max-width: 736px) {
    .w3l-mockup-form .main-mockup {
        flex-direction: column;
    }
    .w3l_form {
        order: 2;
        padding: 50px;
    }
}

```

```
    border-radius: 0;
    border-bottom-left-radius: 8px;
    border-bottom-right-radius: 8px;
  }
  .content-wthree {
    order: 1;
    border-radius: 0;
    border-top-left-radius: 8px;
    border-top-right-radius: 8px;
  }
}
@media (max-width: 568px) {
  .w3l-mockup-form h1 {
    font-size: 30px;
  }
  .w3l-mockup-form .main-mockup {
    margin: 30px 0;
  }
  .content-wthree {
    padding: 2.5em;
  }
}
@media (max-width: 415px) {
  .w3l-mockup-form {
    padding: 40px 30px;
  }
}
@media (max-width: 384px) {
  .w3l-mockup-form {
    padding: 30px 15px;
  }
  .content-wthree {
    padding: 2em;
  }
  .w3l-mockup-form h1 {
    font-size: 28px;
  }
  .w3l-mockup-form h2 {
    font-size: 22px;
    line-height: 32px;
  }
  .copyright p {
    font-size: 16px;
  }
}
```