## **Project Development Phase Sprint IV**

Date	18 November 2022
Team ID	PNT2022TMID35067
Project Name	Project - Signs with smart connectivity for better road safety

## Code for print the random temperature, Road signs, Speed limit, Message:

#### (RandomValues.py)

```
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
    #Configuration
    "identity": {
    "orgId": "n6rl9n",
        "typeId": "NodeMCU",
        "deviceId":"621319106312"
    },
    #API Key
    "auth": {
        "token": "9876543210"
}
#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m=cmd.data['command']
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
```

```
#OpenWeatherMap Credentials
BASE_URL = "https://api.openweathermap.org/data/2.5/weather?"
CITY = "Salem, IN"
URL = BASE_URL + "q=" + CITY + "&units=metric"+"&appid=" + "f58e4720c739a54c439aba9b05176839"
while True:
    response = requests.get(URL)
    if response.status_code == 200:
        data = response.json()
       main = data['main']
       temperature = main['temp']
       humidity = main['humidity']
       pressure = main['pressure']
       report = data['visibility']
       #messge part
       msg=random.randint(0,5)
       if msg==1:
           message="GO SLOW, SCHOOL ZONE AHEAD"
       elif msg==2:
           message="NEED HELP, POLICE STATION AHEAD"
       elif msg==3:
           message="EMERGENCY, HOSPITAL NEARBY"
       elif msg==4:
           message="DINE IN, RESTAURENT AVAILABLE"
       elif msg==5:
           message="PETROL BUNK NEARBY"
       else:
           message=""
        #Speed Limit part
       speed=random.randint(0,150)
       if speed>=100:
           speedMsg=" Limit Exceeded"
       elif speed>=60 and speed<100:
           speedMsg="Moderate"
       else:
            speedMsg="Slow"
        #Diversion part
       sign=random.randint(0,5)
       if sign==1:
           signMsg="Right Diversion"
       elif sign==2:
           signMsg="Speed Breaker"
       elif sign==3:
           signMsg="Left Diversion"
       elif sign==4:
           signmsg="U Turn"
             signMsg=""
         #Visibility
        if temperature < 24:
            visibility="Fog Ahead, Drive Slow"
        elif temperature < 20:
            visibility="Bad Weather"
        else:
            visibility="Clear Weather"
        print("Error in the HTTP request")
```

#### **Python Simulation:**

```
RandomValues.py - E:/IBM/Others/Project Development Phase/Sprint 3/RandomValues.py (3.6.5)
File Edit Format Run Options Window Help
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
  #Configuration
   "identity": {
     "orgid": "n6rl9n",
"typeld": "NodeMCU",
     "deviceId" "621319106312"
  #API Key
  "auth": {
     "token": "9876543210"
#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
  print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
  m=cmd.data['command']
```

# Import wiotp-sdk & ibmiotf:

```
C. Users: MATIECP: Pip install width-side

MATING: pip is being immoked by an old script unsper. This will fail in a future westion of pip.

MATING: pip is being immoked by an old script unsper. This will fail in a future westion of pip.

MATING: pip is being immoked by an old script unsper. This will fail in a future westion of pip.

To wold this problem you can immoke Python with '-m pip' instead of running pip directly.

Collecting youth-side

Onlecting youth-side width-side in the pip instead of running pip directly.

Onlecting youth-side width-side in the pip instead of running pip directly.


Onlecting youth-side width-side in the pip instead of running pip directly.

Onlecting youth-side in the pip instead in the pip instead of running pip directly.

Onlecting youth-side in the pip instead in the pip instead in the pip instead of running pip install width-side in the pip install in the pip install width-side in the pip install width-side in the pip install installed.

Dominating requests installed installed in the pip install installed in the pip installed install
```

### OpenWeatherMap - (Ex., Salem, IN):



### **Python IDLE Output:**

