

Project Development Phase SPRINT-3

Date	8 November 2022
Team ID	PNT2022TMID47401
Project Name	Project - IOT Based Safety Gadget for Child Safety Monitoring & Notification

NODE RED-Cloudant DB Communication:

Step 1: Connections

The top screenshot displays the Node-RED interface with a flow named 'Flow 1'. The flow starts with an 'IBM IoT' node (connected), followed by a 'function' node, then 'msg.payload', 'worldmap', 'geofence', 'rbe', 'switch', and finally a 'child' node. The right sidebar shows the 'info' panel with a search for flows and a list of flows including 'Flow 1'.


The bottom screenshot shows the 'Edit ibmiot in node' dialog box. The 'Properties' section includes the following fields:

- Authentication: API Key
- API Key: ChildSafety
- Input Type: Device Event
- Device Type: All or ChildSafetyGadget
- Device Id: All or
- Event: All or +
- Format: All or json
- QoS: 0

The 'Enabled' checkbox is checked. The right sidebar shows the 'info' panel with a search for flows and a list of flows including 'Flow 1'.



Step 2: Code in nodes

Step 3:Edit function mode(code)





Step 4:

5: Geofencing mode





Step 6: Worldmap node with properties

7: Apply the code with different node





Step 8:Code with different node

9:Code with different node



Step 10: code with different node

Step 11: Code with different node



Step 12:Http request node->properties

Step 13:Notification node

Node-RED

Flow 1

Edit notification node

Delete Cancel Done

Properties

Layout: OK/Cancel Dialog

Send to all browser sessions: ☐

Default action label: OK

Secondary action label: optional label for Cancel button

Accept raw HTML/JavaScript input in msg.payload to format popup: ☐

Class: [msg.className]

Topic: [msg.topic]

Name: show dialogue:

Enabled

Info

Search flows

Flows:

- Flow 1
- Flow 2

Subflows:

- Global Configuration Nodes

show dialogue

Node: "388bcb2648d1348b"

Type: ui_toast

show more

Node-RED

Flow 1

Edit cloudant out node

Delete Cancel Done

Properties

Service: Cloudant-pn-99850

Database: noderedapqzh20221108

Operation: insert

Only store msg.payload object?: ☐

Name: child

Enabled

Info

Search flows

Flows:

- Flow 1
- Flow 2

Subflows:

- Global Configuration Nodes

child

Node: "7f199a311bbfac36"

Type: cloudant out

show more

Step 14: Cloudant node