Project Report

<u>1.INTRODUCTION</u>

1.1 PROJECT OVERVIEW

SMART SOLUTIONS FOR RAILWAYS is to manage Indian Railways is the largest railway network in Asia and additionally world's second largest network operated underneath a single management. Due to its large size it is difficult to monitor the cracks in tracks manually. This paper deals with this problem and detects cracks in tracks with the help of ultrasonic sensor attached to moving assembly with help of stepper motor. Ultrasonic sensor allows the device to moves back and forth across the track and if there is any fault, it gives information to the cloud server through which railway department is informed on time about cracks and many lives can be saved. This is the application of IoT, due to this it is cost effective system. This effective methodology of continuous observation and assessment of rail tracks might facilitate to stop accidents. This methodology endlessly monitors the rail stress, evaluate the results and provide the rail break alerts such as potential buckling conditions, bending of rails and wheel impact load detection to the concerned authorities.

1.2 PURPOSE

Internet is basically system of interconnected computers through network. But now its use is changing with changing world and it is not just confined to emails or web browsing. Today's internet also deals with embedded sensors and has led to development of smart homes, smart rural area, e-health care's etc. and this introduced the concept of IoT . Internet of Things refers to

interconnection or communication between two or more devices without humanto-human and human-to-computer interaction. Connected devices are equipped with sensors or actuators perceive their surroundings. IOT has four major components which include sensing the device, accessing the device, processing the information of the device, and provides application and services. In addition to this it also provides security and privacy of data . Automation has affected every aspect of our daily lives. More improvements are being introduced in almost all fields to reduce human effort and save time. Thinking of the same is trying to introduce automation in the field of track testing. Railroad track is an integral part of any company's asset base, since it provides them with the necessary business functionality. Problems that occur due to problems in railroads need to be overcome. The latest method used by the Indian railroad is the tracking of the train track which requires a lot of manpower and is time-consuming

2.LITERATURE SURVEY

2.1 EXISTING SYSTEM

In the Existing train tracks are manually researched. LED (Light Emitting Diode) and LDR (Light Dependent Resister) sensors cannot be implemented on the block of the tracks]. The input image processing is a clamorous system with high cost and does not give the exact result. The Automated Visual Test Method is a complicated method as the video color inspection is implemented to examine the cracks in rail track which does not give accurate result in bad weather. This traditional system delays transfer of information. Srivastava et al., (2017) proposed a moving gadget to detect the cracks with the help of an array of IR sensors to identify the actual position of the cracks as well as notify to nearest railway station . Mishra et al., (2019) developed a system to track the cracks with the help of Arduino mega power using solar energy and laser. A GSM along with a GPS module was implemented to get the actual location of the faulty tracks to inform the authorities using SMS via a link to find actual location on Google Maps. Rizvi Aliza Raza presented a prototype in that is capable of capturing photos of the track and compare it with the old database and sends a message to the authorities regarding the crack detected. The detailed analysis of traditional railway track fault detection techniques is explained in table

2.2 REFERENCES

1. D. Hesse, "Rail Inspection Using Ultrasonic Surface Waves" Thesis, Imperial College of London, 2007.

2. Md. Reya Shad Azim1 , Khizir Mahmud2 and C. K. Das. Automatic railway track switching system, International Journal of Advanced Technology, Volume 54, 2014.

3. S. Somalraju, V. Murali, G. saha and V. Vaidehi, "Title-robust railway crack detection scheme using LED (Light Emitting Diode) - LDR (Light Dependent Resistor) assembly IEEE 2012.

4. S. Srivastava, R. P. Chourasia, P. Sharma, S. I. Abbas, N. K. Singh, "Railway Track Crack detection vehicle", IARJSET, Vol. 4, pp. 145-148, Issued in 2, Feb 2017.

5. U. Mishra, V. Gupta, S. M. Ahzam and S. M. Tripathi, "Google Map Based Railway Track Fault Detection Over the Internet", International Journal of Applied Engineering Research, Vol. 14, pp. 20-23, Number 2, 2019.

6. R. A. Raza, K. P. Rauf, A. Shafeeq, "Crack detection in Railway track using Image processing", IJARIIT, Vol. 3, pp. 489-496, Issue 4, 2017.

7. N. Bhargav, A. Gupta, M. Khirwar, S. Yadav, and V. Sahu, "Automatic Fault Detection of Railway Track System Based on PLC (ADOR TAST)", International Journal of Recent Research Aspects, Vol. 3, pp. 91-94, 2016

2.3 PROBLEM STATEMENT DEFINITION

Among the various modes of transport, railways is one of the biggest modes of transport in the world. Though there are competitive threats from airlines, luxury buses, public transports, and personalized transports the problem statement is to answer the question "What are the problems faced by the passengers while travelling by train at station and on board"

3. IDEATION AND PROPOSED SOLUTON

3.1 EMPATHY MAP CANVAS

3.2 IDEATION & BRAINSTORMING

1

Define your problem statement

Smart solutions for Railway is a technologically advanced approach to efficiently manage railway operations through sharing of rail data across rail infrastructure components, such as passengers, control centers, ticketing departments, etc..

⏱ 5 minutes

PROBLEM
IoT technologies help railways successfully manage passengers safely, operational efficiency and the passenger experience.

Key rules of brainstorming
To run an smooth and productive session

- Stay in topic.
- Encourage wild ideas.
- Defer judgment.
- Listen to others.
- Go for volume.
- If possible, be visual.

2

Brainstorm

Write down any ideas that come to mind that address your problem statement.

⏱ 10 minutes

TIP
You can select a sticky note and hit the pencil (switch to sketch) icon to start drawing!

Person 1

Person 2

Person 3

Person 4

3

Group ideas

Take turns sharing your ideas while clustering similar or related notes as you go.
In the last 10 minutes, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

⏱ 20 minutes

Smart solutions on Railways..

Automation of terminals

Advanced Traffic Management Systems

Automation of Train Driving

Electronic information Exchange

Railways Systems Architecture

End to end block Diagrams

Define/test systems interfaces

Systems operationals flow

Compatibility of Data communication interfaces

TIP
Add customizable tags to sticky notes to make it easier to find, browse, organize, and categorize important ideas as themes within your mural.

Step-3: Idea Prioritization

(4)

Prioritize

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

⏱ 20 minutes

Importance

If each of these tasks could get done without any difficulty or cost, which would have the most positive impact?

Feasibility

Regardless of their importance, which tasks are more feasible than others? (Cost, time, effort, complexity, etc.)

Grid sticky notes:
- Entertainment systems & passenger wifi
- Ticketing kiosks & IP Camera
- Storage return on investments
- Communication and Cyber Security service
- Online ticket booking/ application
- Networking

TIP 💡

Participants can use their cursors to point at where sticky notes should go on the grid. The facilitator can confirm the spot by using the laser pointer holding the **H key** on the keyboard.

3.3 PROPOSED SOLUTION

S.NO	PARAMETERS	DESCRIPTIONS
1	Problem Statement (Problem to be solved)	In order to satisfy the passengers, the Railways provides various services to its passengers But, the passengers can face some problems.
2	Idea / Solution description	The idea is to minimize the ticket booking problems among the passengers by providing Online mode of booking rather than papers. . In queues in front of the ticket counters in railway stations have been drastically increased over the time.
3	Novelty / Uniqueness	Online mode of booking is most common and so ease of access to everyone that makes more efficient uniqueness of utilizing the technique. People can book their ticket through online and they get a QR code through SMS
4	Social Impact / Customer Satisfaction	Customers for sure they get satisfied as they are in the fast roaming world this technique makes more easier for travelling passengers. A web page is designed in which the user can book tickets and will be provided with the QR code, which will be shown to the ticket collector and by scanning the QR code the ticket collector will get the passenger details

5	Business Model (Revenue Model)	A web page is designed in which the user can book tickets and will be provided with the QR code, which will be shown to the ticket collector and by scanning the QR code the ticket collector will get the passenger details. The booking details of the user will be stored in the database, which can be retrieved any time
6	Scalability of the Solution	The scalability of this solution is most feasible among the passengers who are willing to travel. No need of taking printout Counter ticket has to be handled with care, but SMS on mobile is enough. No need to taking out wallet and showing your ticket to TTR just tell your name to TTR that you are a passenger with valid proof

3.4 Problem Solution fit

Project Title: Smart Solutions For Railways	Project Design Phase-I - Solution Fit Template	Team ID: PNT2022TMID42348

Define CS, fit into CC

1. CUSTOMER SEGMENT(S) `CS`

Passengers are the customers.

6. CUSTOMER CONSTRAINTS `CC`

1. Greater Reliability and Safety.
2. Advanced Analytics for Streamlined Operations.
3. Restructured and Optimized Passenger Experience.
4. Better Product Development in the Industry.

5. AVAILABLE SOLUTIONS `AS`

Earlier, there is no way for booking a ticket in online also people faced issue in tracking the location of the train thus in this project we are implementing the scheme that passengers can easily book the ticket by using qr code and also can track the location using GPS tracker.

Explore AS, differentiate

Focus on J&P, tap into BE, understand RC

2. JOBS-TO-BE-DONE / PROBLEMS `J&P`

The passengers face several problems while booking their tickets like network and server issues.

Passengers can't find the location of the train or track the availability of the train.

9. PROBLEM ROOT CAUSE `RC`

The main reason for the problem that has occured for due to lack of technology earlier since passengers find it difficult to book the ticket and track the location of the train.

To overcome this problem we have introduced qr code and GPS tracker for booking the ticket and finding the location of the train.

7. BEHAVIOUR `BE`

Listen to the customer and providing genuine empathy for the problem regarded which is a direct approach.

Another method is by looking over the rating session we can easily find out how the customer gets issues while using the application this is an indirect approach.

Focus on J&P, tap into BE, understand RC

Identify strong TR & EM

3. TRIGGERS `TR`

Customers can be triggered to the application by the usage of their neighbors and by looking over their neighbors getting benefited by using the application.

10. YOUR SOLUTION `SL`

Existing invention was about booking a ticket through online and getting the hardcopy of the ticket now the innovation was about booking the ticket and generating the qr code of that ticket and providing it to the ttr also the location of the train is also be tracked and the unique id is provided.

8. CHANNELS of BEHAVIOR `CH`

8.1 ONLINE
Customers try to request for the problems through the application how they use and how it is favoring them using the rating option by which we can find the behavior of the customer and issues or problems they face.

8.2 OFFLINE
By direct booking of ticket they need to be in a queue for receiving a ticket which seems to be a big deal for the customers.

Identify strong TR & EM

---

4. EMOTIONS: BEFORE / AFTER `EM`

Before:
They feel nervous because there is no option to proceed further and if they miss the train they can't track it too.

After:
Now the customers can track the location of the train and will never lose their confidence even if they miss the train because they know where the train is.

4. REQUIREMENT ANALYSIS

4.1. FUNCTIONAL REQUIREMENTS

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	Unique accounts	• Every online booking needs to be associated with an account • One account cannot be associated with multiple users
FR-2	Booking options	□ Search results should enable users to find the most recent and relevant booking options
FR-3	Mandatory fields	□ System should only allow users to move to payment only when mandatory fields such as date, time, location has been mentioned
FR-4	Synchronization	□ System should consider timezone synchronisation when accepting bookings from different timezones
FR-5	Authentication	□ Booking confirmation should be sent to user to the specified contact details

4.2. NON-FUNCTIONAL REQUIREMENTS

FR No.	Non-Functional Requirement	Description
NFR-1	**Usability**	☐ Search results should populate within acceptable time limits
NFR-2	**Security**	☐ System should visually confirm as well as send booking confirmation to the user's contact
NFR-3	**Reliability**	☐ System should accept payments via different payment methods, like PayPal, wallets, cards, vouchers, etc
NFR-4	**Performance**	☐ Search results should populate within acceptable time limits
NFR-5	**Availability**	☐ User should be helped appropriately to fill in the mandatory fields, incase of invalid input
NFR-6	**Scalability**	☐ Use of captcha and encryption to avoid bots from booking tickets

5.PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS

5.2 SOLUTION & TECHNICAL ARCHITECTURE

5.3 USER STORIES

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user, Web user)	Registration	USN-1	As a user, I can register through the form by Filling in my details	I can register and create my account / dashboard	High	Sprint-1
		USN-2	As a user, I can register through phone numbers, Gmail, Facebook or other social sites	I can register & create my dashboard with Facebook login or other social sites	High	Sprint-2

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
	Conformation	USN-3	As a user, I will receive confirmation through email or OTP once registration is successful	I can receive confirmation email & click confirm.	High	Sprint-1
	Authentication/Login	USN-4	As a user, I can login via login id and password or through OTP received on register phone number	I can login and access my account/dashboard	High	Sprint-1
	Display Train details	USN-5	As a user, I can enter the start and destination to get the list of trains available connecting the above	I can view the train details (name & number), corresponding routes it passes through based on the start and destination entered.	High	Sprint-1
	Booking	USN-6	As a use, I can provide the basic details such as a name, age, gender etc…	I will view, modify or confirm the details enter.	High	Sprint-1
		USN-7	As a user, I can choose the class, seat/berth. If a preferred seat/berth isn't available I can be allocated based on the availability.	I will view, modify or confirm the seat/class berth selected	High	Sprint-1
	Payment	USN-8	As a user, I can choose to pay through credit Card/debit card/UPI.	I can view the payment Options available and select my desirable choice To proceed with the payment	High	Sprint-1
		USN-9	As a user, I will be redirected to the selected Payment gateway and upon successful	I can pay through the payment portal and confirm the booking if any changes need to	High	Sprint-1
User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
			completion of payment I'll be redirected to the booking website.	be done I can move back to the initial payment page		

	Ticket generation	USN-10	As a user, I can download the generated e-ticket for my journey along with the QR code which is used for authentication during my journey.	I can show the generated QR code so that authentication can be done quickly.	High	Sprint-1
	Ticket status	USN-11	As a user, I can see the status of my ticket Whether it's confirmed/waiting/RAC.	I can confidentially get the Information and arrange alternate transport if the ticket isn't Confirmed	High	Sprint-1
	Remainders notification	USN-12	As a user, I get remainders about my journey A day before my actual journey.	I can make sure that I don't miss the journey because of the constant notifications.	Medium	Sprint-2
		USN-13	As a user, I can track the train using GPS and can get information such as ETA, Current stop and delay.	I can track the train and get to know about the delays pian accordingly	Medium	Sprint-2
	Ticket cancellation	USN-14	As a user, I can cancel my tickets if there's any Change of plan	I can cancel the ticket and get a refund based on how close the date is to the journey.	High	Sprint-1
	Raise queries	USN-15	As a user, I can raise queries through the query box or via mail.	I can view my pervious queries.	Low	Sprint-2
Customer care Executive	Answer the queries	USN-16	As a user, I will answer the questions/doubts Raised by the customers.	I can view the queries and make it once resolved	Medium	Sprint-2
Administrator	Feed details	USN-17	As a user, I will feed information about the trains delays and add extra seats if a new compartment is added.	I can view and ensure the corrections of the information fed.	High	Sprint-1

6. PROJECT PLANNING AND SCHEDULING

6.1. SPRINT PLANNING& ESTIMATION

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register through the form by Filling in my details	2	High	Nikhila

Sprint-1		USN-2	As a user, I can register through phone numbers, Gmail, Facebook or other social sites	1	High	Preethiha
Sprint-1	Conformation	USN-3	As a user, I will receive confirmation through email or OTP once registration is successful	2	Low	Kishok kumar
Sprint-1	login	USN-4	As a user, I can login via login id and password or through OTP received on register phone number	2	Medium	Raguram
Sprint-1	Display Train details	USN-5	As a user, I can enter the start and destination to get the list of trains available connecting the above	1	High	Nikhila
Sprint-2	Booking	USN-6	As a use, I can provide the basic details such as a name, age, gender etc…	2	High	Preethiha
Sprint-2		USN-7	As a user, I can choose the class, seat/berth. If a preferred seat/berth isn't available I can be allocated based on the availability	1	Low	Kishok kumar
Sprint-2	Payment	USN-8	As a user, I can choose to pay through credit Card/debit card/UPI.	1	High	Raguram
Sprint-2		USN-9	As a user, I will be redirected to the selected	2	High	Nikhila
Sprint-3	Ticket generation	USN-10	As a user, I can download the generated e- ticket for my journey along with the QR code which is used for authentication during my journey.	1	High	Preethiha
Sprint-3	Ticket status	USN-11	As a user, I can see the status of my ticket Whether it's confirmed/waiting/RAC.	2	High	Kishok kumar
Sprint-3	Remainders notification	USN-12	As a user, I get remainders about my journey A day before my actual journey.	1	High	Raguram
Sprint-3	Ticket cancellation	USN-13	As a user, I can track the train using GPS and can get information such as ETA, Current stop and delay	2	High	Nikhila

Sprint		USN					
Sprint-4		USN-14	As a user, I can cancel my tickets if there's any Change of plan	1	High	Preethiha	
Sprint-4	Raise queries	USN-15	As a user, I can raise queries through the query box or via mail.	2	Medium	Kishok kumar	
Sprint-4	Answer the queries	USN-16	As a user, I will answer the questions/doubts Raised by the customers.	2	High	Raguram	
Sprint-4	Feed details	USN-17	As a user, I will feed information about the trains delays and add extra seats if a new compartment is added.	1	High	Nikhila	

6.2. SPRINT DELIVERY SCHEDULE

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022	20	5 Nov 2022

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov2022

6.3. REPORTS FROM JIRA

	NOV						
	13	14	15	16	17	18	19
Sprints			SSFR Sprint 4				
> ⚡ SSFR-23 registration							
> ⚡ SSFR-24 booking							
> ⚡ SSFR-25 payment							
> ⚡ SSFR-26 redirect							
> ⚡ SSFR-27 ticket generation\							
> ⚡ SSFR-28 status							
> ⚡ SSFR-29 notification							
> ⚡ SSFR-30 tracking location							
> ⚡ SSFR-31 cancellation							
> ⚡ SSFR-32 raise queries							
> ⚡ SSFR-33 ans queries							
> ⚡ SSFR-34 feed details							

7.CODING AND SOLUTIONING

7.1. FEATURE 1

- IOT device
- IBM Watson platform
- Node red
- Cloudant DB
- Web UI
- Geofence ☐ MIT App
- Python code

7.2. FEATURE 2

- Registration
- Login
- Verification
- Ticket Booking
- Payment
- Ticket Cancellation
- Adding Queries

7.3. DATABASE SCHEMA

```
labl_0 = Label(base, text="Registration form",width=20,font=("bold",
20))
labl_0.place(x=90,y=53)


lb1= Label(base, text="Enter Name", width=10, font=("arial",12))
lb1.place(x=20, y=120)   en1= Entry(base)
en1.place(x=200, y=120)


lb3= Label(base, text="Enter Email", width=10, font=("arial",12))
lb3.place(x=19, y=160)   en3= Entry(base)
en3.place(x=200, y=160)


lb4= Label(base, text="Contact Number", width=13,font=("arial",12))
lb4.place(x=19, y=200)   en4= Entry(base)
en4.place(x=200, y=200)


lb5= Label(base, text="Select Gender", width=15, font=("arial",12))
lb5.place(x=5, y=240)
var = IntVar()

Radiobutton(base, text="Male", padx=5,variable=var,
value=1).place(x=180, y=240)
```

```python
Radiobutton(base, text="Female", padx =10,variable=var,
value=2).place(x=240,y=240)

Radiobutton(base, text="others", padx=15, variable=var,
value=3).place(x=310,y=240)

list_of_cntry = ("United States", "India", "Nepal", "Germany")   cv
= StringVar()   drplist= OptionMenu(base, cv, *list_of_cntry)
drplist.config(width=15)   cv.set("United States")   lb2= Label(base,
text="Select Country", width=13,font=("arial",12))
lb2.place(x=14,y=280)
drplist.place(x=200, y=275)

lb6= Label(base, text="Enter Password", width=13,font=("arial",12))
lb6.place(x=19, y=320)   en6= Entry(base, show='*')
en6.place(x=200, y=320)

lb7= Label(base, text="Re-Enter Password",
width=15,font=("arial",12))
lb7.place(x=21, y=360)   en7
=Entry(base, show='*')
en7.place(x=200, y=360)

Button(base, text="Register", width=10).place(x=200,y=400)
base.mainloop()


def generateOTP() :
```

```python
    # Declare a digits variable
# which stores all digits
digits = "0123456789"
    OTP = ""


    # length of password can be changed
# by changing value in range    for i
in range(4) :
        OTP += digits[math.floor(random.random() * 10)]


    return OTP


# Driver code if __name__ ==
"__main__" :

    print("OTP of 4 digits:", generateOTP())


digits="0123456789" OTP=""
for i in range(6):
    OTP+=digits[math.floor(random.random()*10)]
otp = OTP + " is your OTP" msg= otp s =
smtplib.SMTP('smtp.gmail.com', 587)
s.starttls()
s.login("Your Gmail Account", "You app password") emailid
= input("Enter your email: ")
s.sendmail('&&&&&&&&&&',emailid,msg)
a = input("Enter Your OTP >>: ") if a ==
OTP:
    print("Verified") else:
    print("Please Check your OTP again") roo
```

8.TESTING

8.1.TEST CASES

Test case ID	Feature Type	Component	Test Scenario	Pre-requisite	Steps to Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation	BUG	Executed By
1	Functional	Registration	Registration through the form by filing in my details.		1.Click on register 2.Fill the registration form 3.click Register		Registration form to be filled is to be displayed	Working as expected	Pass				Nikhila
2	UI	Generation OTP	Generating the otp for further process		1.Generating of OTP number		user can register through phone numbers, Gmail, Facebook or other social sites and to get	Working as expected	Pass				Preethiha
3	Functional	OTP verification	Verify user otp using mail		1.Enter gmail id and enter password 2.Click submit	Username: abc@gmail.com Password: Testing123	OTP verifed this to be displayed	Working as expected	Pass				Kishokkumar
4	Functional	Login page	Verify user is able to log into application within Valid credentials		1.Enter into login page 2. Click on My Account dropdown button 3. Enter invalid user name/email text box 4.Enter valid password in password and text box 5.Click on login button	Username: abc@gmail.com Password: Testing123	Application should show incorrect email or password validation message	Working as expected	Pass				Raguram

Test case ID	Feature Type	Component	Test Scenario	Pre-requisite	Steps to Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation	BUG	Executed By
5	Functional	Display Train details	The user can view about the available train details		As a user, I can enter the start and destination to get the list of trains available connecting the above	Username: abc@gmail.com Password: 1236786867868 76876	A user can view about the available trains to enter start and destination details	Working as expected	Fail				Nikhila
6	Functional	Booking	user can provide the basic details such as a name, age, gender, etc.,		1. Enter method of reservation 2. Enter name, age, sender 3. Enter how many tickets want to be booked 4. Also enter the number members details like		Tickets booked to be displayed	Working as expected	Pass				Kishokkumar
7	UI	Booking seats	User can choose the class seat/berth. If a preferred seat/berth isn't available I can be allocated based on the availability		1. Known to which the seats or available		known to the status of the tickets booked	Working as expected	Pass				Preethiha
			user, I can choose to pay through credit Card/debit card/UPI.		1. User can choose payment method 2. Pay using the method		payment for the booked tickets to be done using payment method	Working as					

Test case ID	Feature Type	Component	Test Scenario	Pre-requisite	Steps to Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation	BUG	Executed By
8	Functional	Payment	user, I can choose to pay through credit Card/debit card/UPI.		1. User can choose payment method 2. Pay using the method		payment for the booked tickets to be done using payment method through either the following methods credit Card/debit card/UPI	Working as expected	Pass				Raguram
9	Functional	Redirection	user can be redirected to the selected.		1. After payment the user will be redirected to the previous		After payment the usre will be Working as redirected to the previous page	Working as expected	Pass				Kishokkumar
10	Functional	Ticket generation	A user can downloaded the generated e-ticket for my journey along with the QR code which is used for authentication during my		1. Enter method of reservation 2. Enter name, age, sender 3. Enter how many tickets want to be booked 4. Also enter the number members details like		Tickets booked to be displayed	Working as expected	Pass				Nikhila
11	UI	Ticket status	a uercan see the status of my ticket whether it's		1. Known to the status of the tickets booked		known to the status of the tickets booked	Working as	Pass				Preethiha

Test case ID	Feature Type	Component	Test Scenario	Pre-requisite	Steps to Execute	Test Data	Expected Result	Actual Result	Status	Comments	TC for Automation	BUG	Executed By
11	UI	Ticket status	a uercan see the status of my ticket whether it's confirmed/waiting/RAC.		1. Known to the status of the tickets booked		known to the status of the tickets booked	Working as expected	Pass				Preethiha
12	Functional	Remainder notification	a User, I get remainders about my journey A day before my actual journey.		1. User can get reminder notification		user can get reminder notication	Working as expected	Pass				Kishokkumar
13	Functional	GPS tracking	user can track the train using GPS and can get information such as ETA, Current stop and delay.		1. Tracking train for getting information		tracking process through GPS	Working as expected	Pass				Raguram
14	Functional	Tickect cancelling	user can cancel my tickets		1. Tickets to be cancelled		Tickets booked to be concelled	Working as expected	Pass				Nikhila
15	UI	Raise queries	user can raise queries through the query box or via.		1. Raise the queries		raise the queries	Working as expected	Pass				Preethiha
16	Functional	Answer the queries	user will answer the questions/doubts Raised by the customers.		1. Answer the queries		answer the queries	Working as expected	Pass				Kishokkumar
17	Functional	Feed details	a user will feed information about the trains delays		1. Information feeding on trains		information feeding on trains	Working as expected	Pass				Raguram

9.RESULTS

9.1.PERFORMANCE METRICS

10.ADVANTAGES &DISADVANTAGES

10.1.ADVANTAGES

o Openness – compatibility between different system modules, potentially from different vendors;

o Orchestration – ability to manage large numbers of devices, with full visibility over them;

o Dynamic scaling – ability to scale the system according to the application needs, through   resource virtualization and cloud operation;

o Automation – ability to automate parts of the system monitoring application, leading to better performance and lower operation costs.

10.2. DISADVANTAGES

o Approaches to flexible, effective, efficient, and low-cost data collection for both railway vehicles and infrastructure monitoring, using regular trains;

o Data processing, reduction, and analysis in local controllers, and subsequent sending of that data to the cloud, for further processing;

o Online data processing systems, for real-time monitoring, using emerging communication technologies;

o Integrated, interoperable, and scalable solutions for railway systems preventive maintenance.

11. CONCLUSION

Accidents occurring in Railway transportation system cost a large number of lives. So this system helps us to prevent accidents and giving information about faults or cracks in

advance to railway authorities. So that they can fix them and accidents cases becomes less. This project is cost effective. By using more techniques they can be modified and developed according to their applications. By this system many lives can be saved by avoiding accidents. The idea can be implemented in large scale in the long run to facilitate better safety standards for rail tracks and provide effective testing infrastructure for achieving better results in the future.

12.FUTURE SCOPE

In future CCTV systems with IP based camera can be used for monitoring the visual videos captured from the track. It will also increase security for both passengers and railways. GPS can also be used to detect exact location of track fault area, IP cameras can also be used to show fault with the help of video. Locations on Google maps with the help of sensors can be used to detect in which area track is broken

13.APPENDIX

13.1.SOURCE PROGRAM

```python
import math, random
import os
import smtplib
import sqlite3
import requests
from bs4 import BeautifulSoup
from django.contrib.auth.base_user import AbstractBaseUser
from django.db import models
import logging
import pandas as pd
import pyttsx3
from plyer import notification
import time                import
numpy as np              import
matplotlib.pyplot as plt          from PIL
import Image, ImageDraw          from
pickle import load,dump
import smtplib, ssl
from email.mime.text import MIMEText
from email.mime.multipart import MIMEMultipart
import email

from email import encoders
from email.mime.base import MIMEBase


import attr
```

```python
from flask import Blueprint, flash, redirect, request,
url_for                from flask.views import MethodView
from flask_babelplus import gettext as _
from flask_login import current_user, login_required
from pluggy import HookimplMarker

from tkinter import*
base = Tk()   base.geometry("500x500")
base.title("registration form")

labl_0 = Label(base, text="Registration form",width=20,font=("bold",
20))
labl_0.place(x=90,y=53)

lb1= Label(base, text="Enter Name", width=10, font=("arial",12))
lb1.place(x=20, y=120)   en1= Entry(base)
en1.place(x=200, y=120)

lb3= Label(base, text="Enter Email", width=10, font=("arial",12))
lb3.place(x=19, y=160)   en3= Entry(base)
en3.place(x=200, y=160)

lb4= Label(base, text="Contact Number", width=13,font=("arial",12))
lb4.place(x=19, y=200)   en4= Entry(base)
en4.place(x=200, y=200)

lb5= Label(base, text="Select Gender", width=15, font=("arial",12))
lb5.place(x=5, y=240)   var = IntVar()
Radiobutton(base, text="Male", padx=5,variable=var,
value=1).place(x=180, y=240)
```

```python
Radiobutton(base, text="Female", padx =10,variable=var,
value=2).place(x=240,y=240)
Radiobutton(base, text="others", padx=15, variable=var,
value=3).place(x=310,y=240)


list_of_cntry = ("United States", "India", "Nepal", "Germany")   cv
= StringVar()   drplist= OptionMenu(base, cv, *list_of_cntry)
drplist.config(width=15)   cv.set("United States")   lb2= Label(base,
text="Select Country", width=13,font=("arial",12))
lb2.place(x=14,y=280)
drplist.place(x=200, y=275)


lb6= Label(base, text="Enter Password", width=13,font=("arial",12))
lb6.place(x=19, y=320)   en6= Entry(base, show='*')
en6.place(x=200, y=320)


lb7= Label(base, text="Re-Enter Password",
width=15,font=("arial",12))
lb7.place(x=21, y=360)   en7
=Entry(base, show='*')
en7.place(x=200, y=360)


Button(base, text="Register", width=10).place(x=200,y=400)
base.mainloop()


def generateOTP() :

    # Declare a digits variable
# which stores all digits
digits = "0123456789"
    OTP = ""
```

```python
    # length of password can be changed
# by changing value in range    for i
in range(4) :
        OTP += digits[math.floor(random.random() * 10)]


    return OTP

# Driver code if __name__ ==
"__main__" :

    print("OTP of 4 digits:", generateOTP())


digits="0123456789" OTP=""
for i in range(6):
    OTP+=digits[math.floor(random.random()*10)]
otp = OTP + " is your OTP" msg= otp s =
smtplib.SMTP('smtp.gmail.com', 587)
s.starttls()
s.login("Your Gmail Account", "You app password") emailid
= input("Enter your email: ")
s.sendmail('&&&&&&&&&&',emailid,msg) a
= input("Enter Your OTP >>: ")
if a == OTP:
    print("Verified") else:
    print("Please Check your OTP again") root
= Tk() root.title("Python: Simple Login
Application") width = 400 height = 280
screen_width = root.winfo_screenwidth()
screen_height = root.winfo_screenheight() x =
(screen_width/2) - (width/2)
```

```
y = (screen_height/2) - (height/2) root.geometry("%dx%d+%d+%d"
% (width, height, x, y)) root.resizable(0, 0)
USERNAME = StringVar()
PASSWORD = StringVar()
Top = Frame(root, bd=2,  relief=RIDGE)
Top.pack(side=TOP, fill=X)
Form = Frame(root, height=200) Form.pack(side=TOP,
pady=20)
lbl_title = Label(Top, text = "Python: Simple Login Application",
font=('arial', 15)) lbl_title.pack(fill=X) lbl_username =
Label(Form, text = "Username:", font=('arial', 14), bd=15)
lbl_username.grid(row=0, sticky="e") lbl_password =
Label(Form, text = "Password:", font=('arial', 14), bd=15)
lbl_password.grid(row=1, sticky="e") lbl_text = Label(Form)
lbl_text.grid(row=2, columnspan=2) username = Entry(Form,
textvariable=USERNAME, font=(14)) username.grid(row=0,
column=1) password = Entry(Form, textvariable=PASSWORD,
show="*", font=(14)) password.grid(row=1, column=1) def
Database():
    global conn, cursor     conn = sqlite3.connect("pythontut.db")
cursor = conn.cursor()     cursor.execute("CREATE TABLE IF
NOT EXISTS `member` (mem_id INTEGER NOT NULL
PRIMARY KEY
AUTOINCREMENT, username TEXT, password TEXT)")
cursor.execute("SELECT * FROM `member` WHERE `username` =
'admin' AND `password` = 'admin'")
if cursor.fetchone() is None:
     cursor.execute("INSERT INTO `member` (username, password)
VALUES('admin', 'admin')")      conn.commit() def
Login(event=None):    Database()    if USERNAME.get()
== "" or PASSWORD.get() == "":
```

```
        lbl_text.config(text="Please complete the required field!", fg="red")
else:
        cursor.execute("SELECT * FROM `member` WHERE `username`
= ? AND `password` = ?", (USERNAME.get(), PASSWORD.get()))
if cursor.fetchone() is not None:
            HomeWindow()
            USERNAME.set("")
PASSWORD.set("")
lbl_text.config(text="")         else:
            lbl_text.config(text="Invalid username or password", fg="red")
            USERNAME.set("")
PASSWORD.set("")
    cursor.close()
conn.close()
btn_login = Button(Form, text="Login", width=45, command=Login)
btn_login.grid(pady=25, row=3, columnspan=2)
btn_login.bind('<Return>', Login)



def HomeWindow():
global Home
root.withdraw()
    Home = Toplevel()
    Home.title("Python: Simple Login Application")
width = 600     height = 500     screen_width =
root.winfo_screenwidth()     screen_height =
root.winfo_screenheight()     x = (screen_width/2) -
(width/2)     y = (screen_height/2) - (height/2)
    root.resizable(0, 0)
    Home.geometry("%dx%d+%d+%d" % (width, height, x, y))
lbl_home = Label(Home, text="Successfully Login!", font=('times new
```

```python
roman', 20)).pack()    btn_back = Button(Home, text='Back',
command=Back).pack(pady=20, fill=X)


def Back():
    Home.destroy()
root.deiconify() def
getdata(url):    r =
requests.get(url)
return r.text




# input by geek
from_Station_code = "GAYA"
from_Station_name = "GAYA"


To_station_code = "PNBE"
To_station_name = "PATNA"
# url
url = "https://www.railyatri.in/booking/trains-between-
stations?from_code="+from_Station_code+"&from_name="+from_Stat
ion_name+"+JN+&journey_date=+Wed&src=tbs&to_code=" + \
    To_station_code+"&to_name="+To_station_name + \
    "+JN+&user_id=-
1603228437&user_token=355740&utm_source=dwebsearch_tbs_search_
trains"


# pass the url
# into getdata function htmldata =
getdata(url) soup = BeautifulSoup(htmldata,
'html.parser')
```

```python
# find the Html tag
# with find()
# and convert into string
data_str = "" for item in soup.find_all("div", class_="col-xs-12
TrainSearchSection"):
    data_str = data_str + item.get_text() result
= data_str.split("\n")

print("Train between "+from_Station_name+" and "+To_station_name)
print("")


# Display the result
for item in result:
if item != "":
print(item)
print("\n\nTicket Booking System\n")
restart = ('Y')
 while restart !=
('N','NO','n','no'):
     print("1.Check PNR status")    print("2.Ticket
Reservation")
                    option = int(input("\nEnter your option : "))

                    if option == 1:
                      print("Your PNR status is t3")
                      exit(0)


      elif option == 2:        people = int(input("\nEnter no. of Ticket you
want :
"))
```

```python
name_l = []      age_l = []
sex_l = []         for p in
range(people):          name =
str(input("\nName : "))
    name_l.append(name)
        age  = int(input("\nAge  : "))          age_l.append(age)
                        sex  = str(input("\nMale or Female : "))
                        sex_l.append(sex)


                    restart = str(input("\nDid you forgot someone? y/n:
"))    if restart in ('y','YES','yes','Yes'):
            restart = ('Y')    else :
    x = 0
        print("\nTotal Ticket : ",people)              for p in
range(1,people+1):              print("Ticket : ",p)
    print("Name : ", name_l[x])                    print("Age  :
", age_l[x])
            print("Sex : ",sex_l[x])                    x
+= 1
```

```python
    last_name = models.CharField(
verbose_name="Last name",
    max_length=40
  )


  city = models.CharField(
verbose_name="City",        max_length=40
  )


  stripe_id = models.CharField(


response_ca = stripe.Account.create()    type="custom",
country="PL",    email=user2.email,
default_currency="pln",    business_type="individual",
settings={"payouts": {"schedule": {"interval": "manual", }}},
requested_capabilities=["card_payments", "transfers", ],
business_profile={"mcc": mcc_code, "url": url},    individual={
    "first_name": user2.first_name,
    "last_name": user2.last_name,
    "email": user2.email,
    "dob": {
      "day": user2.profile.date_of_birth.day,
      "month": user2.profile.date_of_birth.month,
      "year": user2.profile.date_of_birth.year,
    },
    "phone": user2.profile.phone_number,
    "address": {
      "city": user2.city,
      "postal_code": user2.profile.postal_code,
```

```python
            "country": "PL",
            "line1": user2.profile.address,
        },
    },
)

user2.stripe_id = response_ca.stripe_id user2.save()

tos_acceptance = {"date": int(time.time()), "ip": user_ip},

stripe.Account.modify(user2.stripe_id, tos_acceptance=tos_acceptance)

passport_front = stripe.File.create(
purpose="identity_document",    file=_file,
# ContentFile object
    stripe_account=user2.stripe_id,
)

individual = {
    "verification": {
        "document": {"front": passport_front.get("id"),},
        "additional_document": {"front": passport_front.get("id"),},
    }
}


stripe.Account.modify(user2.stripe_id, individual=individual)

new_card_source = stripe.Customer.create_source(user1.stripe_id,
source=token)
```

```python
stripe.SetupIntent.create(
payment_method_types=["card"],
customer=user1.stripe_id,    description="some
description",
    payment_method=new_card_source.id,
)


payment_method =
stripe.Customer.retrieve(user1.stripe_id).default_source

payment_intent = stripe.PaymentIntent.create(    amount=amount,
currency="pln",    payment_method_types=["card"],
capture_method="manual",    customer=user1.stripe_id, #
customer    payment_method=payment_method,
application_fee_amount=application_fee_amount,
transfer_data={"destination": user2.stripe_id}, # connect account
description=description,
    metadata=metadata,
)


payment_intent_confirm = stripe.PaymentIntent.confirm(
payment_intent.stripe_id, payment_method=payment_method
)


stripe.PaymentIntent.capture(
payment_intent.id, amount_to_capture=amount
)
stripe.Balance.retrieve(stripe_account=user2.stripe_id)
```

```python
stripe.Charge.create(
amount=amount,     currency="pln",
source=user2.stripe_id,
    description=description
)


stripe.PaymentIntent.cancel(payment_intent.id)



    unique_together = ("user", "group")
@attr.s(frozen=True, cmp=False, hash=False, repr=True) class
UserSettings(MethodView):
    form = attr.ib(factory=settings_form_factory)
settings_update_handler = attr.ib(factory=settings_update_handler)


    decorators = [login_required]


    def get(self):
        return self.render()


    def post(self):        if
self.form.validate_on_submit():
try:
            self.settings_update_handler.apply_changeset(
                current_user, self.form.as_change()
            )
        except StopValidation as e:
self.form.populate_errors(e.reasons)
            return self.render()
except PersistenceError:
```

```python
            logger.exception("Error while updating user settings")
            flash(_("Error while updating user settings"), "danger")
            return self.redirect()

        flash(_("Settings updated."), "success")
        return self.redirect()
    return self.render()


def render(self):
    return render_template("user/general_settings.html",
form=self.form)


def redirect(self):
    return redirect(url_for("user.settings"))


@attr.s(frozen=True, hash=False, cmp=False, repr=True)
class ChangePassword(MethodView):
    form = attr.ib(factory=change_password_form_factory)
    password_update_handler = attr.ib(factory=password_update_handler)
    decorators = [login_required]

    def get(self):
        return self.render()

    def post(self):
        if self.form.validate_on_submit():
            try:
                self.password_update_handler.apply_changeset(
                    current_user, self.form.as_change()
                )
```

```python
        except StopValidation as e:
            self.form.populate_errors(e.reasons)
            return self.render()
    except PersistenceError:
            logger.exception("Error while changing password")
            flash(_("Error while changing password"), "danger")
    return self.redirect()

            flash(_("Password updated."), "success")
            return self.redirect()
        return self.render()


    def render(self):
        return render_template("user/change_password.html",
form=self.form)


    def redirect(self):
        return redirect(url_for("user.change_password"))



@attr.s(frozen=True, cmp=False, hash=False, repr=True) class
ChangeEmail(MethodView):
    form = attr.ib(factory=change_email_form_factory)
update_email_handler = attr.ib(factory=email_update_handler)
decorators = [login_required]


    def get(self):
        return self.render()
```

```python
    def post(self):        if
self.form.validate_on_submit():
try:
            self.update_email_handler.apply_changeset(
current_user, self.form.as_change()
            )
        except StopValidation as e:
            self.form.populate_errors(e.reasons)
            return self.render()
except PersistenceError:
            logger.exception("Error while updating email")
flash(_("Error while updating email"), "danger")            return
self.redirect()

        flash(_("Email address updated."), "success")
return self.redirect()
    return self.render()


    def render(self):
        return render_template("user/change_email.html", form=self.form)


    def redirect(self):
        return redirect(url_for("user.change_email")) def
berth_type(s):

    if s>0 and s<73:
        if s % 8 == 1 or s % 8 == 4:
            print (s), "is lower berth"
        elif s % 8 == 2 or s % 8 == 5:
print (s), "is middle berth"        elif
s % 8 == 3 or s % 8 == 6:
```

```python
print (s), "is upper berth"        elif s
% 8 == 7:
        print (s), "is side lower berth"
else:          print (s), "is side upper
berth"    else:
    print (s), "invalid seat number"


# Driver code s = 10 berth_type(s)     #
fxn call for berth type


s = 7 berth_type(s)    # fxn call for
berth type


s = 0 berth_type(s)     # fxn call for berth type class
Ticket:    counter=0     def
__init__(self,passenger_name,source,destination):
    self.__passenger_name=passenger_name
    self.__source=source
self.__destination=destination
self.Counter=Ticket.counter
    Ticket.counter+=1
  def validate_source_destination(self):
    if (self.__source=="Delhi" and (self.__destination=="Pune" or
self.__destination=="Mumbai" or self.__destination=="Chennai"
or self.__destination=="Kolkata")):        return True       else:
        return False


  def generate_ticket(self ):
if True:


__ticket_id=self.__source[0]+self.__destination[0]+"0"+str(self.Counter)
print( "Ticket id will be:",__ticket_id)       else:
```

```python
        return False    def
get_ticket_id(self):        return
self.ticket_id    def
get_passenger_name(self):
return self.__passenger_name
def get_source(self):
    if self.__source=="Delhi":
        return self.__source
else:
        print("you have written invalid soure option")
return None    def get_destination(self):        if
self.__destination=="Pune":
        return self.__destination        elif
self.__destination=="Mumbai":
        return self.__destination
    elif self.__destination=="Chennai": return
        self.__destination
    elif self.__destination=="Kolkata":
        return self.__destination

else:
        return None
    # user define function
# Scrape the data def
getdata(url):
                r = requests.get(url)
                return r.text


# input by geek
train_name = "03391-rajgir-new-delhi-clone-special-rgd-to-ndls"
```

```python
# url
url = "https://www.railyatri.in/live-train-status/"+train_name


# pass the url # into getdata function htmldata
= getdata(url) soup =
BeautifulSoup(htmldata, 'html.parser')


# traverse the live status from
# this Html code data = [] for item in soup.find_all('script',
type="application/ld+json"):
                    data.append(item.get_text())


# convert into dataframe
df = pd.read_json(data[2])


# display this column of #
dataframe
print(df["mainEntity"][0]['name'])
print(df["mainEntity"][0]['acceptedAnswer']['text'])
Speak method def Speak(self, audio):

                # Calling the initial constructor
                # of pyttsx3
                engine = pyttsx3.init('sapi5')

                # Calling the getter method
                voices = engine.getProperty('voices')

                # Calling the setter method
                engine.setProperty('voice', voices[1].id)
```

```python
            engine.say(audio)
            engine.runAndWait()


    def
Take_break():


            Speak("Do you want to start sir?")
            question = input()

            if "yes" in question:

             Speak("Starting Sir")

            if "no" in question:
             Speak("We will automatically start after 5 Mins
Sir.")

             time.sleep(5*60)
             Speak("Starting Sir")

            # A notification we will held that
            # Let's Start sir and with a message of
            # will tell you to take a break after 45
            # mins for 10 seconds
            while(True):
             notification.notify(title="Let's Start sir",
             message="will tell you to take a break after 45
mins",

             timeout=10)

            # For 45 min the will be no notification but
```

```python
            # after 45 min a notification will pop up.
            time.sleep(0.5*60)

            Speak("Please Take a break Sir")

            notification.notify(title="Break Notification",
            message="Please do use your device after sometime
as you have"
            "been continuously using it for 45 mins and it will
affect your eyes",
             timeout=10)


    # Driver's Code
if __name__ == '__main__':
            Take_break()
data_path = 'data.csv' data = pd.read_csv(data_path,
names=['LATITUDE', 'LONGITUDE'], sep=',') gps_data =
tuple(zip(data['LATITUDE'].values,
data['LONGITUDE'].values))


image = Image.open('map.png', 'r')  # Load map image.
img_points = [] for
d in gps_data:
   x1, y1 = scale_to_img(d, (image.size[0], image.size[1]))  # Convert GPS
coordinates to image coordinates.    img_points.append((x1, y1)) draw =
ImageDraw.Draw(image) draw.line(img_points, fill=(255, 0, 0),
width=2)  # Draw converted records to the map image.


image.save('resultMap.png') x_ticks = map(lambda x: round(x, 4),
np.linspace(lon1, lon2, num=7)) y_ticks = map(lambda x: round(x, 4),
np.linspace(lat1, lat2, num=8)) y_ticks = sorted(y_ticks, reverse=True)  #
y ticks must be reversed due to conversion to image coordinates.
```

```
fig, axis1 = plt.subplots(figsize=(10, 10))
axis1.imshow(plt.imread('resultMap.png'))  # Load the image to
matplotlib plot.
axis1.set_xlabel('Longitude')
axis1.set_ylabel('Latitude')
axis1.set_xticklabels(x_ticks)
axis1.set_yticklabels(y_ticks)
axis1.grid() plt.show() class
tickets:    def __init__(self):
self.no_ofac1stclass=0
self.totaf=0
self.no_ofac2ndclass=0
self.no_ofac3rdclass=0
self.no_ofsleeper=0
self.no_oftickets=0
self.name=''      self.age=''
self.resno=0
self.status=''       def
ret(self):
     return(self.resno)
def retname(self):
return(self.name)    def
display(self):
     f=0
     fin1=open("tickets.dat","rb")
if not fin1:
       print "ERROR"
else:        print
       n=int(raw_input("ENTER PNR NUMBER : "))
print "\n\n"
       print ("FETCHING DATA . . .".center(80))
time.sleep(1)
```

```python
            print
            print('PLEASE WAIT...!!'.center(80))
time.sleep(1)           os.system('cls')
try:            while True:
            tick=load(fin1)
if(n==tick.ret()):              f=1
print "="*80              print("PNR
STATUS".center(80))
                print"="*80
                print
                print "PASSENGER'S NAME :",tick.name
print
                print "PASSENGER'S AGE :",tick.age
print
                print "PNR NO :",tick.resno
print
                print "STATUS :",tick.status
print
                print "NO OF SEATS BOOKED : ",tick.no_oftickets
print            except:         pass            fin1.close()
if(f==0):
        print
        print "WRONG PNR NUMBER..!!"
        print
def pending(self):
    self.status="WAITING LIST"
    print "PNR NUMBER :",self.resno
print        time.sleep(1.2)         print
"STATUS = ",self.status
    print
    print "NO OF SEATS BOOKED : ",self.no_oftickets
print    def confirmation (self):
```

```python
        self.status="CONFIRMED"
        print "PNR NUMBER : ",self.resno
print        time.sleep(1.5)        print
"STATUS = ",self.status
        print    def
cancellation(self):
        z=0
        f=0
        fin=open("tickets.dat","rb")
fout=open("temp.dat","ab")
        print
        r= int(raw_input("ENTER PNR NUMBER : "))
try:        while(True):        tick=load(fin)
z=tick.ret() if(z!=r):
            dump(tick,fout)
elif(z==r):
            f=1
except:
pass
fin.close()
        fout.close()
        os.remove("tickets.dat")
os.rename("temp.dat","tickets.dat")
if (f==0):        print
        print "NO SUCH RESERVATION NUMBER FOUND"
print        time.sleep(2)        os.system('cls')        else:
print
        print "TICKET CANCELLED"
print"RS.600 REFUNDED...."    def
reservation(self):
        trainno=int(raw_input("ENTER THE TRAIN NO:"))
z=0
```

```python
        f=0
        fin2=open("tr1details.dat")
        fin2.seek(0)        if
not fin2:           print
"ERROR"        else:
        try:
            while True:
                tr=load(fin2)
z=tr.gettrainno()
n=tr.gettrainname()                 if
(trainno==z):

                print
                print "TRAIN NAME IS : ",n
f=1                 print                 print "-"*80
no_ofac1st=tr.getno_ofac1stclass()
no_ofac2nd=tr.getno_ofac2ndclass()
no_ofac3rd=tr.getno_ofac3rdclass()
no_ofsleeper=tr.getno_ofsleeper()
if(f==1):
                fout1=open("tickets.dat","ab")
print

                self.name=raw_input("ENTER THE PASSENGER'S
NAME ")
                print
                self.age=int(raw_input("PASSENGER'S AGE : "))
print

                print"\t\t SELECT A CLASS YOU WOULD LIKE TO
TRAVEL IN :- "
                print "1.AC FIRST CLASS"
print
                print "2.AC SECOND CLASS"
print
```

```
                print "3.AC THIRD CLASS"
print
                print "4.SLEEPER CLASS"
                print
                c=int(raw_input("\t\t\tENTER YOUR CHOICE = "))
os.system('cls')                amt1=0                if(c==1):
                self.no_oftickets=int(raw_input("ENTER NO_OF
FIRST CLASS AC SEATS TO BE BOOKED : "))
i=1                while(i<=self.no_oftickets):
                self.totaf=self.totaf+1
amt1=1000*self.no_oftickets                i=i+1
                print
                print "PROCESSING. .",
                time.sleep(0.5)
print ".",
time.sleep(0.3)
print'.'
time.sleep(2)
os.system('cls')
                print "TOTAL AMOUNT TO BE PAID = ",amt1
self.resno=int(random.randint(1000,2546))
                x=no_ofac1st-self.totaf
                print
if(x>0):
                self.confirmation()
dump(self,fout1)
                break
else:
                self.pending()
                dump(tick,fout1)
                break
elif(c==2):
```

```python
                    self.no_oftickets=int(raw_input("ENTER NO_OF
SECOND CLASS AC SEATS TO BE BOOKED :  "))
i=1




def menu():
    tr=train()
tick=tickets()     print
    print "WELCOME TO PRAHIT AGENCY".center(80)
while True:
        print           print "="*80
print " \t\t\t\t  RAILWAY"
        print
print "="*80
        print
        print "\t\t\t1. **UPDATE TRAIN DETAILS."
print
        print "\t\t\t2. TRAIN DETAILS. "
print
        print "\t\t\t3. RESERVATION OF TICKETS."
print
        print "\t\t\t4. CANCELLATION OF TICKETS. "
print
        print "\t\t\t5. DISPLAY PNR STATUS."
        print
        print "\t\t\t6. QUIT."
        print"** - office use......"
        ch=int(raw_input("\t\t\tENTER YOUR CHOICE : "))
os.system('cls')         print
"\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\t\t\t\t\t\t\tLOADI
```

```
NG. .",
        time.sleep(1)
print ("."),
time.sleep(0.5)
print (".")
time.sleep(2)
os.system('cls')            if
ch==1:
        j="*****"
r=raw_input("\n\n\n\n\n\n\n\n\n\n\n\t\t\t\tENTER THE
PASSWORD: ")
        os.system('cls')
if (j==r):                x='y'
while (x.lower()=='y'):
            fout=open("tr1details.dat","ab")
tr.getinput()                dump(tr,fout)
fout.close()

            print"\n\n\n\n\n\n\n\n\n\n\n\t\t\tUPDATING TRAIN LIST
PLEASE WAIT . .",
            time.sleep(1)
print ("."),
time.sleep(0.5)
print ("."),
time.sleep(2)
os.system('cls')
            print "\n\n\n\n\n\n\n\n\n\n\n"
            x=raw_input("\t\tDO YOU WANT TO ADD ANY MORE
TRAINS DETAILS ? ")
            os.system('cls')
continue            elif(j<>r):
        print"\n\n\n\n\n"
```

```python
                    print "WRONG PASSWORD".center(80)
elif ch==2:
            fin=open("tr1details.dat",'rb')
if not fin:
            print "ERROR"
else:              try:
while True:

                    print"*"*80
print"\t\t\t\tTRAIN DETAILS"
                    print"*"*80
print                    tr=load(fin)
tr.output()




                    raw_input("PRESS ENTER TO VIEW NEXT TRAIN
DETAILS")
                    os.system('cls')
except EOFError:
            pass
elif ch==3:
print'='*80
            print "\t\t\t\tRESERVATION OF TICKETS"
print'='*80            print            tick.reservation()
elif ch==4:
            print"="*80
            print"\t\t\t\tCANCELLATION OF TICKETS"
print            print"="*80            print
tick.cancellation()            elif ch==5:
            print "="*80
print("PNR STATUS".center(80))
```

```python
        print"="*80
printclass tickets:    def
__init__(self):
self.no_ofac1stclass=0
self.totaf=0
self.no_ofac2ndclass=0
self.no_ofac3rdclass=0
self.no_ofsleeper=0
self.no_oftickets=0
self.name=''      self.age=''
    self.resno=0
self.status=''      def
ret(self):
    return(self.resno)
def retname(self):
return(self.name)    def
display(self):
    f=0
    fin1=open("tickets.dat","rb")
if not fin1:
        print "ERROR"
else:        print
    n=int(raw_input("ENTER PNR NUMBER : "))
print "\n\n"        print ("FETCHING DATA . .
.".center(80))        time.sleep(1)        print
    print('PLEASE WAIT...!!'.center(80))
    time.sleep(1)
os.system('cls')
try:          while
True:
        tick=load(fin1)
if(n==tick.ret()):            f=1
```

```
print "="*80                print("PNR
STATUS".center(80))
              print"="*80
print

              print "PASSENGER'S NAME :",tick.name
print

              print "PASSENGER'S AGE :",tick.age
print

              print "PNR NO :",tick.resno
print

              print "STATUS :",tick.status
print

              print "NO OF SEATS BOOKED : ",tick.no_oftickets
print          except:            pass          fin1.close()
if(f==0):            print
         print "WRONG PNR NUMBER..!!"
print              def pending(self):
     self.status="WAITING LIST"
     print "PNR NUMBER :",self.resno
print        time.sleep(1.2)        print
"STATUS = ",self.status        print
     print "NO OF SEATS BOOKED : ",self.no_oftickets
print    def confirmation (self):
     self.status="CONFIRMED"
     print "PNR NUMBER : ",self.resno
print

     time.sleep(1.5)        print
"STATUS = ",self.status
     print    def
cancellation(self):
     z=0
     f=0
```

```python
        fin=open("tickets.dat","rb")
fout=open("temp.dat","ab")
    print
    r= int(raw_input("ENTER PNR NUMBER : "))
try:        while(True):            tick=load(fin)
z=tick.ret()            if(z!=r):
            dump(tick,fout)
elif(z==r):
            f=1
except:
pass
fin.close()
    fout.close()
    os.remove("tickets.dat")
os.rename("temp.dat","tickets.dat")
if (f==0):        print
        print "NO SUCH RESERVATION NUMBER FOUND"
print         time.sleep(2)        os.system('cls')
    else:
print
        print "TICKET CANCELLED"
print"RS.600 REFUNDED...."    def
reservation(self):
    trainno=int(raw_input("ENTER THE TRAIN NO:"))
z=0
    f=0
    fin2=open("tr1details.dat")
    fin2.seek(0)        if
not fin2:        print
"ERROR"        else:
try:            while
True:
```

```
            tr=load(fin2)
z=tr.gettrainno()
n=tr.gettrainname()                 if
(trainno==z):

            print
            print "TRAIN NAME IS : ",n
f=1             print             print "-"*80
no_ofac1st=tr.getno_ofac1stclass()
no_ofac2nd=tr.getno_ofac2ndclass()
no_ofac3rd=tr.getno_ofac3rdclass()
no_ofsleeper=tr.getno_ofsleeper()
if(f==1):

            fout1=open("tickets.dat","ab")
            print
            self.name=raw_input("ENTER THE PASSENGER'S
NAME ")

            print
            self.age=int(raw_input("PASSENGER'S AGE : "))
print

            print"\t\t SELECT A CLASS YOU WOULD LIKE TO
TRAVEL IN :- "
            print "1.AC FIRST CLASS"
print

            print "2.AC SECOND CLASS"
print

            print "3.AC THIRD CLASS"
print

            print "4.SLEEPER CLASS"
print

            c=int(raw_input("\t\t\tENTER YOUR CHOICE = "))
os.system('cls')                amt1=0                if(c==1):
            self.no_oftickets=int(raw_input("ENTER NO_OF
```

```
                    FIRST CLASS AC SEATS TO BE BOOKED : "))
i=1                         while(i<=self.no_oftickets):
                        self.totaf=self.totaf+1
amt1=1000*self.no_oftickets                    i=i+1
                print
                print "PROCESSING. .",
                time.sleep(0.5)
                print ".",
time.sleep(0.3)
print'.'                    time.sleep(2)
os.system('cls')
                print "TOTAL AMOUNT TO BE PAID = ",amt1
self.resno=int(random.randint(1000,2546))
                x=no_ofac1st-self.totaf
                print
if(x>0):

                    self.confirmation()
dump(self,fout1)

                    break
else:

                    self.pending()
dump(tick,fout1)

                    break
elif(c==2):

                    self.no_oftickets=int(raw_input("ENTER NO_OF
SECOND CLASS AC SEATS TO BE BOOKED :  "))
i=1



def menu():
```

```python
    tr=train()
tick=tickets()    print
    print "WELCOME TO PRAHIT AGENCY".center(80)
while True:
        print                print "="*80
print " \t\t\t\t  RAILWAY"
        print
print "="*80
        print
        print "\t\t\t1. **UPDATE TRAIN DETAILS."
print
        print "\t\t\t2. TRAIN DETAILS. "
print
        print "\t\t\t3. RESERVATION OF TICKETS."
print
        print "\t\t\t4. CANCELLATION OF TICKETS. "
print
        print "\t\t\t5. DISPLAY PNR STATUS."
print
        print "\t\t\t6. QUIT."
        print"** - office use......"
        ch=int(raw_input("\t\t\tENTER YOUR CHOICE : "))
os.system('cls')          print
"\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\t\t\t\t\t\t\tLOADI
NG. .",
        time.sleep(1)
print ("."),
time.sleep(0.5)
print (".")
time.sleep(2)
os.system('cls')          if
ch==1:
```

```
j="*****"
r=raw_input("\n\n\n\n\
n\n\n\n\n\n\n\t\t\t\tENT
ER THE
PASSWORD: ")
            os.system('cls')
if (j==r):              x='y'
while (x.lower()=='y'):
                fout=open("tr1details.dat","ab")
tr.getinput()                   dump(tr,fout)
fout.close()

                print"\n\n\n\n\n\n\n\n\n\n\n\t\t\tUPDATING TRAIN LIST
PLEASE WAIT . .",
                time.sleep(1)
print ("."),
time.sleep(0.5)
print ("."),
time.sleep(2)
os.system('cls')
                print "\n\n\n\n\n\n\n\n\n\n\n"
                x=raw_input("\t\tDO YOU WANT TO ADD ANY MORE
TRAINS DETAILS ? ")
                os.system('cls')
continue            elif(j<>r):
            print"\n\n\n\n\n"
            print "WRONG PASSWORD".center(80)
elif ch==2:
            fin=open("tr1details.dat",'rb')
if not fin:
            print "ERROR"
tick.display()          elif
ch==6:
```

```python
        quit()

        raw_input("PRESS ENTER TO GO TO BACK
MENU".center(80))
        os.system('cls')


menu() sender_email = "my@gmail.com" receiver_email
= "your@gmail.com" password = input("Type your
password and press enter:")


message = MIMEMultipart("alternative")
message["Subject"] = "multipart test" message["From"]
= sender_email
message["To"] = receiver_email


# Create the plain-text and HTML version of your message text
= """\
Hi,
How are you?
Real Python has many great tutorials:
www.realpython.com"""
html = """\ <html>
  <body>
    <p>Hi,<br>
      How are you?<br>
      <a href="http://www.realpython.com">Real Python</a>
has many great tutorials.
    </p>
  </body>
</html>
"""
```

```python
# Turn these into plain/html MIMEText objects part1
= MIMEText(text, "plain")
part2 = MIMEText(html, "html")

# Add HTML/plain-text parts to MIMEMultipart message
# The email client will try to render the last part first
message.attach(part1) message.attach(part2)

# Create secure connection with server and send email context =
ssl.create_default_context() with
smtplib.SMTP_SSL("smtp.gmail.com", 465, context=context) as
server:
    server.login(sender_email, password)
server.sendmail(        sender_email, receiver_email,
message.as_string()
    )
subject = "An email with attachment from Python" body =
"This is an email with attachment sent from Python"
sender_email = "my@gmail.com" receiver_email =
"your@gmail.com" password = input("Type your
password and press enter:") # Create a multipart message
and set headers
message = MIMEMultipart() message["From"] = sender_email
message["To"] = receiver_email message["Subject"] = subject
message["Bcc"] = receiver_email  # Recommended for mass
emails

# Add body to email
message.attach(MIMEText(body, "plain"))
```

```python
filename = "document.pdf"  # In same directory as script

# Open PDF file in binary mode with
open(filename, "rb") as attachment:
    # Add file as application/octet-stream
    # Email client can usually download this automatically as attachment
part = MIMEBase("application", "octet-stream")
part.set_payload(attachment.read())

# Encode file in ASCII characters to send by email
encoders.encode_base64(part)

# Add header as key/value pair to attachment part
part.add_header(    "Content-Disposition",
    f"attachment; filename= {filename}",
)

# Add attachment to message and convert message to string
message.attach(part)
text = message.as_string()

# Log in to server using secure context and send email context =
ssl.create_default_context() with
smtplib.SMTP_SSL("smtp.gmail.com", 465, context=context) as
server:
    server.login(sender_email, password)
server.sendmail(sender_email, receiver_email, text)
api_key = "Your_API_key"

# base_url variable to store url
base_url = "https://api.railwayapi.com/v2/pnr-status/pnr/"
```

```python
# Enter valid pnr_number
pnr_number = "6515483790"

# Stores complete url address
complete_url = base_url + pnr_number + "/apikey/" + api_key + "/"

# get method of requests module #
return response object
response_ob = requests.get(complete_url)

# json method of response object convert #
json format data into python format data
result = response_ob.json()

# now result contains list # of
nested dictionaries if
result["response_code"] == 200: #
train name is extracting # from
the result variable data
train_name =
result["train"]["name"]

        # train number is extracting from     # the result
variable data
                train_number = result["train"]["number"]

        # from station name is extracting      # from the
result variable data
                from_station = result["from_station"]["name"]
```

```python
        # to_station name is extracting from        # the
result variable data
                    to_station = result["to_station"]["name"]


        # boarding point station name is       # extracting from the result
variable data    boarding_point = result["boarding_point"]["name"]


        # reservation upto station name is     # extracting from
the result variable data
                    reservation_upto =
result["reservation_upto"]["name"]


                    # store the value or data of "pnr"
                    # key in pnr_num variable
                    pnr_num = result["pnr"] # store the
                    value or data of "doj" key # in
                    variable date_of_journey variable
                    date_of_journey = result["doj"]


                    # store the value or data of
                    # "total_passengers" key in variable
                    total_passengers = result["total_passengers"]


        # store the value or data of "passengers"   # key in
variable passengers_list
                    passengers_list = result["passengers"]


        # store the value or data of        #
"chart_prepared" key in variable
                    chart_prepared = result["chart_prepared"]
```

```python
        # print following values
        print(" train name : " + str(train_name)    + "\n train
number : " + str(train_number)
                        + "\n from station : " + str(from_station)
                        + "\n to station : " + str(to_station)
                        + "\n boarding point : " + str(boarding_point)
                        + "\n reservation upto : " + str(reservation_upto)
                        + "\n pnr number : " + str(pnr_num)
                        + "\n date of journey : " + str(date_of_journey)
            + "\n total no. of passengers: " + str(total_passengers)
                        + "\n chart prepared : " + str(chart_prepared))

                # looping through passenger list
                for passenger in passengers_list:

                    # store the value or data  # of "no"
                    key in variable  passenger_num =
                    passenger["no"]


        # store the value or data of      # "current_status" key in
variable    current_status = passenger["current_status"]


        # store the value or data of      # "booking_status" key in
variable    booking_status = passenger["booking_status"]


                # print following values
        print(" passenger number : " + str(passenger_num)                + "\n
current status : " + str(current_status)
                            + "\n booking_status : " + str(booking_status))
    else:
                print("Record Not Found")
```

13.2.GIT HUB LINK

https://github.com/IBM-EPBL/IBM-Project-44340-1660724284