

Assignment 3

Build the Regression model

Assignment date	30 September 2022
Student Name	G. Malini
Student Roll. No	962719106018
Maximum marks	2 marks

1.Download the Dataset

solution:

```
from google.colab import files
Upload=files.upload()
```

```
abalone.csv(text/csv) - 191962 bytes, last modified: 10/4/2022 - 100% done
Saving abalone.csv to abalone.csv
```

2.Load the dataset into the tool

solution:

```
df=pd.read_csv("/content/abalone.csv")
print(df)
df.info()
df.describe()
import matplotlib.pyplot as plt
import seaborn as sns
import math
df.isna().sum()
df.isnull().sum()
```

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=0k04_PA0Acz8

YouTube Maps Gmail News Translate

Files

abalone.csv

abalone.csv (text/csv) - 191962 bytes, last modified: 10/4/2022 - 100% done
Saving abalone.csv to abalone.csv

2. Load the dataset into the tool

```
[6] df=pd.read_csv("/content/abalone.csv")
print(df)
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	\
0	M	0.455	0.365	0.095	0.5140	0.2245	
1	M	0.350	0.265	0.090	0.2255	0.0995	
2	F	0.530	0.420	0.135	0.6770	0.2565	
3	M	0.440	0.365	0.125	0.5160	0.2155	
4	I	0.330	0.255	0.080	0.2050	0.0895	
...	
4172	F	0.565	0.450	0.165	0.8870	0.3700	
4173	M	0.590	0.440	0.135	0.9660	0.4390	
4174	M	0.600	0.475	0.205	1.1760	0.5255	
4175	F	0.625	0.485	0.150	1.0945	0.5310	
4176	M	0.710	0.555	0.195	1.9485	0.9455	
	Viscera weight	Shell weight	Rings				
0	0.1010	0.1500	15				
1	0.0485	0.0700	7				
2	0.1415	0.2100	9				

0s completed at 4:41 PM

abalone.csv

Type here to search

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=0k04_PA0Acz8

YouTube Maps Gmail News Translate

Files

abalone.csv

```
[6] 0 M 0.455 0.365 0.095 0.5140 0.2245
1 M 0.350 0.265 0.090 0.2255 0.0995
2 F 0.530 0.420 0.135 0.6770 0.2565
3 M 0.440 0.365 0.125 0.5160 0.2155
4 I 0.330 0.255 0.080 0.2050 0.0895
...
4172 F 0.565 0.450 0.165 0.8870 0.3700
4173 M 0.590 0.440 0.135 0.9660 0.4390
4174 M 0.600 0.475 0.205 1.1760 0.5255
4175 F 0.625 0.485 0.150 1.0945 0.5310
4176 M 0.710 0.555 0.195 1.9485 0.9455

Viscera weight Shell weight Rings
0 0.1010 0.1500 15
1 0.0485 0.0700 7
2 0.1415 0.2100 9
3 0.1140 0.1550 10
4 0.0395 0.0550 7
...
4172 0.2390 0.2490 11
4173 0.2145 0.2605 10
4174 0.2875 0.3080 9
4175 0.2610 0.2960 10
4176 0.3765 0.4950 12

[4177 rows x 9 columns]
```

Double-click (or enter) to edit

0s completed at 4:41 PM

abalone.csv

Type here to search

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=0k04_PA0Acz8

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

+ Code + Text

[4177 rows x 9 columns]

Double-click (or enter) to edit

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>  
RangeIndex: 4177 entries, 0 to 4176  
Data columns (total 9 columns):  
#   Column             Non-Null Count  Dtype  
---  ---             -  
0   Sex                 4177 non-null   object  
1   Length              4177 non-null   float64  
2   Diameter             4177 non-null   float64  
3   Height              4177 non-null   float64  
4   Whole weight         4177 non-null   float64  
5   Shucked weight       4177 non-null   float64  
6   Viscera weight        4177 non-null   float64  
7   Shell weight         4177 non-null   float64  
8   Rings               4177 non-null   int64  
dtypes: float64(7), int64(1), object(1)  
memory usage: 293.8+ KB
```

```
[8] df.describe()
```

	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
count	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
mean	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	9.933684
std	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	1.000000
25%	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	8.000000
50%	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	9.000000
75%	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	11.000000
max	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	29.000000

0s completed at 4:41 PM

abalone.csv

Type here to search

16:53 04-10-2022

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=0k04_PA0Acz8

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

+ Code + Text

```
[8] df.describe()
```

	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
count	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
mean	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	9.933684
std	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	1.000000
25%	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	8.000000
50%	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	9.000000
75%	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	11.000000
max	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	29.000000

```
[ ] import matplotlib.pyplot as plt  
import seaborn as sns  
import math
```

```
[9] df.isna().sum()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
count	4177	4177	4177	4177	4177	4177	4177	4177	4177
mean	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	9.933684	9.933684
std	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169	3.224169
min	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	1.000000	1.000000
25%	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	8.000000	8.000000
50%	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	9.000000	9.000000
75%	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	11.000000	11.000000
max	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	29.000000	29.000000

0s completed at 4:41 PM

abalone.csv

Type here to search

16:53 04-10-2022

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=0k04_PA0Acz8

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

Code + Text

```
[9] df.isna().sum()

Sex      0
Length   0
Diameter 0
Height   0
Whole weight 0
Shucked weight 0
Viscera weight 0
Shell weight 0
Rings    0
dtype: int64
```

```
df.isnull().sum()

Sex      0
Length   0
Diameter 0
Height   0
Whole weight 0
Shucked weight 0
Viscera weight 0
Shell weight 0
Rings    0
dtype: int64
```

3.Perform below Visualizations. Univariate Analysis

0s completed at 4:41 PM

abalone.csv

Type here to search

16:53 04-10-2022

3.Perform below Visualizations. Univariate Analysis

```
sns.histplot(df.Diameter,kde=True)
```

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Doc x +

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=2fT_X43EBNJE

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv


Code + Text

```
kings
dtype: int64
```

3.Perform below Visualizations. Univariate Analysis

```
sns.histplot(df.Diameter,kde=True)
```

<matplotlib.axes._subplots.AxesSubplot at 0x7f432102aa10>



Bi-Variate Analysis

0s completed at 4:41 PM

abalone.csv


Type here to search

16:55 04-10-2022

Bi-Variate Analysis

solution:



```
sns.scatterplot(df.Length,df.Diameter)
plt.ylim(0,15000)
```




Multi-Variate Analysis

solution:

```
df=pd.read_csv("/content/abalone.csv")
sns.pairplot(df)
```





4.Perform descriptive statistics on the dataset

solution:

```
df=pd.read_csv("/content/abalone.csv")  
df.describe(include='all')
```

The screenshot shows a Google Colaboratory notebook interface. The top bar includes tabs for 'My Drive - Google Drive', 'abalone.csv - Google Drive', 'Untitled0.ipynb - Colaboratory', and 'Untitled document - Google Docs'. The address bar shows the URL: `colab.research.google.com/drive/13EdhjvsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=L3YJK1hqEwYt`. The left sidebar displays a file explorer with a folder named 'sample_data' containing 'abalone.csv'. The main code cell contains the following Python code:

```
df=pd.read_csv("/content/abalone.csv")
df.describe(include='all')
```

The output of the code is a detailed statistical summary of the 'abalone.csv' dataset, presented as a table with 10 columns: Sex, Length, Diameter, Height, Whole weight, Shucked weight, Viscera weight, Shell weight, and Rings. The summary includes counts, unique values, top categories, frequencies, means, standard deviations, minimums, and percentiles (25%, 50%, 75%, max) for each variable.

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
count	4177	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000	4177.000000
unique	3	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
top	M	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
freq	1528	NaN	NaN	NaN	NaN	NaN	NaN	NaN	NaN
mean	NaN	0.523992	0.407881	0.139516	0.828742	0.359367	0.180594	0.238831	9.933684
std	NaN	0.120093	0.099240	0.041827	0.490389	0.221963	0.109614	0.139203	3.224169
min	NaN	0.075000	0.055000	0.000000	0.002000	0.001000	0.000500	0.001500	1.000000
25%	NaN	0.450000	0.350000	0.115000	0.441500	0.186000	0.093500	0.130000	8.000000
50%	NaN	0.545000	0.425000	0.140000	0.799500	0.336000	0.171000	0.234000	9.000000
75%	NaN	0.615000	0.480000	0.165000	1.153000	0.502000	0.253000	0.329000	11.000000
max	NaN	0.815000	0.650000	1.130000	2.825500	1.488000	0.760000	1.005000	29.000000

The bottom status bar indicates '0s completed at 4:41 PM'. Below the notebook interface, a Windows taskbar is visible with the search bar and various application icons.

5.Check for Missing values and Deal with them

solution:

```
from ast import increment_lineno
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
%matplotlib inline
sns.set(color_codes=True)
df=pd.read_csv("/content/abalone.csv")
df.head()
```


My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Docs x

colab.research.google.com/drive/13EdhjvsA-oIEYmGn7zw_EB9EU05X8WSJ#scrollTo=Eafnx-nKGlr6

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

5. Check for Missing values and Deal with them

```
from ast import increment_lineno
import pandas as pd
import numpy as np
import seaborn as sns
import matplotlib.pyplot as plt
%matplotlib inline
sns.set(color_codes=True)
df=pd.read_csv("/content/abalone.csv")
df.head()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7

0s completed at 4:41 PM

abalone.csv

Type here to search

17:02 04-10-2022

6. Find the Outliers and Replace with them

solution

```
import pandas as pd
import matplotlib
from matplotlib import pyplot as pyplot
%matplotlib inline
matplotlib.rcParams['figure.figsize']=(10,6)
df=pd.read_csv("/content/abalone.csv")
df.sample(5)
```

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Docs x

colab.research.google.com/drive/13EdhysA-oIEYmGn7zw_EB9EU05X8WSJ#scrollTo=wVPySbDWHRNP

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

4 | 0.330 0.255 0.080 0.2050 0.0895 0.0395 0.055 7

6. Find the Outliers and Replace with them

```
import pandas as pd
import matplotlib
from matplotlib import pyplot as pyplot
%matplotlib inline
matplotlib.rcParams['figure.figsize']=(10,6)
df=pd.read_csv("/content/abalone.csv")
df.sample(5)
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
2750	I	0.510	0.385	0.145	0.7665	0.3985	0.1400	0.1805	8
508	M	0.560	0.435	0.180	0.8890	0.3600	0.2040	0.2500	11
3241	M	0.650	0.525	0.190	1.4995	0.6265	0.4005	0.3950	14
2652	I	0.515	0.400	0.125	0.5925	0.2650	0.1175	0.1680	9
1050	F	0.715	0.525	0.185	1.5600	0.6655	0.3830	0.4050	11

7. Check Categorical Columns and perform encoding

0s completed at 4:41 PM

abalone.csv

Type here to search

ENG 17:03 04-10-2022

7. Check Categorical Columns and perform encoding

solution:

```
df=pd.read_csv("/content/abalone.csv")
df.columns
import pandas as pd
import numpy as np
headers=['Sex','Length','Diameter','Height','Whole weight','Shucked
weight','Viscera weight','Shell weight','Rings']
df=pd.read_csv("/content/abalone.csv",header=None,names=headers,na_values=
"?")
df.head()
```

My Drive - Google Drive x abalone.csv - Google Drive x Untitled0.ipynb - Colaboratory x Untitled document - Google Docs x +

colab.research.google.com/drive/13EdhjvsA-oIEYmGn7zw_EB9EU05X8WSJ#scrollTo=laBFJCMaKAuK

YouTube Maps Gmail News Translate

Files

sample_data
abalone.csv

+ Code + Text

RAM
Disk

7. Check Categorical Columns and perform encoding

```
df=pd.read_csv("/content/abalone.csv")
df.columns
import pandas as pd
import numpy as np
headers=['Sex','Length','Diameter','Height','Whole weight','Shucked weight','Viscera weight','Shell weight','Rings']
df=pd.read_csv("/content/abalone.csv",header=None,names=headers,na_values="?")
df.head()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
1	M	0.455	0.365	0.095	0.514	0.2245	0.101	0.15	15
2	M	0.35	0.265	0.09	0.2255	0.0995	0.0485	0.07	7
3	F	0.53	0.42	0.135	0.677	0.2565	0.1415	0.21	9
4	M	0.44	0.365	0.125	0.516	0.2155	0.114	0.155	10

8. Split the Data into dependent and independent variables

0s completed at 4:41 PM

abalone.csv

Show all

Type here to search

17:04
04-10-2022

8. Split the Data into dependent and independent variables

solution:

```
x=df.iloc[:, :-1].values
print(x)
y=df.iloc[:, -1].values
print(y)
```



The screenshot shows a Google Colaboratory notebook with the following components:


- Browser Tabs:** My Drive - Google Drive, abalone.csv - Google Drive, Untitled0.ipynb - Colaboratory, and Untitled document - Google Docs.
- Address Bar:** colab.research.google.com/drive/13EdhjvsA-olEYmGn7zw_EB9EU05X8WSJ#scrollTo=vrUDXSovMV9C
- File Explorer:** Shows a folder named 'sample_data' containing 'abalone.csv'.
- Code Editor:**
 - Cell [21]:** Displays a table of data with columns: Sex, Length, Diameter, Shucked weight, Viscera weight, Shell weight, and Rings. The table has 4 rows of data.
 - Cell [25]:** Contains code to split the data into dependent and independent variables. It defines 'x' as all columns except the last one and 'y' as the last column. It then prints the shapes of 'x' and 'y'.
 - Cell [26]:** Contains code to scale the independent variables using 'seaborn'.
- Status Bar:** Shows '0s' and 'completed at 4:41 PM'.

9.Scale the independent variables

solution:

```
import seaborn as sns
df=pd.read_csv("/content/abalone.csv")
dff=df[['Shell weight','Diameter']]
sns.heatmap(dff.corr(),annot=True)
sns.set(rc={'figure.figsize':(40,40)})
```





10.Split data into Training and Testing

Solution:

```
x=df.iloc[:,1:2].values
y=df.iloc[:,2].values
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=0)

print('Row count of x_train table'+ '-' +str(f"{len(x_train):,}"))
print('Row count of y_train table'+ '-' +str(f"{len(y_train):,}"))
print('Row count of x_test table'+ '-' +str(f"{len(x_test):,}"))
print('Row count of y_test table'+ '-' +str(f"{len(y_test):,}"))
```

colab.research.google.com/drive/13EdhjsA-oIEYmGn7zw_EB9EU05X8WSJ#scrollTo=jjUbXMpYOn8B

Files

- sample_data
- abalone.csv

10. Split data into Training and Testing

```
x=df.iloc[:,1:2].values
y=df.iloc[:,2].values
from sklearn.model_selection import train_test_split
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.2,random_state=0)
print('Row count of x_train table'+str(len(x_train)))
print('Row count of y_train table'+str(len(y_train)))
print('Row count of x_test table'+str(len(x_test)))
print('Row count of y_test table'+str(len(y_test)))
```

Row count of x_train table-3,341
Row count of y_train table-3,341
Row count of x_test table-836
Row count of y_test table-836

Build the Model

0s completed at 4:41 PM

abalone.csv

Type here to search

17:09 04-10-2022

11. Build the Model

Solution:

```
import pandas as pd
data=pd.read_csv('/content/abalone.csv')
data.head()

import seaborn as sns
import matplotlib.pyplot as plt
from sklearn.tree import DecisionTreeClassifier
from sklearn import metrics
from sklearn import svm
var=sns.heatmap(data.corr(),annot=True)
plt.show()
```

11. Build the Model

```
[20] import pandas as pd
data=pd.read_csv('/content/abalone.csv')
data.head()
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7

```
import seaborn as sns
import matplotlib.pyplot as plt
from sklearn.tree import DecisionTreeClassifier
from sklearn import metrics
from sklearn import svm

var=sns.heatmap(data.corr(),annot=True)
plt.show()
```

24s completed at 5:23 PM

```
var=sns.heatmap(data.corr(),annot=True)
plt.show()
```

12. Train the model

```
[21] X=data.iloc[:, :-1]
y=data['Diameter']

[29] from sklearn.model_selection import train_test_split
```

24s completed at 5:23 PM

12. Train the model
solution:


```
X=data.iloc[:, :-1]
y=data['Diameter']
```

```
from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test=train_test_split(X,y,test_size=0.2,random_state=0)
print(X_train)
print(y_train)
```

colab.research.google.com/drive/13EdhjsA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=MqapFZQeODj

RAM Disk

```
[21] y=data['Diameter']
```

```
[29] from sklearn.model_selection import train_test_split
      X_train,X_test,y_train,y_test=train_test_split(X,y,test_size=0.2,random_state=0)
```

```
print(X_train)
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	\
3141	I	0.180	0.135	0.080	0.0330	0.0145	
3521	I	0.215	0.150	0.055	0.0410	0.0150	
883	M	0.660	0.530	0.170	1.3805	0.5905	
3627	M	0.715	0.525	0.200	1.8000	0.9500	
2106	M	0.595	0.455	0.155	1.0410	0.4160	
...	
1033	M	0.650	0.525	0.185	1.6220	0.6645	
3264	F	0.655	0.500	0.140	1.1705	0.5405	
1653	M	0.595	0.450	0.145	0.9590	0.4630	
2607	F	0.625	0.490	0.165	1.1270	0.4770	
2732	I	0.410	0.325	0.110	0.3260	0.1325	
	Viscera weight	Shell weight					
3141	0.0070	0.0100					
3521	0.0090	0.0125					
883	0.2120	0.4530					
3627	0.4360	0.4305					
2106	0.2105	0.3650					
...					
1033	0.3225	0.4770					
3264	0.3175	0.2850					
1653	0.2065	0.2535					

24s completed at 5:23 PM

Type here to search

ENG 17:29 05-10-2022

colab.research.google.com/drive/13EdhysA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=MqapFZQeODj

RAM Disk

```
...  
1033      0.3225      0.4770  
3264      0.3175      0.2850  
1653      0.2065      0.2535  
2607      0.2365      0.3185  
2732      0.0750      0.1010  
[3341 rows x 8 columns]
```

```
[31] print(y_train)  
  
3141      0.135  
3521      0.150  
883       0.530  
3627      0.525  
2106      0.455  
...  
1033      0.525  
3264      0.500  
1653      0.450  
2607      0.490  
2732      0.325  
Name: Diameter, Length: 3341, dtype: float64
```

13.Test the model

```
[32] print(X_test)
```

Sex Length Diameter Height Whole weight Shucked weight \
...
24s completed at 5:23 PM

13.Test the model

Solution:

```
print(X_test)
```

```
print(y_test)
```

colab.research.google.com/drive/13EdhysA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=1DCLp-Jgf7Pc

+ Code + Text

```
print(X_test)
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	\
668	M	0.550	0.425	0.155	0.9175	0.2775	
1580	I	0.500	0.400	0.120	0.6160	0.2610	
3784	M	0.620	0.480	0.155	1.2555	0.5270	
463	I	0.220	0.165	0.055	0.0545	0.0215	
2615	M	0.645	0.500	0.175	1.5105	0.6735	
...	
575	F	0.610	0.475	0.140	1.1330	0.5275	
3231	M	0.410	0.325	0.120	0.3745	0.1580	
1084	I	0.445	0.345	0.105	0.4090	0.1675	
290	M	0.540	0.435	0.180	0.9960	0.3835	
2713	I	0.250	0.175	0.060	0.0635	0.0275	

	Viscera weight	Shell weight
668	0.2430	0.3350
1580	0.1430	0.1935
3784	0.3740	0.3175
463	0.0120	0.0200
2615	0.3755	0.3775
...
575	0.2355	0.3500
3231	0.0810	0.1250
1084	0.1015	0.1170
290	0.2260	0.3250
2713	0.0080	0.0200

[836 rows x 8 columns]

```
[33] print(y_test)
```

24s completed at 5:23 PM

colab.research.google.com/drive/13EdhysA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=ECDCsqGOgGgS

+ Code + Text

[836 rows x 8 columns]

```
print(y_test)
```

668	0.425
1580	0.400
3784	0.480
463	0.165
2615	0.500
...	...
575	0.475
3231	0.325
1084	0.345
290	0.435
2713	0.175

Name: Diameter, Length: 836, dtype: float64

14.Measure the performance using Metrics

```
[47] import seaborn as sns
import matplotlib.pyplot as plt
from sklearn.tree import DecisionTreeClassifier
from sklearn import metrics
from sklearn import svm
```

```
[55] var=sns.heatmap(data.corr(),annot=True)
plt.show()
```

24s completed at 5:23 PM

14.Measure the performance using Metrics

Solution:

```
import seaborn as sns
import matplotlib.pyplot as plt
from sklearn.tree import DecisionTreeClassifier
from sklearn import metrics
from sklearn import svm

model=svm.SVC(kernel='linear')

X=data.iloc[:, :-1]
y=data['Diameter']

from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test=train_test_split(X,y,test_size=0.2,random_state=0)

print(X_test)

print(y_test)
```

Untitled document - Google D x Untitled0.ipynb - Colaboratory x My Drive - Google Drive x abalone.csv - Google Drive x abalone.csv - Google Drive x

colab.research.google.com/drive/13EdhjvsA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=K9hHx_UqrrW7

Untitled0.ipynb

File Edit View Insert Runtime Tools Help All changes saved

+ Code + Text

print(X_test)

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	\
668	M	0.550	0.425	0.155	0.9175	0.2775	
1580	I	0.500	0.400	0.120	0.6160	0.2610	
3784	M	0.620	0.480	0.155	1.2555	0.5270	
463	I	0.220	0.165	0.055	0.0545	0.0215	
2615	M	0.645	0.500	0.175	1.5105	0.6735	
...	
575	F	0.610	0.475	0.140	1.1330	0.5275	
3231	M	0.410	0.325	0.120	0.3745	0.1580	
1084	I	0.445	0.345	0.105	0.4090	0.1675	
290	M	0.540	0.435	0.180	0.9960	0.3835	
2713	I	0.250	0.175	0.060	0.0635	0.0275	

	Viscera weight	Shell weight
668	0.2430	0.3350
1580	0.1430	0.1935
3784	0.3740	0.3175
463	0.0120	0.0200
2615	0.3755	0.3775
...
575	0.2355	0.3500
3231	0.0810	0.1250
1084	0.1015	0.1170
290	0.2260	0.3250

0s completed at 3:19 PM

abalone (1).csv

3:24 PM

Untitled document - Google D x Untitled0.ipynb - Colaboratory x My Drive - Google Drive x abalone.csv - Google Drive x abalone.csv - Google Drive x

colab.research.google.com/drive/13EdhjvsA-olEYmGn7zw_EB9EU05X8WSJ?usp=sharing#scrollTo=K9hHx_UqrrW7

Untitled0.ipynb

File Edit View Insert Runtime Tools Help All changes saved

+ Code + Text

...

575	0.2355	0.3500
3231	0.0810	0.1250
1084	0.1015	0.1170
290	0.2260	0.3250
2713	0.0080	0.0200

[836 rows x 8 columns]

[82] print(y_test)

668	0.425
1580	0.400
3784	0.480
463	0.165
2615	0.500
...	...
575	0.475
3231	0.325
1084	0.345
290	0.435
2713	0.175

Name: Diameter, Length: 836, dtype: float64

0s completed at 3:19 PM

abalone (1).csv

3:24 PM