

Date

11 November 2022

Team ID PNT2022TMID51264

Project Name

Intelligent vehicle damage assessment & cost estimator for insurance companies.

Maximum Marks

8 Marks

Index.php

```
<?php
session_start();
if (isset($_SESSION['SESSION_EMAIL']))
{
    header("Location: welcome.php"); die();
}
```

```
include 'config.php';
```

```
$msg = "";
```

```
if (isset($_GET['verification'])) {
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE  
code='{$_GET['verification']}'")) > 0) {
```

```
$query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE code='{$_GET['verification']}'");
```

```
if ($query) {
```

```
$msg = "<div class='alert alert-success'>Account verification has been successfully completed.</div>";
```

```
}
```

```
} else {
```

```
header("Location: index.php");
```

```
}
```

```
}
```

```
if (isset($_POST['submit'])) {
```

```
$email = mysqli_real_escape_string($conn, $_POST['email']);
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$sql = "SELECT * FROM users1 WHERE email='{$_email}' AND password='{$_password}'";
```

```
$result = mysqli_query($conn, $sql);
```

```
if (mysqli_num_rows($result) === 1) {
```

```
$row = mysqli_fetch_assoc($result);
```

```
if (empty($row['code'])) {  
    $_SESSION['SESSION_EMAIL'] = $email;  
    header("Location: welcome.php");  
} else {  
    $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";  
  
    }  
    } else {  
    $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";  
  
    }  
    }  
    ?>
```

```
<!DOCTYPE html>  
<html lang="zxx">
```

```
<head>  
<title>Login Form - Damage Detection</title>  
<!-- Meta tag Keywords -->  
<meta name="viewport" content="width=device-width, initial-scale=1">  
  
<meta charset="UTF-8" />  
<meta name="keywords" content="Login Form"  
</>
```

<!-- //Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style- CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

</div>

<div class="w3l_form align-self">

```
<div class="left_grid_info">


</div>
```

required>

```
Password" style="margin-bottom: 2px;" required>
</div>
<div class="content-wthree">
<h2>Login Now</h2>
<?php echo $msg; ?>
<form action="" method="post">
<input type="email" class="email" name="email" placeholder="Enter Your Email"

<input type="password" class="password" name="password" placeholder="Enter Your
```

```
<p><a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-align: right;">Forgot Password?</a></p>
```

```
<button name="submit" name="submit" class="btn" type="submit">Login</button>
```

```
</form>
```

```
<div class="social-icons">
```

```
<p>Create Account! <a href="register.php">Register</a>.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- //form -->
```

```
</div>
```

```
</section>
```

```
<!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function (c) {
```

```
$('.alert-close').on('click', function (c) {
```

```
$('.main-mockup').fadeOut('slow', function (c) {
```

```
$('.main-mockup').remove();
```

```
});
```

```
});
```

```
});
```

```
</script>
```

</body>

</html>

logout.php

<?php

session_start(); session_unset(); session_destroy();

header("Location: index.php");.php

Register.php

<?php

//Import PHPMailer classes into the global namespace

//These must be at the top of your script, not inside a function use PHPMailer\PHPMailer\PHPMailer;

use PHPMailer\PHPMailer\SMTP;

use PHPMailer\PHPMailer\Exception;

session_start();

if (isset(\$_SESSION['SESSION_EMAIL'])) {

header("Location: welcome.php"); die();

}

//Load Composer's autoloader require 'vendor/autoload.php';

include 'config.php';

```
$msg = "";
```

```
if (isset($_POST['submit'])) {
```

```
0) {
```

```
$name = mysqli_real_escape_string($conn, $_POST['name']);
```

```
$email = mysqli_real_escape_string($conn, $_POST['email']);
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
```

```
$code = mysqli_real_escape_string($conn, md5(rand()));
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT
```

```
* FROM users1 WHERE email='{$_email}')) >
```

```
$msg = "<div class='alert alert-danger'>{$email} - This email address has been already
```

```
exists.</div>";
```

```
} else {
```

```
if ($password === $confirm_password) {
```

```
$sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{$name}', '{$email}', '{$password}',  
'{$code}')";
```

```
$result = mysqli_query($conn, $sql);
```



```
if ($result) {  
    echo "<div style='display: none;'>";  
    //Create an instance; passing `true` enables exceptions  
    $mail = new PHPMailer(true);
```

output

encryption

```
try {  
    //Server settings  
    $mail->SMTPDebug = SMTP::DEBUG_SERVER;
```

```
//Enable verbose debug
```

```
$mail->isSMTP();  
//Send using SMTP  
$mail->Host = 'smtp.gmail.com';  
//Set the SMTP server to send through  
$mail->SMTPAuth = true;  
//Enable SMTP authentication
```

```
$mail->Username = 'damagedetectionanalysis@gmail.com';
```

```
//SMTP username
```

```
$mail->Password = 'sgmdgfpxacgtinlv';
```

```
//SMTP password
```

```
$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
```

```
//Enable implicit TLS
```

```
$mail->Port = 465; //TCP port to connect to; use 587 if you have set
```

```
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
```

```
//Recipients
```

```
$mail->setFrom('damagedetectionanalysis@gmail.com');
```

```
$mail->addAddress($email);
```

```
//Content
```

```
$mail->isHTML(true); //Set email format to HTML
```

```
$mail->Subject = 'DAMAGE DETECTION';
```

```
$mail->Body = 'Here is the verification link <b><a  
href="http://localhost/login1/?verification='.$code.'"> Link  
</a></b>';
```

```
$mail->send();
```

```
echo 'Message has been sent';
```

```
} catch (Exception $e) {
```

```
echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
}
echo "</div>";
$msg = "<div class='alert alert-info'>We've send a verification link on your email address.</div>";
} else {
$msg = "<div class='alert alert-danger'>Something wrong went.</div>";
}
} else {
$msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
}
}
}
?>
```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
<title>Login Form - Damage Detection</title>
```

```
<!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" />
```

```
<meta name="keywords" content="Login Form" />
```

```
<!--
```

```
//Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />

<!--//Style- CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

</div>

<div class="alert-close">

</div>

<div class="w3l_form align-self">

<div class="left_grid_info">

```

```

```
</div>
```

```
<div class="content-wthree">
```

```
<h2>Register Now</h2>
```

```
<?php echo $msg; ?>
```

```
<form action="" method="post">
```

```
<input type="text" class="name" name="name" placeholder="Enter Your Name"
```

```
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
```

```
<input type="email" class="email" name="email" placeholder="Enter Your Email" value="<?php if  
(isset($_POST['submit'])) { echo $email; } ?>" required>
```

```
<input type="password" class="password" name="password" placeholder="Enter Your Password"  
required>
```

```
<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your  
Confirm Password" required>
```

```
<button name="submit" class="btn" type="submit">Register</button>
```

```
</form>
```

```
<div class="social-icons">
```

```
<p>Have an account! <a href="index.php">Login</a>.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- //form -->
```

```
</div>
```

```
</section>
```

```
<!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
```

```
<script>
$(document).ready(function (c) {
$('.alert-close').on('click', function (c) {
$('.main-mockup').fadeOut('slow', function (c) {
$('.main-mockup').remove();
});
});
});
</script>
```

```
</body>
```

```
</html>
```

Welcome.php

```
<?php
session_start();
if (!isset($_SESSION['SESSION_EMAIL'])) {
header("Location: index.php"); die();
}
```

```
include 'config.php';
```

```
$query = mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$_SESSION['SESSION_EMAIL']}'");
```

```
if (mysqli_num_rows($query) > 0) {  
    $row = mysqli_fetch_assoc($query);  
  
    echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";  
}  
?>  
Forgot password.php  
<?php
```

```
session_start();  
if (isset($_SESSION['SESSION_EMAIL'])) {  
    header("Location: welcome.php"); die();  
}
```

```
//Import PHPMailer classes into the global namespace  
//These must be at the top of your script, not inside a function
```

```
use PHPMailer\PHPMailer\PHPMailer; use PHPMailer\PHPMailer\SMTP; use  
PHPMailer\PHPMailer\Exception;
```

```
//Load Composer's autoloader require 'vendor/autoload.php';
```

```
include 'config.php';  
$msg = "";
```

```

if (isset($_POST['submit'])) {
$email = mysqli_real_escape_string($conn, $_POST['email']);
$code = mysqli_real_escape_string($conn, md5(rand()));

if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email}'"))
>
0) {
$query = mysqli_query($conn, "UPDATE users1 SET code='{ $code}' WHERE email='{ $email}'");

if ($query) {
echo "<div style='display: none;'>";
//Create an instance; passing `true` enables exceptions
$mail = new PHPMailer(true);

```

output

```

try {
//Server settings
$mail->SMTPDebug = SMTP::DEBUG_SERVER;

//Enable verbose debug

```



```
$mail->isSMTP();      //Send
```

```
using SMTP
```

```
$mail->Host    = 'smtp.gmail.com';
```

```
//Set the SMTP server to send through
```

```
$mail->SMTPAuth = true;      //Enable SMTP authentication
```

```
$mail->Username = 'damagedetectionanalysis@gmail.com';    //SMTP username
```

```
$mail->Password = 'sgmdgfpxacgtinlv'; //SMTP password
```

```
$mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption
```

```
$mail->Port      = 465; //TCP port to connect to; use 587 if you have set
```

```
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
```

```
//Recipients
```

```
$mail->setFrom('damagedetectionanalysis@gmail.com');      $mail-
```

```
>addAddress($email);
```

```
//Content
```

```
$mail->isHTML(true); //Set email format to HTML
```

```
$mail->Subject = 'DAMAGE DETECTION';
```

```
$mail->Body      = 'Here is the verification link <b><a  
href="http://localhost/login1/changepassword.php?reset='.$code.'">Reset-Password</a></b> ';
```

```
$mail->send();
```

```
echo 'Message has been sent';
```

```
} catch (Exception $e) {  
    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";  
  
}  
echo "</div>";  
$msg = "<div class='alert alert-info'>We've send a verification link on your email address.</div>";  
}  
} else {  
    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";  
  
}  
}  
  
?>
```

```
<!DOCTYPE html>  
<html lang="zxx">
```

```
<head>  
<title>Login Form - Damage Detection</title>  
<!-- Meta tag Keywords -->  
<meta name="viewport" content="width=device-width, initial-scale=1">  
<meta charset="UTF-8" />  
<meta name="keywords" content="Login Form"  
>
```

```
<!-- //Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```
<!--/Style-CSS -->
```

```
<link rel="stylesheet" href="css/style.css" type="text/css" media="all" />      <!--/Style- CSS -->
```

```
<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- form section start -->
```

```
<section class="w3l-mockup-form">
```

```
<div class="container">
```

```
<!-- /form -->
```

```
<div class="workinghny-form-grid">
```

```
<div class="main-mockup">
```

```
<div class="alert-close">
```

```
<span class="fa fa-close"></span>
```

```
</div>
```

```
<div class="w3l_form align-self">
```

```
<div class="left_grid_info">

</div>
</div>
<div class="content-wthree">
<h2>Forgot Password</h2>
<?php echo $msg; ?>
<form action="" method="post">
<input type="email" class="email" name="email" placeholder="Enter Your Email" required>    <button
name="submit" class="btn"
type="submit">Send Reset Link</button>
</form>
<div class="social-icons">
<p>Back to! <a href="index.php">Login</a>.</p>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>
```

```
$(document).ready(function (c) {  
    $(' .alert-close').on('click', function (c) {  
        $(' .main-mockup').fadeOut('slow', function (c) {  
            $(' .main-mockup').remove();  
        });  
    });  
});  
});  
</script>
```

```
</body>
```

```
</html>
```

Change Password

```
<?php
```

```
$msg = "";
```

```
include 'config.php';
```

```
if (isset($_GET['reset'])) {
```

```
if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE code='{$_GET['reset']}'")) >  
0) { if (isset($_POST['submit'])) {
```

```
$password = mysqli_real_escape_string($conn, md5($_POST['password']));
```

```
$confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
```

```
if ($password === $confirm_password) {
```

```
$query = mysqli_query($conn, "UPDATE users1 SET password='{ $password}', code=" WHERE  
code='{ $_GET['reset']}'");
```

```
if ($query) {
```

```
header("Location: index.php");
```

```
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
```

```
}
```

```
}
```

```
} else {
```

```
$msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
```

```
}
```

```
} else {
```

```
header("Location: forgot-password.php");
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
<title>DAMAGE DETECTION</title>
```

```
<!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" />
```

```
<meta name="keywords" content="Login Form" />
```

<!--

//Meta tag Keywords -->

<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap" rel="stylesheet">

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style- CSS -->

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

<div class="container">

<!-- /form -->

<div class="workinghny-form-grid">

<div class="main-mockup">

<div class="alert-close">

</div>

<div class="w3l_form align-self">

<div class="left_grid_info">

</div>

</div>

```
<div class="content-wthree">
```

```
<h2>Change Password</h2>
```

```
<?php echo $msg; ?>
```

```
<form action="" method="post">
```

```
<input type="password" class="password" name="password" placeholder="Enter Your Password"
required>
```

```
<input type="password" class="confirm-password" name="confirm-password" placeholder="Enter Your
Confirm Password" required>
```

```
<button name="submit" class="btn" type="submit">Change Password</button>
```

```
</form>
```

```
<div class="social-icons">
```

```
<p>Back to! <a href="index.php">Login</a>.</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- //form -->
```

```
</div>
```

```
</section>
```

```
<!-- //form section start -->
```

```
<script src="js/jquery.min.js"></script>
```

```
<script>
```

```
$(document).ready(function (c) {
```

```
$('.alert-close').on('click', function (c) {
```

```
$('.main-mockup').fadeOut('slow', function (c) {
```

```
$('.main-mockup').remove();
```



```
});  
});  
});  
</script>
```

```
</body>
```

```
</html>
```

Style.css

```
html {  
  scroll-behavior: smooth;  
}
```

```
body, html { margin: 0;  
padding: 0;  
font-family: 'Poppins', sans-serif;  
}
```

```
* {  
  box-sizing: border-box;  
}
```

```
.d-grid { display: grid;  
}
```

```
.d-flex { display:
```

```
flex;    display: -webkit-flex;
}
```

```
.text-center {  text-align: center;
}
```

```
.text-left {    text-align: left;
}
```

```
.text-right {   text-align: right;
}
```

```
button, input, select {  -webkit-appearance: none;    outline: none; font-family: 'Poppins', sans-serif;
}
```

```
button, .btn, select {
cursor: pointer;
}
```

```
a {
text-decoration: none;
}
```

```
img {
max-width: 100%;
}
```

```
ul { margin: 0;
padding: 0
```

```
}
```

```
h1, h2,
```

```
h3, h4,
```

```
h5, h6, p { margin: 0;
```

```
padding: 0 }
```

```
p { color: #666; font-size: 16px; line-height: 25px; opacity: .6;
```

```
}
```

```
.p-relative { position:
```

```
relative;
```

```
}
```

```
.p-absolute { position:
```

```
absolute;
```

```
}
```

```
.p-fixed { position: fixed;
```

```
}
```

```
.p-sticky { position:
```

```
sticky;
```

```
}
```

```
.btn, button, .actionbg, input { border-radius: 4px; -webkit-border-radius: 4px;
```

```
-moz-border-radius: 4px;
```

```
-o-border-radius: 4px;
```

```
-ms-border-radius: 4px;
```

```
}
```

```
.btn:hover, button:hover { transition: 0.5s ease; -webkit-transition: 0.5s ease;
```

```
-o-transition: 0.5s ease;
```

```
-ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
```

```
}
```

```
/*-- wrapper start --*/
```

```
.wrapper { width: 100%;
```

```
padding-right: 15px;
```

```
padding-left: 15px; margin-right: auto; margin-left: auto;
```

```
}
```

```
@media (min-width: 576px) {
```

```
.wrapper {
```

```
max-width: 540px;
```

```
}
```

```
}
```

```
@media (min-width: 768px) {
```

```
.wrapper {
```

```
max-width: 720px;
```

```
}
```

```
}
```

```
@media (min-width: 992px) {
```

```
.wrapper {  
max-width: 960px;  
}  
}
```

```
@media (min-width: 1200px) {  
.wrapper {  
max-width: 1140px;  
}  
}
```

```
.wrapper-full { width: 100%; padding-right:  
15px; padding-left:  
15px; margin-right:  
auto; margin-left:  
auto;  
}
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-form  
{  
position: relative; min-height: 100vh; z-index: 0;  
background: rgba(99, 194, 110,  
  
0.1); padding:  
40px 40px;  
}
```

```
.container {  
max-width: 890px; margin: 0 auto;  
}
```

```
.w3l_form { padding: 0px; flex-basis: 50%;  
-webkit-flex-basis: 50%;  
background:#007ac1; padding:  
100px 50px; border-top-left-radius: 8px; border-bottom-left-radius: 8px;  
display: flex; justify-content: center;  
align-items:  
center;  
}
```

```
.content-wthree { flex-basis: 60%;  
-webkit-flex-  
basis: 60%; box-sizing:  
border-box; padding:  
3em 3.5em; background:  
#fff;  
box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1); border-top-right-radius: 8px;  
border-bottom-right-radius: 8px;  
}
```

```
.w3l-workinghny-form .logo { text-align: center;  
}
```

```
.w3l-mockup-form .main-mockup { position: relative; display: -webkit-box; display: -moz-box;  
display: -ms-flexbox; display: -webkit-flex; display: flex; margin: 40px 0;  
}
```

```
.w3l-mockup-form .alert-close { cursor: pointer; height: 35px;
```

```
width: 35px; line-height: 35px; position: absolute; right: -5px;  
top: -5px; background: #005fc1;
```

```
border-radius: 50px; color: #fff;
```

```
text-align: center;
```

```
}
```

```
.w3l-mockup-form form { margin-top: 30px;
```

```
margin-bottom: 30px;
```

```
}
```

```
.social-icons { text-align: center;
```

```
}
```

```
.w3l-mockup-form h1
```

```
{ text-align: center; font-size: 40px;
```

```
font-weight: 500; color:
```

```
#3b3663;
```

```
}
```

```
.w3l-mockup-form h2 { display: inline-block; font-size: 25px;
```

```
line-height: 35px; margin-bottom: 5px;
```

```
font-weight: 600; color: #3b3663;
```

```
}
```

```
.w3l-mockup-form input { outline: none;          margin- bottom: 15px; font-size: 16px; color: #999;
                        text- align: left; padding: 14px 20px; width: 100%; display: inline-block;          box-
sizing: border-box;
border: none;          outline: none; background: transparent;          border: 1px solid #e5e5e5;
transition:
0.3s all ease;
}
```

```
.w3l-mockup-form input:focus { border- color: #005fc1;
}
```

```
.w3l-mockup-form button { font-size: 18px;          color: #fff; width: 100%; background:#0056c1;
border: none; padding: 14px 15px;
font-weight:
500; transition: .3s ease;
-webkit-transition: .3s ease;
-moz-transition: .3s ease;
-ms-transition: .3s ease;
-o-transition: .3s ease;
}
```

```
.w3l-mockup-form button:hover { background: #005fc1;
}
```

```
.w3l-mockup-form .social-icons ul li
{ list-style: none; display: inline-block;
}
```

```
.w3l-mockup-form .social-icons ul li a { padding: 8px;
}
```



```
.w3l-mockup-form .social-icons ul li a:hover
```

```
{ opacity: 0.8; transition: 0.5s ease;
```

```
-webkit-transition: 0.5s ease;
```

```
-o-transition: 0.5s ease;
```

```
-ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
```

```
}
```

```
.w3l-mockup-form .social-icons ul span.fa
```

```
{ color: #696687; font-size: 18px; opacity: .8;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.facebook span { color: #3b5998;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.twitter span { color: #007ac1;
```

```
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span { color: #e60023;
```

```
}
```

```
.copyright p { text-align: center; font-size: 17px; line-height:  
26px; color: #607863; opacity:
```

```
1;
```

```
}
```

```
p.copy-footer-29 a
```

```
{ color: #517856;
```

```
}
```

```
p.copy-footer-29 a:hover { color: #005fc1;      transition: 0.5s ease;
```

```
-webkit-transition: 0.5s ease;
```

```
-o-transition: 0.5s ease;
```

```
-ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease;
```

```
}
```

```
.alert { padding: 1rem;
```

```
border- radius: 5px;    color: white;    margin:
```

```
1rem 0;
```

```
}
```

```
.alert-success {
```

```
background- color: #007ac1;
```

```
}
```

```
.alert-danger {
```

```
background- color: #fc5555;
```

```
}
```

```
.alert-info {
```

```
background-color: #2E9AFE;
```

```
}
```

```
.alert-warning {
```

```
background-color: #ff9966;
```

```
}
```

```
/*-- responsive design --*/ @media (max-width:736px) {
```

```
.w3l-mockup-form .main-mockup {
```

```
flex-direction: column;
```

```
}
```

```
.w3l_form { order: 2; padding: 50px; border-radius: 0; border-bottom-left-radius: 8px;
```

```
border-bottom-right-radius: 8px;
```

```
}
```

```
.content-wthree { order: 1; border-radius: 0;
```

```
border-top-left-radius: 8px; border-top-right-radius: 8px;
```

```
}
```

```
}
```

```
@media (max-width:568px) {
```

```
.w3l-mockup-form h1 { font-size: 30px;
```

```
}
```

```
.w3l-mockup-form .main-mockup { margin: 30px 0;
```

```
}
```

```
.content-wthree { padding: 2.5em;
```

```
}}
```

```
@media (max-width: 415px) {
```

```
.w3l-mockup- form { padding: 40px 30px;  
}
```

```
}
```

```
@media (max-width:384px) {  
.w3l-mockup- form { padding: 30px 15px;  
}
```

```
.content-wthree { padding: 2em;  
}
```

```
.w3l-mockup-form h1 { font-size: 28px;  
}
```

```
.w3l-mockup-form h2 { font-size: 22px;  
line-height: 32px;  
}
```

```
.copyright p { font-size: 16px;  
}  
}
```

```
/*-- //responsive design --*/
```

```
/*-- //form styling --*/
```

login.sql

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO"; START TRANSACTION;
```

```
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */;
```

```
--
```

```
-- Database: `login1`
```

```
--
```

```
--
```

```
-- Table structure for table `users1`
```

```
--
```

```
CREATE TABLE `users1` (  
  `id` int(11) NOT NULL,  
  `name` varchar(255) NOT NULL,  
  `email` varchar(255) NOT NULL,  
  `password` varchar(255) NOT NULL,  
  `code` text NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
--
```

```
-- Indexes for dumped tables
```

```
--
```

```
--
```

```
-- Indexes for table `users1`
```

```
--
```

```
ALTER TABLE `users1` ADD PRIMARY KEY (`id`);
```

```
--
```

```
-- AUTO_INCREMENT for dumped tables
```

```
--
```

```
--
```

```
-- AUTO_INCREMENT for table `users1`
```

```
--
```

```
ALTER TABLE `users1`
```

```
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT; COMMIT;
```

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
```

```
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
```

```
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```