SOURCE CODE

app.py:

```
from flask import *#importing flask (Install it using python -m pip install flask)

import os

import ibm_db


#import send_from_directory

app = Flask(_name_) #initialising flask

app.secret_key = ''

PEOPLE_FOLDER = os.path.join('static', 'people_photo')


import ibm_db

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=54a2f15b-5c0f-46df-8954-
7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;SECURITY=SSL;SSLServerCertificate=DigiCe
rtGlobalRootCA.crt;PROTOCOL=TCPIP;UID=phb43134;PWD=mTTnIE45Raj9A0rr","","")

@app.route("/") #defining the routes for the home() funtion (Multiple routes can be used as seen here)

@app.route("/home")


def home():

    return render_template("home.html") #rendering our home.html contained within /templates


@app.route("/login")

def login():

    if request.method == 'POST':

        email = request.form['email']

        password = request.form['password']

        if not email or not password:

            return render_template('login.html',error='Please fill all fields')

        query = "SELECT * FROM USER WHERE email=?"

        stmt = ibm_db.prepare(conn, query)
```

```python
        ibm_db.bind_param(stmt,1,email)

        ibm_db.execute(stmt)

        isUser = ibm_db.fetch_assoc(stmt)

        print(isUser,password)


        if not isUser:

            return render_template('login.html',error='Invalid Credentials')

        isPasswordMatch = bcrypt.checkpw(password.encode('utf-8'),isUser['PASSWORD'].encode('utf-8'))


        if not isPasswordMatch:

            return render_template('login.html',error='Invalid Credentials')


        session['email'] = isUser['EMAIL']

        return redirect(url_for('user_dashboard'))
```

```python
    return render_template('login.html',name='Home')




app.config["UPLOAD_DIR"] = "uploads"

@app.route("/register",methods=['GET','POST'])

def register():

  if request.method == 'POST':

    email = request.form['email']

    password = request.form['password']

    firstname=request.form['firstname']

    middlename=request.form['middlename']

    lastname=request.form['lastname']

    dob=request.form['dob']

    age=request.form['age']

    drno=request.form['drno']

    landmark1=request.form['lnmk1']

    landmark2=request.form['lnmk2']

    village =request.form['village']

    district=request.form['district']

    pincode=request.form['pincode']

    country=request.form['country']

    country_code=request.form['countryCode']

    phone=request.form['phone']

    schlname10=request.form['schlname10']

    maxmark10=request.form['maxmark10']

    actmark10=request.form['actmark10']

    schlname212=request.form['schlname212']

    maxmark212=request.form['maxmark212']

    actmark212=request.form['actmark212']
```

```python
clgname=request.form['clgname']

clgmaxmark=request.form['clgmaxmark']

clgactmark=request.form['clgactmark']

stream=request.form['stream']

graduation=request.form['graduation']

grayear=request.form['grayear']

branch=request.form['branch']

skills=request.form['form[]']

q1=request.form['Q1']

q2=request.form['Q2']

q3=request.form['Q3']

q4=request.form['Q4']

q5=request.form['Q5']

position=request.form['position']

experience=request.form['expyears']

designation=request.form['designation']

tum = request.files['resume']

tum.save(os.path.join(app.config['UPLOAD_DIR'],tum.filename))




hash=bcrypt.hashpw(password.encode('utf-8'),bcrypt.gensalt())



query = "SELECT EMAIL FROM JOBSEEKER WHERE EMAIL=?"

stmt = ibm_db.prepare(conn, query)

ibm_db.bind_param(stmt,1,email)

ibm_db.execute(stmt)

isUser = ibm_db.fetch_assoc(stmt)

if not isUser:

insert_sql = "INSERT INTO JOBSEEKER (EMAIL, PASSWORD, FIRSTNAME, MIDDLENAME, LASTNAME, DOB, AGE,
DOOR_NO, LANDMARK1, LANDMARK2,VILLAGE, DISTRICT, PINCODE, COUNTRY, COUNTRY_CODE, PHONE,
SCHOOL_NAME, SC_MAX_MARK, SC_ACT_MARK,HSC_SCHOOL_NAME,HSC_MAX_MARK,
HSC_ACT_MARK,COLLEGE_NAME,COLLEGE_MAX,COLLEGE_ACT, STREAM, GRADUATION, GRADUATION_YEAR,
BRANCH, SKILLS, PRESENTATION, HACKATHON, CODING, WON, PRIZE_WON, POSITION,EXPYEARS,DESIGNATION,
RESUME) VALUES (?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?,?)"
prep_stmt = ibm_db.prepare(conn, insert_sql) ibm_db.bind_param(prep_stmt, 1, email)

ibm_db.bind_param(prep_stmt, 2, password)

ibm_db.bind_param(prep_stmt, 3, firstname)
```

```
ibm_db.bind_param(prep_stmt, 4, middlename)

ibm_db.bind_param(prep_stmt, 5, lastname)

ibm_db.bind_param(prep_stmt, 6, dob)

ibm_db.bind_param(prep_stmt, 7, age)

ibm_db.bind_param(prep_stmt, 8, drno)

ibm_db.bind_param(prep_stmt, 9, landmark1)

ibm_db.bind_param(prep_stmt, 10, landmark2)

ibm_db.bind_param(prep_stmt, 11, village)

ibm_db.bind_param(prep_stmt, 12, district)

ibm_db.bind_param(prep_stmt, 13, pincode)

ibm_db.bind_param(prep_stmt, 14, country)

ibm_db.bind_param(prep_stmt, 15, country_code)

ibm_db.bind_param(prep_stmt, 16, phone)

ibm_db.bind_param(prep_stmt, 17, schlname10)

ibm_db.bind_param(prep_stmt, 18, maxmark10)

ibm_db.bind_param(prep_stmt, 19, actmark10)

ibm_db.bind_param(prep_stmt, 20, schlname212)

ibm_db.bind_param(prep_stmt, 21, maxmark212)

ibm_db.bind_param(prep_stmt, 22, actmark212)

ibm_db.bind_param(prep_stmt, 23, clgname)

ibm_db.bind_param(prep_stmt, 24, clgmaxmark)

ibm_db.bind_param(prep_stmt, 25, clgactmark)

ibm_db.bind_param(prep_stmt, 26, stream)

ibm_db.bind_param(prep_stmt, 27, graduation)

ibm_db.bind_param(prep_stmt, 28, grayear)

ibm_db.bind_param(prep_stmt, 29, branch)

ibm_db.bind_param(prep_stmt, 30, skills)

ibm_db.bind_param(prep_stmt, 31, q1)

    ibm_db.bind_param(prep_stmt, 32, q2)

    ibm_db.bind_param(prep_stmt, 33, q3)

    ibm_db.bind_param(prep_stmt, 34, q4)

    ibm_db.bind_param(prep_stmt, 35, q5)

    ibm_db.bind_param(prep_stmt, 36, position)

    ibm_db.bind_param(prep_stmt, 37, experience)
```

```python
        ibm_db.bind_param(prep_stmt, 38, designation)

        ibm_db.bind_param(prep_stmt, 39, tum)

        ibm_db.execute(prep_stmt)

        return render_template('register.html')

      else:

        return render_template('register.html',error='Invalid Credentials')



  return render_template('register.html',name='Home')




@app.route("/orgregister")

def orgregister():

    return render_template("orgregister.html") #rendering our register.html contained within /templates




@app.route("/user_dashboard")

def user_dashboard():


    return render_template("user_dashboard.html")


@app.route('/logout')

def logout():

    session.pop('email', None)

    return redirect(url_for('login'))
```

```python
@app.route('/browse')

def addMarker():

  if 'loggedin' in session:

    query = "SELECT * FROM jobpost;"

    stmt = ibm_db.prepare(conn, query)

    ibm_db.execute(stmt)

    a=[]

    isUser = ibm_db.fetch_assoc(stmt)

    while(isUser!=False):

    a.append(isUser)

      isUser = ibm_db.fetch_assoc(stmt)

  else:

    return redirect(url_for('login'))

  return render_template("browse.html",result=a)




@app.route('/companies')

def companies():

  if 'loggedin' in session:

    query = "SELECT * FROM RECRUITER"

    stmt = ibm_db.prepare(conn, query)

    ibm_db.execute(stmt)

    a=[]

    isUser = ibm_db.fetch_assoc(stmt)

    while(isUser!=False):

    a.append(isUser)

      isUser = ibm_db.fetch_assoc(stmt)

  else:

    return redirect(url_for('login'))

  return render_template("companies.html",result=a)

@app.route("/jobpost",methods=['GET','POST'])

def jobpost():

  if 'loggedin' in session:

      if request.method == 'POST':
```

```python
        recruiterid=request.form['recruiter_id']

        jobtitle = request.form['jobtitle']

        jobtype = request.form['jobtype']

        jobexp=request.form['jobexperience']

        keyskill=request.form['keyskills']

        location=request.form['location']

        salary=request.form['salary']

        discription=request.form['discription']


        insert_sql = "INSERT INTO JOBPOST (RECRUITER_ID,JOBTITLE, JOBTYPE, EXPERIENCE, KEYSKILL,
LOCATION, SALARY, DISCRIPTION) VALUES (?,?,?,?,?,?,?,?)"


        prep_stmt = ibm_db.prepare(conn, insert_sql)

        ibm_db.bind_param(prep_stmt, 1, recruiterid)

        ibm_db.bind_param(prep_stmt, 2, jobtitle)

        ibm_db.bind_param(prep_stmt, 3, jobtype)

        ibm_db.bind_param(prep_stmt, 4, jobexp)

        ibm_db.bind_param(prep_stmt, 5, keyskill)

        ibm_db.bind_param(prep_stmt, 6, location)

        ibm_db.bind_param(prep_stmt, 7, salary)

        ibm_db.bind_param(prep_stmt, 8, discription)

        ibm_db.execute(prep_stmt)
    else:
        return redirect(url_for('login'))
    return render_template("jobpost.html")
```

```python
@app.route("/browse/searchjob",methods=['GET','POST'])

def searchjob():

    if request.method=='POST':

        searchopt=request.form['searchopt']

        srctitle=request.form['srctitle']

        query = "SELECT * FROM JOBPOST WHERE "+searchopt+"="+chr(39)+srctitle+chr(39)

        stmt = ibm_db.prepare(conn, query)

        ibm_db.execute(stmt)

        a=[]

        isUser = ibm_db.fetch_assoc(stmt)

        while(isUser!=False):

            a.append(isUser)

            isUser = ibm_db.fetch_assoc(stmt)

    return render_template('browse.html',result=a)

if __name__== "__main__": #checking if __name__'s value is '__main__'. __name__ is an python environment variable who's
value will always be '_main_' till this is the first instatnce of app.py running

    app.run(debug=True,port=8080) #running flask (Initalised on line 4)
```

login.html:

```html
<!DOCTYPE html>

<html>

<head>

 <meta charset="utf-8">

 <meta name="viewport" content="width=device-width, initial-scale=1">

   <link rel="stylesheet" href="../static/style/login.css">

 <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-
9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">

 <link rel="shortcut icon" href="../static/images/j.png" type="image/x-icon">

   <title>Jobby - Login</title>

 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js"></script>

 <script src="https://www.google.com/jsapi"></script>

 <title></title>

</head>

<body>
```

```html
<div class="row log2r1">
  <div class=" col-md-6 log2set1">
    <div id="semicir"></div>
    <div id="semicir2"></div>
    <img src="{{url_for('static',filename = 'images/loinpg.png')}}">
  </div>


  <div class="col-md-6 locol1">
    <form>
      <select id="login-select" required style="padding-bottom: 20px; text-decoration: underline;">
        <option value="none" selected="selected">
          Login As Choose
        </option>
        <option value="Job Seeker" id="jobseeker" >
          Job Seeker
        </option>
        <option value="Organization">
          Organization
        </option>
      </select><br>


      <label>Username</label><br>
      <input type="email" name="email" id="email" required><br><br>


      <label>Password</label><br>
      <input type="password" name="password" id="password" required><br><br>

      <input type="submit" name="submit" value="submit" id="login-btn">
    </form>
    <br>


    <p>Forget Password?<i><a href="#" style="text-decoration: none;"> Click Here</a></i></p><hr>
    <br>
    <h5>Don't have account already?  <a class="trigger_popup_fricc" style="text-decoration: none;"><i>Sign
```

Up</i> </h5>

  <div class="hover_bkgr_fricc">

  <div>

   <div class="popupCloseButton">×</div>

   <p>Register As</p>

   <div class="row signsec1">

      <div class="col-md-4 card">

         <img src="{{url_for('static',filename = 'images/seeker.svg')}}">

         <button class="button" id="buttonpop">Job Seeker</button>

      </div>

      <div class="col-md-4 card">

         <img src="{{url_for('static',filename = 'images/organi.svg')}}">

         <button class="button" id="buttonpop">Organization</button>

      </div>

   </div>

  </div>

  </div>

  </div>

</body>

</html>

<script>

 $(window).load(function () {

   $('.trigger_popup_fricc').click(function(){

```
    $('.hover_bkgr_fricc').show();

  });

  $('.hover_bkgr_fricc').click(function(){

    $('.hover_bkgr_fricc').hide();

  });

  $('.popupCloseButton').click(function(){

    $('.hover_bkgr_fricc').hide();

  });

});
```

</script>

home.html

{% extends "template.html" %} {% block body %}

```html
<head>

  <link rel="stylesheet" type="text/css" href="https://fonts.googleapis.com/css?family=Rancho&effect=shadow-multiple">

  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">

  <link rel="stylesheet" href="../static/style/home.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

  <script src="{{url_for('static',filename = 'js/country.js')}}"></script>


</head>

<!-- <h2>Home Page</h2>

<p>This is the home page!</p>




<form action="/account" method="POST">

  <input type="text" name="name" id="name" placeholder="Your Name" class="form-feild"><br>

  <button type="submit" class="add-btn">See Account Page</button>

</form>

<br> -->

<!--

<p>Note how this page can be accesed on both '/' and '/home'. Look into app.py for more information</p> -->

<br><br><br><br><br><br><br>
```

```
<div class="row">

  <div class="col-md-6 sec1div1" id="sec1">

    <div class="sec1i">

       <div >

      <p class="lineUp" style="margin-top: -100px;">Easiest way to find job</p>

      <h1 class="lineUp" style="font-size: 50px; margin-top:10px;">Find a Job.................<br>Get your Dream
True.</h1><br><br><br><br><Br><BR><BR>

      </div>

      <div>

        <input type="text" class="icon-rtl" name="searchjob" placeholder="Search the job">

        <input id="myInput" type="text" name="country" placeholder="Country">

        <button class="button" id="button">Search Now</button>

      </div>

    </div>

  </div>
```

```html
        <div class="col-md-6 sec1div2">

            <Br><br><br>

            <img id="head-img1"  src="{{url_for('static',filename = 'images/home.png')}}" >

        </div>

</div>

<br><br><br>




<!-- <center>

    <h3>Search by</h3>

</center>

<div class="row">

    <div class="col-md-2">

    </div>

</div> -->




<div class="row r3">

    <div class="col-md-6 img1">

        <img id="head-img2" src="{{url_for('static',filename = 'images/business.jpg')}}" >

    </div>

    <div class="col-md-6 r3col2">

    </div>

</div>

<div class="row subr3" bgcolor="white">

        <div class="col-md-2 imgcol2">

        </div>

        <div class="col-md-2 imgcol2">

        </div>

        <div class="col-md-2 imgcol2">

        </div>

    </div>
```

```
                              <!                     SECTION 2                                      >

<div class="bacr2">

<center>

   <h5 class="tp">Browse by Top Categories</h5><hr width="100px">

</center>


<div class="row r2">

   <div class="col-md-2 r2col1" id="r2col1">

     <center>

     <div class="r2col1i">

        <i class="fa fa-server" aria-hidden="true"></i>

       <h6>Design</h6>

     </div>

     <center>

   </div>

   <div class="col-md-2 r2col1" id="r2col1">

     <center>

     <div class="r2col1i">

        <i class="fa fa-compass" aria-hidden="true"></i>

       <h6>Architect</h6>

     </div>

     <center>

   </div>

   <div class="col-md-2 r2col1" id="r2col1">

     <center>

     <div class="r2col1i">

        <i class="fa fa-graduation-cap" aria-hidden="true"></i>

       <h6>Education</h6>

     </div>
```

```html
      <center>
    </div>
    <div class="col-md-2 r2col1" id="r2col1">
      <center>
      <div class="r2col1i">
         <i class="fa fa-stethoscope" aria-hidden="true"></i>
        <h6>Health</h6>
      </div>
      <center>
    </div>
    <div class="col-md-2 r2col1" id="r2col1">
      <center>
      <div class="r2col1i">
         <i class="fa fa-rss" aria-hidden="true"></i>
        <h6>Networking</h6>
      </div>
      <center>
    </div>
    <div class="col-md-2 r2col1" id="r2col1" >
      <center>
      <div class="r2col1i">
         <i class="fa fa-cogs" aria-hidden="true"></i>
        <h6>Development</h6>
      </div>
      <center>
    </div>
</div><br><br><br>


<center>
    <button class="button" id="button">Find More</button>
</center>
<br>
</div><br><br><br><br>
<!                                                                                    >
<center>
    <h4>Recent Jobs</h4><br><br>
```

```
    </center>

<div class="recjobs">

  <div class="setcard">

     <div class="jobcard">

        <div class="set-1">

          <img id="head-img" src="{{url_for('static',filename = 'images/Amazon.png')}}" style="display: inline-block; height: 50px; width:
50px;" >

           <p>Amazon</p>

        </div><br>

        <p>London, UK</p><hr>

        <h5>UI/UX Designer</h5>

        <h6>$30k - $50k</h6>

        <div class="skillneed">

           <p>Adobe XD</p>

           <p>Figma</p>

        </div><br>

        <button>Apply</button>

      </div>

   </div>


   <div class="setcard">

     <div class="jobcard">

        <div class="set-1">

         <img id="head-img" src="{{url_for('static',filename = 'images/what.png')}}" style="display: inline-block; height: 50px; width: 50px;" >

          <p>Whatsapp</p>

        </div><br>

        <p>Washington, America</p><hr>

        <h5>Program Analyst</h5>

        <h6>$43k - $75k</h6>

        <div class="skillneed">

           <p>C</p>

           <p>Java</p>
```

```html
        </div><br>

        <button>Apply</button>

      </div>

    </div>


    <div class="setcard">

      <div class="jobcard">

        <div class="set-1">

          <img id="head-img" src="{{url_for('static',filename = 'images/Amazon.png')}}" style="display: inline-block; height: 50px; width:
50px;" >

          <p>Amazon</p>

        </div><br>

        <p>London, UK</p><hr>

        <h5>UI/UX Designer</h5>

        <h6>$30k - $50k</h6>

        <div class="skillneed">

          <p>Adobe XD</p>

          <p>Figma</p>

        </div><br>

        <button>Apply</button>

      </div>

    </div>


    <div class="setcard">

      <div class="jobcard">

        <div class="set-1">

          <img id="head-img" src="{{url_for('static',filename = 'images/Amazon.png')}}" style="display: inline-block; height: 50px; width:
50px;" >

          <p>Amazon</p>

        </div><br>

        <p>London, UK</p><hr>

        <h5>UI/UX Designer</h5>

        <h6>$30k - $50k</h6>

        <div class="skillneed">
```

```html
      <p>Adobe XD</p>

      <p>Figma</p>

    </div><br>

    <button>Apply</button>

  </div>

</div>


</div><br><br>

<button id="explore">Explore All</button><br>

<!------------------------------------------------------------------------------------------>

<div class="r5">

  <center>

    <h3>How to Apply?</h3><br><br>

  </center>

  <div class="row r51">

    <div class="col-md-2 r5col1i" data-scrollreveal="enter bottom over 1.7s after 0.3s">

      <center>

      <i class="fa fa-search" aria-hidden="true"></i><br><br>

      <h6><strong>Search for Job</strong></h6>

      </center>

      <p>You have to search for the job that satisfies your all needs and make you to work in the comfortable zone.</p>

    </div>

    <div class="col-md-2 r5col1i">

      <center>

      <i class="fa fa-check-square-o" aria-hidden="true"></i><br><br>

      <h6><strong>Apply</strong></h6>

      <p>You have to search for the job that satisfies your all needs and make you to work in the comfortable zone.</p>

      </center>

    </div>

    <div class="col-md-2 r5col1i">

      <center>

      <i class="fa fa-handshake-o" aria-hidden="true"></i><br><br>

      <h6><strong>Get Selected</strong></h6>

      <p>You have to search for the job that satisfies your all needs and make you to work in the comfortable zone.</p>
```

```html
            </center>

        </div>

    </div>

</div><br><br>

<div class="semihow" id="semihow">


    <br>

</div><br>



                        <!                       NEXT                                            >




<div class="row r3">

    <div class="col-md-6 img1">

        <img id="head-img" src="{{url_for('static',filename = 'images/business.jpg')}}" >

    </div>

    <div class="col-md-6 r3col2">

        <h3 class="lineUp">We help recruiters to find Talents</h3>

        <p class="lineUp">We collect reviews from our users so you can get an honest opinion of what an experience with our website are really like!</p><br>

        <center><h5><i>Our Top Recuiters</i></h5></center><br><br>

    </div>

</div>

<div class="row subr3" bgcolor="white">

        <div class="col-md-2 imgcol2">

            <img id="head-img" src="{{url_for('static',filename = 'images/Amazon.png')}}" > <br>

        </div>

        <div class="col-md-2 imgcol2">

            <img id="head-img" src="{{url_for('static',filename = 'images/Bookmyshow.png')}}" > <br>

        </div>

        <div class="col-md-2 imgcol2">

            <img id="head-img" src="{{url_for('static',filename = 'images/Flipkart.png')}}" > <br>
        </div>

    </div>
```

```
<!------------------------SECTION 5-------------------------------------->

<div class="tstr1">

    <center>

        <h3>Testimonials</h3><br><br>

    </center>

    <div class="cardtst">

        <span>

        <img src="{{url_for('static',filename = 'images/business.jpg')}}" style="border-radius: 100%; height:50px; width: 50px;">

        <h6>Laura, Hexaware Technologies</h6>

        </span><br><br>

        <blockquote>Jobby uplift my life to the next level, It keeps me alert on<br>

                every job updates based upon my skillset.And also it recommends<br>

                the skillset based upon my interest area.</blockquote>

    </div>

</div>


<!------------------------------SECTION - 6-------------->

<script>

  window.watsonAssistantChatOptions = {

    integrationID: "7sbHCwFHpNewLr-CnoMTBP9devCCY-VzM4P512zRlrnM", // The ID of this integration.

    region: "au-syd", // The region your integration is hosted in.

    serviceInstanceID: "9749a25a-8e00-4446-9a8d-c5880f045194s", // The ID of your service instance.

    onLoad: function(instance) { instance.render(); }

  };

  setTimeout(function(){

    const t=document.createElement('script');

    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";

    document.head.appendChild(t);

  });
```

```
</script>
```

{% endblock %}

register.html

```
<!DOCTYPE html>

<html>

<head>

    {% block head %}

            <meta charset="utf-8">

            <link rel="stylesheet" href="../static/style/register.css">

    <link rel="stylesheet" type="text/css" href="https://fonts.googleapis.com/css?family=Rancho&effect=shadow-multiple">

    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">

    <link rel="stylesheet" type="text/css" href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

    <link rel="shortcut icon" href="../static/images/j.png" type="image/x-icon">

    <title>Jobby - Register</title>

    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>

    <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css" rel="stylesheet" />

     <script src="../static/js/register.js"></script>

    <script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>

    {% endblock %}

            <title></title>

</head>

<body>

            <img src="{{url_for('static',filename = 'images/registerpg.jpg')}}"><br><br><br>

            <center>

                    <h3>Registration on Jobby</h3><Br>

            </center>




<form name="form" onsubmit="required()" method="POST" enctype="multipart/form-data">
```

```html
<div id="Accountinfo">

  <div class="heading" >

  <div class="verbor" id="verbor"></div>

    <h4>Account Info</h4>

  </div>

  <div class="row Accountinfo">

    <div class="col-md-4 regr1col1">

                      <label>E-mail Id <a id="requi">*</a></label><br>

                      <input type="email" name="email" placeholder="Enter the mail address">

          </div>

        <div class="col-md-4 regr1col2">

                      <label>Password <a id="requi">*</a></label><br>

                      <input type="text" name="password" placeholder="Enter the mail address">

        </div>

        <div class="col-md-4 regr1col2">

                      <label>Confirm Password <a id="requi">*</a></label><br>

                      <input type="text" name="conpassword" placeholder="Enter the mail address">

        </div>

      </div><Br><Br>


  <center>

    <input type="button" id="button"onclick="persondetFun()" value="Save & Continue" readonly>

  </center>



</div>



<div id="menu">

  <ul type="none">

    <li>

      <i class="fa fa-address-card" aria-hidden="true" id="svglogo" onclick="persondetFun()">  Personal Info <i class="fa fa-check" id="check"aria-hidden="true" style="color: green;"></i></i>

    </li>
```

```html
    <li>

        <i class="fa fa-address-card" aria-hidden="true" id="svglogo" onclick="educationalFun()">  Educational Info <i class="fa fa-
check" id="check2"aria-hidden="true" style="color: green;"></i></i>

    </li>


    <li>

        <i class="fa fa-address-card" aria-hidden="true" id="svglogo" onclick="skillsFun()">  Skills and Achievements <i class="fa fa-
check" id="check3"aria-hidden="true" style="color: green;"></i></i>

    </li>


    <li>

        <i class="fa fa-address-card" aria-hidden="true" id="svglogo" onclick="declaretFun()">  Resume & Declaration</i></i>

    </li>



    </ul>

</div><br><br>

<center>

    <p id="warning"></p>

</center><br><br>

    <div id="persondet">

    <div class="heading" id="head2">

    <div class="verbor" id="verbor"></div>

    <h4>Personal Details</h4>

    </div>

    <br>

    <div class="row persondet">

        <div class="col-md-4 regr1col1">

            <label>First Name <a id="requi">*</a></label><br>

            <input type="text" name="firstname" placeholder="Enter your first name">

        </div>

        <div class="col-md-4 regr1col2">

            <label>Middle Name</label><br>

            <input type="text" name="middlename" placeholder="Enter your middle name">
```

```html
                </div>

                <div class="col-md-4 regr1col2">

                        <label>Last Name <a id="requi">*</a></label><br>

                        <input type="text" name="lastname" placeholder="Enter your last name">

                </div>

                </div><Br>



                <div class="row persondet2" id="persondet2">

                <div class="col-md-4 regr1col1">

                        <label>D.O.B <a id="requi">*</a></label><br>

                        <input type="date" name="dob" id="age" placeholder="Enter your first name">

                </div>

                <div class="col-md-4 regr1col1">

                        <label>Age <a id="requi">*</a></label><br>

                        <input type="number" name="age"  id="age" placeholder="Check your Age by Setting D.O.B">

                </div>
</div>
<Br><br><br>



   <div class="row persondet3" id="persondet3">

   <div class="col-md-4 regr3col1">

     <label>Address/Door No/Flat No <a id="requi">*</a></label><br>

     <input type="text" name="drno" placeholder="Enter your home door no">

   </div>

   <div class="col-md-4 regr3col1">

     <label>Street Name/landmark1 <a id="requi">*</a></label><br>

     <input type="text" name="lnmk1" placeholder="Fill with landmark 1">

   </div>

   <div class="col-md-4 regr3col1">

     <label>Street Name/landmark2</label><br>

     <input type="text" name="lnmk2" placeholder="Fill with landmark 2 (optional)">

   </div>
```

```html
</div><Br><Br><Br><Br><Br>


<div class="row persondet4" id="persondet4">

    <div class="col-md-4 regr4col1">

        <label>Village/ Town <a id="requi">*</a></label><br>

        <input type="text" name="village" placeholder="Fill with your village/town name">

    </div>

    <div class="col-md-4 regr4col1">

        <label>District <a id="requi">*</a></label><br>

        <input type="text" name="district" placeholder="Fill with your district name">

    </div>

    <div class="col-md-4 regr4col1">

        <label>Pincode <a id="requi">*</a></label><br>

        <input type="number" name="pincode" placeholder="Postal Pincode">

    </div><Br><Br><Br><Br><Br>


</div>


    <div class="row persondet5" id="persondet5">

    <div class="col-md-4 regr5col1">

        <label>Country <a id="requi">*</a></label><br>

        <div class="autocomplete" style="width:300px;">

            <input id="myInput" type="text" name="country" placeholder="Country">

        </div>

    </div>


    <div class="col-md-4 regr5col1">

                        <label>Country Code <a id="requi">*</a></label><br>

                        <select type=number name="countryCode" id="">

    <option data-countryCode="GB" value="44" Selected>Choose Country Code</option>

    <optgroup label="Other countries">

        <option data-countryCode="DZ" value="213">Algeria (+213)</option>

        <option data-countryCode="AD" value="376">Andorra (+376)</option>

        <option data-countryCode="AO" value="244">Angola (+244)</option>

        <option data-countryCode="AI" value="1264">Anguilla (+1264)</option>

        <option data-countryCode="AG" value="1268">Antigua & Barbuda (+1268)</option>
```

```
<option data-countryCode="AR" value="54">Argentina (+54)</option>
<option data-countryCode="AM" value="374">Armenia (+374)</option>
<option data-countryCode="AW" value="297">Aruba (+297)</option>
<option data-countryCode="AU" value="61">Australia (+61)</option>
<option data-countryCode="AT" value="43">Austria (+43)</option>
<option data-countryCode="AZ" value="994">Azerbaijan (+994)</option>
<option data-countryCode="BS" value="1242">Bahamas (+1242)</option>
<option data-countryCode="BH" value="973">Bahrain (+973)</option>
<option data-countryCode="BD" value="880">Bangladesh (+880)</option>
<option data-countryCode="BB" value="1246">Barbados (+1246)</option>
<option data-countryCode="BY" value="375">Belarus (+375)</option>
<option data-countryCode="BE" value="32">Belgium (+32)</option>
<option data-countryCode="BZ" value="501">Belize (+501)</option>
<option data-countryCode="BJ" value="229">Benin (+229)</option>
<option data-countryCode="BM" value="1441">Bermuda (+1441)</option>
<option data-countryCode="BT" value="975">Bhutan (+975)</option>
<option data-countryCode="BO" value="591">Bolivia (+591)</option>
<option data-countryCode="BA" value="387">Bosnia Herzegovina (+387)</option>
<option data-countryCode="BW" value="267">Botswana (+267)</option>
<option data-countryCode="BR" value="55">Brazil (+55)</option>
<option data-countryCode="BN" value="673">Brunei (+673)</option>
<option data-countryCode="BG" value="359">Bulgaria (+359)</option>
<option data-countryCode="BF" value="226">Burkina Faso (+226)</option>
<option data-countryCode="BI" value="257">Burundi (+257)</option>
<option data-countryCode="KH" value="855">Cambodia (+855)</option>
<option data-countryCode="CM" value="237">Cameroon (+237)</option>
<option data-countryCode="CA" value="1">Canada (+1)</option>
<option data-countryCode="CV" value="238">Cape Verde Islands (+238)</option>
<option data-countryCode="KY" value="1345">Cayman Islands (+1345)</option>
<option data-countryCode="CF" value="236">Central African Republic (+236)</option>
<option data-countryCode="CL" value="56">Chile (+56)</option>
```

```html
<option data-countryCode="CN" value="86">China (+86)</option>

<option data-countryCode="CO" value="57">Colombia (+57)</option>

<option data-countryCode="KM" value="269">Comoros (+269)</option>

<option data-countryCode="CG" value="242">Congo (+242)</option>

<option data-countryCode="CK" value="682">Cook Islands (+682)</option>

<option data-countryCode="CR" value="506">Costa Rica (+506)</option>

<option data-countryCode="HR" value="385">Croatia (+385)</option>

<option data-countryCode="CU" value="53">Cuba (+53)</option>

<option data-countryCode="CY" value="90392">Cyprus North (+90392)</option>

<option data-countryCode="CY" value="357">Cyprus South (+357)</option>

<option data-countryCode="CZ" value="42">Czech Republic (+42)</option>

<option data-countryCode="DK" value="45">Denmark (+45)</option>

<option data-countryCode="DJ" value="253">Djibouti (+253)</option>

<option data-countryCode="DM" value="1809">Dominica (+1809)</option>

<option data-countryCode="DO" value="1809">Dominican Republic (+1809)</option>

<option data-countryCode="EC" value="593">Ecuador (+593)</option>

<option data-countryCode="EG" value="20">Egypt (+20)</option>

<option data-countryCode="SV" value="503">El Salvador (+503)</option>

<option data-countryCode="GQ" value="240">Equatorial Guinea (+240)</option>

<option data-countryCode="ER" value="291">Eritrea (+291)</option>

<option data-countryCode="EE" value="372">Estonia (+372)</option>

<option data-countryCode="ET" value="251">Ethiopia (+251)</option>

<option data-countryCode="FK" value="500">Falkland Islands (+500)</option><option data-countryCode="FO" value="298">Faroe Islands (+298)</option>

<option data-countryCode="FJ" value="679">Fiji (+679)</option>

<option data-countryCode="FI" value="358">Finland (+358)</option>

<option data-countryCode="FR" value="33">France (+33)</option>

<option data-countryCode="GF" value="594">French Guiana (+594)</option>

<option data-countryCode="PF" value="689">French Polynesia (+689)</option>

<option data-countryCode="GA" value="241">Gabon (+241)</option>

<option data-countryCode="GM" value="220">Gambia (+220)</option>

<option data-countryCode="GE" value="7880">Georgia (+7880)</option>

<option data-countryCode="DE" value="49">Germany (+49)</option>

<option data-countryCode="GH" value="233">Ghana (+233)</option>
```

```html
<option data-countryCode="GI" value="350">Gibraltar (+350)</option>

<option data-countryCode="GR" value="30">Greece (+30)</option>

<option data-countryCode="GL" value="299">Greenland (+299)</option>

<option data-countryCode="GD" value="1473">Grenada (+1473)</option>

<option data-countryCode="GP" value="590">Guadeloupe (+590)</option>

<option data-countryCode="GU" value="671">Guam (+671)</option>

<option data-countryCode="GT" value="502">Guatemala (+502)</option>

<option data-countryCode="GN" value="224">Guinea (+224)</option>

<option data-countryCode="GW" value="245">Guinea - Bissau (+245)</option>

<option data-countryCode="GY" value="592">Guyana (+592)</option>

<option data-countryCode="HT" value="509">Haiti (+509)</option>

<option data-countryCode="HN" value="504">Honduras (+504)</option>

<option data-countryCode="HK" value="852">Hong Kong (+852)</option>

<option data-countryCode="HU" value="36">Hungary (+36)</option>

<option data-countryCode="IS" value="354">Iceland (+354)</option>

<option data-countryCode="IN" value="91">India (+91)</option>

<option data-countryCode="ID" value="62">Indonesia (+62)</option>

<option data-countryCode="IR" value="98">Iran (+98)</option>

<option data-countryCode="IQ" value="964">Iraq (+964)</option>

<option data-countryCode="IE" value="353">Ireland (+353)</option>

<option data-countryCode="IL" value="972">Israel (+972)</option>

<option data-countryCode="IT" value="39">Italy (+39)</option>

<option data-countryCode="JM" value="1876">Jamaica (+1876)</option>

<option data-countryCode="JP" value="81">Japan (+81)</option>

<option data-countryCode="JO" value="962">Jordan (+962)</option><option data-countryCode="KZ" value="7">Kazakhstan (+7)</option>

<option data-countryCode="KE" value="254">Kenya (+254)</option>

<option data-countryCode="KI" value="686">Kiribati (+686)</option>

<option data-countryCode="KP" value="850">Korea North (+850)</option>

<option data-countryCode="KR" value="82">Korea South (+82)</option>

<option data-countryCode="KW" value="965">Kuwait (+965)</option>

<option data-countryCode="KG" value="996">Kyrgyzstan (+996)</option>

<option data-countryCode="LA" value="856">Laos (+856)</option>

<option data-countryCode="LV" value="371">Latvia (+371)</option>
```

```html
<option data-countryCode="LB" value="961">Lebanon (+961)</option>
<option data-countryCode="LS" value="266">Lesotho (+266)</option>
<option data-countryCode="LR" value="231">Liberia (+231)</option>
<option data-countryCode="LY" value="218">Libya (+218)</option>
<option data-countryCode="LI" value="417">Liechtenstein (+417)</option>
<option data-countryCode="LT" value="370">Lithuania (+370)</option>
<option data-countryCode="LU" value="352">Luxembourg (+352)</option>
<option data-countryCode="MO" value="853">Macao (+853)</option>
<option data-countryCode="MK" value="389">Macedonia (+389)</option>
<option data-countryCode="MG" value="261">Madagascar (+261)</option>
<option data-countryCode="MW" value="265">Malawi (+265)</option>
<option data-countryCode="MY" value="60">Malaysia (+60)</option>
<option data-countryCode="MV" value="960">Maldives (+960)</option>
<option data-countryCode="ML" value="223">Mali (+223)</option>
<option data-countryCode="MT" value="356">Malta (+356)</option>
<option data-countryCode="MH" value="692">Marshall Islands (+692)</option>
<option data-countryCode="MQ" value="596">Martinique (+596)</option>
<option data-countryCode="MR" value="222">Mauritania (+222)</option>
<option data-countryCode="YT" value="269">Mayotte (+269)</option>
<option data-countryCode="MX" value="52">Mexico (+52)</option>
<option data-countryCode="FM" value="691">Micronesia (+691)</option>
<option data-countryCode="MD" value="373">Moldova (+373)</option>
<option data-countryCode="MC" value="377">Monaco (+377)</option>
<option data-countryCode="MN" value="976">Mongolia (+976)</option>
<option data-countryCode="MS" value="1664">Montserrat (+1664)</option>
<option data-countryCode="MA" value="212">Morocco (+212)</option>
<option data-countryCode="MZ" value="258">Mozambique (+258)</option>
<option data-countryCode="MN" value="95">Myanmar (+95)</option>
<option data-countryCode="NA" value="264">Namibia (+264)</option>
<option data-countryCode="NR" value="674">Nauru (+674)</option>
<option data-countryCode="NP" value="977">Nepal (+977)</option>
<option data-countryCode="NL" value="31">Netherlands (+31)</option>
<option data-countryCode="NC" value="687">New Caledonia (+687)</option>
<option data-countryCode="NZ" value="64">New Zealand (+64)</option>
<option data-countryCode="NI" value="505">Nicaragua (+505)</option>
<option data-countryCode="NE" value="227">Niger (+227)</option>
<option data-countryCode="NG" value="234">Nigeria (+234)</option>
```

```
<option data-countryCode="NU" value="683">Niue (+683)</option>

<option data-countryCode="NF" value="672">Norfolk Islands (+672)</option>

<option data-countryCode="NP" value="670">Northern Marianas (+670)</option>

<option data-countryCode="NO" value="47">Norway (+47)</option>

<option data-countryCode="OM" value="968">Oman (+968)</option>

<option data-countryCode="PW" value="680">Palau (+680)</option>

<option data-countryCode="PA" value="507">Panama (+507)</option>

<option data-countryCode="PG" value="675">Papua New Guinea (+675)</option>

<option data-countryCode="PY" value="595">Paraguay (+595)</option>

<option data-countryCode="PE" value="51">Peru (+51)</option>

<option data-countryCode="PH" value="63">Philippines (+63)</option>

<option data-countryCode="PL" value="48">Poland (+48)</option>

<option data-countryCode="PT" value="351">Portugal (+351)</option>

<option data-countryCode="PR" value="1787">Puerto Rico (+1787)</option>

<option data-countryCode="QA" value="974">Qatar (+974)</option>

<option data-countryCode="RE" value="262">Reunion (+262)</option>

<option data-countryCode="RO" value="40">Romania (+40)</option>

<option data-countryCode="RU" value="7">Russia (+7)</option>

<option data-countryCode="RW" value="250">Rwanda (+250)</option>

<option data-countryCode="SM" value="378">San Marino (+378)</option>

<option data-countryCode="ST" value="239">Sao Tome & Principe (+239)</option>

<option data-countryCode="SA" value="966">Saudi Arabia (+966)</option>

<option data-countryCode="SN" value="221">Senegal (+221)</option>

<option data-countryCode="CS" value="381">Serbia (+381)</option>

<option data-countryCode="SC" value="248">Seychelles (+248)</option>

<option data-countryCode="SL" value="232">Sierra Leone (+232)</option>

<option data-countryCode="SG" value="65">Singapore (+65)</option>

<option data-countryCode="SK" value="421">Slovak Republic (+421)</option>

<option data-countryCode="SI" value="386">Slovenia (+386)</option>

<option data-countryCode="SB" value="677">Solomon Islands (+677)</option>

<option data-countryCode="SO" value="252">Somalia (+252)</option>
```

```html
<option data-countryCode="ZA" value="27">South Africa (+27)</option>
<option data-countryCode="ES" value="34">Spain (+34)</option>
<option data-countryCode="LK" value="94">Sri Lanka (+94)</option>
<option data-countryCode="SH" value="290">St. Helena (+290)</option>
<option data-countryCode="KN" value="1869">St. Kitts (+1869)</option>
<option data-countryCode="SC" value="1758">St. Lucia (+1758)</option>
<option data-countryCode="SD" value="249">Sudan (+249)</option>
<option data-countryCode="SR" value="597">Suriname (+597)</option>
<option data-countryCode="SZ" value="268">Swaziland (+268)</option>
<option data-countryCode="SE" value="46">Sweden (+46)</option>
<option data-countryCode="CH" value="41">Switzerland (+41)</option>
<option data-countryCode="SI" value="963">Syria (+963)</option>
<option data-countryCode="TW" value="886">Taiwan (+886)</option>
<option data-countryCode="TJ" value="7">Tajikstan (+7)</option>
<option data-countryCode="TH" value="66">Thailand (+66)</option>
<option data-countryCode="TG" value="228">Togo (+228)</option>
<option data-countryCode="TO" value="676">Tonga (+676)</option>
<option data-countryCode="TT" value="1868">Trinidad & Tobago (+1868)</option>
<option data-countryCode="TN" value="216">Tunisia (+216)</option>
<option data-countryCode="TR" value="90">Turkey (+90)</option>
<option data-countryCode="TM" value="7">Turkmenistan (+7)</option>
<option data-countryCode="TM" value="993">Turkmenistan (+993)</option>
<option data-countryCode="TC" value="1649">Turks & Caicos Islands (+1649)</option>
<option data-countryCode="TV" value="688">Tuvalu (+688)</option>
<option data-countryCode="UG" value="256">Uganda (+256)</option>
<option data-countryCode="GB" value="44">UK (+44)</option>
<option data-countryCode="UA" value="380">Ukraine (+380)</option>
<option data-countryCode="AE" value="971">United Arab Emirates (+971)</option>
<option data-countryCode="UY" value="598">Uruguay (+598)</option>
<option data-countryCode="US" value="1">USA (+1)</option>
<option data-countryCode="UZ" value="7">Uzbekistan (+7)</option>
<option data-countryCode="VU" value="678">Vanuatu (+678)</option>
<option data-countryCode="VA" value="379">Vatican City (+379)</option>
<option data-countryCode="VE" value="58">Venezuela (+58)</option>
```

```html
<option data-countryCode="VN" value="84">Vietnam (+84)</option>

<option data-countryCode="VG" value="84">Virgin Islands - British (+1284)</option>

<option data-countryCode="VI" value="84">Virgin Islands - US (+1340)</option>

<option data-countryCode="WF" value="681">Wallis & Futuna (+681)</option>

<option data-countryCode="YE" value="969">Yemen (North)(+969)</option>

<option data-countryCode="YE" value="967">Yemen (South)(+967)</option>

<option data-countryCode="ZM" value="260">Zambia (+260)</option>

<option data-countryCode="ZW" value="263">Zimbabwe (+263)</option>

            </optgroup>

</select>

            </div>

            <div class="col-md-4 regr5col2">

                        <label>Phone No <a id="requi">*</a></label><br>

                        <input type="number" name="phone" placeholder="Your 10 digit mobile number"><Br>

            </div>

            </div><br>

</div>




<div id="educationdet">

<div class="heading">

    <div class="verbor" id="verbor"></div>

    <h4>Educational Info</h4><br>

</div>


<div class="row educationalinfo">

    <div class="col-md-6 regr6col1">

    <h5>10th std/ Equivalent</h5><br><br>

    <label>Institution name <a id="requi">*</a></label><br>

    <input type="text" name="schlname10" placeholder="School name you studied 10th"><br><br>

    <label>Maximum Marks <a id="requi">*</a></label><br>

    <input type="number" name="maxmark10" placeholder="Total Maximum marks"><br><br>
```

```html
    <label>Actual Marks <a id="requi">*</a></label><br>

    <input type="number" name="actmark10" placeholder="Total Actual marks you scored"><br><br>

  </div>


  <div class="col-md-6 regr6col1">

    <h5>12th std/ Equivalent</h5><br><br>

    <label>Institution name <a id="requi">*</a></label><br>

    <input type="text" name="schlname212" placeholder="School name you studied 12th"><br><br>

    <label>Maximum Marks <a id="requi">*</a></label><br>

    <input type="number" name="maxmark212" placeholder="Total Maximum marks"><br><br>

    <label>Actual Marks <a id="requi">*</a></label><br>

    <input type="number" name="actmark212" placeholder="Total Actual marks you scored"><br><br>

  </div>
</div><br><br><hr><br><br>


<div class ="row graduation">

  <div class="col-md-6 gradetcol1">

    <h5>Graduation / Equivalent</h5><br>

    <label>Institution name <a id="requi">*</a></label><br>

    <input type="text" name="clgname" placeholder="School name you studied 10th"><br><br>

    <label>Maximum Marks/ CGPA/ GRADE <a id="requi">*</a></label><br>

    <input type="number" name="clgmaxmark" placeholder="Total Maximum marks"><br><br>

    <label>Actual Marks/ CGPA/ GRADE <a id="requi">*</a></label><br>

    <input type="number" name="clgactmark" placeholder="Total Actual marks you scored"><br><br>

  </div>


  <div class="col-md-6 gradetcol2">

    <label>Stream <a id="requi">*</a></label><br>

    <select name="stream" type="text">

      <option selected >Choose the Stream</option>

      <option value="medical">Medical</option>

      <option value="engineering">Engineering/Tecnonolgy</option>

      <option value="arts">Arts</option>

      <option value="agri">Agriculture</option>

    </select><br>
```

```html
        <label>Your Graduation <a id="requi">*</a></label><br>

        <input type="text" name="graduation" id="maxmark" placeholder="Eg: M.sc or B.E/B.Tech"><br><br>


        <label>Graduation Year <a id="requi">*</a></label>

        <input type="number" name="grayear" id="grayear" placeholder="Eg: 2023"><br><br>


        <label>Branch <a id="requi">*</a></label><br>

        <input type="text" name="branch" placeholder="Eg: CSE or chemistry"><br><br>
      </div>



    </div>
    </div>



    <div id=skills>
    <div class="row">
    <div class="col-md-4">

      <div class="heading">

      <div class="verbor" id="verbor"></div>

      <h4>Skills</h4><br>

      </div>
    </div>
    <div class="col-md-6">

       <div class="heading">

      <div class="verbor" id="verbor"></div>

      <h4>Achievements</h4><br>
    </div>
    </div>
```

```html
</div>




<div class="row skillsinfo">

    <div class="col-md-4 regr6col1">

                <label>Skills <a id="requi">*</a></label><br>

                  <div id="forms1" class="form-inline">

                    <input type="text" class="form-control1" placeholder="Enter some text" name="form[]"><br>

                  </div>

                        <br />

                <button type="button" class="btn btn-primary" onclick="addField();">Add Skills</button>



    </div>
<div class="col-md-6 regr6col1">



    <div class="regr1col1">

      <h6>Do you have participated in any Presentation or Conferences? <a id="requi">*</a></h6>

      <input type="radio" name="Q1" value="Yes" />Yes

      <input type="radio" name="Q1" value="No"/>No<br><br>

      <h6>Do you have participated in any Hackathon? <a id="requi">*</a></h6>

      <input type="radio" name="Q2" value="Yes" />Yes

      <input type="radio" name="Q2" value="No" />No<br><br>

      <h6>Do you have participated in Coding Challenge? <a id="requi">*</a></h6>

      <input type="radio" name="Q3" value="Yes" />Yes

      <input type="radio" name="Q3" value="No" />No<br><br>

      <h6>Do you have won any Contest? <a id="requi">*</a></h6>

      <input type="radio" name="Q4" value="Yes" />Yes

      <input type="radio" name="Q4" value="No" />No<br><br>

      <h6>How many prize you won from your college days? <a id="requi">*</a></h6>

      <input type="number" name="Q5" id="Q5" />
    </div>

</div>
```

```html
</div><br><br><Br>



<div class="heading">

    <div class="verbor" id="verbor"></div>

    <h4>Experience</h4><br>

</div>



<div class="row experience">

    <div class="col-md-6">

        <label>Position <a id="requi">*</a></label><br>

        <input type="text" name="position" id="fresher"/>Fresher

        <br>

        <div id="experiencedet">

    <label>Experience years <a id="requi">*</a> </label><br>

    <input type="number" name="expyears" id="expyears" placeholder="Eg: 5" /><br><br>



    <label>Highest Designation you hold <a id="requi">*</a> </label><br>

    <select name="designation" type="text">

        <option value="seni">Senior Manager</option>

        <option value="manager">Manager</option>

        <option value="analyst">Analyst</option>

        <option value="trainee">Trainee</option>

        <option value="programmer">Programmer</option>

        <option value="lead">Team Lead</option>

    </select>

</div>

    </div>

</div>
```

```html
</div>



<div id="declaration">

<div>

    <label>Upload Your Resume <a id="requi">*</a></label><br>

    <input type="file" name="resume" style="border-bottom-style: none;" /><br><br><br>

    <center><h3><strong>Declaration</strong></h3></center><br>

    <h6><input type="checkbox" name="declare" id="declare" /> I hereby declare that all the information filled by me and honestly true, and I
allow the jobby to share my details with all recuirters.</h6><br>

</div>

<center>

<button value="button" type="submit" name="submit" id="submit" class="fnlbtn"> Submit</button><br><br>

</center>

</form>



<footer style="margin-top: 100px;">



</footer>

<script src="{{url_for('static',filename = 'js/hiding.js')}}"></script>

<script src="{{url_for('static',filename = 'js/country.js')}}"></script>

<script src="{{url_for('static',filename = 'js/dyinput.js')}}"></script>

</body>

</html>
```

```
<!--------------

   email = request.form['email']


   password = request.form['password']

   conpassword=request.form['conpassword']
```

```python
firstname=request.form['firstname']
middlename=request.form['middlename']
lastname=request.form['lastname']
dob=request.form['dob']
age=request.form['age']
drno=request.form['drno']
landmark1=request.form['lnmk1']
landmark2=request.form['lnmk2']
village =request.form['village']
district=request.form['district']
pincode=request.form['pincode']
country=request.form['country']
country_code=request.form['countryCode']
phone=request.form['phone']
schlname10=request.form['schlname10']
maxmark10=request.form['maxmark10']
actmark10=request.form['actmark10']
schlname212=request.form['schlname212']
maxmark212=request.form['maxmark212']
actmark212=request.form['actmark212']
clgname=request.form['clgname']
clgmaxmark=request.form['clgmaxmark']
clgactmark=request.form['clgactmark']
stream=request.form['stream']
graduation=request.form['graduation']
grayear=request.form['grayear']
actmark=request.form['actmark']
skills=request.form['form[]']
q1=request.form['Q1']
q2=request.form['Q2']
q3=request.form['Q3']
q4=request.form['Q4']
```

q5=request.form['Q5']

position=request.form['position']

experience=request.form['expyears']

designation=request.form['designation']-->

jobpost.html

{% extends "template.html" %} {% block body %}

```html
<head>

        <meta charset="utf-8">

  <link rel="stylesheet" type="text/css" href="https://fonts.googleapis.com/css?family=Rancho&effect=shadow-multiple">

  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.0/css/bootstrap.min.css" integrity="sha384-9aIt2nRpC12Uk9gS9baDl411NQApFmC26EwAOH8WgZl5MYYxFfc+NcPb1dKGj7Sk" crossorigin="anonymous">

  <link rel="stylesheet" type="text/css" href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css">

  <link rel="shortcut icon" href="../static/images/j.png" type="image/x-icon">



  <link href="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/css/select2.min.css" rel="stylesheet" />




        <title></title>
</head>
<br><br><br><br><br><br><br><br>
<h4>Post Job</h4>
        <br><br><bR><br>
     <div id="jobpost">
            <center>
            <form method="POST" onsubmit="required()" name="form">
                    <div class="row">
                            <div class="col-md-4">
                                    <label>Recruiter ID</label><br>
                                    <input type="text" name="recruiter_id" value="{{session['id']}}" readonly><br>
                            </div>
                            <div class="col-md-4">
                                    <label>Job Title</label><br>
                                    <input type="text" name="jobtitle"><br>
```

```html
                        </div>
                        <div class="col-md-4">
                                <label>Job Type</label><br>
                                <input type="text" name="jobtype"><br>
                        </div>
                </div><br><br>
                <div class="row">
                        <div class="col-md-4">
                                <label>Experience</label><br>
                                <input type="text" name="jobexperience"><br>
                        </div>
                        <div class="col-md-4">
                                <label>Key Skills</label><br>
                                <input type="text" name="keyskills"><br>
                        </div>
                        <div class="col-md-4">
                                <label>Location</label><br>
                                <input type="text" name="location"><br>
                        </div>
                </div><br><br>
                <div class="row" style="margin-left: -0px;">
                        <div class="col-md-8">
                                        <label>Discription</label><br>
                                        <textarea type="text" name="discription"></textarea></td>
                        </div>
                        <div class="col-md-4">
                                <label>Salary</label><br>
                                <input type="text" name="salary"><br>
                        </div>
                </div><br><br>
<!--                    <table>
                        <tr>
                                <td>
                                <label>Recruiter ID</label>
```

```html
                <input type="text" name="recruiter_id" value="{{session['id']}}" readonly>
        </td>
            <td>
                <label>Job Title</label>
                <input type="text" name="jobtitle">
            </td>
            <td>
                <label>Job Type</label>
                <input type="text" name="jobtype">
            </td>
            <td>
                <label>Experience</label>
                <input type="text" name="jobexperience">
            </td>
        </tr>
            <tr>
                <td>
                <label>Key Skills</label>
                <input type="text" name="keyskills">
            </td>
            <td>
                <label>Location</label>
                <input type="text" name="location">
            </td>
            <td>
                <label>Salary</label>
                <input type="text" name="salary">
            </td>
            </tr>
            <tr>
                <td><label>Discription</label><br>
                <textarea type="text" name="discription"></textarea></td>
            </tr>
        </table> -->
```

```html
                                        <button type="submit" value="submit" id="button" style="margin-left:100px; margin-bottom: 100px;">Post
Job</button>

                        </form>

                        </center>

                </div>




<style type="text/css">

                h4{

                                margin-top: -100px;

                                padding: 10px;

                                color:white;

                                text-align: center;

                                background-color: #04aec4;

                }

                textarea{

                                height: 190px;

                                width: 800px;

                }

                input{

                                padding-top: 10px;

                                border: none;

                                outline: none;

                                color:  black;

                                width: 300px;

                                box-shadow: 1px 0px 4px rgb(99, 99, 99);

        border-radius: 6px 6px 0 0;

        background-color:white;

                                border-bottom-style: solid;

                                border-width: 1px;

                }

    form{

                                margin-top: -100px;

                                background-color: whitesmoke;
```

```css
    }
  #button{

      border:  none;

      color: white;

      padding: 7px 20px;

      border-radius: 13.5px;

      text-align: center;

      text-decoration:  none;

      display:  inline-block;

      font-size: 18px;

      background-color:#04aec2;

      cursor: pointer;


  }
  #button:hover,#explore:hover{

      opacity: 0.5;

  }
</style>
```

```html
<script type="text/javascript">

var orgdet = document.getElementById("orgdet");

var extra = document.getElementById("extra");

var jobpost=document.getElementById("jobpost");


orgdet.style.display = "";

extra.style.display="none";

jobpost.style.display="none";


function orgdetFun(){

orgdet.style.display = "";

extra.style.display="none";

jobpost.style.display="none";
```

```
        }
function extraDetFun2(){

            orgdet.style.d

            isplay =

            "none";

            extra.style.di

            splay="";

jobpost.style.display="none";


        }
function postFun(){

            orgdet.style.d

isplay = "none";

extra.style.display="non

e";

jobpost.style.display="";


        }


</script>


<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/select2@4.1.0-rc.0/dist/js/select2.min.js"></script>
{% endblock %}
```