#### **Assignment 4**

Assignment Date	28 October 2022
Student Name	Deepak Kumar D
Student Roll Number	722819106014
Maximum Marks	2 Marks

# **QUESTION:**

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events.


#### SOLUTION:

```
#include <WiFi.h>//library for wifi #include
<PubSubClient.h>//library for MQtt const int
T=4; const int E=18; long length; float
Distance:
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength);
#define ORG "6e8heb"
#define DEVICE_TYPE "ultrasonicdevice"
#define DEVICE_ID "12345"
#define TOKEN "0Md1@wQs0RvOEyoz5r"
String data;
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/Data/fmt/json";
char subscribetopic[] = "iot-2/cmd/test/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE_TYPE ":" DEVICE_
WiFiClient wifiClient;
PubSubClient client(server, 1883, callback, wifiClient);
void setup()
 Serial.begin(115200);
 pinMode(T,OUTPUT);
 pinMode(E,INPUT);
 Serial.println();
 wificonnect();
 mqttconnect();
void loop()
{ digitalWrite(T,LOW);
delay(1000);
 digitalWrite(T,HIGH);
 delay(1000);
```

```
digitalWrite(T,LOW);
 length=pulseIn(E,HIG
 Distance=length*(0.03
 Serial.print("Distance in Cm:");
 Serial.println(Distance);
 if(Distance<100)
  Serial.println("!!ALERT!!");
 delay(1000);
 PublishData(Distance);
 delay(1000); if (!client.loop())
  mqttconnect();
 } }
 delay(1000)
void PublishData(float dist) {
 mqttconnect();/
 String payload = "{\"Distance\":";
 payload += dist;
 payload += ",\"!!ALERT!!\":""\"Distance is less than 100 cm\"";
 payload += "}";
 Serial.print("Sending payload: ");
 Serial.println(payload);
 if \ (client.publish(publishTopic, \ (char*) \ payload.c\_str())) \ \{\\
  Serial.println("Publish ok");
 } else {
  Serial.println("Publish failed");
 }
void mqttconnect() {
 if (!client.connected()) {
  Serial.print("Reconnecting client to ");
  Serial.println(server); while (!!!client.connect(clientId,
  authMethod, token)) {
   Serial.print(".");
   delay(500);
   initManagedDevice();
   Serial.println();
void wificonnect()
 Serial.println();
 Serial.print("Connecting to ");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED) {
  delay(500);
  Serial.print(".");
 Serial.println("");
```

```
Serial.println("WiFi connected");
 Serial.println("IP address: ");
 Serial.println(WiFi.localIP());
void initManagedDevice() {
 if (client.subscribe(subscribetopic)) {
  Serial.println((subscribetopic));
  Serial.println("subscribe to cmd OK");
  Serial.println("subscribe to cmd FAILED");
void callback(char* subscribetopic, byte* payload, unsigned int payloadLength)
 Serial.print("callback invoked for topic:
 "); Serial.println(subscribetopic); for (int i
 = 0; i < payloadLength; i++) {
  data += (char)payload[i];
 }
 Serial.println("data: "+ data);
data=""; }
```

### **OUTPUT**



## Wokwi simulation link:

https://wokwi.com/projects/346952923117257298