## **ASSIGMNENT-4**

## **ASSIGNMENT QUESTION:**

Write code and connections in Wokwi for ultrasonic sensor. Whenever distance is less than 100 cm send "alert" to IBM cloud and display in device recent events Upload document with Wokwi share link and images of IBM cloud.


#### **CODING:**

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "lclqxu"
#define DEVICE TYPE "1234"
#define DEVICE ID "Nhidhees-Device"
#define TOKEN "QFgbWeRmmxLBAIq2De"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/shreedharen/fmt/ison";
char topic[] = "iot-2/cmd/led/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE TYPE ":" DEVICE ID;
PubSubClient client(server, 1883, wifiClient);
const int trigpin=5;
const int echopin=18;
String command;
String data="";
long duration;
float dist;
void setup()
 Serial.begin(115200);
 pinMode(led, OUTPUT);
 pinMode(trigpin, OUTPUT);
 pinMode(echopin, INPUT);
```

```
wifiConnect();
 mqttConnect();
void loop() {
 bool is Nearby = dist < 100;
 digitalWrite(led, isNearby);
 publishData();
 delay(500);
 if (!client.loop()) {
  mqttConnect();
 void wifiConnect()
 Serial.print("Connecting to "); Serial.print("Wifi");
 WiFi.begin("Wokwi-GUEST", "", 6);
 while (WiFi.status() != WL_CONNECTED) {
  delay(500);
  Serial.print(".");
 Serial.print("WiFi connected, IP address: "); Serial.println(WiFi.localIP());
void mgttConnect() {
 if (!client.connected()) {
  Serial.print("Reconnecting MQTT client to "); Serial.println(server);
  while (!client.connect(clientId, authMethod, token)) {
  Serial.print(".");
   delay(500);
  initManagedDevice();
  Serial.println();
 }
void initManagedDevice() {
 if (client.subscribe(topic)) {
  // Serial.println(client.subscribe(topic));
  Serial.println("IBM subscribe to cmd OK");
 } else {
  Serial.println("subscribe to cmd FAILED");
 }
void publishData()
 digitalWrite(trigpin,LOW);
 digitalWrite(trigpin,HIGH);
 delayMicroseconds(10);
 digitalWrite(trigpin,LOW);
 duration=pulseIn(echopin,HIGH);
 dist=duration*speed/2;
 if(dist<100){
  String payload = "{\"Alert Distance\":";
  payload += dist;
```

```
payload += "}";
 Serial print("\n");
 Serial.print("Sending payload: ");
 Serial.println(payload);
 if (client.publish(publishTopic, (char*) payload.c_str())) {
 Serial println("Publish OK");
 if(dist>100){
 String payload = "{\"Distance\":";
 payload += dist;
 payload += "}";
 Serial.print("\n");
 Serial.print("Sending payload: ");
 Serial.println(payload);
  if(client.publish(publishTopic, (char*) payload.c_str())) {
  Serial println("Publish OK");
 }else {
  Serial.println("Publish FAILED");
}
}
```

### **CONNECTION:**



# **OUTPUT:**

