

CREATING IBM DB2 AND CONNECTION WITH PYTHON

Done by

SURENDARKUMAR.S- (612719104065)

RANJITHKUMAR.M - (612719104052)

SIVASHANKAR.M - (612719104063)

ABILESH.R - (612719104001)

STEPS TO CREATE IBM DB2 AND CONNECTION WITH PYTHON

STEP 1: Import the ibm_db Python library:

```
!pip install --force-reinstall ibm_db==3.1.0
```

```
ibm_db_sa==0.3.7import ibm_db
```

STEP 2: Identify the database connection credentials:

```
dsn_hostname = "2d46b6b4-cbf6-40eb-bbce-  
6251e6ba0300.bs2io90l08kqb1od8lcg.databases.appdomain.cloud"  
dsn_uid      = "vjd29721" dsn_pwd = "6TTgx8MRBzT45o3q"
```

```
dsn_driver   = "{IBM DB2 ODBC  
DRIVER}"
```

```
dsn_database = "BLUDB" # e.g.  
"BLUDB"
```

```
dsn_port = "32328" # e.g. "32733"
```

```
dsn_protocol = "TCPIP" # i.e. "TCPIP"
```

```
dsn_security = "SSL" #i.e. "SSL"
```

STEP 3: Create the DB2 database connection:

```
dsn = (  
"DRIVER={0}  
;"  
"DATABASE={1};"  
"HOSTNAME={2};"
```

```
"PORT={3};"
```

```
"PROTOCOL={4};"
```

```
"UID={5};"
```

```
"PWD={6};"
```

```
"SECURITY={7};" ).format(dsn_driver, dsn_database, dsn_hostname, dsn_port, dsn_protocol,  
dsn_uid,dsn_pwd,dsn_security)
```

```
print(dsn)
```

Now establish the connection to the database

try:

```
conn = ibm_db.connect(dsn, "", "")
```

```
    print ("Connected to database: ", dsn_database, "as user: ", dsn_uid, "on host: ",  
          dsn_hostname)
```

except:

```
print ("Unable to connect: ", ibm_db.conn_errormsg() )server
```

```
= ibm_db.server_info(conn)
```

```
print      ("DBMS_NAME:      ",
```

```
server.DBMS_NAME)print
```

```
("DBMS_VER:  ", server.DBMS_VER)
```

```
print ("DB_NAME: ", server.DB_NAME)
```

```
client = ibm_db.client_info(conn)
```

```
print      ("DRIVER_NAME:      ",
```

```
client.DRIVER_NAME)print ("DRIVER_VER:
```

```
",      client.DRIVER_VER)      print
```

```
("DATA_SOURCE_NAME: ",
```

```
client.DATA_SOURCE_NAME)print ("DRIVER_ODBC_VER: ",
```

```
client.DRIVER_ODBC_VER)      print      ("ODBC_VER:      ",
```

```
client.ODBC_VER)
```

```
print      ("ODBC_SQL_CONFORMANCE:      ",
```

```
client.ODBC_SQL_CONFORMANCE)print ("APPL_CODEPAGE: ",  
client.APPL_CODEPAGE)  
print ("CONN_CODEPAGE: ", client.CONN_CODEPAGE)
```

STEP 4: Close the Connection:

```
ibm_db.close(conn)
```