Assignment -4

Assignment Date	26.10.2022
Student Name	Mr. Justinraj.J
Student Roll Number	821919104007
Maximum Marks	2 Marks

Question:

Write code and connections in wokwi for the ultrasonic sensor. Whenever the distance is less than 100 cms send an "alert" to the IBM cloud and display in the device recent events. Upload document with wokwi share link and images of IBM cloud.

Wokwi Link:

https://wokwi.com/projects/322410731508073042


Code:

```
#include <WiFi.h>
#include <PubSubClient.h>
WiFiClient wifiClient;
String data3;
#define ORG "jrbl5n"
#define DEVICE_TYPE "Assignment4"
#define DEVICE ID "12345"
#define TOKEN "12345678"
#define speed 0.034
#define led 14
char server[] = ORG ".messaging.internetofthings.ibmcloud.com";
char publishTopic[] = "iot-2/evt/data/fmt/json";
char topic[] = "iot-2/cmd/home/fmt/String";
char authMethod[] = "use-token-auth";
char token[] = TOKEN;
char clientId[] = "d:" ORG ":" DEVICE TYPE ":" DEVICE ID;
PubSubClient client(server, 1883, wifiClient);
void publishData();
const int trigpin = 5;
const int echopin = 18;
String command;
String data = "";
long duration;
float dist;
void setup()
```

```
Serial.begin(115200);
pinMode(led, OUTPUT);
pinMode(trigpin, OUTPUT);
pinMode(echopin, INPUT);
wifiConnect();
mqttConnect();
void loop() {
bool isNearby = dist < 100;</pre>
digitalWrite(led, isNearby);
publishData();
delay(500);
if (!client.loop()) {
mqttConnect();
void wifiConnect() {
Serial.print("Connecting to "); Serial.print("Wifi");
WiFi.begin("Wokwi-GUEST", "", 6);
while (WiFi.status() != WL_CONNECTED) {
delay(500);
Serial.print(".");
Serial.print("WiFi connected, IP address: ");
Serial.println(WiFi.localIP());
void mqttConnect() {
if (!client.connected()) {
Serial.print("Reconnecting MQTT client to "); Serial.println(server);
while (!client.connect(clientId, authMethod, token)) {
Serial.print(".");
delay(500);
initManagedDevice();
Serial.println();
void initManagedDevice() {
if (client.subscribe(topic)) {
Serial.println("IBM subscribe to cmd OK");
Serial.println("subscribe to cmd FAILED");
void publishData()
```

```
digitalWrite(trigpin, LOW);
digitalWrite(trigpin, HIGH);
delayMicroseconds(10);
digitalWrite(trigpin, LOW);
duration = pulseIn(echopin, HIGH);
dist = duration * speed / 2;
if (dist < 100) {
String payload = "{\"Normal Distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
Serial.println("Publish OK");
if (dist > 101 ) {
String payload = "{\"Alert distance\":";
payload += dist;
payload += "}";
Serial.print("\n");
Serial.print("Sending payload: ");
Serial.println(payload);
if (client.publish(publishTopic, (char*) payload.c_str())) {
Serial.println("Warning crosses 110cm -- it automaticaly of the loop");
digitalWrite(led, HIGH);
} else {
Serial.println("Publish FAILED");
void callback(char* subscribeTopic, byte* payload, unsigned int payloadLength)
Serial.print("callback invoked for topic:");
Serial.println(subscribeTopic);
for (int i = 0; i < payloadLength; i++) {</pre>
dist += (char)payload[i];
Serial.println("data:" + data3);
if (data3 == "lighton") {
Serial.println(data3);
digitalWrite(led, HIGH);
data3 = "";
```

Circuit Diagram:



Output:

