

```

{
  "nbformat": 4,
  "nbformat_minor": 0,
  "metadata": {
    "colab": {
      "provenance": [],
      "collapsed_sections": []
    },
    "kernelspec": {
      "name": "python3",
      "display_name": "Python 3"
    },
    "language_info": {
      "name": "python"
    }
  },
  "cells": [
    {
      "cell_type": "markdown",
      "source": [
        "# **Assignment 3**"
      ],
      "metadata": {
        "id": "j8bF22iNxMDx"
      }
    },
    {
      "cell_type": "markdown",
      "source": [
        "# **CNN MODEL FOR FLOWER CLASSIFICATION**\n",
        "# **Trained by Team ID : PNT2022TMID17050**"
      ],
      "metadata": {
        "id": "BdPpv18Q0I1Y"
      }
    },
    {
      "cell_type": "markdown",
      "source": [
        "# **Pre-Requisites**"
      ],
      "metadata": {
        "id": "d5mO51xMq9BQ"
      }
    },
    {
      "cell_type": "code",
      "execution_count": 1,
      "metadata": {
        "colab": {
          "base_uri": "https://localhost:8080/"
        },
        "id": "h4I4dfJ6p3kx",
        "outputId": "5605b9f7-ebc0-4587-88c6-268194f1335d"
      },
      "outputs": [

```

```

    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "Drive already mounted at /content/drive; to attempt to
forcibly remount, call drive.mount('/content/drive',
force_remount=True).\n"
      ]
    }
  ],
  "source": [
    "from google.colab import drive\n",
    "drive.mount('/content/drive')\n"
  ]
},
{
  "cell_type": "markdown",
  "source": [
    "# **STEP 1 UNZIP FILES**"
  ],
  "metadata": {
    "id": "B4Kss5zOrXUz"
  }
},
{
  "cell_type": "code",
  "source": [
    "cd/content/drive/MyDrive/AI_IBM"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "DRNhAxfvrWKc",
    "outputId": "f1a087a8-6f33-4d81-ff79-e50f4c1ff623"
  },
  "execution_count": 2,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "/content/drive/MyDrive/AI_IBM\n"
      ]
    }
  ]
},
{
  "cell_type": "code",
  "source": [
    "!unzip Flowers-Dataset.zip"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "B_hJ27NKRhKz",

```

```

    "outputId": "9b319781-61d1-4a0e-ea93-f279d067bfc7"
  },
  "execution_count": 3,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "Archive:  Flowers-Dataset.zip\n",
        "replace flowers/daisy/100080576_f52e8ee070_n.jpg? [y]es, [n]o,
[A]ll, [N]one, [r]ename: N\n"
      ]
    }
  ],
},
{
  "cell_type": "markdown",
  "source": [
    "# **STEP 2 Image** **Augumentation**"
  ],
  "metadata": {
    "id": "hvG8h70rrphq"
  }
},
{
  "cell_type": "code",
  "source": [
    "from tensorflow.keras.preprocessing.image import
ImageDataGenerator"
  ],
  "metadata": {
    "id": "itQt2Ad8rtk8"
  },
  "execution_count": 4,
  "outputs": []
},
{
  "cell_type": "code",
  "source": [
    "train_datagen=ImageDataGenerator(rescale=1./255,
zoom_range=0.2,horizontal_flip=True,vertical_flip=False)"
  ],
  "metadata": {
    "id": "9yZUiTxnr0UN"
  },
  "execution_count": 5,
  "outputs": []
},
{
  "cell_type": "code",
  "source": [
    "test_datagen=ImageDataGenerator(rescale=1./255)"
  ],
  "metadata": {
    "id": "zD7ristVr3F3"
  },
  "execution_count": 6,

```

```

        "outputs": []
    },
    {
        "cell_type": "code",
        "source": [

"x_train=train_datagen.flow_from_directory(r\"/content/drive/MyDrive/AI_IBM
/flowers\",target_size=(64,64),class_mode='categorical',batch_size=24) "
        ],
        "metadata": {
            "colab": {
                "base_uri": "https://localhost:8080/"
            },
            "id": "BjQo5zGHuHN4",
            "outputId": "d3d1e296-e74d-4e52-cce8-8d26459d10f1"
        },
        "execution_count": 7,
        "outputs": [
            {
                "output_type": "stream",
                "name": "stdout",
                "text": [
                    "Found 4317 images belonging to 5 classes.\n"
                ]
            }
        ]
    },
    {
        "cell_type": "code",
        "source": [

"x_test=test_datagen.flow_from_directory(r\"/content/drive/MyDrive/AI_IBM/f
lowers\",target_size=(64,64),class_mode='categorical',batch_size=24) "
        ],
        "metadata": {
            "colab": {
                "base_uri": "https://localhost:8080/"
            },
            "id": "e4YJwWrCukDq",
            "outputId": "e71a3e44-6642-4592-fa96-7af9c6edb08f"
        },
        "execution_count": 8,
        "outputs": [
            {
                "output_type": "stream",
                "name": "stdout",
                "text": [
                    "Found 4317 images belonging to 5 classes.\n"
                ]
            }
        ]
    },
    {
        "cell_type": "code",
        "source": [
            "x_train.class_indices"
        ],

```

```

"metadata": {
  "colab": {
    "base_uri": "https://localhost:8080/"
  },
  "id": "EgBhHHYTuv4X",
  "outputId": "8a9f62e0-7d2b-4138-c5ce-4ca16b78fbd1"
},
"execution_count": 9,
"outputs": [
  {
    "output_type": "execute_result",
    "data": {
      "text/plain": [
        '{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3,
'tulip': 4}'
      ]
    },
    "metadata": {},
    "execution_count": 9
  }
],
},
{
  "cell_type": "markdown",
  "source": [
    "# **Step -3 Initializing CNN And Create Model**"
  ],
  "metadata": {
    "id": "O5cz-9qOJM_s"
  }
},
{
  "cell_type": "code",
  "source": [
    "from tensorflow.keras.models import Sequential\n",
    "from tensorflow.keras.layers import\nDense,Convolution2D,MaxPooling2D,Flatten"
  ],
  "metadata": {
    "id": "QAUHi2otRcoC"
  },
  "execution_count": 10,
  "outputs": []
},
{
  "cell_type": "markdown",
  "source": [
    "# **Step -4 Add layers**"
  ],
  "metadata": {
    "id": "xew7skua3a0z"
  }
},
{
  "cell_type": "code",
  "source": [
    "model=Sequential()"
  ]
}

```

```

    ],
    "metadata": {
        "id": "dack9NXyR2t6"
    },
    "execution_count": 11,
    "outputs": []
},
{
    "cell_type": "markdown",
    "source": [
        "# **4.1 Input Layers (Convolution ,MaxPooling,Flatten)**"
    ],
    "metadata": {
        "id": "SzIvL8Q52DFR"
    }
},
{
    "cell_type": "code",
    "source": [
"model.add(Convolution2D(32, (3,3),input_shape=(64,64,3),activation='relu'))
"
    ],
    "metadata": {
        "id": "qPUbKxHGR7EX"
    },
    "execution_count": 12,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "model.add(MaxPooling2D(pool_size=(2,2)))"
    ],
    "metadata": {
        "id": "IBGMZ7sSSAIB"
    },
    "execution_count": 13,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "model.add(Flatten())"
    ],
    "metadata": {
        "id": "c65fXm9KSErL"
    },
    "execution_count": 14,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "model.summary()"
    ],
    "metadata": {

```

```

        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "-go5E-VbSIau",
        "outputId": "1f46f35d-1950-4456-bce9-16a06053d40f"
    },
    "execution_count": 15,
    "outputs": [
        {
            "output_type": "stream",
            "name": "stdout",
            "text": [
                "Model: \"sequential\"\n",
                "\n",
                "Layer (type)                Output Shape              Param #\n",
                "\n",
                "=====\n",
                " conv2d (Conv2D)              (None, 62, 62, 32)        896\n",
                "\n",
                " \n",
                "\n",
                " max_pooling2d (MaxPooling2D  (None, 31, 31, 32)        0\n",
                "\n",
                " )\n",
                "\n",
                " \n",
                "\n",
                " flatten (Flatten)             (None, 30752)             0\n",
                "\n",
                " \n",
                "\n",
                "=====\n",
                "Total params: 896\n",
                "Trainable params: 896\n",
                "Non-trainable params: 0\n",
                "\n",
                "\n",
                ]
            }
        ],
        {
            "cell_type": "markdown",
            "source": [
                "# **4.2 Hidden Layers**"
            ],
            "metadata": {
                "id": "f4ZSQPIFJaeb"
            }
        },
        {
            "cell_type": "code",
            "source": [
                "model.add(Dense(300,activation='relu'))\n",

```

```

        "model.add(Dense(150,activation='relu'))"
    ],
    "metadata": {
        "id": "x8MIUG1PSZ21"
    },
    "execution_count": 16,
    "outputs": []
},
{
    "cell_type": "markdown",
    "source": [
        "# **4.3 Output Layers**"
    ],
    "metadata": {
        "id": "PNLk8KHHJf3K"
    }
},
{
    "cell_type": "code",
    "source": [
        "model.add(Dense(5,activation='softmax'))"
    ],
    "metadata": {
        "id": "grI0IbuwSeq0"
    },
    "execution_count": 17,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [

"model.compile(loss='categorical_crossentropy',optimizer='adam',metrics=['a
ccuracy'])"
    ],
    "metadata": {
        "id": "l44vMW4QShaw"
    },
    "execution_count": 18,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "len(x_train)"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/"
        },
        "id": "Beiar4NESkL4",
        "outputId": "4b264b09-51b5-4786-b2a8-d60ac129229d"
    },
    "execution_count": 19,
    "outputs": [
        {
            "output_type": "execute_result",

```



```

    "data": {
      "text/plain": [
        "180"
      ]
    },
    "metadata": {},
    "execution_count": 19
  }
],
{
  "cell_type": "markdown",
  "source": [
    "# **Step -5 Train the Model**"
  ],
  "metadata": {
    "id": "Y9f3ElSv3Nc6"
  }
},
{
  "cell_type": "code",
  "source": [
    "model.fit_generator(x_train,steps_per_epoch=len(x_train),
validation_data=x_test, validation_steps=len(x_test), epochs= 30)"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "ATt0m5Cv6R-w",
    "outputId": "734d2b05-c864-450f-a46f-8ce129904306"
  },
  "execution_count": 20,
  "outputs": [
    {
      "output_type": "stream",
      "name": "stderr",
      "text": [
        "/usr/local/lib/python3.7/dist-
packages/ipykernel_launcher.py:1: UserWarning: `Model.fit_generator` is
deprecated and will be removed in a future version. Please use `Model.fit`,
which supports generators.\n",
        "  \"\\\"\\\"Entry point for launching an IPython kernel.\n"
      ]
    },
    {
      "output_type": "stream",
      "name": "stdout",
      "text": [
        "Epoch 1/30\n",
        "180/180 [=====] - 393s 2s/step -
loss: 1.3213 - accuracy: 0.4714 - val_loss: 1.1275 - val_accuracy:
0.5532\n",
        "Epoch 2/30\n",
        "180/180 [=====] - 74s 409ms/step -
loss: 1.0600 - accuracy: 0.5854 - val_loss: 0.9406 - val_accuracy:
0.6301\n",

```

```
    "Epoch 3/30\n",
    "180/180 [=====] - 73s 405ms/step -
loss: 0.9678 - accuracy: 0.6247 - val_loss: 0.9603 - val_accuracy:
0.6203\n",
    "Epoch 4/30\n",
    "180/180 [=====] - 77s 429ms/step -
loss: 0.8884 - accuracy: 0.6546 - val_loss: 0.8187 - val_accuracy:
0.6938\n",
    "Epoch 5/30\n",
    "180/180 [=====] - 76s 422ms/step -
loss: 0.8358 - accuracy: 0.6787 - val_loss: 0.7393 - val_accuracy:
0.7225\n",
    "Epoch 6/30\n",
    "180/180 [=====] - 75s 418ms/step -
loss: 0.7924 - accuracy: 0.6965 - val_loss: 0.8389 - val_accuracy:
0.6928\n",
    "Epoch 7/30\n",
    "180/180 [=====] - 73s 405ms/step -
loss: 0.7521 - accuracy: 0.7158 - val_loss: 0.8503 - val_accuracy:
0.6789\n",
    "Epoch 8/30\n",
    "180/180 [=====] - 74s 411ms/step -
loss: 0.7048 - accuracy: 0.7313 - val_loss: 0.6492 - val_accuracy:
0.7521\n",
    "Epoch 9/30\n",
    "180/180 [=====] - 72s 400ms/step -
loss: 0.6502 - accuracy: 0.7521 - val_loss: 0.6458 - val_accuracy:
0.7438\n",
    "Epoch 10/30\n",
    "180/180 [=====] - 74s 409ms/step -
loss: 0.6182 - accuracy: 0.7684 - val_loss: 0.5721 - val_accuracy:
0.7818\n",
    "Epoch 11/30\n",
    "180/180 [=====] - 72s 402ms/step -
loss: 0.5662 - accuracy: 0.7931 - val_loss: 0.5968 - val_accuracy:
0.7725\n",
    "Epoch 12/30\n",
    "180/180 [=====] - 72s 401ms/step -
loss: 0.5600 - accuracy: 0.7908 - val_loss: 0.6907 - val_accuracy:
0.7612\n",
    "Epoch 13/30\n",
    "180/180 [=====] - 72s 399ms/step -
loss: 0.5064 - accuracy: 0.8138 - val_loss: 0.5185 - val_accuracy:
0.8117\n",
    "Epoch 14/30\n",
    "180/180 [=====] - 71s 394ms/step -
loss: 0.4830 - accuracy: 0.8249 - val_loss: 0.3613 - val_accuracy:
0.8673\n",
    "Epoch 15/30\n",
    "180/180 [=====] - 71s 397ms/step -
loss: 0.4650 - accuracy: 0.8196 - val_loss: 0.3396 - val_accuracy:
0.8768\n",
    "Epoch 16/30\n",
    "180/180 [=====] - 71s 393ms/step -
loss: 0.4117 - accuracy: 0.8559 - val_loss: 0.3472 - val_accuracy:
0.8738\n",
    "Epoch 17/30\n",
```

```

        "180/180 [=====] - 71s 397ms/step -
loss: 0.3892 - accuracy: 0.8631 - val_loss: 0.3314 - val_accuracy:
0.8826\n",
        "Epoch 18/30\n",
        "180/180 [=====] - 70s 389ms/step -
loss: 0.3441 - accuracy: 0.8726 - val_loss: 0.4008 - val_accuracy:
0.8589\n",
        "Epoch 19/30\n",
        "180/180 [=====] - 73s 404ms/step -
loss: 0.3467 - accuracy: 0.8719 - val_loss: 0.2484 - val_accuracy:
0.9060\n",
        "Epoch 20/30\n",
        "180/180 [=====] - 72s 398ms/step -
loss: 0.3327 - accuracy: 0.8758 - val_loss: 0.2234 - val_accuracy:
0.9210\n",
        "Epoch 21/30\n",
        "180/180 [=====] - 73s 403ms/step -
loss: 0.2807 - accuracy: 0.9009 - val_loss: 0.2830 - val_accuracy:
0.9036\n",
        "Epoch 22/30\n",
        "180/180 [=====] - 70s 392ms/step -
loss: 0.2751 - accuracy: 0.9013 - val_loss: 0.2392 - val_accuracy:
0.9141\n",
        "Epoch 23/30\n",
        "180/180 [=====] - 73s 404ms/step -
loss: 0.2549 - accuracy: 0.9097 - val_loss: 0.2221 - val_accuracy:
0.9189\n",
        "Epoch 24/30\n",
        "180/180 [=====] - 72s 399ms/step -
loss: 0.2412 - accuracy: 0.9243 - val_loss: 0.2029 - val_accuracy:
0.9291\n",
        "Epoch 25/30\n",
        "180/180 [=====] - 72s 402ms/step -
loss: 0.2360 - accuracy: 0.9199 - val_loss: 0.1965 - val_accuracy:
0.9307\n",
        "Epoch 26/30\n",
        "180/180 [=====] - 72s 401ms/step -
loss: 0.2199 - accuracy: 0.9201 - val_loss: 0.1919 - val_accuracy:
0.9331\n",
        "Epoch 27/30\n",
        "180/180 [=====] - 72s 400ms/step -
loss: 0.2008 - accuracy: 0.9363 - val_loss: 0.1218 - val_accuracy:
0.9560\n",
        "Epoch 28/30\n",
        "180/180 [=====] - 73s 406ms/step -
loss: 0.1889 - accuracy: 0.9310 - val_loss: 0.2838 - val_accuracy:
0.9108\n",
        "Epoch 29/30\n",
        "180/180 [=====] - 70s 389ms/step -
loss: 0.2046 - accuracy: 0.9275 - val_loss: 0.2116 - val_accuracy:
0.9307\n",
        "Epoch 30/30\n",
        "180/180 [=====] - 70s 392ms/step -
loss: 0.1886 - accuracy: 0.9372 - val_loss: 0.2091 - val_accuracy:
0.9280\n"
    ]
},

```

```

    {
      "output_type": "execute_result",
      "data": {
        "text/plain": [
          "<keras.callbacks.History at 0x7f3e15438e50>"
        ]
      },
      "metadata": {},
      "execution_count": 20
    }
  ],
},
{
  "cell_type": "markdown",
  "source": [
    "# **Step -6 Save The model**"
  ],
  "metadata": {
    "id": "1uK880jw9Kru"
  },
},
{
  "cell_type": "code",
  "source": [
    "model.save('Flowers_classification_model1.h5')"
  ],
  "metadata": {
    "id": "scoaKurE9FZk"
  },
  "execution_count": 21,
  "outputs": []
},
{
  "cell_type": "markdown",
  "source": [
    "# **Step -7 Test The model**"
  ],
  "metadata": {
    "id": "YAH2UVpi9RMV"
  },
},
{
  "cell_type": "code",
  "source": [
    "ls"
  ],
  "metadata": {
    "colab": {
      "base_uri": "https://localhost:8080/"
    },
    "id": "Z-co6hBAEmzg",
    "outputId": "bf8a661d-3210-4695-dcb7-48e6f365dfce"
  },
  "execution_count": 22,
  "outputs": [
    {
      "output_type": "stream",

```

```

        "name": "stdout",
        "text": [
            "\u001b[0m\u001b[01;34mflowers\u001b[0m/
Flowers_classification_model1.h5  Flowers-Dataset.zip  video.mp4\n"
        ]
    }
}
},
{
    "cell_type": "code",
    "source": [
        "import numpy as np\n",
        "from tensorflow.keras.models import load_model\n",
        "from tensorflow.keras.preprocessing import image"
    ],
    "metadata": {
        "id": "mJvRRo7VvkeO"
    },
    "execution_count": 23,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "# Load the model\n",
        "model=load_model('Flowers_classification_model1.h5')"
    ],
    "metadata": {
        "id": "xo6F_4jw9KBZ"
    },
    "execution_count": 24,
    "outputs": []
},
{
    "cell_type": "code",
    "source": [
        "img=image.load_img(r\"/content/s3.jpg\",target_size=(64,64))\n",
        "x=image.img_to_array(img)\n",
        "x=np.expand_dims(x,axis=0)\n",
        "y=np.argmax(model.predict(x),axis=1)\n",
        "# x_train.class_indices\n",
        "index=['daisy','dandelion','rose','sunflower','tulip']\n",
        "index[y[0]]"
    ],
    "metadata": {
        "colab": {
            "base_uri": "https://localhost:8080/",
            "height": 35
        },
        "id": "2rnrfMAf-AB9",
        "outputId": "c6357a8b-5163-4884-c82e-05651a65571c"
    },
    "execution_count": 38,
    "outputs": [
        {
            "output_type": "execute_result",
            "data": {

```

```
        "text/plain": [
            "'sunflower'"
        ],
        "application/vnd.google.colaboratory.intrinsic+json": {
            "type": "string"
        }
    },
    "metadata": {},
    "execution_count": 38
}
]
},
{
    "cell_type": "markdown",
    "source": [
        "# **We Achieved 93 percent of accuracy with this model** \n",
        "# **Trained by Team ID : PNT2022TMID17050**"
    ],
    "metadata": {
        "id": "2f85wU8fL0Si"
    }
}
]
```