PROJECT REPORT SMART FARMER -IOT ENABLED SMART FARMING APPLICATION

DOMAIN	INTERNET OF THINGS
TOPIC	SMART FARMER IOT ENABLED SMART FARMING APPLICATION
TEAM ID	PNT2022TMID14050
TEAM MEMBERS	SMITHA.M, SIVAGANESH.M, SIVAKUMAR.M, SIVA SAKTHI.V



7.7.



TABLE OF CONTENTS

S.NO	PG.NO.	TITLE
1	3	INTRODUCTION
1.1		PROJECT OVERVIEW
1.2		PURPOSE
2	4	LITERATURE SURVEY
2.1		EXISTING PROBLEM
2.2		REFERENCES
2.3		PROBLEM STATEMENT DEFINITION
3	6	IDEATION AND PROPOSED SOLUTION
3.1		EMPATHY MAP CANVAS
3.2		IDEATION AND BRAINSTORMING
3.3		PROPOSED SOLUTION
3.4		PROBLEM SOLUTION FIT
4	9	REQUIREMENT ANALYSIS
4.1		FUNCTIONAL REQUIREMENT
4.2		NON-FUNCTIONAL REQUIREMENT
5	10	PROJECT DESIGN
5.1		DATA FLOW DIAGRAMS
5.2		SOLUTION AND TECHNICAL ARCHITECHTURE
5.3		USER STORIES
6	15	PROJECT PLANNING AND SCHEDULING
6.1		SPRINT PLANNING AND ESTIMATION
6.2		SPRINT DELIVERY SCHEDULE
7	17	CODING AND SOLUTIONING
7.1		FEATURE 1
7.2		FEATURE 2
8	18	TESTING
8.1		TEST CASES
8.2		USER ACCEPTANCE TESTING
9	23	RESULTS
9.1		PERFORMANCE METRICS

10	27	ADVANTAGES AND DISADVANTAGES
11	27	CONCLUSION
12	29	FUTURE SCOPE
13	30	APPENDIX
		SOURCE CODE
		GITHUB AND PROJECT DEMO LINK



1.INTRODUCTION

1.1 PROJECT OVERVIEW:

IoT-based agriculture system helps the farmer in monitoring different parameters of his field like soil moisture, Temperature, humidity using some sensors. Farmers can monitor all the sensor parameters by using a web or mobile application even if the farmer is not near his field.

1.2 PURPOSE:

- IoT-based agriculture system helps the farmer in monitoring different parameters of his field like soil moisture, temperature, and humidity using some sensors.
- Farmers can monitor all the sensor parameters by using a web or mobile application even if the farmer is not near his field. Watering the crop is one of the important tasksfor the farmers.
- They can make the decision whether to water the crop or postpone it by monitoring the sensor parameters and controlling the motor pumps from the mobile application itself.

2.LITERATURE SURVEY

2.1 EXISTING PROBLEM

S. N O	NAME OF THE PAPER	AUTHOR	YEAR OF PUBLICATION	TECHNOLOGY USED	LIMITATION
1.	SMART AGRO SYSTEM USING WIRELESS SENSOR NETWORKS	Ruby Roselin A, A Jawahar	2017	IOT/cellular	Cost is high
2.	Cloud based data analysis and monitoring of smart multi-level Irrigation system using iot	Sanket Salvi,Pramod Jain S., Sanjay H., Harshita T., M. Farhana , Naveen Jain , Suhas M	2017	cloud Analytics	Increased channel maintenance
3.	Water spray detection for smart irrigation systems with mask R-CNN and UAV footage	K.G.Albuquerq ue,serigo polimante	2020	ЮТ	It requires a strong network
4.	Smart farm and	Tharindu madushan	2020	IOT	There could be

	Monitoring systems for measuring the environmental condition using wireless sensor network	Bandara		Wireless network	wrong analysis of weather conditions
5.	Cyber attacks on smart farming infrastructure	Sina sontowski Maanak gupta	2020	DOS *IEEE 802.11 VULNERABILITIES	Complex for uneducated person
6.	Robust smart irrigation system using hydroponic farming based on data science and IOT	Punya Prabha.v Sarala.s	2020	IOT SERVER DATA SCIENCE	Expensive

2.2 REFERENCES

- Sinung Suakanto, Ventje J. L. Engel, Maclaurin Hutagalung and Dina Angela, "Sensor networks data acquisition and task management for decision support of smart agriculture", 2016 International Conference on Information Technology Systems and Innovation (ICITSI) Bandung Bali, pp. 24-27, Oct. 2016.
- Chetan Dwarkani M, R Ganesh Ram, S Jagannathan, and R. Priyatharshini, "Smart agriculture system using sensors for agricultural task automation", 2015 IEEE International Conference on Technological Innovations in ICT for Agriculture and Rural Development (TIAR 2015).
- Nikesh Gondchwar and R. S. Kawitkar, "IOT-based smart agriculture", International Journal Of Advanced Research in Computer and Communication Engineering (IJARCCE), vol. 5, no. 6, Jun. 2016. Show Context Google Scholar.
- Manakant Intarakamhaeng et al., "The Model Farm Management Automation Technology with RFID" in , Pathumthani:Office of Science and Technology, 2008.
- K K Namala, Krishna Kanth Prabhu A V, Anushree Math, Ashwini Kumari, and Supraja Kulkarni, "Smart Irrigation with Embedded System", IEEE Bombay Section Symposium (IBSS), June 2017.



2.3 PROBLEM STATEMENT DEFINITION

















3.1 EMPATHY MAP CANVAS






3.2 IDEATION AND BRAINSTORMING













3.3 PROPOSED SOLUTION

S. NO	PARAMETER	DESCRIPTION
1.	Problem Statement (Problem to be solved)	To enable farmers to remotely monitor the crops and field using smart devices.
2.	Idea / Solution description	We propose a solution using sensors and cloud data storage and an mobile application which helps farmers monitor the crops condition like temperature, soil moisture, humidity
3.	Novelty / Uniqueness	Precision agriculture is a farming management concept where we apply precision measurements based on soil variations, whereas smart farming focuses on accessing and applying data. But digital data from smart farming can be used for informing precision farming.
4.	Social Impact / Customer Satisfaction	Farmers state that it gives them a picture of what's happening on the ground with constant data sent to connected devices 24/7. It helps them track, recover, monitor, gives notification when anything is out of range.
5.	Business Model (Revenue Model)	It is estimated globally smart agriculture market revenue in 2019 is USD 11.9 Billion. It is estimated that new smart frams will feed our population which may explode to 9.6 billion by 2050. Global smart agriculture market review is predicted as 25.3 Billion USD by 2027. The compound annual growth rate over this forecasted period is 11.4%.
6.	Scalability of the Solution	Can helps to monitor giving five kilometer tracking range. Can be done with continuous readings on temperature,gas,humdity,pH,smoke detection,water and fuel levels



3.4 PROBLEM SOLUTION FIT







4. REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENT

FR	Functional	Sub Requirement (Story / Sub-Task)
No.	Requirement (Epic)	
FR-1	Data Collection	The parameters like temperature, humidity, and soil moisture is measured and collected.
FR-2	Device Communication	The device will subscribe to the commands from the mobile application and control the motors accordingly
FR-3	API development	APIs are developed using Node-RED service for communicating with Mobile Application
FR-4	Mobile App	A mobile application is developed using the MIT App inventor to monitor the sensor parameters and control the motors.
FR-5	IBM Cloud services Configuration	Create IBM Watson IoT Platform Create a device & configure the IBM IoT Platform Create Node-RED service Create a database in Cloudant DB to store all the sensor parameters.
FR-6	Mobile Application Requirements	The mobile app should have the following features Display the sensor parameters Buttons for controlling the motors Should communicate with the IBM cloud using APIs to get the sensor data and send the commands

4.2 NON FUNCTIONAL REQUIREMENTS

FR	Non-Functional	Description
No.	Requirement	
FR-1	Usability	The application must be useful to all sorts of people, Its complexity level should be low and should be usable by uneducated farmers. It should be simple rather than confusing
FR-2	Security	Since it involves cloud storage of gathered sensor data, which could be misused, Data handling must be highly secure.
FR-3	Reliability	Since it is used for remote monitoring, It can be used in cases where a single farmer is managing the entire farm, Data should be more accurate and should not be misleading.
FR-4	Performance	Highly effective monitoring, tracking, and recovery of farm assets, tracking range should be greater than at least 5km. Continuous readings on temperature,gas,humidity,pH,smoke detection,water and fuel levels are necessary.
FR-5	Availability	It should monitor water level, fuel level, electric fence-theft monitoring, temperature, humidity, tractor guidance, GPS tags, soil moisture, and toxic gases.
FR-6	Scalability	It should be made used in remote areas where technological



advancements have not even been raised and should deliver a more productive and sustainable form of agriculture.


5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS

PROJECT FLOW:

- The parameters like temperature, humidity, and soil moisture are updated to the Watson IoT platform
- The device will subscribe to the commands from the mobile application and control the motors accordingly
- APIs are developed using Node-RED service for communicating with Mobile Application
- A mobile application is developed using the MIT App inventor to monitor the sensor parameters and control the motors.


DATA FLOW DIAGRAM:



5.2 SOLUTION AND TECHNICAL ARCHITECHTURE

SOLUTION ARCHITECHTURE:


- loT-based agriculture system helps the farmer in monitoring different parameters of his field like soil moisture, temperature, and humidity using some sensors.
- Farmers can monitor all the sensor parameters by using a web or mobile application even if the farmer is not near his field. Watering the crop is one of the important tasks for farmers.
- They can make the decision whether to water the crop or postpone it by monitoring the sensor parameters and controlling the motor pumps from the mobile application itself.





TECHNICAL ARCHITECHTURE:

PROJECT FLOW:



- The parameters like temperature, humidity, and soil moisture are updated to the Watson IoT platform
- The device will subscribe to the commands from the mobile application and control the motors accordingly
- APIs are developed using Node-RED service for communicating with Mobile Application
- A mobile application is developed using the MIT App inventor to monitor the sensor parameters and control the motors.
- To accomplish this, we have to complete all the activities and tasks listed below:
- Create and configure IBM Cloud Services
- Create IBM Watson IoT Platform
- Create a device & configure the IBM IoT Platform
- Create Node-RED service
- Create a database in Cloudant DB to store all the sensor parameters
- Develop a python script to publish and subscribe to the IBM IoT platform
- Configure the Node-RED and create APIs for communicating with mobile application
- Develop a mobile application to display the sensor parameters and control the motors

COMPONENTS AND TECHNOLOGIES:

S. NO	Component	Description	Technology
1.	User Interface	Web UI, He can select the button to read the value of the selected button.	MIT APP
2.	Application Logic-1	The parameters like temperature, humidity, and soil moisture are updated to the Watson IoT platform	Watson IoT platform (Python Script)



3.	Application Logic-2	Configure the Node-RED and create APIs	Node-RED
		for communicating with mobile	
		application	
4.	Application Logic-3	Create IBM Watson IoT Platform	IBM Watson Assistant
5.	Cloud Database	Create and configure IBM Cloud Services	IBM Cloudant etc.
6.	File Storage	Create a database in Cloudant DB to	IBM Block Storage or
		store all the sensor parameters	Other Storage Service
			or Local Filesystem

APPLICATION CHARACTERISTICS:

S. NO	Characteristics	Description	Technology
1.	Open-Source Frameworks	Python Script , Arduino IDE Code	Python IDE, Arduino IDE
2.	Security Implementations	Since it involves cloud storage of gathered sensor data, which could be misused, Data handling must be highly secure.	SHA-512, RIPEMD-180.
3.	Scalable Architecture	It should be made used in remote areas where technological advancements have not even been raised and should deliver a more productive and sustainable form of agriculture.	Highly Stable Network Connectivity
4.	Availability	It should monitor water level, fuel level, electric fence-theft monitoring, temperature, humidity, tractor guidance, GPS tags, soil moisture, and toxic gases.	Sensors
5.	Performance	Highly effective monitoring, tracking, and recovery of farm assets, tracking range should be greater than at least 5km. Continuous readings on temperature,gas,humidity,pH,smoke detection ,water and fuel levels are necessary	Sensors

5.3 USER STORIES

List of all the user stories for the Smart farming application are as follows;

User	Function	User	User Story / Task	Acceptance criteria	Priority	Release
Туре	al	Story				
	Require	Numbe r				
	me nt					
	(Epic)					
Farmer	End User-	USN-1	I have to check the	Click on the button	High	Sprint-1
-Mobile	Mobile		temperature value of	to view the		
user	арр		my field.	temperature.		
		USN-2 I	I have to monitor the	Click on the button	High	Sprint-1
			soil moisture content	to view the		
			near my crops.	moisture content		
		USN-3 I	I have to measure the	Click on the button	Low	Sprint-2
			humidity conditions	to view the crop		
			for crop storage.	storage		
		USN-4 I	I have to measure the	Click on the option	Medium	Sprint-1
			current temperature	to compare results.		
			and compare it with			
			previous temperature.			
		USN-5	I have to visualize the	Click on the graph	High	Sprint-1
			graph of crop	button to visualize		
			production.	the results.		

6 PROJECT PLANNING AND SCHEDULING

6.1 SPRINT PLANNING AND ESTIMATION:

Sprint - 1	Hardware	USN-1	Sensors and Wi-Fi module with python code	2	High	SAJINA S (Leader)
Sprint - 2	Software	USN-2	IBM Watson IOT Platform, Workflows for IOT scenarios	2	High	NITHISH S (Member 1)

			using Node- Red			
Sprint - 3	MIT App	USN-3	To develop a mobile application using MIT.	2	High	ANTONY SAMY DAVID A (Member 2)
Sprint - 4	Web UI	USN-4	To make the user interact with software.	2	High	KAVIPRASATH V (Member 3)

Project Tracker, Velocity & Burndown Chart:

Sprint	Total Story	Duration	Sprint start	Story	Sprint	Sprint end
	Points		date	points(comp	release	date
				leted) as onplanned end date	date(Actual)	
Sprint-1	20	6 Days	24 Oct 2022	20	29 Oct 2022	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	20	5 Nov 2022	5 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	20	12 NOV 2022	12 NOV 2022
Sprint-4	20	6 Days	14 Nov 2022	20	14 NOV 2022	14 NOV 2022


VELOCITY:

AV for sprint 1= Sprint Duration /velocity =20/6=3

AV for sprint 2= Sprint Duration/Velocity=20/6=3

AV for Sprint 3=Sprint Duration/Velocity=20/6=3

AV for Sprint 4=Sprint Duration/Velocity=20/6=3





6.2 SPRINT DELIEVERY SCHEDULE

S.NO	ACTIVITY TITLE	ACTIVITY	DURATION
		DESCRIPTION	
1	Understanding the project	Assign ed the team	1 week
		Members after that	
		create repository in the	
		GitHub and then assign	
		task to each member	
		and guide them how to	
		access the GitHub	
		while submitting the	
		assignments	
2	Staring The Project	We the Team Members	1 week
		were Assigned all the	
		Tasks Based on Sprints	
		and Work on It	
		Accordingly	
3	Completing Every Task	Team Leader should	1 week
		ensure that whether	
		every team member	
		have completed the	
		assigned task or not	
4	Stand Up Meetings	Team Lead Must Have a	1 week
		Stand-Up Meeting with	
		The Team and Work on	
		The Updates and	
		Requirement Session	
5	Deadline	Ensure that team	1 week
		members are	
		completing every task	
		within the deadline	
6	Budget and Scope of project	Analyze the overall	1 week
		budget which must be 1	
		week within certain	
		limit it should be	
		favorable to every	
		person	

7. CODING AND SOLUTIONING

- 7.1 FEATURE -1 SOIL MOISTURE DETECTION
- 7.2 FEATURE-2 HUMIDITY DETECTION
- 7.3 FEATURE -3 TEMPERATURE DETECTION
- 7.4 FEATURE-4 MOTOR ON AND OFF

PYTHON CODE:

Goal:

To develop the python code to publish and subscribe to the commands from the IBM cloud.

PROGRAM:

```
import wiotp.sdk.device
import time
import OS
import datetime
import random
myConfig = {"identity": {"orgld": "023f97" "typeld": "NodeMCU" "deviceld": "12345"},
"auth":{ "token": " CT8N7Sz?giHVFxk-V?" } }
client = wiotp.sdk.device.DeviceClient {config =myConfig, logHandlers=None}
client.connect ()
def myCommandCallhack (cmd):
print ("Message received from IBM IOT Platform: %s" %cmd.data [' command' ])
m=cmd. data [' command' ]
if (m== "motoron"):
print ("Motor is switched on")
elif (m=="motoroff"):
print ("Motor is switched OFF")
print ("")
while True:
soil=random.randint (0,100)
temp=random.randint (-20,125)
hum=random.randint (0,100)
myData={'soil moisture': soil, 'temperature':temp, 'humidity':hum}
client.publishEvent (eventId="status", msgFormat="json", data=myData, gos=0,
onPublish=None)
print ("Published data Successfully: %s", myData)
time.sleep (2)
client.commandCallback = myCommandCallback
client.disconnect ()
```

8. TESTING

8.1 TEST CASES

I. IBM Watson IOT service:

Goal:

To create an IBM Watson IOT service and create a device using it.

Steps to create an IBM Watson IOT service:

- Click on catalog in IBM cloud account.
- Click on services.
- Enter as Internet of thing platform.
- Enter region and pricing plan.
- Enter service name and click create.
- Click on launch.
- Then IBM Watson OT platform opens.
- Click on sign in.
- Enter IBM Id.
- Enter Password.
- Then you can access IBM Watson IOT platform.

Steps to create a device:

- Click on devices in IBM Watson IOT platform.
- Choose to create a device.
- Enter the device type as Node MCU.
- Enter the device ID as 12345.
- Click next.
- Enter device credentials (optional).
- Click next.
- Enter the authentication token (optional).
- Click on continue.
- Click on next.
- Click finish

Device is created successfully, and we can see device credentials

Organization ID	023f97	
Device Type	Node MCU	
Device ID	12345	
Authentication Method	Use- token- auth	
Authentication Token	CT8N7Sz?giHVFxk-V?	

Device Credentials

You registered your device to the organization. Add these credentials to the device to connect it to the platform. After the device is connected, you can navigate to view connection and event details.

Organization ID

023197

Device Type

NodeMCU

Device ID

12345

Authentication Method use-token-auth

Authentication Token CTSN7Sz?giHVFxkcV?

II. Creation of Node – Red Service:

Goal:

To create a Node Red service.

Steps to create a Node-Red service:

- Click on catalog in IBM cloud account.
- Click on services.
- Enter as Node red service.
- Node red app opens click on get started.
- Enter app name as default.
- Enter region as London.
- Choose pricing plan as lite.
- Click create.
- You will be redirected to a new page.
- Click on deploy your app.
- Choose cloud foundry.
- Enter IBM API key (by clicking new+).
- Choose memory size as default.
- Enter region as London.
- Click next.
- Click create.
- Status will be updated after creation.
- Click on App URL.
- Click next.
- Choose not recommended.
- Click next.
- You will see Node red page.
- Go to your node red flow editor.
- In the left panel choose nodes.

- In the right panel choose context mode.
- In hello node red inject node enter the data as string and choose to repeat as none.
- Click done.
- Click debug node.
- Choose to deploy.
- When you click button on inject node you can see the message in debug console.

Account Creation:



Details	
App URL	https://node-red-br.eu-gb.mybluemix.net
Source	https://eu-gb.git.cloud.ibm.com/sajupikachu/NodeREDBRMXW202
Resource group	Default
Deployment target	Node RED BRMXW 2022-11-12
Created	11/12/2022




Interface:


%

(6

70:




8.2 USER ACCEPTANCE TESTING





@//



9. RESULTS 9.1 PERFORMANCE METRICS

PYTHON CODE RESULTS:

```
File Edit Search Source Run Debug Consoles Projects Tools View Help
                                                                                                                                                                                             C:\Users\ADMIN\Pictures\temp.py
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      Source Console
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  Object
temp.py
                                                                                                                                                                                                                                                                                                                                                                                                                                                               t random
                                                       import random
myConfig = {
    "identity": {
        "orgId": "023f97",
        "typeId": "RED",
        "deviceId": "89765"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             Here you can get help of any object by pressing Ctrl+I in front of it, either on the Editor or the Console.
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               Help can also be shown automatically after writing a left parenthesis next to an object. You can activate this behavior in Preferences > Help.
                                                                                                                   "token": "123456789"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              New to Spyder? Read our morial
                                                        }
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=Nor
                                                        client.connect ()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              Variable explorer Help Plots Files
                                                     def myCommandCallback(cmd):
    print ("Message received from IBM IOT Platform: %s" % cmd.data ['cc
    m=cmd.data['command']
    if (m== "motoron"):
        print ("Notor is switched on")
    elif (m=='motoroff'):
        print ("Notor is switched OFF")
    print ("Notor is switched OFF")
    print ("T)
    while True:
        collection
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Console 4/A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         Published data Successfully: %s ('soil_moisture': 99, 'temperature': 94, 'humidity': 83)
Published data Successfully: %s ('soil_moisture': 23, 'temperature': 87, 'humidity': 48)
Published data Successfully: %s ('soil_moisture': 23, 'temperature': 87, 'humidity': 45)
Published data Successfully: %s ('soil_moisture': 63, 'temperature': 88, 'humidity': 25)
Published data Successfully: %s ('soil_moisture': 63, 'temperature': 77, 'humidity': 87)
Published data Successfully: %s ('soil_moisture': 51, 'temperature': 65, 'humidity': 39)
Published data Successfully: %s ('soil_moisture': 61, 'temperature': 65, 'humidity': 39)
Published data Successfully: %s ('soil_moisture': 31, 'temperature': 144, 'humidity': 59)
Published data Successfully: %s ('soil_moisture': 33, 'temperature': 144, 'humidity': 59)
Published data Successfully: %s ('soil_moisture': 59, 'temperature': 20, 'humidity': 2}
Published data Successfully: %s ('soil_moisture': 63, 'temperature': 20, 'humidity': 2}
Published data Successfully: %s ('soil_moisture': 63, 'temperature': 40, 'humidity': 49)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 40, 'humidity': 86)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 86)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 86)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 86)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 48)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 48)
Published data Successfully: %s ('soil_moisture': 89, 'temperature': 45, 'humidity': 86)
                    29
                                                                              soil=random.randint(0,100)
                                                                            soil=random.randint(0,100)
temp=random.randint(-20,125)
hum=random.randint(0,100)
myOata={'soit_moisture': soil, 'temperature':temp, 'humidity' :hum]
client.publisheven(teventId="status",msgFormat="json", data=myOata,
print ("Published data Successfully: %s", myOata)
                                                       print ("Published data Successfully: %s", i
time.sleep(2)
client.commandCallback = myCommandCallback
client.disconnect()
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    IPython console History


♦ LSP Python: ready 
♦ conda (Python 3.8.8) Line 29, Col 15 ASCII CRLF RW

CRLF
```




%






WEB APPLICATION NODE RED FLOW:






<u></u>


WEB APPLICATION DASHBOARD:









MOBILE APPLICATION:














ADVANTAGES:

- One of the really good things about this branch of farming is that it allows for Soil Sensing.
- This aspect of smart farming gives room for you as a farmer to test your soil for information and also measure it for a wide range of important and nutritious constituents necessary in securing the good health of your farm produce.
- Soil sensing is also employe to appropriately control the application of real-time variable rate equipment. This allows you to understand the scale of your grounds, making you also, in this process, device effective ways of conserving necessary farming resources like water, fertilizer and so on.
- So, with this, you only have to apply fertilizers and pesticides where you need to apply them so as not to negatively affect your plants.
- You also get to conserve seeds, fertilizer, water, etc., and still even maximize yields at the end of the day.
- You also get to get important information about the amount of air and the levels of air, sound, humidity, and temperature of your environment.
- Smart farming is a wonderful option if you want to save the cost of electricity.
- It allows for the use of solar-powered tools like pumps that save your expenditure.
- It is cost-effective as it somewhat reduces the spending usually generated by farmers in maintaining their capital-intensive techs.
- Smart agriculture makes use of AI to improve the process of wireless monitoring, regulation and data collection.
- With these inputs on your farm, all thanks to smart farming, you can be sure of highquality crop production and delivery.

DISADVANTAGES:

- One huge disadvantage of smart farming is that it requires an unlimited or continuous internet connection to be successful.
- This means that in rural communities, especially in the developing countries where we have mass crop production, it is completely impossible to operate this farming method.
- In places where internet connections are frustratingly slow, smart farming will be an impossibility.
- As pointed out earlier, smart farming makes use of high techs that require technical skill and precision to make it a success.
- It requires an understanding of robotics and ICT.
- However, many farmers do not have these skills.
- Even finding someone with this technical ability is difficult or even expensive to come by, at most.
- And, this can be a discouraging factor hindering a lot of promising farmers from adopting it



11. CONCLUSION

Agriculture offers an opportunity to improve the lives of millions of food-insecure people and help countries develop economies that create jobs and raise incomes. Smart farming stands as an opportunity to improve the livelihood of farmers and rural people.

12. FUTURE WORKS

The agricultural folks can develop once the techniques are refined to guide poorness mitigation and rising the specification of the individuals.smart farming has a real potential to deliver a more productive and sustainable form of agricultural production, based on a more precise and resource-efficient approach. New farms will finally realize the eternal dream of mankind. It'll feed our population, which may explode to 9.6 billion by 2050.

13. APPENDIX

SOURCE CODE

```
#pip install wiotp-sdk
#pip install OS
import wiotp.sdk.device
import time
#import OS
import datetime
import random
myConfig = {
  "identity": {
    "orgld": "023f97",
    "typeld": "RED",
    "deviceId": "89765"
   },
   "auth":{
      "token": "123456789"
   }
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect ()
```

def myCommandCallback(cmd):

```
print ("Message received from IBM IOT Platform: %s" % cmd.data ['command'])
  m=cmd.data['command']
  if (m== "motoron"):
   print ("Motor is switched on")
  elif (m=="motoroff"):
   print ("Motor is switched OFF")
  print ("")
while True:
  soil=random.randint(0,100)
  temp=random.randint(-20,125)
  hum=random.randint(0,100)
  myData={'soil_moisture': soil, 'temperature':temp, 'humidity':hum}
  client.publishEvent(eventId="status",msgFormat="json", data=myData, qos=0,
onPublish=None)
  print ("Published data Successfully: %s", myData)
  time.sleep(2)
  client.commandCallback = myCommandCallback
client.disconnect()
```

GITHUB LINK:

https://github.com/IBM-EPBL/IBM-Project-44974-1660727655

PROJECT DEMO VIDEO LINK:

https://drive.google.com/file/d/1rRuX8k_8hZ6CJ8QKxao2dWqVyLYxq

siu/view?usp=drivesdk