# → Basic Python

#### ▼ 1. Split this string

```
s = "Hi there Sam!"

s="Hi there Sam!"

x=s.split()
print(x)

['Hi', 'there', 'Sam!']
```

▼ 2. Use .format() to print the following string.

Output should be: The diameter of Earth is 12742 kilometers.

```
planet = "Earth"
diameter = 12742

print("The diameter of {} is {} kilometers".format('Earth','12742'))

The diameter of Earth is 12742 kilometers
```

→ 3. In this nest dictionary grab the word "hello"

```
d = {'k1':[1,2,3,{'tricky':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
d={'k1':[1,2,3,{'trichy':['oh','man','inception',{'target':[1,2,3,'hello']}]}]}
d['k1'][3]['trichy'][3]['target'][3]

'hello'
```

## Numpy

import numpy as np

## ▼ 4.1 Create an array of 10 zeros?

### 4.2 Create an array of 10 fives?

```
import numpy as np
arr=np.ones(10)*5
print("An array of 10 fives:")
print(arr)

An array of 10 fives:
   [5. 5. 5. 5. 5. 5. 5. 5. 5.]

import numpy as np
arr=np.arange(20,35,2)
print("An array of all even integers from 20 to 35:")
print(arr)

An array of all even integers from 20 to 35:
   [20 22 24 26 28 30 32 34]
```

▼ 5. Create an array of all the even integers from 20 to 35

```
import numpy as np
x=np.arange(0,9).reshape((3,3))
print(x)

[[0 1 2]
      [3 4 5]
      [6 7 8]]
```

→ 6. Create a 3x3 matrix with values ranging from 0 to 8

```
import numpy as np
arr=np.arange(20,35,2)
print("An array of all even integers from 20 to 35:")
print(arr)

An array of all even integers from 20 to 35:
  [20 22 24 26 28 30 32 34]
```

#### 7. Concatenate a and b

```
a = np.array([1, 2, 3]), b = np.array([4, 5, 6])
```

```
import numpy as np
a=np.array([1,2,3])
b=np.array([4,5,6])
arr=np.concatenate((a,b))
print(arr)

[1 2 3 4 5 6]
```

#### → Pandas

▼ 8. Create a dataframe with 3 rows and 2 columns

```
import pandas as pd
import pandas as pd
data=[['tom',10],['nick',15],['juli',14]]
df=pd.DataFrame(data,columns=['Name','Ag'])
df
```

	Name	Ag
0	tom	10
1	nick	15
2	juli	14

9. Generate the series of dates from 1st Jan, 2023 to 10th Feb, 2023

```
import pandas as pd
period=pd.date_range(start='1-1-2023',end='10-2-2023')
for val in period:
    print(val)
```

2023-01-01 00:00:00

2023-01-02 00:00:00 2023-01-03 00:00:00 2023-01-04 00:00:00 2023-01-05 00:00:00 2023-01-06 00:00:00 2023-01-07 00:00:00 2023-01-08 00:00:00 2023-01-09 00:00:00 2023-01-10 00:00:00 2023-01-11 00:00:00 2023-01-12 00:00:00 2023-01-13 00:00:00 2023-01-14 00:00:00 2023-01-15 00:00:00 2023-01-16 00:00:00 2023-01-17 00:00:00 2023-01-18 00:00:00 2023-01-19 00:00:00 2023-01-20 00:00:00 2023-01-21 00:00:00 2023-01-22 00:00:00 2023-01-23 00:00:00 2023-01-24 00:00:00 2023-01-25 00:00:00 2023-01-26 00:00:00 2023-01-27 00:00:00 2023-01-28 00:00:00 2023-01-29 00:00:00 2023-01-30 00:00:00 2023-01-31 00:00:00 2023-02-01 00:00:00 2023-02-02 00:00:00 2023-02-03 00:00:00 2023-02-04 00:00:00 2023-02-05 00:00:00 2023-02-06 00:00:00 2023-02-07 00:00:00 2023-02-08 00:00:00 2023-02-09 00:00:00 2023-02-10 00:00:00 2023-02-11 00:00:00 2023-02-12 00:00:00 2023-02-13 00:00:00 2023-02-14 00:00:00 2023-02-15 00:00:00 2023-02-16 00:00:00 2023-02-17 00:00:00 2023-02-18 00:00:00 2023-02-19 00:00:00 2023-02-20 00:00:00 2023-02-21 00:00:00 2023-02-22 00:00:00 2023-02-23 00:00:00 2023-02-24 00:00:00 2023-02-25 00:00:00 2023-02-26 00:00:00 2023-02-27 00:00:00

#### ▼ 10. Create 2D list to DataFrame

```
lists = [[1, 'aaa' 22], [2 'bbb', 25], [3, 'ccc', 24]]

lists = [[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]

import pandas as pd

lst=[[1, 'aaa', 22], [2, 'bbb', 25], [3, 'ccc', 24]]

df=pd.DataFrame(lst,columns=['Tag','Name','Age'],dtype=float)

print(df)

Tag Name Age
0 1.0 aaa 22.0
1 2.0 bbb 25.0
2 3.0 ccc 24.0
   /usr/local/lib/python3.7/dist-packages/IPython/core/interactiveshell.py:3326:
   exec(code_obj, self.user_global_ns, self.user_ns)
```

Colab paid products - Cancel contracts here

×