## **Sprint 3**

Date	06 November 2022
Team ID	PNT2022TMID44808
Project Name	IoT Based Safety Gadget for
	Child Safety Monitoring and
	notification
Maximum Marks	8 Marks

```
LOCAL
FORAGE:
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof
 module)module.exports=a(); else if("function"==typeof
 define & & define.amd) define ([],a);
 else{var b;
   b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}(function(){
 return function a(b,c,d){
  function e(g,h)\{if(!c[g])\{if(!b[g])\}
   var i="function"==typeof
```

```
require&&require; if(!h&&i)return
i(g,!O);if(f)return f(g,!O);

var j=new Error("Cannot find module ""+g+""");

throw j.code="MODULE_NOT_FOUND",j}var

k=c[g]={exports:{}};

b[g][O].call(k.exports,function(a){

var c=b[g][1][a];return

e(c||a)},k,k.exports,a,b,c,d)} return c[g].exports}

for(var f="function"==typeof require&&require,g=O;g<d.length;g++)e(d[g]);
```

```
return e{{1:[function(a,b,c){(function(a){"use strict";} function c(){k=!0;for(var a,b,c=l.length;c;){ for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1} function d(a){1!==l.push(a)||k||e()}var e,f=a.MutationObserver||a.WebKitMutationObserver; if(f){var g=0,h=new
```

- f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!O}),e=function(){i.dat a=g=++g%2}} else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in a.document.createElement("script") function(){var b=a. document.createElement("script");b.onreadystatechange-function()(c(),b. onreadystatechange=null,b.parentNode.removeChild
  (b),b=null),a.document.documentElement.appendChild(b)}:function()
  (setTimeout(c,8));else{var j-new a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(O)}}var k,1-[];b.exports- d)).call(this,
  "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof window?window: {}}},2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" 1-typeof
- a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald O,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof

b&&(this.onFulfilled-b, this.callFulfilled-this.otherCallFulfilled), "function" type of <math>c&&(this.onRejected=c,

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
     <title>IOT Based Safety Gadget for Child Safety Monitoring and
     Notification</title>
<script src="./localforage.js"></script>
     <script>
          if (window.location.hostname !==
               "localhost") { if
               (location.protocol !== "https:") {
                    location.replace(
                         `https:${location.href.subst
                             ring(location.protoco
                             1.length
                        )}`
          async function check() {
   let data =
   localforage.getItem("userData") if
```

```
(data == null) {
    window.location.href = "/login"
    }
} check()
    </script>
</head>
<body
    style="
        height: 100%;
        margin: 0;</pre>
```

```
font-weight: 300;
         font-family: -apple-system, BlinkMacSystemFont,
              'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell,
              'Open Sans', 'Helvetica Neue',
              sans-serif;
    11
>
     <di
     V
         class="wrapp
         er" style="
              height:
              90%;
              display:
              flex;
              flex-direction:
              column; align-
              items: center;
              justify-content:
              center;
```

```
text-align:
      center;
 >
      <di
           class="detail
           s" style="
               display: flex;
               flex-direction:
               column; align-
               items: center; gap:
               20px;
               padding: 1rem;
               border-radius:
               5px;
               box-shadow: 0 0 8px 0px #44444444;
```

```
max-width: 80%;
             >
                  <h1 class="name" style="margin: 0"></h1>
                  <div
                      class="imageContainer"
                       style="padding: 10px; height: 10rem; width: 10rem"
                  >
                       <img class="image" alt="profile picture" />
                  </div>
                  <h2 class="email" style="margin: 0"></h2>
       <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color:</pre>
#0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard ?</a>
             </div>
        </div>
        <script>
             async function main() {
       let name =
```

```
document.querySelector(".name") let
image =
document.querySelector(".image") let
email =
document.querySelector(".email")
let userData = await
localforage.getItem("userData") if(userData
== null) {
 window.location.href = "/login"
name.innerHTML = `Welcome ${userData.firstName}
${userData.lastName}!` image.src = userData.profilePic
```