

# CREATE NODE – RED SERVICE

## TEAM ID: TEAM ID: PNT2022TMID19657

Resource list / App details / Node RED DNSJY 2022-11-09 Add tags

### Details

App URL <https://node-red-dnsjy-2022-11-09.au-syd.mybluemix.net/>

Source <https://au-syd.git.cloud.ibm.com/krubaharane.t2019ece/Nod...>

Resource group Default

Deployment target Node RED DNSJY 2022-11-09

Created 11/9/2022

### Services

Cloudant

[Open dashboard](#) [Documentation](#) [API reference](#)

Credentials

[Connect existing services](#) [Create service](#)

### Deployment Automation

Name NodeREDDNSJY2022-11-09

Location Sydney

Tool integrations

### Delivery Pipelines

Name pr-pipeline

Status No stages detected

Name ci-pipeline

Status Success

### Getting started quickly

#### Configuring your app

To connect services and DevOps toolchains to your app:

1. Use the **Services** card to connect a service to your app. Select an existing service instance, or create a new one. [Learn more.](#)
2. If you want to view the code before your app is deployed, click **Download code** to obtain the .zip file.
3. Click **Deploy your app** in the **Deployment Automation** card to select the deployment target and configure the Continuous Delivery service. The deployment begins automatically.
4. After the deployment begins, you can view the status of the deployment, modify your app, view your repo, or view the app's URL.
5. If you make any changes to your app, be

