PROJECT DEVELOPMENT PHASE SPRINT-3

Date	11 November 2022
Team ID	PNT2022TMID14022
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and notification
Maximum Marks	8 Marks

LOCAL FORAGE:

```
/*!
localForage -- Offline Storage, Improved Version 1.10.0
https://localforage.github.io/localForage
(c) 2013-2017 Mozilla, Apache License 2.0

*/
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof module)module.exports=a(); else
if("function"==typeof define&&define.amd)define([],a);
else{var b;
```

```
b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
     self?self:this.b.localforage=a()}}(function(){
      return function a(b.c.d){
function e(g.h){if(!c[g]){if(!b[g]){
        var i="function"==typeof require&&require: if(!h&&i)return i(g,!0):if(f)return
        f(g.!0):
        var j=new Error("Cannot find module ""+g+""");
        throw i.code="MODULE NOT FOUND".i}var k=c[g]={exports:{}}:
                  b[g][0].call(k.exports.function(a){
                                                                             c=b[g][1][a]:return
                                                              var
              e(c||a)},k,k.exports,a,b,c,d)} return c[g].exports}
       for(var f="function"==typeof require&&require.g=0:g<d.length:g++)e(d[g]): return
       e}({1:[function(a,b,c){(function(a){"use strict";
                         function c()\{k=!0;for(var a,b,c=l.length;c;)\} for (b=l,l=[],a=-1;++a< c;)b[a]();c=l.length\}k=!1\}
                                        function d(a)\{1!==l.push(a)||k||e()\}var
     e,f=a.MutationObserver||a.WebKitMutationObserver;
if(f){var g=0,h=new
     f(c),i=a.document.createTextNode(''');h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}}
                         else if(a.setImmediate||void 0===a.MessageChannel)e="document"in
      a&&"onreadystatechange"in a.document.createElement("script")?function(){var
      b=a.document.createElement("script");b.onreadystatechange=function(){c(),b.onreadystatechange=null,b.pa
      rentNode.removeChild(b),b=null},a.document.documentElement.appendChild(b)}:function(){setTimeout(c,0)}; else{var}
      j=new a.MessageChannel;j.port1.onmessage=c,e=function(){j.port2.postMessage(0)}}var
      k,l=[];b.exports=d}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
     self?self:"undefined"!=typeof
                                       window?window:{})},{}],2:[function(a,b,c){"use
                                                                                          strict":function
                                                                                                              d(){}function
     e(a){if("function"!=typeof
                                       a)throw
                                                                    TypeError("resolver
                                                        new
                                                                                                 must
                                                                                                               be
     function");this.state=s,this.queue=[],this.outcome=void
                                                                                               0,a!==d\&\&i(this,a) function
     f(a,b,c){this.promise=a,"function"==typeof
     b&&(this.onFulfilled=b,this.callFulfilled=this.otherCallFulfilled),"function"==typeof
      c&&(this.onRejected=c,this.callRejected=this.otherCallRejected)\{function g(a,b,c)\{o(function()\{var}
      d;try{d=b(c)}catch(b){return p.reject(a,b)}d===a?p.reject(a,new TypeError("Cannot resolve promise with
```

```
itself")):p.resolve(a,d)})}function h(a){var b=a&&a,then:if(a&&("object"==typeof a||"function"==typeof
a) & & "function" == type of b) return function() {b.apply(a.arguments)}} function i(a.b) {function
c(b)\{f||(f=!0.p.reiect(a.b))\}function d(b)\{f||(f=!0.p.resolve(a.b))\}function e()\{b(d.c)\}var
f=!1,g=i(e);"error"===g.status&&c(g.value)}function
                                                                                                              i(a,b){var
c={}:trv{c,value=a(b),c,status="success"}catch(a){c,status="error",c,value=a}return c}function k(a){return a instanceof
this?a:p.resolve(new this(d),a)}function l(a){var b=new this(d);return p.reject(b,a)}function m(a){function b(a,b)}function
d(a)\{g[b]=a,++h!==e||f||(f=!0,p.resolve(j,g))\}c.resolve(a).then(d,function(a)\{f||(f=!0,p.reject(j,a))\})\}var \quad c=this; if(''[object']) \\
Arrayl''!==Object.prototype.toString.call(a))return
                                                      this.reject(new
                                                                        TypeError("must be an
e=a.length.f=!1:if(!e)return this.resolve([]):for(var g=new Array(e).h=0.i=-1.i=new this(d):++i<e:)b(a[il.i):return
j}function n(a){function
b(a){c.resolve(a).then(function(a){f||(f=!0,p.resolve(h,a))},function(a){f||(f=!0,p.reject(h,a))})}var c=this;if(''[object
Arrayl''!==Object.prototype.toString.call(a))return this.reject(new TypeError("must be an array"));yar
e=a.length,f=!1;if(!e)return this.resolve([]);for(var g=-1,h=new this(d);++g<e;)b(a[g]);return h}var
o=a(1),p={},q=["REJECTED"],r=["FULFILLED"],s=["PENDING"];b.exports=e,e,prototype.catch=function(a){ret urn
this.then(null.a)}.e.prototype.then=function(a,b){if("function"!=typeof a&&this.state===r||"function"!=typeof
b&&this.state===q)return this;var c=new
this.constructor(d):if(this.state!==s){g(c,this.state===r?a:b,this.outcome)}else this.queue.push(new f(c,a,b)):return
c},f.prototype.callFulfilled=function(a){p.resolve(this.promise,a)},f.prototype.otherCallFulfilled=function(a){g(
this.promise,this.onFulfilled,a)},f.prototype.callRejected=function(a){p.reject(this.promise,a)},f.prototype.oth
erCallRejected=function(a){g(this.promise,this.onRejected,a)},p.resolve=function(a,b){var
c=i(h,b);if("error"===c.status)return p.reject(a,c.value);var d=c.value;if(d)i(a,d);else{a.state=r,a.outcome=b;for(var e=-
1,f=a.queue.length;++e<f;)a.queue[e].callFulfilled(b)}return a},p.reject=function(a,b){a.state=q,a.outcome=b;for(var c=-
1,d=a.queue.length;++c<d;)a.queue[c].callRejected(b);return
a},e.resolve=k,e.reject=l,e.all=m,e.race=n},{1:1}],3:[function(a,b,c){(function(b){"use strict";"function"!=typeof
b.Promise&&(b.Promise=a(2))}).call(this,"undefined"!=typeof global?global:"undefined"!=typeof
self?self:"undefined"!=typeof window?window:{})},{2:2}],4:[function(a,b,c){"use strict":function d(a,b){if(!(a instanceof
b))throw new TypeError("Cannot call a class as a function")}function e(){try{if("undefined"!=typeof indexedDB)return
indexedDB;if("undefined"!=typeof webkitIndexedDB)return webkitIndexedDB;if("undefined"!=typeof
mozIndexedDB)return mozIndexedDB;if("undefined"!=typeof OIndexedDB)return OIndexedDB;if("undefined"!=typeof
msIndexedDB)return
msIndexedDB\catch(a)\{return\}\function f()\{try\{if(!ua||!ua.open)return!1;var a="undefined"!=typeof
openDatabase&&/(Safari|iPhone|iPad|iPod)/.test(navigator.userAgent)&&!/Chrome/.test(navigator.userAgent)
&&!/BlackBerry/.test(navigator.platform),b="function"==typeof fetch&&-1!==fetch.toString().indexOf("[native
code");return(!a||b)&&"undefined"!=typeof indexedDB&&"undefined"!=typeof
IDBKeyRange}catch(a){return!1}}function g(a,b){a=a||[],b=b||{};try{return new
```

```
Blob(a,b)}catch(f){if("TypeError"!==f,name)throw f:for(yar c="undefined"!=typeof
BlobBuilder?BlobBuilder:"undefined"!=typeof MSBlobBuilder?MSBlobBuilder:"undefined"!=typeof
MozBlobBuilder?MozBlobBuilder:WebKitBlobBuilder.d=new c.e=0:e<a.length:e+=1)d.append(a[e]):return
d.getBlob(b.type)}}function h(a,b){b&&a.then(function(a){b(null,a)},function(a){b(a)})}function
i(a,b,c){"function"==typeof b&&a.then(b),"function"==typeof c&&a.catch(c)}function i(a){return"string"!=typeof
a&&(console.warn(a+" used as a key, but it is not a string."),a=String(a)),a}function
k(){if(arguments.length&&"function"==typeof arguments[arguments.length-
11)return arguments[arguments.length-1]}function l(a){for(var b=a.length.c=new ArrayBuffer(b).d=new
Uint8Array(c),e=0;e<b;e++)d[e]=a.charCodeAt(e);return c}function m(a){return new va(function(b){var
c=a.transaction(wa,Ba),d=g(['''']);c.objectStore(wa).put(d,''key''),c.onabort=function(a){a.preventDefault(),a.st
opPropagation(),b(!1)},c.oncomplete=function(){var
a=navigator.userAgent.match(/Chrome\/(\d+)/).c=navigator.userAgent.match(/Edge\//):b(c||!a||parseInt(a[1].10)
>=43)}}).catch(function(){return!1}))function n(a){return'boolean'==typeof
xa?va.resolve(xa):m(a).then(function(a){return xa=a})}function o(a){var b=va[a.name],c={};c.promise=new
va(function(a,b){c.resolve=a,c.reject=b}),b.deferredOperations.push(c),b.dbReady?b.dbReady=b.dbReadv.th
en(function(){return c.promise}):b.dbReady=c.promise}function p(a){var
b=va[a.name],c=b.deferredOperations.pop();if(c)return c.resolve(),c.promise}function q(a,b){var
c=ya[a.name],d=c.deferredOperations.pop();if(d)return d.reject(b),d.promise}function r(a,b){return new
va(function(c,d){if(va[a.name]=va[a.name]||B(),a.db){if(!b)return c(a.db);o(a),a.db.close()}var
e=[a.name];b&&e.push(a.version);var f=ua.open.apply(ua,e);b&&(f.onupgradeneeded=function(b){var
c=f.result;try{c.createObjectStore(a.storeName),b.oldVersion<=1&&c.createObjectStore(wa)}catch(c){if("Con
straintError''!==c.name)throw c:console.warn('The database '''+a.name+''' has been upgraded from version
'+b.oldVersion+" to version "+b.newVersion+', but the storage "'+a.storeName+" already
exists.')}}),f.onerror=function(a){a.preventDefault(),d(f.error)},f.onsuccess=function(){var
b=f.result;b.onversionchange=function(a){a.target.close()},c(b),p(a)}})}function s(a){return r(a,!1)}function t(a){return
r(a,!0)}function u(a,b){if(!a.db)return!0;var
c=!a.db.objectStoreNames.contains(a.storeName),d=a.version<a.db.version,e=a.version>a.db.version;if(d&&
(a.version!==b&&console.warn('The database '''+a.name+''\'' can't be downgraded from version
"+a.db.version+" to version "+a.version+"."),a.version=a.db.version),e||c){if(c){var}
f=a.db.version+1;f>a.version&&(a.version=f)}return!0}return!1}function v(a){return new va(function(b,c){var d=new
FileReader;d.onerror=c,d.onloadend=function(c){var
d=btoa(c.target.result||'''');b({ local_forage_encoded_blob:!0,data:d,type:a.type})},d.readAsBinaryString(a)})} function
w(a){return g([l(atob(a.data))],{type:a.type})}function x(a){return a&&a. local forage encoded blob}function y(a){var
b=this,c=b._initReady().then(function(){var a=ya[b._dbInfo.name];if(a&&a.dbReady)return a.dbReady});return
i(c,a,a),cfunction z(a){o(a);for(var b=ya[a.name],c=b.forages,d=0;d<c.length;d++){var
```

```
e=c[d]:e. dbInfo.db&&(e. dbInfo.db.close().e. dbInfo.db=null)}return a.db=null.s(a).then(function(b){return
a.db=b.u(a)?t(a):b}).then(function(d){a.db=b.db=d:for(var
e=0:e<c.length:e++)c[e]. dbInfo.db=d}).catch(function(b){throw q(a,b),b})}function A(a,b,c,d){void
0 = = d \& \& (d=1):trv{var}
e=a.db.transaction(a.storeName.b):c(null.e)}catch(e){if(d>0&&(!a.db||''InvalidStateError''===e.name||''NotFou
ndError"===e.name))return
va.resolve().then(function(){if(!a.db||''NotFoundError''===e.name&&!a.db.objectStoreNames.contains(a.store
Name)&&a.version<=a.db.version)return a.db&&(a.version=a.db.version+1).t(a)}).then(function(){return
z(a).then(function(){A(a,b,c,d-1)})).catch(c);c(e)}}function
B(){return{forages:[],db:null,dbReady:null,deferredOperations:[]}}function C(a){function b(){return va.resolve()}var
c=this.d={db:null}:if(a)for(var e in a)d[e]=a[e]:var
f=va[d.name];f||(f=B(),va[d.name]=f),f.forages.push(c),c. initReady||(c._initReady=c.ready,c.ready=y);for(var
g=[].h=0;h<f.forages.length;h++){var i=f.forages[h];i!==c&&g.push(i. initReady().catch(b))}var i=f.forages.slice(0);return
va.all(g).then(function(){return d.db=f.db,s(d)}).then(function(a){return
d.db=a.u(d.c. defaultConfig.version)?t(d):a}).then(function(a){d.db=f.db=a.c. dbInfo=d:for(var b=0:b<i.length:b++){var
e=i[b];e!==c&&(e. dbInfo.db=d.db,e. dbInfo.version=d.version)}})function D(a,b){var c=this;a=i(a);var d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo.Aa.function(e,f){if(e)return d(e):try{var}}}
g=f.objectStore(c. dbInfo.storeName),h=g.get(a);h.onsuccess=function(){var a=h.result;void
0===a\&\&(a=null).x(a)\&\&(a=w(a)),b(a)\}.h.onerror=function()\{d(h.error)\}\}catch(a)\{d(a)\}\})\}.catch(d)\});return
h(d,b),d}function E(a,b){var c=this,d=new
va(function(b,d){c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(e)return}}
                                                                                                             d(e);trv{var
g=f.objectStore(c. dbInfo.storeName),h=g.openCursor(),i=1;h.onsuccess=function(){var
                                                                                                      c=h.result;if(c){var
d=c.value;x(d)&&(d=w(d));var e=a(d,c.kev,i++);void 0!==e?b(e):c.continue()else
b()},h.onerror=function(){d(h.error)}{catch(a){d(a)}})}).catch(d)});return
                                                                                h(d,b),d}function
                                                                                                       F(a,b,c){var
d=this:a=i(a):var
                     e=new
                                va(function(c.e){var
                                                        f:d.ready().then(function(){return
                                                                                               f=d. dbInfo,"[object
Blob]"===za.call(b)?n(f.db).then(function(a){return
a?b:v(b)}):b}).then(function(b){A(d. dbInfo,Ba,function(f,g){if(f)return e(f);try{var
h=g.objectStore(d.\_dbInfo.storeName);null===b\&\&(b=void\ 0);var\ i=h.put(b,a);g.oncomplete=function(){void\ }
0===b&&(b=null),c(b)},g.onabort=g.onerror=function(){var
a=i.error?i.error:i.transaction.error;e(a)}{catch(a){e(a)}})}).catch(e)});return h(e,c),e}function G(a,b){var
c=this;a=j(a);var d=new va(function(b,d){c.ready().then(function(){A(c. dbInfo,Ba,function(e,f){if(e)return d(e);try{var}}})}
g=f.objectStore(c.\_dbInfo.storeName), h=g.delete(a); f.oncomplete=function() \{b()\}, f.onerror=function() \{d(h.error=function)\} \}
or)},f.onabort=function(){var a=h.error?h.error:h.transaction.error;d(a)}}catch(a){d(a)}})}.catch(d)});return
h(d,b),d}function H(a){var b=this,c=new
```

```
va(function(a,c){b,ready(),then(function(){A(b, dbInfo,Ba,function(d,e){if(d)return c(d):try{var
f=e.objectStore(b, dbInfo.storeName).g=f.clear();e.oncomplete=function(){a()}.e.onabort=e.onerror=function() {var
a=g.error?g.error;g.transaction.error;c(a)}}catch(a){c(a)}})}).catch(c)}):return h(c.a).c}function I(a){var b=this.c=new}}
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b. dbInfo.storeName).g=f.count():g.onsuccess=function(){a(g.result)}.g.onerror=function(){c(
g.error)}{catch(a){c(a)}})},catch(c)});return h(c.a),c}function J(a,b){var c=this,d=new va(function(b,d){if(a<0)return void
b(null):c.ready().then(function(){A(c. dbInfo,Aa,function(e,f){if(e)return d(e):try{var
g=f.objectStore(c. dbInfo.storeName),h=!1,i=g.openKeyCursor();i.onsuccess=function(){var c=i.result;if(!c)return void
b(null):0===a?b(c.kev):h?b(c.kev):(h=!0.c.advance(a))\}.i.onerror=function(){d(i.error)}}catch(a){d(a)}})).catch(a)
d)}):return h(d,b),d}function K(a){var b=this.c=new
va(function(a,c){b.ready().then(function(){A(b. dbInfo,Aa,function(d,e){if(d)return c(d);try{var
f=e.objectStore(b, dbInfo.storeName).g=f.openKevCursor().h=[]:g.onsuccess=function(){var b=g.result;if(!b)return void
a(h);h.push(b.kev),b.continue()\},g.onerror=function()\{c(g.error)\}\}catch(a)\{c(a)\}\})\}).catch(c)\});return h(c,a),c\}function
L(a,b){b=k.apply(this,arguments); var c=this.config(); a="function"!=typeof
a&&a||{}.a.name||(a.name=a.name||c.name.a.storeName=a.storeName||c.storeName);var d.e=this;if(a.name){var
f=a.name===c.name&&e. dbInfo.db,g=f?va.resolve(e. dbInfo.db):s(a).then(function(b){var
c=va[a.name].d=c.forages;c.db=b:for(var e=0:e<d.length:e++)d[e]. dbInfo.db=b:return
b});d=a.storeName?g.then(function(b){if(b.objectStoreNames.contains(a.storeName)){var c=b.version+1;o(a);var
d=va[a.name],e=d.forages;b.close();for(var f=0;f<e.length;f++){var g=e[f];g. dbInfo.db=null,g. dbInfo.version=c}return
new va(function(b,d){var
e=ua.open(a.name,c);e.onerror=function(a){e.result.close(),d(a)},e.onupgradeneeded=function(){e.result.delet
eObjectStore(a.storeName)},e.onsuccess=function(){var
a=e.result;a.close(),b(a)}}).then(function(a){d.db=a;for(var b=0;b<e.length;b++){var
c=e[b];c. dbInfo.db=a,p(c. dbInfo)}}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})}});g.t
hen(function(b)\{o(a); var c=va[a.name], d=c.forages; b.close(); for(var e=0; e< d.length; e++)\{d[e], dbInfo.db=null\} return new length (a) and (b) are the control of the
va(function(b,c){var d=ua.deleteDatabase(a.name);d.onerror=function(){var
a=d.result;a&&a.close(),c(d.error)},d.onblocked=function(){console.warn('dropInstance blocked for database
""+a.name+"" until all open connections are closed")},d.onsuccess=function(){var
a=d.result;a&&a.close(),b(a)}}).then(function(a){c.db=a;for(var
b=0;b<d.length;b++)p(d[b]. dbInfo)}).catch(function(b){throw(q(a,b)||va.resolve()).catch(function(){}),b})})}els
d=va.reject("Invalid arguments");return h(d,b),d}function M(){return"function"==typeof openDatabase}function
N(a){var b,c,d,e,f,g=.75*a.length,h=a.length,i=0;''=''===a[a.length-1]&&(g--
,"="===a[a.length-2]&&g--);var j=new ArrayBuffer(g),k=new
```

```
Uint8Array(i):for(b=0:b<h:b+=4)c=Da.indexOf(a[b]).d=Da.indexOf(a[b+1]).e=Da.indexOf(a[b+2]).f=Da.indexOf(
a[b+3]).k[i++]=c<<2|d>>4.k[i++]=(15&d)<<4|e>>2.k[i++]=(3&e)<<6|63&f; return i}function O(a){var b.c=new}
Uint8Array(a).d='''':for(b=0:b < c.length:b+=3)d+=Da[c[b] >> 2].d+=Da[(3&c[b]) < < 4|c[b+1] >> 4].d+=Da[(15&c[b+1]) < < 4|c[b+1] >> 4|.d+=Da[(15&c[b+1]) < < 4|.d+=Da[(1
<<2|c[b+2]>>6].d+=Da[63&c[b+2]]:return
                                                                                                                             c.length%3==2?d=d.substring(0.d.length-
1)+"=":c.length%3==1&&(d=d.substring(0.d.length-2)+"==").d}function
                                                                                                                                                                                               P(a,b){var
c=''';if(a&&(c=Ua.call(a)),a&&(''[object ArrayBuffer]''===c||a.buffer&&''[object
ArrayBuffer]"===Ua.call(a.buffer))){var d.e=Ga;a instanceof ArrayBuffer?(d=a.e+=Ia):(d=a.buffer."[object
Int8Array]"===c?e+=Ka:"[object Uint8Array]"===c?e+=La:"[object Uint8ClampedArray]"===c?e+=Ma:"[object
Int16Array|"===c?e+=Na:"[object Uint16Array]"===c?e+=Pa:"[object Int32Array]"===c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32Array]"==c?e+=Oa:"[object Int32A
Uint32Array]"===c?e+=Oa:"[object Float32Array]"===c?e+=Ra:"[object Float64Array]"===c?e+=Sa:b(new
Error("Failed to get type for BinaryArray"))).b(e+O(d))}else if("[object Blob]"===c){var f=new
FileReader;f.onload=function(){var c=Ea+a.tvpe+"~"+O(this.result);b(Ga+Ja+c)}.f.readAsArravBuffer(a)}else
try{b(JSON.stringify(a))}catch(c){console.error("Couldn't convert value into a JSON string:
".a).b(null.c)}}function O(a){if(a.substring(0.Ha)!==Ga)return .JSON.parse(a);var
b,c=a.substring(Ta),d=a.substring(Ha,Ta);if(d===Ja&&Fa.test(c)){var
e=c.match(Fa);b=e[1],c=c.substring(e[0].length)}var f=N(c);switch(d){case Ia:return f;case Ja:return g([f],{type:b}):case
Ka:return new Int8Array(f);case La:return new Uint8Array(f);case Ma:return new Uint8ClampedArray(f);case
Na:return new Int16Arrav(f):case Pa:return new Uint16Arrav(f):case Oa:return new Int32Arrav(f):case Oa:return new
Uint32Array(f);case Ra:return new Float32Array(f);case Sa:return new Float64Array(f);default:throw new
Error("Unkown type: "+d)}}function R(a,b,c,d){a.executeSql("CREATE
TABLE IF NOT EXISTS "+b.storeName+" (id INTEGER PRIMARY KEY, key unique, value)",[],c,d)}function S(a){var
b=this,c={db:null};if(a)for(var d in a)c[d]="string"!=typeof a[d]?a[d].toString():a[d];var e=new
va(function(a,d){try{c.db=openDatabase(c.name,String(c.version),c.description,c.size)}catch(a){return
d(a)c.db.transaction(function(e){R(e,c,function(){b. dbInfo=c,a()},function(a,b){d(b)}});return
c.serializer=Va,e}function
T(a,b,c,d,e,f){a.executeSql(c,d,e,function(a,g)}{g.code===g.SYNTAX ERR?a.executeSql("SELECT name FROM
sqlite_master WHERE type='table' AND name
= ?'',[b.storeName],function(a,h){h.rows.length?f(a,g):R(a,b,function(){a.executeSql(c,d,e,f)},f);f(a,g)},f)}function
U(a,b){var c=this;a=i(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName+" WHERE key = ? LIMIT
1",[a],function(a,c){var
d=c.rows.length?c.rows.item(0).value:null;d&&(d=e.serializer.deserialize(d)),b(d)},function(a,b){d(b)}})}).catc
h(d)); return h(d,b), d}function V(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var})})}
e=c. dbInfo;e.db.transaction(function(c){T(c,e,"SELECT * FROM "+e.storeName,[],function(c,d){for(var
f=d.rows,g=f.length,h=0;h<g;h++){var i=f.item(h),j=i.value;if(j&&(j=e.serializer.deserialize(j)),void
```

```
0!==(i=a(i,i,kev,h+1)))return void b(i)}b()},function(a,b){d(b)})}),catch(d)});return h(d,b),d}function W(a,b,c,d){var
e=this:a=i(a):var f=new va(function(f,g){e.readv().then(function(){void 0===b&&(b=null):var
h=b.i=e. dbInfo;i.serializer.serialize(b.function(b.i){i?g(i);i.db.transaction(function(c){T(c.i,"INSERT OR
REPLACE INTO "+i.storeName+" (key, value) VALUES
(?,?)",[a,b],function(){f(h)},function(a,b){g(b)})},function(b){if(b,code===b,OUOTA_ERR){if(d>0)}return void}
f(W.apply(e,[a,h,c,d-1]));g(b)\}\})\}).catch(g)\});return h(f,c),f\}function X(a,b,c){return W.apply(this,[a,b,c,1])}function
Y(a,b){var c=this;a=i(a);var d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo:e.db.transaction(function(c){T(c.e."DELETE FROM "+e.storeName+" WHERE key =
?",[a],function(){b()},function(a,b){d(b)})}).catch(d)});return h(d,b),d}function
Z(a){var b=this.c=new va(function(a.c){b.readv().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"DELETE FROM
"+d.storeName,[],function(){a()},function(a,b){c(b)})}).catch(c)});return h(c,a),c}function $(a){var b=this,c=new}
va(function(a.c){b.readv().then(function(){var
d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT COUNT(kev) as c FROM
"+d.storeName.[].function(b.c){var d=c.rows.item(0).c;a(d)}.function(a.b){c(b)}})}).catch(c)});return h(c.a).c}function
(a,b){var c=this,d=new va(function(b,d){c.ready().then(function(){var
e=c. dbInfo;e.db.transaction(function(c){T(c,e,''SELECT key FROM ''+e.storeName+'' WHERE id = ? LIMIT
1".[a+1].function(a.c){var
d=c.rows.length?c.rows.item(0).kev:null:b(d)}.function(a,b){d(b)})}).catch(d)}:return h(d,b).d}function aa(a){var}
b=this,c=new va(function(a,c){b.readv().then(function(){var d=b. dbInfo;d.db.transaction(function(b){T(b,d,"SELECT
                                                                 FROM
                                                                                                                                         "+d.storeName,[],function(b,c){for(var
kev
d=[],e=0;e<c.rows.length;e++)d.push(c.rows.item(e).kev);a(d)],function(a,b){c(b)}))).catch(c)});return
h(c,a),c}function ba(a){return new va(function(b,c){a.transaction(function(d){d.executeSql("SELECT name
FROM sqlite master WHERE type='table' AND name <> '
WebKitDatabaseInfoTable\_''', [], function(c,d) \{ for (varable) \} \} (a) = \{ (c,d) \in A : (c,d) \in A : (c,d) \in A \} (b) = \{ (c,d) \in A : (c,d)
e=[],f=0;f<d.rows.length;f++)e.push(d.rows.item(f).name);b({db:a,storeNames:e})},function(a,b){c(b)})},function
                                                        ca(a,b){b=k.apply(this,arguments);var
                                                                                                                                              c=this.config();a="function"!=typeof
n(a)(c(a))) function
a&&a||{},a.name||(a.name=a.name||c.name,a.storeName=a.storeName||c.storeName);var d,e=this;return d=a.name?new
va(function(b){var
d;d=a.name===c.name?e._dbInfo.db:openDatabase(a.name,"","",0),b(a.storeName?{db:d,storeNames:[a.stor
va(function(b,c){d.executeSql("DROP TABLE IF EXISTS
''+a,[],function()\{b()\},function(a,b)\{c(b)\})\} for (var
f=[],g=0,h=a.storeNames.length;g<h;g++)f.push(e(a.storeNames[g]));va.all(f).then(function(){b()}).catch(functi
on(a){c(a)})},function(a){c(a)})}):va.reject("Invalid arguments"),h(d,b),d}function
```

```
da(){try{return''undefined''!=typeof localStorage&&''setItem''in
localStorage&&!!localStorage.setItem}catch(a){return!1}}function
                                                                                                                    ea(a,b){var
                                                                                                                                                c=a.name+"/":return
a.storeName!==b.storeName&&(c+=a.storeName+"/").c}function
                                                                                                                                                                      fa(){var
a=" localforage support test";try{return
localStorage.setItem(a.!0).localStorage.removeItem(a).!1}catch(a){return!0}}function
ga(){return!fa()||localStorage.length>0}function ha(a){var b=this.c={};if(a)for(var d in a)c[d]=a[d];return
c.kevPrefix=ea(a,b, defaultConfig).ga()?(b, dbInfo=c,c.serializer=Va,va,resolve()):va,reject()}function ia(a){var
b=this.c=b.ready().then(function(){for(var a=b, dbInfo.kevPrefix.c=localStorage.length-1:c>=0:c--){var
d=localStorage.kev(c);0===d.indexOf(a)&&localStorage.removeItem(d)}});return h(c,a),c}function ja(a,b){var
c=this;a=i(a);var d=c.ready().then(function(){var b=c. dbInfo.d=localStorage.getItem(b.kevPrefix+a);return
d&&(d=b.serializer.deserialize(d)).d}):return h(d,b).d}function ka(a,b){var c=this.d=c.readv().then(function(){for(var
b=c. dbInfo.d=b.kevPrefix.e=d.length.f=localStorage.length.g=1.h=0:h<f:h++){var
i=localStorage.kev(h); if(0===i.indexOf(d)) \{var i=localStorage.getItem(i); if(j&&(i=b.serializer.deserialize(j)), void \}
0!==(j=a(j,i.substring(e),g++)))return
                                                                              i}}):return
                                                                                                                     h(d.b).d}function
                                                                                                                                                                     la(a,b){var
c=this.d=c.ready().then(function(){var
                                                                                 b.d=c. dbInfo:trv{b=localStorage.kev(a)}catch(a){b=null}return
b&&(b=b.substring(d.keyPrefix.length)),b});return h(d,b),d}function ma(a){var
b=this.c=b.readv().then(function(){for(var a=b. dbInfo.c=localStorage.length.d=[].e=0:e<c:e++){var
f=localStorage.key(e);0===f.indexOf(a.keyPrefix)&&d.push(f.substring(a.keyPrefix.length))}return d});return
h(c,a),c}function na(a){var b=this,c=b.kevs().then(function(a){return a.length});return h(c,a),c}function oa(a,b){var
c=this;a=j(a);var d=c.ready().then(function(){var b=c. dbInfo;localStorage.removeItem(b.keyPrefix+a)});return
h(d,b),d function pa(a,b,c) {var d=this; a=i(a); var e=d.ready().then(function() {void 0===b&&(b=null); var c=b; return new local part of the context of 
va(function(e.f){var
g=d. dbInfo;g.serializer.serialize(b,function(b,d){if(d)f(d);else
try{localStorage.setItem(g.kevPrefix+a,b),e(c)}catch(a){"OuotaExceededError"!==a.name&&"NS_ERROR_DO
                                                                                                                                                                      h(e,c),e}function
M QUOTA REACHED''!==a.name||f(a),f(a)}})});return
qa(a,b){if(b=k.apply(this,arguments),a="function"!=typeof a&&a||{}.!a.name){var
c=this.config();a.name=a.name||c.name,a.storeName=a.storeName||c.storeName||var d,e=this;return d=a.name?new
va(function(b){b(a.storeName?ea(a,e. defaultConfig):a.name+"/")}).then(function(a){for(var b=localStorage.length-
1;b>=0;b--){var}
c=localStorage.key(b);0===c.indexOf(a)&&localStorage.removeItem(c)}}):va.reject("Invalid
arguments"),h(d,b),d}function ra(a,b){a[b]=function(){var c=arguments;return a.ready().then(function(){return
a[b].apply(a,c)})}}function sa(){for(var a=1;a<arguments.length;a++){var b=arguments[a];if(b)for(var c in
b)b.hasOwnProperty(c)&&($a(b[c])?arguments[0][c]=b[c].slice():arguments[0][c]=b[c])}return arguments[0]}var
ta="function"==typeof Symbol&&"symbol"==typeof Symbol.iterator?function(a){return typeof a}:function(a){return
a&&"function"==typeof
```

```
Symbol&&a.constructor===Symbol&&a!==Symbol.prototype?"symbol":typeof a}.ua=e():"undefined"==typeof
Promise&&a(3):var va=Promise.wa="local-forage-detect-blob-support".xa=void
0.va={}.za=Object.prototype.toString.Aa="readonly".Ba="readwrite".Ca={ driver: "asyncStorage", initStorage:
C, support:f(),iterate:E,getItem:D,setItem:F,removeItem:G,clear:H,length:I,kev:J,kevs:K,dropInstance:L},Da=
"ABCDEFGHIJKLMNOPORSTUVWXYZabcdefghijklmnopgrstuvwxvz0123456789+/".Ea="~~local forage type
~".Fa=/^~~local forage type~([^~]+)~/.Ga="lfsc:".Ha=Ga.length.Ia="arbf".Ja="blob".Ka="si08".La="ui08".
Ma="uic8", Na="si16", Oa="si32", Pa="ur16", Oa="ui32", Ra="fl32", Sa="fl64", Ta=Ha+Ia.length, Ua=Object.prototy
pe.toString.Va={serialize:P.deserialize:O.stringToBuffer:N.bufferToString:O}.Wa={ driver:"webSOLStorage".
initStorage:S, support:M().iterate:V,getItem:U,setItem:X,removeItem:Y,clear:Z,length:$,kev: ,kevs:aa,dropIn
stance:ca}.Xa={ driver:"localStorageWrapper", initStorage:ha, support:da().iterate:ka.getItem:ja.setItem:pa,
removeItem:oa,clear:ia,length:na,kev:la,kevs:ma,dropInstance:qa},Ya=function(a,b){return a===b||''number''==typeof
a&&"number"==typeof b&&isNaN(a)&&isNaN(b)},Za=function(a,b){for(var
c=a.length,d=0;d<c;){if(Ya(a[d],b))return!0;d++}return!1},$a=Array.isArray||function(a){return''[object
Array]''===Object.prototype.toString.call(a)}, a={},ab={},bb={INDEXEDDB:Ca,WEBSOL:Wa,LOCALSTORAGE:
Xa}.cb=[bb,INDEXEDDB, driver,bb,WEBSOL, driver,bb,LOCALSTORAGE, driver].db=["dropInstance"].eb=["
clear", "getItem", "iterate", "key", "keys", "length", "removeItem", "setItem", concat(db), fb={description: "", driver:
cb.slice(),name: "localforage",size:4980736,storeName: "keyvaluepairs",version:1},gb=function(){function
a(b){d(this,a);for(var c in bb)if(bb.hasOwnProperty(c)){var
e=bb[c],f=e. driver;this[c]=f, a[f]||this.defineDriver(e)}this. defaultConfig=sa({},fb),this. config=sa({},this. de
faultConfig,b),this. driverSet=null,this. initDriver=null,this. ready=!1,this. dbInfo=null,this. wrapLibraryMet
hodsWithReady(),this.setDriver(this. config.driver).catch(function(){})}return
a.prototype.config=function(a){if("object"===(void 0===a?"undefined":ta(a))){if(this. ready)return new
Error("Can't call config() after localforage has been used.");for(var b in
a){if("storeName"===b&&(a[b]=a[b].replace((W/g,"")),"version"===b&&"number"!=typeof a[b])return new
Error("Database version must be a number."):this. config[b]=a[b]\return!("driver"in
a&&a.driver)||this.setDriver(this. config.driver)}return''string''==typeof
a?this. config[a]:this. config[a.prototype.defineDriver=function(a,b,c){var d=new va(function(b,c){try{var
d=a. driver,e=new Error("Custom driver not compliant; see
https://mozilla.github.io/localForage/#definedriver");if(!a._driver)return void c(e);for(var
f=eb.concat(" initStorage"),g=0,i=f.length;g<i;g++){var j=f[g];if((!Za(db,j)||a[j])&&"function"!=typeof a[j])return void
c(e)}(function(){for(var b=function(a){return function()}{var b=new Error("Method "+a+" is not implemented by the
current driver"),c=va.reject(b);return h(c.arguments[arguments.length-
1]),c}},c=0,d=db.length;c<d;c++){var e=db[c];a[e]||(a[e]=b(e))}})();var
k=function(c){ a[d]&&console.info("Redefining LocalForage driver: "+d), a[d]=a,ab[d]=c,b()};" support"in
a?a. support&&"function"==typeof
```

```
a. support?a. support().then(k.c);k(!!a. support);k(!0)}catch(a){c(a)}});return
i(d,b,c),d},a,prototype,driver=function(){return this, driver||null},a,prototype,getDriver=function(a,b,c){var}
d= a[a]?va.resolve( a[a]):va.reject(new Error("Driver not found.")):return
i(d,b,c),d},a,prototype,getSerializer=function(a){var b=va,resolve(Va);return i(b,a),b},a,prototype,ready=function(a){var
b=this.c=b. driverSet.then(function(){return null===b. ready&&(b. ready=b. initDriver()),b. ready});return
i(c.a.a).c}.a.prototype.setDriver=function(a,b.c){function d(){g. config.driver=g.driver()}function e(a){return}
g. extend(a),d(),g. readv=g. initStorage(g. config),g. readv}function f(a){return function(){function
b(){for(:c<a.length:){var f=a[c]:return c++,g, dbInfo=null.g, readv=null.g.getDriver(f),then(e),catch(b)}d():var h=new
Error("No available storage method found."):return g. driverSet=va.reject(h).g. driverSet}var c=0:return b()}}var
g=this;$a(a)||(a=[a]);var h=this. getSupportedDrivers(a),j=null!==this. driverSet?this. driverSet.catch(function(){return}
va.resolve()}):va.resolve();return this. driverSet=i.then(function(){var a=h[0];return
g. dbInfo=null.g. readv=null.g.getDriver(a).then(function(a){g. driver=a. driver.d().g. wrapLibraryMethodsW
ithReady(),g. initDriver=f(h)})}).catch(function(){d();var a=new Error("No available storage method found.");return
g. driverSet=va.reject(a).g. driverSet}).i(this. driverSet,b.c).this. driverSet}.a.prototype.supports=function(a)
{return!!ab[a]},a.prototype. extend=function(a){sa(this,a)},a.prototype. getSupportedDrivers=function(a){for(var
b=[],c=0,d=a.length;c<d;c++){var e=a[c];this.supports(e)&&b.push(e)}return
b},a.prototype. wrapLibraryMethodsWithReady=function(){for(var
a=0.b=eb.length;a<b;a++)ra(this.eb[a])},a.prototype.createInstance=function(b){return new a(b)},a}(),hb=new
gb;b.exports=hb},{3:3}]},{},[4])(4)});
```

INDEX:

```
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
<head>
<meta charset="UTF-8" />
<meta name="description" content="The Home Page after Logged In" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
```

<title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>

```
<script src="'./localforage.js"></script>
          <script>
                                if (window.location.hostname !== "localhost") {
                                         if (location.protocol !== "https:") {
                                                   location.replace(
                                                                         `https:\{\location.href.substring(
                                                                                   location.protocol.length
                                                            )}`
                 async function check() {
   let data = localforage.getItem("userData") if (data == null) {
     window.location.href = "/login"
          </script>
```

check()

```
</head>
            <br/>body
stvle="
height: 100%;
margin: 0;
font-weight: 300;
                          font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell,
                                 'Open Sans', 'Helvetica Neue',
                                                     sans-serif;
                   • •
            >
                   <div
                          class="wrapper"
                          style="
                                 height: 90%; display: flex; flex-direction: column; align-
                                 items: center; justify-content: center;
            text-align: center;
                          ••
                   >
                          <div
                                 class="details" style="
                                                           display: flex;
```

```
flex-direction: column; align-items: center; gap: 20px;
                                      padding: 1rem: border-radius: 5px:
                                      box-shadow: 0 0 8px 0px #44444444;
max-width: 80%;
                         >
                                             <h1 class="name" style="margin: 0"></h1>
                                <div
class="imageContainer"
                                                               style="padding: 10px; height: 10rem; width: 10rem"
                                >
                                <img class="image" alt="profile picture" />
                                                  </div>
                                             <h2 class="email" style="margin: 0"></h2>
            <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight: 400;"
     href="./dashboard">Go to Dashboard / </a>
                         </div>
                  </div>
                  <script>
                         async function main() {
```

```
document.quervSelector(".name")
      let
                                                                     image
            name
                                                               let
      document.querySelector(".image")
                                                               email
                                                 let
      document.querySelector(".email")
                                                     userData
                                            let
                                                                           await
                                                                   =
      localforage.getItem("userData") if(userData == null) { window.location.href =
      "/login"
      name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!` image.src =
      userData.profilePic
      email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;"
href="mailto:\suserData.email\">\s\userData.email\</a>
   main()
            </script>
      </body>
</html>
✓ AUTHENTICATION:
FIREOAUTH:
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <link rel="stylesheet" href="/css/fireoauth.css">
```

```
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.css">
       k rel="shortcut icon" href="https://raw.githubusercontent.com/tharunoptimus-
     pd/firepwa/main/favicon.ico?token=GHSAT0AAAAABR46HVJ5M5L3OGFRZROXOISYUJUWAA'' type="image/x-
     icon">
       <style> html, body {
          height: 100%;
margin: 0;
          font-family: -apple-system, BlinkMacSystemFont, "Segoe UI", Roboto, Oxygen,
           Ubuntu, Cantarell, "Open Sans", "Helvetica Neue", sans-serif;
          font-weight: 300;
        a {
          text-decoration: none; color: #007bff;
          font-weight: 500;
font-size: 1.2rem;
        h3 {
font-size: 1.4rem;
        h3, h4 {
```

```
margin: 0;
padding: 0.3rem 0;
         .wrapper { display: flex; flex-direction: column; align-
          items: center; justify-content: center; height: 100%;
          text-align: center;
         .oneClickSignin { padding: 0.5rem; border: 1px solid #44444444;
          border-radius: 5px;
          box-shadow: 0 0 3px 0px #44444444;
opacity: 0.2;
          pointer-events: none;
         .qrcode {
opacity: 0.1;
         .learnAboutFire { padding-top: 1.25em;
         .qrHolder {
          display: none; margin-top: 3rem;
```

```
.qrContainer {
   align-items: center; display: flex; justify-content: center;
   padding: 8px;
   margin: 2rem auto;
   box-shadow: 0 0px 6px 1px rgb(0 0 0 / 16%); border: 1px solid
   #4444444; border-radius: 6px; width: 200px;
   height: 200px;
</style>
<title>Fire OAuth</title>
<script>
 if (window.location.hostname !== "localhost") { if (location.protocol !==
   "https:") {
     location.replace(
      `https:${location.href.substring( location.protocol.length
      )}`
</script>
```

```
</head>
<body>
 <div class="wrapper">
   <h3 class="pageTitle">Login with SAFETY</h3>
   <div class="qrAuthorize">
    <h4 class="subTitle">Scan QR from your Fire OAuth App </h4>
    <div class="qrContainer">
      <canvas id="qr-code" class="qrcode"></canvas>
    </div>
   </div>
   <div class="oneClickSignin">
    <h4>Have Fire PWA on this device?</h4>
    <a target="_blank" id="authorizeOverLink" href="https://firepwa.netlify.app/authorize?sessionId"</pre>
rel="noopener">Click to Authorize </a>
   </div>
```

```
<div class="learnAboutFire">
  <a target="blank" href="https://fireoauth.netlifv.app" rel="noopener">Learn More about SAFETY</a>
 </div>
</div>
<script src=''https://cdnjs.cloudflare.com/ajax/libs/nprogress/0.2.0/nprogress.min.js''></script>
               <script src="https://cdnjs.cloudflare.com/ajax/libs/grious/4.0.2/grious.min.js"></script>
                <script src=''https://cdnjs.cloudflare.com/ajax/libs/socket.io/4.2.0/socket.io.js''></script>
<script>
 const FIRE API KEY = "635b790a3bcc6b59c4b772d0"
          FIRE ENDPOINT
                                      "https://fire.adaptable.app/api/apis/generate"
 const
                                                                                    const
 CHANNEL NAME = "fireOAuthChannel"
                                                 const broadCastingChannel
                                                                                    new
 BroadcastChannel(CHANNEL NAME) const FIRE SERVER SOCKET ENDPOINT =
 "https://fire.adaptable.app" let socket = io(FIRE SERVER SOCKET ENDPOINT)
 let gr
 let grcode = document.guerySelector(".grcode")
 let oneClickSignin = document.querySelector(".oneClickSignin") let pageTitle =
 document.guervSelector(".pageTitle")
 let subTitle = document.querySelector(".subTitle")
```

```
function setOpacity(opacity) { oneClickSignin.style.opacity = opacity
 oneClickSignin.style.pointerEvents = opacity === "1"? "auto": "none" grcode.style.opacity
 = opacity
async function getSessionID() { let response
 try {
   response = await fetch(`${FIRE ENDPOINT}/${FIRE API KEY}`, { method: "GET",
     headers: {
       "Content-Type": "application/json",
   })
 } catch (error) { console.log(error)
   return null
 let data = await response.json()
 let { sessionId, chatRoomId } = data return { sessionId, chatRoomId }
function generateQR(value) {
 (qr = new QRious({ element: document.getElementById("qr-code"), size: 200,
   level: 'M', value: value,
 }))
```

```
function changeHREF ({sessionId, chatRoomId}) {
let firePwaUrlHostname = "https://firepwa.netlifv.app"
let originURL = encodeURIComponent(window.location.origin)
          let url =
     `${firePwaUrlHostname}/authorize.html?sessionId=${sessionId}&chatRoomId=${chatRoomId}&url=${originU
     RL}`
          let a = document.getElementById("authorizeOverLink")
          a.href = url
        async function fire() { NProgress.set(0.4)
          let { sessionId, chatRoomId } = await getSessionID()
          if(sessionId === undefined || chatRoomId === undefined || sessionId === null || chatRoomId === null) {
            pageTitle.innerHTML = "Something went wrong "
            subTitle.innerHTML = "Please try again later "
return
          setOpacity("1")
```

```
NProgress.done()
    let data = { sessionId, url:
      encodeURIComponent(window.location.origin)
    data = JSON.stringify(data) generateQR(data) changeHREF({sessionId,
    chatRoomId}) socket.emit("join room", sessionId)
   fire()
   socket.on("trusted token", (token) => {
    let data = {} data.success = true data.token = token
    broadCastingChannel.postMessage(data)
    window.close()
   })
 </script>
</body>
```

```
</html>
✓ LOGIN:
HTML:
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 k rel="stylesheet" href="/css/login.css">
 <title>Sign Up</title>
 <script>
   if (window.location.hostname !== "localhost") { if (location.protocol !==
    "https:") {
      location.replace(
        `https:${location.href.substring(
         location.protocol.length
       )}`
```

```
</script>
 <script src="./localforage.js"></script>
</head>
<body>
 <div class="wrapper">
   <div class="loginContainer">
    <span>SignUp To Continue</span>
    <div class="traditionalLoginContainer">
      <form class="signupForm" action="/" method="post">
       <input type="email" name="email" placeholder="Email" id="email">
       <input type="password" name="password" placeholder="Password" id="password">
       <input class="loginButton" type="submit" value="Login">
      </form>
    </div>
    <div class="loginWithFireContainer">
```

```
<button type="button" class="fire" title="Login with Safety" id="fire">Login with Safety</button>
   </div>
   <a class="hyperLink" href="/register">Don't have an Account? Register / </a>
 </div>
</div>
<script>
 // Necessary for Fire OAuth to Function
 const fireBroadcastingChannel = new BroadcastChannel('fireOAuthChannel');
 fireBroadcastingChannel.addEventListener('message', async event => {
   let data = event.data
   /**
   * @typedef {Object<string, any>} Data
   * @property {boolean} success - Whether the login was successful
   * @property {string} token - The data returned from the login i.e. Fire Token
   */
   // data.token is the message sent from the fireOAuthChannel after verification
   // data.success is a boolean that indicates whether the verification was successful
   // data.token is the fire token
```

```
// What to do with the Fire Token?
           //* Fire Token is an unique token which uniquely identifies the user who authorized your login attempt with Fire
           // * You can use this token ONLY ONCE as it will be destroyed after the first use
           // 1. Send the fire token to the Fire Server to verify the user
           // - You can do that client sided or server sided
           // - You need to send a POST Request to the Fire Server with the fire token
          // at the URL: http://localhost:3003/api/tokens/verify
           // - The Fire Server will verify the fire token and return a response
           // - If the verification was successful - CODE (200), the Fire Server will return a response with the user's data
           // - If the verification was unsuccessful - CODE (400) or CODE (401), the Fire Server will return a response with an
      error 'message'
           // - You can use the data returned from the Fire Server to create a new user in your database
           // This example will send the token to Fire Servers and console.log the response console.log("%c" + `Fire
           Token: $\{\data.\token\}\', \cdot\'color: \#f1c40f; \text{font-weight: bold;}\'); \text{const response} = \text{await}
           fetch('https://fire.adaptable.app/api/tokens/verify', { method: 'POST', headers: {
               'Content-Type': 'application/ison'
body: JSON.stringify({
token: data.token
             })
           })
```

```
// get the response
const responseData = await response.ison()
          // console.log the response console.log(responseData)
          await localforage.setItem('userData', {...responseData, isFire: true})
          // Adding the user data to the user Database
          let database = await localforage.getItem("userDatabase") if (database == null) {
            database = []
database.push(responseData)
await localforage.setItem("userDatabase", database)
          // redirect to the home page window.location.href = '/'
         })
         function popupwindow(url, title, w, h) { var left = (screen.width/2)-(w/2);
          var top = (screen.height/2)-(h/2);
          return window.open(url, title, 'toolbar=no, location=no, directories=no, status=no, menubar=no,
             scrollbars=no, resizable=no, copyhistory=no, width='+w+', height='+h+', top='+top+', left='+left);
         document.getElementById("fire").addEventListener("click", function() { popupwindow("/fireoauth.html", "Fire
          OAuth", 450, 600)
         })
       </script>
       <script>
         // this. Website's Scripts / App Logic document.querySelector(".signupForm").addEventListener("submit", async (e)
         => { e.preventDefault()
```

```
let email = document.getElementById("email").value
          let password = document.getElementBvId("password").value
          let flag = false let userData = await localforage.getItem("userDatabase")
          if(userData) { userData.forEach(e => { if(e.email === email) { if(e.password ===
          password || e.isFire === true) { localforage.setItem("userData", e)
                 flag = true
window.location.href = "/"
            })
          } else {
alert("User Not Found")
          if(!flag) {
alert("Invalid Credentials")
         })
       </script>
     </body>
     </html>
```

