CREATE UI TO INTRACT WITH APPLICATION

Project name	Cutomer care registry
Team ID	PNT2022TMID42135
college Name	Avs college of
	technology

TASK:

Create UI to intract with Application.

SOLUTION:

USER LOGIN:

```
<!DOCTYPE html>
    <head>
        <title>Login</title>
       <link rel="stylesheet" href="login.css">
    </head>
<body>
    <div class="signin">
     <div class="back-img">
       <div class="sign-in-text">
         <h2 class="active">Sign In</h2>
         <h2 class="nonactive">Sign Up</h2>
        <div class="layer">
       </div><!--/.layer-->
        ▲
     </div><!--/.back-img-->
      <div class="form-section">
        <form action="#">
         <!--Email-->
         <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
            <label class="mdl-textfield__label" for="sample3">Email</label>
           <input class="mdl-textfield_input" type="email"</pre>
id="sample3"><br></br>
           <br>
            <span class="mdl-textfield_error">Enter a correct Email</span>
          </div>
          <br/>
```

```
<div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
            <label class="mdl-textfield label" for="sample3">Password</label>
            <input pattern=".{8,}" class="mdl-textfield input"</pre>
type="password" id="sample3"><br></br>
            <br>
            <span class="mdl-textfield error">Minimum 8 characters</span>
          </div>
          <br/>
          Forgot Password ?
          <!--CheckBox-->
          <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"</pre>
for="checkbox-1">
          <input type="checkbox" id="checkbox-1" class="mdl-checkbox_input"</pre>
checked><br></br>
          <br>
          <span class="keep-text mdl-checkbox_label">Keep me Signed In</span>
        </label>
        </form>
      </div><!--/.form-section-->
      <button class="sign-in-btn mdl-button mdl-js-ripple-effect mdl-js-button</pre>
mdl-button--raised mdl-button--colored">
        Sign In
      </button><!--/button-->
   </div><!--/.signin-->
  </body>
</html>
```

```
▲
     </div><!--/.back-img-->
      <div class="form-section">
       <form action="#">
         <!--Email-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
           <label class="mdl-textfield label" for="sample3">Email</label>
            <input class="mdl-textfield__input" type="email"</pre>
id="sample3"><br></br>
            <br>
            <span class="mdl-textfield_error">Enter a correct Email</span>
          </div>
          <br/>
          <br/>
          <!--Password-->
         <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
           <label class="mdl-textfield__label" for="sample3">Password</label>
            <input pattern=".{8,}" class="mdl-textfield__input"</pre>
type="password" id="sample3"><br></br>
            <span class="mdl-textfield error">Minimum 8 characters</span>
          </div>
          <br/>
          Forgot Password ?
          <!--CheckBox-->
          <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"</pre>
for="checkbox-1">
          <input type="checkbox" id="checkbox-1" class="mdl-checkbox_input"</pre>
checked><br></br>
          <span class="keep-text mdl-checkbox_label">Keep me Signed In</span>
       </label>
        </form>
      </div><!--/.form-section-->
      <button class="sign-in-btn mdl-button mdl-js-ripple-effect mdl-js-button</pre>
mdl-button--raised mdl-button--colored">
       Sign In
     </button><!--/button-->
  </div><!--/.signin-->
 </body>
```

LOGIN AS AGENT:

```
<!DOCTYPE html>
   <head>
       <title>Agent Login</title>
       <link rel="stylesheet" href="login.css">
    </head>
   <div class="signin">
     <div class="back-img">
       <div class="sign-in-text">
         <h2 class="active">Sign In</h2>
         <h2 class="nonactive">Sign Up</h2>
       </div><!--/.sign-in-text-->
       <div class="layer">
       </div><!--/.layer-->
       ▲
     </div><!--/.back-img-->
      <div class="form-section">
       <form action="#">
         <!--Email-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
           <label class="mdl-textfield_label" for="sample3">Email</label>
            <input class="mdl-textfield input" type="email"</pre>
id="sample3"><br></br>
           <br>
           <span class="mdl-textfield_error">Enter a correct Email</span>
          </div>
          <br/>
          <br/>
          <!--Password-->
          <div class="mdl-textfield mdl-js-textfield mdl-textfield--floating-</pre>
label">
            <label class="mdl-textfield label" for="sample3">Password</label>
            <input pattern=".{8,}" class="mdl-textfield input"</pre>
type="password" id="sample3"><br></br>
           <span class="mdl-textfield_error">Minimum 8 characters</span>
          </div>
          <br/>
          Forgot Password ?
          <!--CheckBox-->
          <label class="mdl-checkbox mdl-js-checkbox mdl-js-ripple-effect"</pre>
for="checkbox-1">
```

COMMON REGISTRATION:

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="reg.css">
   <title>Document</title>
  <body>
    <div class="container">
     <form id="form" class="form">
        <h2>register!</h2>
        <div class="form-control">
          <label for="username">Username</label>
          <input type="text" id="username" placeholder="Enter username" />
          <small>Error message</small>
        </div>
        <div class="form-control">
          <label for="email">Email</label>
          <input type="text" id="email" placeholder="Enter email" />
          <small>Error message</small>
        <div class="form-control">
          <label for="password">Password</label>
          <input type="password" id="password" placeholder="Enter password" />
          <small>Error message</small>
        </div>
        <div class="form-control">
          <label for="password2">Confirm password</label>
```

FORGOT PASSWORD:

```
<!DOCTYPE html>
    <head>
       <meta charset="UTF-8">
       <meta name="viewport" content="width=device-width, initial-scale=1">
       <meta name="author" content="Yinka Enoch Adedokun">
       <meta name="description" content="Simple Forgot Password Page Using</pre>
HTML and CSS">
       <meta name="keywords" content="forgot password page, basic html and</pre>
css">
       <title>Forgot Password Page - HTML + CSS</title>
   </head>
       <div class="row">
            <h1>Forgot Password</h1>
            <h6 class="information-text">Enter your registered email to reset
your password.</h6>
            <div class="form-group">
               <input type="email" name="user email" id="user email">
               <label for="username">Email</label>
               <button onclick="showSpinner()">Reset Password</button>
            <div class="footer">
               <h5>New here? <a href="#">Sign Up.</a></h5>
               <h5>Already have an account? <a href="#">Sign In.</a></h5>
               <span class="symbols" title="Lots</pre>
of love from me to YOU!">♥ </span><a
href="https://www.facebook.com/adedokunyinka.enoch" target=" blank"
title="Connect with me on Facebook">Yinka Enoch Adedokun</a>
            </div>
        </div>
    </body>
</html>
```

OUTPUT:



