Assignment –3

Build CNN for Classification of Flowers

Assignment Date	10 October 2022
Student Name	Ms.Nivedha.K
Student Roll Number	820419104047
Maximum Marks	2 Marks

Import required packages

[]	import keras
[]	<pre>from google.colab import drive drive.mount('<u>/content/drive</u>')</pre>
	Mounted at /content/drive
[]	from keras.preprocessing.image import ImageDataGenerator
[]	train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2, rotation_range=180, zoom_range=0.2, horizontal_flip=True)
	test_dataGen=ImageDataGenerator(rescale=1./255)
[]	#install Kaggle !pip install -q kaggle
[]	#create a kaggle folder !mkdir ~/.kaggle
[]	<pre>#copy the kaggle.json to folder created !cp kaggle.json ~/.kaggle/</pre>
	cp: cannot stat 'kaggle.json': No such file or directory
[]	<pre>#permission for the json to act ! chmod 600 ~/.kaggle/kaggle.json</pre>
	chmod: cannot access '/root/.kaggle/kaggle.json': No such file or directory

1.Download the dataset

```
x_train = train_datagen.flow_from_directory(r'/content/drive/MyDrive/IBM/train_set',
    target_size = (128,128),
    batch_size = 32,
    class_mode = 'binary')

Found 2313 images belonging to 5 classes.

[] x_test = test_dataGen.flow_from_directory(r'/content/drive/MyDrive/IBM/test_set',
    target_size = (128,128),
    batch_size = 32,
    class_mode = 'binary')

Found 2068 images belonging to 5 classes.
```

2. Image Augmentation

```
[ ] #give any random image path
  img = image.load_img(r'/content/drive/MyDrive/IBM/test_set/daisy/10300722094_28fa978807_n.jpg')
  x = image.img_to_array(img)
  #expand the image shape
  x = np.expand_dims(x,axis= 0)
[ ] img
```



```
Looking in indexes: <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple">https://nymi.org/simple</a>, <a href="https://nymi.org/simple</a>, <a href="https
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
collecting ippylot
Downloading ipyplot-1.1.1-py3-none-any.whl (13 kB)
Requirement already satisfied: pillow in /usr/local/lib/python3.7/dist-packages (from ipyplot) (7.0.2)
Requirement already satisfied: pillow in /usr/local/lib/python3.7/dist-packages (from ipyplot) (7.0.6)
Collecting shortwaid
Downloading shortwaid-1.0.9-py3-none-any.whl (9.4 kB)
Requirement already satisfied: numpy in /usr/local/lib/python3.7/dist-packages (from ipyplot) (1.21.6)
Requirement already satisfied: decorator in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (0.2.0)
Requirement already satisfied: decorator in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (4.4.2)
Requirement already satisfied: pickleshare in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (0.7.5)
Requirement already satisfied: pickleshare in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (0.7.5)
Requirement already satisfied: setuptools>18.5 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (5.1.1)
Requirement already satisfied: setuptools>18.5 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (5.1.0)
Requirement already satisfied: progret-toolkitc2.1.0,>~2.0.0 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (2.0.10)
Requirement already satisfied: pygments in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (2.6.1)
Downloading jeid-0.18.1-py2.py3-none-any.whl (1.6 MB)
Requirement already satisfied: sprso-0.9.0, 9.0.0 in /usr/local/lib/python3.7/dist-packages (from prompt-toolkitc2.1.0,>~2.0.0-)IPython-ipyplot) (0.2.5)
Requirement already satisfied: svciudth in /usr/local/lib/python3.7/dist-packages (from prompt-toolkitc2.1.0,>~2.0.0-)IPython-ipyplot) (0.2.5)
Requirement already satisfied: svciudth in /usr/local/lib/python3.7/dist-packages (from prompt-toolkitc2.1.0,>~2.0.0-)IPython-ipyplot) (0.2.5)
Requirement already satisfied: svciudth in /usr/loca
```

3.Create Model

```
[ ] import ipyplot
    import imageio
    import imgaug as ia
    import imgaug.augmenters as iaa


WARNING! Google Colab Environment detected!
    You might encounter issues while running in Google Colab environment.
    If images are not displaying properly please try setting `force_b64` param to `True`.

[ ] input=imageio.imread("/content/drive/MyDrive/IBM/test_set/daisy/10559679065_50d2b16f6d.jpg")

[ ] hflip = iaa.Fliplr(p=1.0)
    input_hf = hflip.augment_image(input)

[ ] vflip=iaa.Flipud (p=1.0)
    input_vf=vflip.augment_image(input)
    images_list=[input, input_hf, input_vf]
    labels = ['Original', 'Horizontally flipped', 'Vertically flipped']
    ipyplot.plot_images (images_list,labels=labels, img_width=180)
```

show html



```
[ ] noise=iaa. AdditiveGaussianNoise (18,48)
  input_noise=noise.augment_image(input)
  images_list=[input, input_noise]
  labels= ["Original", "Gaussian Noise Image"]
  ipyplot.plot_images(images_list, labels=labels, img_width=188)
```

show html





```
[ ] rot1 = iaa.Affine(rotate=(-30,30))

input_rot1 = rot1.augment_image(input)
  images_list=[input, input_rot1]
  labels= ['Original', 'Rotated Image']
  ipyplot.plot_images(images_list,labels=labels, img_width=180)
```

show html





4.Add Layers(Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

```
[ ] #To define Linear intialisation import
     from keras.models import Sequential
      #To add Layers import Dense
     from keras.layers import Dense
     #To create Convolution kernel import Convolution20 from keras.layers import Convolution20
     from keras.layers import Convolution2D
     from keras.layers import MaxPooling2D
     #import Flatten Layer
     from keras.layers import Flatten
    import warnings
     warnings.filterwarnings('ignore')
[ ] #initialize our model
     model = Sequential()
[ ] #Adding Convolutional Layer
     model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
[ ] #Adding Pooling LayerMax Pooling
      model.add(MaxPooling2D(pool_size=(2,2)))
[ ] #Adding Flatten Layer
      model.add(Flatten())
```

Adding Hidden Layers

```
[ ] model.add(Dense(2,activation='relu'))
[ ] model.add(Dense(150, bias_initializer='uniform', activation='relu'))
```

Adding Output Layer

```
[ ] model.add(Dense (1, bias_initializer='uniform', activation='sigmoid'))
```

5. Compile the Model

6.Fit the Model

7. Save the Model & Test the Model

```
[ ] model.save("flowers.h5")

[ ] ls

    drive/ flowers.h5 sample_data/

[ ] from keras.models import load_model

    #import image class from keros

    from keras.preprocessing import image

    #import numpy
    import numpy as np

    #import cv2

import cv2

[ ] #Load the saved model

    model = load_model("flowers.h5")
```