Assignment –3

Build CNN for Classification of Flowers

Assignment Date	10 October 2022
Student Name	Mr. Sudharsan .S
Student Roll Number	820419104075
Maximum Marks	2 Marks

Import required packages

[]	import keras
[]	<pre>from google.colab import drive drive.mount('/content/drive')</pre>
	Mounted at /content/drive
[]	from keras.preprocessing.image import ImageDataGenerator
[]	train_datagen=ImageDataGenerator(rescale=1./255, shear_range=0.2, rotation_range=180, zoom_range=0.2, horizontal_flip=True)
	test_dataGen=ImageDataGenerator(rescale=1./255)
[]	#install Kaggle !pip install -q kaggle
[]	#create a kaggle folder !mkdir ~/.kaggle
[]	#copy the kaggle.json to folder created !cp kaggle.json ~/.kaggle/

cp: cannot stat 'kaggle.json': No such file or directory

[] #permission for the json to act
 ! chmod 600 ~/.kaggle/kaggle.json

chmod: cannot access '/root/.kaggle/kaggle.json': No such file or directory

1.Download the dataset

```
[ ] x_train = train_datagen.flow_from_directory(r'/content/drive/MyDrive/IBM/train_set',
    target_size = (128,128),
    batch_size = 32,
    class_mode = 'binary')

Found 2313 images belonging to 5 classes.

[ ] x_test = test_dataGen.flow_from_directory(r'/content/drive/MyDrive/IBM/test_set',
    target_size = (128,128),
    batch_size = 32,
    class_mode = 'binary')

Found 2068 images belonging to 5 classes.
```

2. Image Augmentation



```
tooking in indexes: <a href="https://pypi.org/simple">https://us-nython.pkg.dev/colab-wheels/public/simple/</a>
Requirement already satisfied: imgaug in /usr/local/lib/python3.7/dist-packages (0.4.0)
Requirement already satisfied: Pillow in /usr/local/lib/python3.7/dist-packages (from imgaug) (7.1.2)
Requirement already satisfied: malpoltlib in /usr/local/lib/python3.7/dist-packages (from imgaug) (3.2.2)
Requirement already satisfied: imageio in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.8.4)
Requirement already satisfied: opency-python in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.8.4)
Requirement already satisfied: opency-python in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.5.6)
Requirement already satisfied: scip in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.5.6)
Requirement already satisfied: scip in /usr/local/lib/python3.7/dist-packages (from imgaug) (1.7.3)
Requirement already satisfied: numpy>-1.15 in /usr/local/lib/python3.7/dist-packages (from singaug) (0.18.3)
Requirement already satisfied: PyMavelets>-1.1.1 in /usr/local/lib/python3.7/dist-packages (from singaug) (1.2.16)
Requirement already satisfied: PyMavelets>-1.1.1 in /usr/local/lib/python3.7/dist-packages (from singaug) (1.2.2)
Requirement already satisfied: PyMavelets>-1.1.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (2.6.3)
Requirement already satisfied: python-dateutll>-2.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (2.8.2)
Requirement already satisfied: skivisolver>-1.8.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (2.8.2)
Requirement already satisfied: kivisolver>-1.8.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (3.8.4)
Requirement already satisfied: cython-dateutll>-2.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (3.8.4)
Requirement already satisfied: cython-dateutll>-2.1 in /usr/local/lib/python3.7/dist-packages (from matplotlib-imgaug) (3.8.4)
Requirement already satis
```

```
tooking in indexes: <a href="https://pyi.org/simple">https://us-python.pkg.dev/colab.wheels/public/simple/</a>
collecting ippplot
Downloading ippplot-1.1.1-py3-none-any.whl (13 kB)
Requirement already satisfied: pillow in /usr/local/lib/python3.7/dist-packages (from ipyplot) (7.1.2)
collecting shortunid
Downloading shortunid-1.0.9-py3-none-any.whl (9.4 kB)
Requirement already satisfied: numpy in /usr/local/lib/python3.7/dist-packages (from ipyplot) (1.21.6)
Requirement already satisfied: pithon in /usr/local/lib/python3.7/dist-packages (from ipyplot) (7.9.0)
Requirement already satisfied: pickleshare in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (2.6.1)
Requirement already satisfied: pexpect in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (2.6.1)
Requirement already satisfied: cariettes>a.2 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (4.8.0)
Requirement already satisfied: cariettes>a.2 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (4.8.0)
Requirement already satisfied: cariettes>a.2 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (4.8.0)
Requirement already satisfied: setuptools>=18.5 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (4.4.2)
Requirement already satisfied: setuptools>=18.5 in /usr/local/lib/python3.7/dist-packages (from IPython-ipyplot) (57.4.0)
collecting jedi>=0.18.1-py2.py3-none-any.whl (1.6 PB)

1.6 PB

1.6 PB

1.6 PB

2.6 PB

1.6 PB

1.6 PB

2.7 PB

2.8 PB

3.9 PB

3.0 PB

4.1 PB

4
```


3.Create Model

```
[ ] import ipyplot
import imageio
import imgaug as ia
import imgaug.augmenters as iaa

[ ] input=imageio.imread("/content/drive/MyDrive/IBM/test_set/rose/12338444334_72fcc2fc58_m.jpg")

[ ] hflip = iaa.Fliplr(p=1.0)
input_hf = hflip.augment_image(input)

• vflip=iaa.Flipud (p=1.0)
input_vf=vflip.augment_image(input)
images_list=[input, input_hf, input_vf]
labels =['Original', 'Horizontally flipped', 'Vertically flipped']
ipyplot.plot_images (images_list,labels=labels, img_width=180)
```



```
[ ] crop1=iaa.Crop (percent=(0, 0.3))
       input_crop1 = crop1.augment_image(input)
       images_list=[input, input_crop1]
labels = ['Original', 'Cropped Image']
ipyplot.plot_images (images_list, labels=labels, img_width=180)
       noise=iaa. AdditiveGaussianNoise (18,48)
       input_noise=noise.augment_image(input)
       images_list=[input, input_noise]
labels= ["Original", "Gaussian Noise Image"]
ipyplot.plot_images(images_list, labels=labels, img_width=188)
rot1 = iaa.Affine(rotate=(-30,30))
       input_rot1 = rot1.augment_image(input)
images_list=[input, input_rot1]
labels= ['Original', 'Rotated Image']
ipyplot.plot_images(images_list,labels=labels, img_width=180)
```

4.Add Layers(Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

```
from keras.layers import MaxPooling2D
    import warnings
warnings.filterwarnings('ignore')
 [ ] #Adding Convolutional Layer model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
 [ ] #Adding Pooling LayerMax Pooling
       model.add(MaxPooling2D(pool_size=(2,2)))
 [ ] #Adding Flatten Layer
       model.add(Flatten())
Adding Hidden Layers
  ] model.add(Dense(2,activation='relu'))
[ ] model.add(Dense(150, bias_initializer='uniform', activation='relu'))
Adding Output Layer
   ] model.add(Dense (1, bias_initializer='uniform', activation='sigmoid'))
```

5. Compile the Model

6.Fit the Model

7. Save the Model & Test the Model

```
[ ] model.save("flowers.h5")

[ ] 1s

    drive/ flowers.h5 sample_data/

[ ] from keras.models import load_model

    #import image class from keros

    from keras.preprocessing import image

    #import numpy
    import numpy as np

    #import cv2

import cv2

[ ] #Load the saved model
    model = load_model("flowers.h5")
```